

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
松本禎久			新版がん緩和ケアガイドブック	青海社	東京	2017	
木澤義之 他	小児緩和ケアの現状と展望	志真泰夫 恒藤 暁 細川豊史 宮下光令 山崎章郎	ホスピス緩和ケア白書 2017	青海社	東京都	2017年	34-37
井上順一朗, 木澤義之 他	緩和医療の実際	井上順一朗 神津 玲	理学療法MOOK21 がんの理学療法	三輪書店	東京都	2017年	93-98
木澤義之 他	緩和医療ピットフォールファイル	森田達也 濱口恵子	緩和医療ピットフォールファイル	南江堂	東京都	2017年	6-78
木澤義之 他	緩和医療と終末期(エンド・オブ・ライフ)ケア	矢崎義雄 他	内科学	朝倉書店	東京都	2017年	186-188
木澤義之 他	人生の最終段階を見据えたアドバンス・ケア・プランニング	長江弘子	「生きる」を考える	日本看護協会出版会	東京都	2017年	186-196
木澤義之 他	わが国の政策と診療報酬の動向	木澤義之 矢野和美	心疾患 COPD 神経疾患の緩和ケア	青海社	東京都	2017年	8-11
木澤義之 他	エンド・オブ・ライフケア	小川朝生 木澤義之 山本 亮	新版 がん緩和ケアガイドブック	青海社	東京都	2017年	95-105
木澤義之 他	患者と家族の意向が異なるとき	木澤義之 山本 亮 浜野 淳	いのちの終わりにどうかかわるか	医学書院	東京都	2017年	68-73

木澤義之 他		木澤義之 山本 亮 浜野 淳	いのちの終 わりにどう かわるか	医学書院	東京都	2017年	全項
木澤義之 他		日本頭頸 部癌学会	頭頸部癌 診療ガイド ライン	金原出版 株式会社	東京都	2017年	
明智龍男	「本人が不 安を感じて います」は本 当?	森田達也、 濱口恵子	苦い経験か ら学ぶ! 緩 和医療ピッ トフォル ファイル	南江堂	東京	2017	136- 137
明智龍男	リスペリド ン少量で傾 眠と誤嚥性 肺炎発生	森田達也、 濱口恵子	苦い経験か ら学ぶ! 緩 和医療ピッ トフォル ファイル	南江堂	東京	2017	72
明智龍男	適応障害	鈴木直、 宮城悦子、 藤村正樹、 東口高志	婦人科がん 領域におけ る緩和医療 の実践	金原出版 株式会社	東京	2017	158- 165
明智龍男	せん妄、手術 後精神障害 (ICU)症候 群.	福井次矢、 高木誠、 小室一成	今日の治療 指針	医学書院	東京	2017	99
明智龍男	:認知行動療 法.	福井次矢、 高木誠、 小室一成	今日の治療 指針	医学書院	東京	2018	998- 999
森田達也		森田達也	終末期の苦 痛がなくな らない時、何 が選択でき るのか? - 苦痛緩和の ための鎮静 〔セデーシ ョン〕	医学書院	東京	2017	
		森田達也、 他(編集 者)	苦い経験か ら学ぶ! 緩 和医療ピッ トフォル ファイル	南江堂	東京	2017	
José L. Pereira (著者)		丹波嘉一 郎, 他(監 訳)	Pallium Canada 緩和 ケアポケッ トブック	メディカ ル・サイエ ンス・イン ターナシ	東京	2017	

			Pallium Palliative Pocketbook Second Edition	ヨナル			
		日本がんサポーターズケア学会(編)	がん薬物療法に伴う抹消神経障害マネジメントの手引き 2017年版	金原出版(株)	東京	2017	
<u>大谷弘行</u>	苦い経験から学ぶ！緩和医療ピットフォールファイル	森田達也 濱口恵子	緩和医療ピットフォール	南江堂	東京	2017	45-47
<u>小川朝生</u> 、 木澤義之、 濱野淳、山 本亮、飯島 勝矢、平井 啓、道永麻 里、他		小川朝生 木澤義之 山本亮	新版 がん緩和ケアガイドブック	青海社	東京	2017	
<u>小川朝生</u>	(3)精神的ケア	大江裕一 郎、鈴木健 司	インフォームドコンセントのための図説シリーズ 肺がん 改訂5版	大阪府中央区	株式会社 医薬ジャー ナル社	2017	212-6
<u>小川朝生</u>	あなたの患者さん、認知症かもしれません	小川朝生	あなたの患者さん、認知症かもしれません	東京都文京区	医学書院	2017	2017

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
<u>Yamada T, Morita T, Matsumoto Y, Otani H, et al</u>	A Prospective, Multicenter Cohort Study to Validate a Simple Performance Status-Based Survival Prediction System for Oncologists	Cancer	123(8)	1442-1452	2017

Matsuo N, <u>Morita T,</u> <u>Matsumoto</u> <u>Y,</u> et al	Predictors of delirium in corticosteroid-treated patients with advanced cancer: An exploratory, multicenter, prospective, observational study	J Palliat Med	20(4)	352-359	2017
Kohara H, Matsuo N, Katayama H, Nishi T, Matsui T, Iwase S.	Predictors of response to corticosteroids for dyspnea in advanced cancer patients: A preliminary multicenter prospective observational study	Support Care Cancer	25(4)	1169-1181	2017
Wada S, Inoguchi H, Hirayama T, Matsuoka YJ, Uchitomi Y, Ochiai H, Tsukamoto S, Shida D, Kanemitsu Y, <u>Shimizu K.</u>	Yokukansan for the treatment of preoperative anxiety and postoperative delirium in colorectal cancer patients: a retrospective study	Jpn J Clin Oncol.	1;47(9)	844-848. doi	2017 Sep
Yamashita R, <u>Kizawa Y,</u> et al	Unfinished Business in Families of Terminally Ill With Cancer Patients.	J Pain Manage.	54(6)	861-869	2017
Aoyama M, <u>Kizawa Y,</u> et al	The Japan HOspice and Palliative Care Evaluation Study 3: Study Design, Characteristics of Participants and Participating Institutions, and Response Rates.	Am J Hosp Palliat Care.	34(7)	654-664	2017
Mori M, <u>Kizawa Y,</u> et al	Talking about death with terminally-ill cancer patients: What contributes to the regret of bereaved family members?	JPain Symptom Manage		Epub ahead of print	2017
Hamano J, <u>Kizawa Y,</u> et al	Trust in Physicians, Continuity and Coordination of Care, and Quality of Death in Patients with Advanced Cancer	J Palliat Med	20(11)	1252-1259	2017

Hirooka K, <u>Kizawa Y</u> ,et al	End-of-life experiences of family caregivers of deceased patients with cancer: A nation-wide survey	Psycho Oncology		Epub ahead of print	2017
Momo K, <u>Kizawa Y</u> , et al	Assessment of indomethacin oral spray for the treatment of oropharyngeal mucositis-induced pain during anticancer therapy	Supportive Care in Cancer		Epub ahead of print	2017
Otani H, <u>Kizawa Y</u> ,et al	Meaningful Communication Before Death, but Not Present at the Time of Death Itself, is Associated With Better Outcomes on Measures of Depression and Complicated Grief Among Bereaved Family Members of Cancer Patients	J Pain Symptom Manage	54(3)	273-279	2017 July
Yamaguchi T, <u>Kizawa Y</u> ,et al	Effects of End-of-Life Discussions on the Mental Health of Bereaved Family Members and Quality of Patient Death and Care	J Pain Symptom Manage	54 ( 1 )	17-26	2017 July
Hatano Y, <u>Kizawa Y</u> ,et al	The relationship between cancer patients' place of death and bereaved caregivers' mental health status	Psycho Oncology	26(11)	1959-1964	2017
Kanoh A, <u>Kizawa Y</u> ,et al	End-of-life care and discussions in Japanese geriatric health service facilities: A nationwide survey of managing directors' viewpoints	American Journal of Hospice and Palliative Medicine			2017 Jan
Miura H, <u>Kizawa Y</u> ,et al	Benefits of the Japanese version of the advance care planning facilitators education program	Geriatr Gerontol Int		350-352	2017 Feb
Yamamoto S, <u>Kizawa Y</u> ,et al	Decision Making Regarding the Place of End-of-Life Cancer Care: The Burden on Bereaved Families and Related Factors	J Pain Symptom Manage	53 ( 5 )	862-870	2017 May

Yotani N, <u>Kizawa Y</u> ,et al	Differences between Pediatricians and Internists in Advance Care Planning for Adolescents with Cancer.	J Pediatr.	182	356-362	2017 Mar
Morita T, <u>Kizawa Y</u> ,et al	Continuous Deep Sedation: A Proposal for Performing More Rigorous Empirical Research	J Pain Symptom Manage	53 ( 1 )	146-152	2017 Jan
Yotani N, <u>Kizawa Y</u> ,et al	Advance care planning for adolescent patients with life- threatening neurological conditions: a survey of Japanese paediatric neurologists	BMJ Pediatrics Open		Epub ahead of print	2017
Sakashita A, <u>Kizawa Y</u> ,et al	Which research questions are important for the bereaved families of palliative care cancer patients? A nationwide survey.	J Pain Symptom Manage		Epub ahead of print	2017
Shinjo T, <u>Kizawa Y</u> ,et al	Japanese physicians' experiences of terminally ill patients voluntarily stopping eating and drinking: a national survey	BMJ Support Palliative Care		Epub ahead of print	2017
Kobayakawa M, <u>Kizawa Y</u> ,et al	Psychological and psychiatric symptoms of terminally ill patients with cancer and their family caregivers in the home-care setting: A nation-wide survey from the perspective of bereaved family members in Japan.	J Psychosom Res.	103	127-132	2017 Dec
Mori M, <u>Kizawa Y</u> ,et al	"What I Did for My Loved One Is More Important than Whether We Talked About Death": A Nationwide Survey of Bereaved Family Members.	J Palliat Med.		Epub ahead of print	2017
Hamano J, <u>Kizawa Y</u> ,et al	A nationwide survey about palliative sedation involving Japanese palliative care specialists: Intentions and key factors	J Pain Symptom Manage.		Epub ahead of print	2017

	used to determine sedation as proportionally appropriate.				
Kakutani K, <u>Kizawa Y</u> , et al	Prospective Cohort Study of Performance Status and Activities of Daily Living After Surgery for Spinal Metastasis.	Clin Spine Surg.	30(8)	E1026-E1032	2017 Oct
Nakazawa Y, <u>Kizawa Y</u> , et al	Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: an analysis of two nationwide representative surveys in 2008 and 2015.	J Pain Symptom Manage.		Epub ahead of print	2017
Matsuoka H, <u>Kizawa Y</u> , et al	Study protocol for a multi-institutional, randomised, double-blinded, placebo-controlled phase III trial investigating additive efficacy of duloxetine for neuropathic cancer pain refractory to opioids and gabapentinoids: the DIRECT study.	BMJ Open.	7(8)	e017280	2017 Aug
Miyazaki S, <u>Kizawa Y</u> , et al	Quality of life and cost-utility of surgical treatment for patients with spinal metastases: prospective cohort study.	Int Orthop.	41(6)	1265-1271	2017 Jun
Morita T, <u>Kizawa Y</u> , et al	Continuous Deep Sedation: A Proposal for Performing More Rigorous Empirical Research.	J Pain Symptom Manage.	53(1)	146-152	2017 Jan
Aoyama M, <u>Kizawa Y</u> , et al	Factors associated with possible complicated grief and major depressive disorders	Psycho Oncology		1-7	2017 Dec
Onishi H, <u>Akechi T</u> , et al	Subclinical thiamine deficiency in patients with abdominal cancer	Palliat Support Care			in press
Ogawa S, <u>Akechi T</u> et al	Fear of Fear and Broad Dimensions of Psychopathology over the	East Asian Archives of Psychiatry			in press

	Course of Cognitive Behavioural Therapy for Panic Disorder with Agoraphobia in Japan				
Kato T , <u>Akechi T</u> , et al	Optimising first- and second-line treatment strategies for major depressive disorder: a pragmatic, multi-centre, assessor-blinded two-step randomised controlled trial	PLOS Med			in press
Furukawa TA, <u>Akechi T</u> , et al	How do people use and benefit from smartphone CBT? Content analyses of completed cognitive and behavioral skills exercises with Kokoro-app	Journal of Medical Internet Research			in press
Sakamoto N, Akechi T, et al	Supportive care needs and psychological distress and/or quality of life in ambulatory advanced colorectal cancer patients receiving chemotherapy: a cross-sectional study	Jpn J Clin Oncol		1-5	2017
Onishi H , <u>Akechi T</u> , et al	Wernicke encephalopathy without delirium in patients with cancer	Palliat Support Care		1-4	2017
Okuyama T, Akechi T, et al	Psychotherapy for depression among advanced, incurable cancer patients: A systematic review and meta-analysis	Cancer Treat Rev	56	16-27	2017
Ogawa S , <u>Akechi T</u> , et al	The relationships between symptoms and quality of life over the course of cognitive-behavioral therapy for panic disorder in Japan	Asia-Pacific psychiatry	9		2017
Ogawa S , <u>Akechi T</u> , et al	Fear of Fear and Broad Dimensions of Psychopathology over the Course of Cognitive Behavioural Therapy for Panic Disorder with Agoraphobia in Japan	East Asian archives of psychiatry	27	150-155	2017
Ogawa S , <u>Akechi T</u> , et al	The Mechanisms Underlying Changes in Broad Dimensions of Psychopathology During	Journal of Clinical Medicine Research	9	1019-1021	2017



	Cognitive Behavioral Therapy for Social Anxiety Disorder				
Momino K, <u>Akechi T</u> , et al	Collaborative care intervention for the perceived care needs of women with breast cancer undergoing adjuvant therapy after surgery: a feasibility study	Jpn J Clin Oncol	47	213-220	2017
Ino K, <u>Akechi T</u> , et al	Anxiety sensitivity as a predictor of broad dimensions of psychopathology after cognitive behavioral therapy for panic disorder	Neuropsychiatr Dis Treat	13	1835-1840	2017
<u>Akechi T</u> , et al	Different pharmacological responses in late-life depression with subsequent dementia: a case supporting the reserve threshold theory	Psychogeriatrics			,2017
<i>Akechi T</i> , et al	Does cognitive decline decrease health utility value in older adult patients with cancer?	Psychogeriatrics	17	149-154	2017
Aiki S, <u>Akechi T</u> , et al	Cognitive dysfunction among newly diagnosed older patients with hematological malignancy: frequency, clinical indicators and predictors	Jpn J Clin Oncol	1-7		2017
<u>Morita T</u> , <u>Kizawa Y</u> , et al	Continuous deep sedation: A proposal for performing more rigorous empirical research.	J Pain Symptom Manage	53(1)	146-152	2017
Matsuo N, <u>Morita T</u> , <u>Matsumoto Y</u> , et al	Predictors of responses to corticosteroids for anorexia in advanced cancer patients: a multicenter prospective observational study.	Support Care Cancer	25(1)	41-50	2017
Miyashita M, <u>Morita T</u> , et al	Development the care evaluation scale version 2.0: a modified version of a measure for bereaved family members to	BMC Palliat Care	16(1)	8	2017

	evaluate the structure and process of palliative care for cancer patient.				
Fujii A, <u>Morita T</u> , et al	Longitudinal assessment of pain management with the pain management index in cancer outpatients receiving chemotherapy.	Support Care Cancer	25(3)	925-932	2017
Yamaguchi T, <u>Morita T</u> , et al	Palliative care development in the Asia-Pacific region: an international survey from the Asia Pacific Hospice Palliative Care Network (APHN).	BMJ Support Palliat Care	7(1)	23-31	2017
Hamano J, <u>Morita T</u> , et al	Adding items that assess changes in activities of daily living does not improve the predictive accuracy of the palliative prognostic index.	Palliat Med	31(3)	258-266	2017
Okamoto Y, <u>Morita T</u> , et al	Desirable information of opioids for families of patients with terminal cancer: The bereaved family members' experiences and recommendations.	Am J Hosp Palliat Care	34(3)	248-253	2017
Mori M, <u>Morita T</u> , <u>Matsumoto Y</u> , et al	Predictors of response to corticosteroids for dyspnea in advanced cancer patients: a preliminary multicenter prospective observational study.	Support Care Cancer	25(4)	1169-1181	2017
Matsuo N, <u>Morita T</u> , <u>Matsumoto Y</u> , et al	Predictors of delirium in corticosteroid-treated patients with advanced cancer: An exploratory, multicenter, prospective, observational study.	J Palliat Med	20(4)	352-359	2017
Yamada T, <u>Morita T</u> , <u>Matsumoto Y</u> , <u>Otani H</u> , et al	A prospective, multicenter cohort study to validate a simple performance status-based survival prediction system for oncologist.	Cancer	123(8)	1442-1452	2017
Yamamoto S, <u>Morita T</u> , <u>Kizawa Y</u> , et al	Decision making regarding the place of end-of-life cancer care: The burden on bereaved families and related factors.	J Symptom Manage	53(5)	862-870	2017

Naito AS, <u>Morita T</u> , et al	Screening using the fifth vital sign in the electronic medical recording system.	Jpn J Clin Oncol	47(5)	430-433	2017
<u>Morita T</u> , et al	Author's reply to rady and verheijde.	J Symptom Manage	53(6)	e12-e13	2017
<u>Morita T</u> , et al	Author's reply to twycross.	J Symptom Manage	53(6)	e15-e16	2017
Amano K, <u>Morita T</u> , et al	C-reactive protein, symptoms and activity of daily living in patients with advanced cancer receiving palliative care.	J Cachexia Sarcopenia Muscle	8(3)	457-465	2017
Yamaguchi T, <u>Kizawa Y</u> , <u>Morita T</u> , et al	Effects of end-of-life discussions on the mental health of bereaved family members and quality of patient death and care.	J Symptom Manage	54(1)	17-26	2017
Matsuoka H, <u>Kizawa Y</u> , <u>Morita T</u> , et al	Study protocol for a multi-institutional, randomized, double-blinded, placebo-controlled phase trial investigating additive efficacy of duloxetine for neuropathic cancer pain refractory to opioids and gabapentinoids: the DIRECT study.	BMJ Open	7(8)	e017280	2017
Uneno Y, <u>Morita T</u> , et al	Development and validation of a set of six adaptable prognosis prediction (SAP) models based on time-series real-world big data analysis for patients with cancer receiving chemotherapy: A multicenter case crossover study.	PloS One	12(8)	e0183291	2017
Shimizu M, <u>Morita T</u> , et al	Validation study for the brief measure of quality of life and quality of care: A questionnaire for the national random sampling hospital survey.	Am J Hosp Palliat Care	34(7)	622-631	2017
Aoyama M, <u>Morita T</u> , <u>Kizawa Y</u> , et al	The Japan Hospice and Palliative Care Evaluation Study 3: Study design, characteristics of participants and	Am J Hosp Palliat Care	34(7)	654-664	2017

	participating institutions and response rates.				
<u>Otani H,</u> <u>Morita T,</u> <u>Kizawa Y,</u> et al	Meaningful communication before death, but not preset at the time of death itself, is associated with better outcomes on measures of depression and complicated grief among bereaved family members of cancer patient.	J Pain Symptom Manage	54(3)	273-279	2017
Takahashi R, <u>Morita T,</u> et al	Variations in denominators and cut-off points of pain intensity in the pain management index: A methodological systematic review.	J Pain Symptom Manage	54(5)	e1-e4	2017
Hamano J, <u>Kizawa Y,</u> et al	Trust in physicians, continuity and coordination of care and quality of death in patients with advanced cancer.	J Palliat Med	20(11)	1252-1259	2017
Hatano Y, <u>Morita T,</u> <u>Kizawa Y,</u> et al	The relationship between cancer patients' place of death and bereaved caregivers' mental health status.	Psychooncology	26(11)	1959-1964	2017
Kobayakawa M, <u>Morita T,</u> <u>Kizawa Y,</u> et al	Psychological and psychiatric symptoms of terminally ill patients with cancer and their family caregivers in the home-care setting: A nation-wide survey from the perspective of bereaved family members in Japan.	J Psychosomatic Research	103	127-132	2017
Yamashita R, <u>Morita T,</u> <u>Kizawa Y,</u> et al	Unfinished business in families of terminally ill with cancer patients.	J Pain Symptom Manage	54(6)	861-869	2017
Mori M, <u>Morita T,</u> <u>Kizawa Y,</u> et al	Talking about death with terminally-ill cancer patients: What contributes to the regret of bereaved family members?	J Pain Symptom Manage	54(6)	853-860	2017
Watanabe YS, <u>Matsumoto Y,</u> <u>Morita T,</u> et al	Comparison of indicators for achievement of pain control with a personalized pain goal in comprehensive cancer center.	J Pain Symptom Mang	Dec 14	[Epub ahead of print]	2017

Aoyama M, <u>Morita T</u> , <u>Kizawa Y</u> , et al	Factors associated with possible complicated grief and major depressive disorders.	Psychooncology	Dec 16	[Epub ahead of print]	2017
Imai K, <u>Morita T</u> , et al	Efficacy of two types of palliative sedation therapy defined using intervention protocols: proportional vs. deep sedation.	Support Care Cancer	Dec 14	[Epub ahead of print]	2017
Hanada R, <u>Morita T</u> , et al	Efficacy and safety of reinfusion of concentrated ascetic fluid for malignant ascites: a concept-proof study.	Support Care Cancer	Nov 22	[Epub ahead of print]	2017
Mori M, <u>Morita T</u> , <u>Kizawa Y</u> , et al	“What I did for my loved one is more important than whether we talked about death”: A nationwide survey of bereaved family members.	J Palliat Med	Nov 20	[Epub ahead of print]	2017
Shinjo T, <u>Morita T</u> , <u>Kizawa Y</u> , et al	Japanese physicians’ experiences of terminally ill patients voluntarily stopping eating and drinking: a national survey.	BMJ Support Palliat Care	Nov 8	[Epub ahead of print]	2017
Hamano J, <u>Morita T</u> , <u>Kizawa Y</u> , et al	A nationwide survey about palliative sedation involving Japanese palliative care specialists: Intentions and key factors used to determine sedation as proportionally appropriate.	J Pain Symptom Manage	Oct 19	[Epub ahead of print]	2017
Tsukuura H, <u>Morita T</u> , et al	Efficacy of prophylactic treatment for oxycodone-induced nausea and vomiting among patients with cancer pain (POINT): A randomized, placebo-controlled, double-blind trial.	Oncologist	Oct 16	[Epub ahead of print]	2017
Hatano Y, <u>Morita T</u> , <u>Otani H</u> , et al	Physician behavior toward death pronouncement in palliative care units.	J Palliat Med	Sep 25	[Epub ahead of print]	2017
<u>Otani H</u> , et al	Meaningful communication prior to death, but not presence at the time of death itself, is associated with better outcomes on measures of depression and complicated grief among bereaved family members of cancer patients.	J Pain Symptom Manage.	54	1442-1452	

<u>Otani H, et al</u>	The death of terminal cancer patients: The distress experienced by their children and medical professionals who provide the children with support care	BMJ Supportive & Palliative Care.				In press
Yamada T, <u>Otani H, et al</u>	A prospective multicenter cohort study to validate a simple, performance status based, survival prediction system for oncologists	Cancer.	123	1442-1452		
Hirooka K, <u>Otani H, et al</u>	End-of-life experiences of family caregivers of deceased patients with cancer: A nation-wide survey	Psycho-Oncology.				In press
Hatano Y, <u>Otani H, et al</u>	Physician behavior toward death pronouncement in palliative care units	Journal of Palliative Medicine.				In press
Nakanishi M, Okumura Y, <u>Ogawa A.</u>	Physical restraint to patients with dementia in acute physical care settings: effect of the financial incentive to acute care hospitals.	International Psychogeriatrics				inpress
Hirooka K, Fukahori H, Taku K, Togari T, <u>Ogawa A.</u>	Quality of death, rumination, and posttraumatic growth among bereaved family members of cancer patients in home palliative care.	Psychooncology	26(12)	2168-2174	2017	
Hirooka K, Fukahori H, Taku K, Togari T, <u>Ogawa A</u>	Examining Posttraumatic Growth Among Bereaved Family Members of Patients With Cancer Who Received Palliative Care at Home.	Am J Hosp Palliat Care	35(2)	211-217	2018	

日本語雑誌

<u>五十嵐尚子, 木澤義之他</u>	遺族によるホスピス・緩和ケアの質の評価に関する多施設遺族調査における結果のフィードバックの活用状況	Palliative Care Research	12 巻 1 号	131-139	2017
<u>木澤義之, 坂下明</u>	緩和ケアとエンド・	肺癌	57 巻	720-722	2017

大他	オブ・ライフ(終末期ケア)				
青山真帆,木澤義之他	宗教的背景のある施設において患者の望ましい死の達成度が高い理由—全国のホスピス・緩和ケア病棟 127 施設の遺族調査の結果から—	Palliative Care Research	12 巻 2 号	211-220	2017
木澤義之,長岡広香	早期緩和ケア介入の意義とアドバンス・ケア・プランニングの実践ポイント	薬局	68 巻 8 号	2786-2791	2017
木澤義之,山本亮	緩和ケア研修会 PEACE プロジェクトの成果と展望	癌と化学療法	44 巻 7 号	541-544	2017
木澤義之	意思決定支援	日本医師会雑誌	146 巻 5 号	965	2017
木澤義之	【心疾患・COPD・神経疾患の緩和ケアがんと何が同じで、どこがちがうか】わが国の政策と診療報酬の動向	緩和ケア	27 巻 6 月増刊	8-11	2017
岸野 恵,木澤義之他	がん患者が答えやすい痛みの尺度 鎮痛水準測定法開発のための予備調査	ペインクリニック	38 巻 1 号	93-98	2017
長岡広香,木澤義之他	がん診療連携拠点病院のソーシャルワーカー・退院調整看護師から見た緩和ケア病棟転院の障壁	Palliative Care Research	12 巻 4 号	789-799	2017
明智 龍男	チーム医療において心理職が知っておく基礎知識	精神療法	43	527-831	2017
明智 龍男	高齢発症の適応障害	精神科治療学	32	350-353	2017
明智 龍男	がん患者の不安・うつと自殺	精神科	31	286-289	2017

明智 龍男	死にゆく患者に対して私たちはなにができるのだろうか？	老年精神医学雑誌	28:	830-831	2017
明智 龍男	がん患者の精神症状の特徴とその評価	薬局	68	51-54	2017
明智 龍男	がん患者にはどのように接すればよいのでしょうか	medicina	54	1204-1207	2017
明智 龍男	がん患者・家族へのbad newsの伝え方	血液内科	74	557-561	2017
明智 龍男	乳癌診療を支える医療-サイコオンコロジー-	乳癌学	75	434-437	2017
明智 龍男	なぜせん妄は防ぐことがむずかしいのか	Modern Physician	37	329-332	2017
明智 龍男	がん患者の不安・抑うつ・せん妄とがん性疼痛に対する精神医学的アプローチ	臨床精神薬理	20	429-436,	2017
今井必生, 明智龍男, 他	スマートフォンを用いた認知行動療法	精神科	30	431-435	2017
岸野恵, 木澤義之, 森田達也, 他	がん患者が答えやすい痛みの尺度-鎮痛水準測定方法開発のための予備調査-	ペインクリニック	38(1)	93-98	2017
森田達也	落としてはいけない Key article 第13回 治療効果を測定するのはNRSの変化でいいのか？.	緩和ケア	27(1)	53-57	2017
森田達也	落としてはいけない Key article 第14回 メサドンは神経障害性疼痛に初回治療として経皮フェンタニルよりも有効らしい.	緩和ケア	27(2):	125-129	2017
五十嵐尚子, 森田達也, 木澤義之, 他	遺族によるホスピス・緩和ケアの質の評価に関する多施設遺族調査における結果のフィードバックの活用状況.	Palliat Care Res	12(1)	131-139	2017
日下部明彦, 森田達也, 他	「地域の多職種でつくれた死亡診断時の医師の立ち居振る舞いについてのガイド	Palliat Care Res	12(1)	906-910	2017



	ブック」の医学教育に用いた報告.				
森田達也	落としてはいけない Key article 第 15 回 終末期せん妄に抗精神病薬は無効で、生命予後も短くする？.	緩和ケア	27(3)	196-202	2017
小田切拓也, 森田達也, 他	ホスピス・緩和ケア病棟から存命退院した患者の退院後の療養場所と死亡確認場所に関する全国調査.	癌の臨床	63(2)	159-165	2017
青山真帆, 森田達也, 木澤義之, 他	宗教的背景のある施設において患者の望ましい死の達成度が高い理由—全国のホスピス・緩和ケア病棟 127 施設の遺族調査の結果から—.	Palliat Care Res	12(2)	211-220	2017
森田達也	落としてはいけない Key article 第 16 回 死前喘鳴の薬物療法を考える.	緩和ケア	27(4)	270-275	2017
佐久間由美, 森田達也	外来緩和ケアのマネジメントのコツ 「緩和ケア外来」というより、「外来の緩和ケアチーム」.	緩和ケア	27(5)	306-313	2017
森田達也	落としてはいけない Key article 第 17 回 モルヒネはがんの進行を促進するが、メチルナルトレキソンは抑制する？.	緩和ケア	27(5)	344-347	2017
児玉麻衣子, 森田達也, 他	Good Death Scale (GDS) 日本語版訳の作成と言語的妥当性の検討.	Palliat Care Res	12(4)	311-316	2017
鈴木梢, 森田達也, 他	緩和ケア病棟で亡くなったがん患者における補完代替医療の使用実態と家族の体験.	Palliat Care Res	12(4)	731-738	2017
塩崎麻里子, 森田達也, 他	がん患者遺族の終末期における治療中止の意思決定に対する	Palliat Care Res	12(4)	753-760	2017

	後悔と心理的対処： 家族は治療中止の何 に、どのような理由 で後悔しているの か？				
山口崇，森田達 也（企画担当）	呼吸困難～エビデン スはそうだけど、実 際はこれもいいよね. 特集にあたって.	緩和ケア	27(6)	376	2017
森田達也，他	落としてはいけない Key article 第 18 回 非劣性試験って何？ 粘膜吸収性フェンタ ニル vs. モルヒネ皮 下注射.	緩和ケア	27(6)	424-428	2017
伊藤怜子，森田 達也，他	Memorial Symptom Assessment Scale (MSAS)を使用した 日本における一般市 民を対象とした身体 症状・精神症状の有 症率と強度、苦痛の 程度の現状.	Palliat Care Res	12(4)	761-770	2017
山口健也，森田 達也，他	経胃的にドレナージ し症状緩和を得た卵 巣癌に伴う被包化腹 水の1例.	日本プライマリ・ケア 連合学会誌	40(4)	186-188	2017
大谷弘行	終末期の意思決定の 考え方	精神科	31	302-306	2017
小川朝生	せん妄 適確にアセ スメントをし、せん 妄を予防する	看護科学研究	15(2)	45-49	2017
小川朝生	がん患者の包括的ア セスメントとチーム 医療の実践	薬局	68(8)	30-35	2017
小川朝生	サイコオンコロジス トの立場から	日本医師会雑誌	146(5)	937-40	2017
小川朝生	医療における意思決 定能力の評価	緩和ケア	27(4)	263	2017
小川朝生	寝かしたほうがよい 不眠、寝かさなくて よい不眠—閾値下せ ん妄を見つける	緩和ケア	27(4)	241-245	2017
小川朝生	サイコオンコロジー の意義と診療の実際	新薬と臨牀	66(5)	66-69	2017
小川朝生	《がんサポートのい	Modern Physician	37(10)	1032-5	2017

	ま》 がんサバイバ ー支援とピアサポ ート				
<u>小川朝生</u>	認知症・せん妄の緩 和ケア	精神科	31(4)	295-301	2017
<u>小川朝生</u>	せん妄対策が変わっ てきた！「DELTA プ ログラム」ってどん なもの？	エキスパートナース	33(12)	51-7	2017