

研究成果の刊行に関する一覧表

研究班分担研究者三年目の『診療の質』に関する論文リスト

著者氏名	論文タイトル名	書籍名	巻号:ページ 出版年
Fukui T, Fukumoto K, Okasaka T, Kawaguchi K, Nakamura S, Hakiri S, Ozeki N, Hirakawa A, Tateyama H, Yokoi K	Prognostic impact of tumor size in completely resected thymic epithelial tumors	Eur J Cardiothorac Surg	2016; 50: 1068-74.
堀口明彦, 伊藤昌広, 浅野之夫, 志村正博, 越智隆之	肝胆膵高難度外科手術アトラス腹側膵切除術	手術	2016; 70(4): 583-586.
Iizawa Y, Kato H, Kishiwada M, Hayasaki A, Tanemura A, Murata Y, Azumi Y, Kuriyama N, Mizuno S, Usui M, Sakurai H, Isaji S	Long-term outcomes after pancreaticoduodenectomy using pair-watch suturing technique: Different roles of pancreatic duct dilatation and remnant pancreatic volume for the development of pancreatic endocrine and exocrine dysfunction	Pancreatology.	2017; 17: 814-821.
伊佐地秀司	【膵癌治療の進歩と今後の展望】 膵癌取扱い規約改訂第7版 大幅改訂のコンセプトと新規項目の解説	日本消化器病学会雑誌	2017; 114: 617-26.
岸和田昌之, 易勤, 伊佐地秀司	【膵癌取扱い規約第7版の解説と主な変更点】 外科の立場から	膵臓	2016; 31: 791-8.
奥坂拓志, 伊佐山浩通, 糸井隆夫, 伊藤鉄英, 伊佐地秀司	【膵癌取扱い規約第7版の解説と主な変更点】 内科の立場から 特に TNM分類(UICC)との比較	膵臓	2016; 31: 785-90.
Kawaguchi K, Yokoi K, Niwa H, Ohde Y, Mori S, Okumura S, Shiono A, Ito H, Yano M, Shigemitsu K, Hiramatsu Y, Okami J, Saka H	A prospective, multi-institutional phase II study of induction chemoradiotherapy followed by surgery in patients with non-small cell lung cancer involving the chest wall (CJLSG0801)	Lung Cancer	2017; 104: 79-84.
Ozeki N, Kawaguchi K, Fukui T, Fukumoto K, Nakamura S, Hakiri S, Kato T, Hirakawa A, Okasaka T, Yokoi K	The diffusing capacity of the lung for carbon monoxide is associated with the histopathological aggressiveness of lung adenocarcinoma	Eur J Cardiothorac Surg	2017; 52: 969-74.
Fukumoto K, Kawaguchi K, Fukui T, Nakamura S, Hakiri S, Ozeki N, Kato T, Oshima H, Usui A, Yokoi K	Collaborative operation with cardiovascular surgeons in general thoracic surgery	Gen Thorac Cardiovasc Surg	2017; 65: 575-80.

Satoi S, Yamamoto T, Yoshitomi H, Motoi F, Kawai M, Fujii T, Wada K, Arimitsu H, Sho M, Matsumoto I, Hirano S, Yanagimoto H, Ohtsuka M, Unno M, Yamaue H, Kon M.	Developing better practices at the institutional level leads to better outcomes after pancreaticoduodenectomy in 3,378 patients: domestic audit of the Japanese Society of Pancreatic Surgery	J Hepatobiliary Pancreat Sci	2017; 24: 501-510.
Otsubo T, Kobayashi S, Sano K, Misawa T, Ota T, Katagiri S, Yanaga K, Yamaue H, Kokudo N, Unno M, Fujimoto J, Miura F, Miyazaki M, Yamamoto M.	Safety-related outcomes of the Japanese Society of Hepato-Biliary-Pancreatic Surgery board certification system for expert surgeons	J Hepatobiliary Pancreat Sci	2017; 24(5): 252-261.
Kodama Y, Kondo T, Matsumura N, Shimokawa T, Kohjimoto Y, Tanabe K, Hara I	Molecular diagnosis of lymph node metastasis in patients with upper urinary tract cancer who underwent lymphadenectomy	Int J Urol	2017 Nov; 24(11): 799-806.
Matsumura N, Nakamura Y, Kohjimoto Y, Nishizawa S, Kikkawa K, Iba A, Kodama Y, Hara I	Overexpression of ribonucleotide reductase subunit M1 protein predicts shorter survival in metastatic bladder cancer patients treated with gemcitabine-containing combination chemotherapy	Int J Urol	2017 Mar; 24(3): 230-235.
Yoshizawa T, Ishido K, Saito K, Haga T, Seino H, Wu Y, Morohashi S, Hakamada K, Kijima H	Prognostic Impact of Extracapsular Lymph Node Invasion and Myofibroblastic Activity in Extrahepatic Bile Duct Cancer	Clin Med Insights Pathol	2017 Sep; 6:10:11795557 17729652. doi: 10.1177/1179555717729652. eCollection 2017.
Kagiya T, Shimoda H, Narita H, Odagiri T, Watanabe S, Ishido K, Kudo D, Kimura N, Wakiya T, Hakamada K	Microanatomical profiles on the lymphatic system in the human ampulla of Vater (immunohistochemistry and scanning electron microscopy)	J Hepatobiliary Pancreat Sci	2017 Aug 28. doi: 10.1002/jhbp.499. [Epub ahead of print]
Wakiya T, Kudo D, Ishido K, Kimura N, Yakoshi Y, Toyoki Y, Kijima H, Hakamada K	Effect of age on the development of chemotherapy-associated liver injury in colorectal cancer liver metastasis	Mol Clin Oncol	2017; 7(2): 200-204.
Saito T, Ishido K, Kudo D, Kimura N, Wakiya T, Nakayama Y, Hakamada K	Combination therapy with gemcitabine and nab-paclitaxel for locally advanced unresectable pancreatic cancer	Mol Clin Oncol	2017; 6(6): 963-967.
Kimura N, Young AL, Toyoki Y, Wyatt JI, Toogood GJ, Hidalgo E, Prasad KR, Kudo D, Ishido K, Hakamada K	Lodge JPA. Radical operation for hilar cholangiocarcinoma in comparable Eastern and Western centers: Outcome analysis and prognostic factors	Surgery	2017 Sep; 162(3): 500-514.
Kudo D, Suto A, Hakamada K	The Development of a Novel Therapeutic Strategy to Target Hyaluronan in the Extracellular Matrix of Pancreatic Ductal Adenocarcinoma	Int J Mol Sci	2017 Mar; 9:18(3).

Miura T, Yoshizawa T, Hirai H, Seino H, Morohashi S, Wu Y, Wakiya T, Kimura N, Kudo D, Ishido K, Toyoki Y, Kijima H, Hakamada K	Prognostic Impact of CD163+ Macrophages in Tumor Stroma and CD8+ T-Cells in Cancer Cell Nests in Invasive Extrahepatic Bile Duct Cancer	Anticancer Res	2017; 37(1): 183-190.
Nagase H, Kudo D, Suto A, Yoshida E, Suto S, Negishi M, Kakizaki I, Hakamada K	4-Methylumbelliferone Suppresses Hyaluronan Synthesis and Tumor Progression in SCID Mice Intra-abdominally Inoculated With Pancreatic Cancer Cells	Pancreas	2017 Feb; 46(2): 190-197.
Konno H, Kamiya K, Kikuchi H, Miyata H, Hirahara N, Gotoh M, Wakabayashi G, Ohta T, Kokudo N, Mori M, Seto Y	Association between the participation of board-certified surgeons in gastroenterological surgery and operative mortality after eight gastroenterological procedures	Surg Today	2017; 47(5): 611-618.
Tominaga H, Setoguchi T, Shimada H, Nagano S, Sasaki H, Ishidou Y, Sato M, Mizuno K, Inoue H and Komiya S	Prognostic factors in patients with skeletal-related events at non-small-cell lung cancer diagnosis	Mol Clin Onco	2017; 7: 897-902.
Umehara T, Aoki M, Kamimura G, Wakida K, Nagata T, Otsuka T, Sato M	Coil Intrabronchial Migration in an Arteriovenous Malformation Patient Treated 10 Years Ago	Ann Thorac Cardiovasc Surg Advance Published.	2017; 23(4): 200–202.
Matsuo K, Shimada M, Yamaguchi S, Kanao H, Nakanishi T, Saito T, Kamiura S, Iwata T, Mikami M, Sugiyama T	Identifying a candidate population for ovarian conservation in young women with clinical stage IB-IIB cervical cancer	International Journal of Cancer	2018 Mar 1; 142(5): 1022-1032. doi: 10.1002/ijc.31084. Epub 2017 Oct 16.
Matsuo K Shimada M, Yokota H, Satoh T, Katabuchi H, Kodama S, Sasaki H, Matsumura N, Mikami M, Sugiyama T	Effectiveness of adjuvant systemic chemotherapy for intermediate-risk stage Ib cervical cancer	Oncotarget	2017 Dec 5; 8(63):106866-106875.
Itamochi H, Oishi T, Oumi N, Takeuchi S, Yoshihara K, Mikami M, Yaegashi N, Terao Y, Takehara K, Ushijima K, Watari H, Aoki D, Kimura T, Nakamura T, Yokoyama Y, Kigawa J, Sugiyama T	Whole-genome sequencing revealed novel prognostic biomarkers and promising targets for therapy of ovarian clear cell carcinoma	Br J Cancer	2017; 117: 717-724.
Iwata N, Ishikawa T, Okazaki S, Mogushi K, Baba H, Ishiguro M, Kobayashi H, Tanaka H, Kawano T, Sugihara K, Uetake H	Clinical Significance of Methylation and Reduced Expression of the Quaking Gene in Colorectal Cancer.	Anticancer Res	2017; 37(2): 489-498.
Masui T, Anazawa T, Sato A, Nakano K, Uchida Y, Yogo A, Nagai K, Kawaguchi Y, Takaori K, and Uemoto S	A comparison of recurrence between pancreatic and duodenal neuroendocrine tumors after curative resection : A single-institution analysis	Ann Surg Oncol	2017 Nov; 21. [Epub ahead of print]

Blomme A, Van Simaey G, Doumont G, Costanza B, Bellier J, Otake Y, Sherer F, Lovinfosse P, Boutry S, Palacios A, De Pauw E, Hirano T, Yokobori T, Hustinx R, Bellahcene A, Delvenne P, Detry O, Goldman S, Nishiyama M, Castronovo V, turtoi A	Murine stroma adopts a human-like metabolic phenotype in the PDX model of colorectal cancer and liver metastases	Oncogene	2017 Dec 15. doi: 10.1038/s41388-017-0018-x. [Epub ahead of print]
Kaira K, Higuchi T, Naruse I, Arisaka Y, Altan B, Mogi A, Shimizu K, Sunaga N, Hisada T, Kitano S, Obinata H, Yokobori T, Mori K, Nishiyama M, Tsushima Y, Asao T	Metabolic activity by 18F-FDG-PET/CT is predictive for early response after nivolumab in previously treated NSCLC. Eur J Nucl Med	Eur J Nucl Med Mol Imaging	2018 Jan; 45(1): 56-66.
Bai T, Yokobori T, Altan B, Ide M, Mochiki E, Yanai M, Kimura A, Kogure N, Yanoma T, Suzuki M, Bao P, Kaira K, Asao T, Katayama A, Handa T, Gombodorj N, Nishiyama M, Oyama T, Ogata K, Kuwano H	High STMN1 level is associated with chemo-resistance and poor prognosis in gastric cancer patients	Br J Cancer	2017 Apr 25; 116(9): 1177-1185.
Tsukagoshi M, Araki K, Yokobori T, Altan B, Suzuki H, Kubo N, Watanabe A, Ishii N, Hosouchi Y, Nishiyama M, Shirabe K, Kuwano H	Overexpression of karyopherin- α 2 in cholangiocarcinoma correlates with poor prognosis and gemcitabine sensitivity via nuclear translocation of DNA repair proteins	Oncotarget	2017 Jun 27; 8(26): 42159-42172.
Otake Y, Rokudai S, Kaira K, Fujieda M, Horikoshi I, Kawabara R, Yoshiyama S, Yokobori T, Ohtaki Y, Shimizu K, Oyama T, Tamura J, Prives C, Nishiyama M	STXBP4 drives tumor growth and is associated with poor prognosis through PDGF Receptor signaling in lung squamous cell carcinoma	Clin Cancer Res	2017 Jul 1; 23(13): 3442-3452.
Suto T, Ishiguro M, Hamada C, Kunieda K, Masuko H, Kondo K, Ishida H, Nishimura G, Sasaki K, Morita T, Hazama S, Maeda K, Mishima H, Ike H, Sadahiro S, Sugihara K, Okajima M, Saji S, Sakamoto J, Tomita N	Preplanned safety analysis of the JFMC37-0801 trial: a randomized phase III study of six months versus twelve months of capecitabine as adjuvant chemotherapy for stage III colon cancer	Int J Clin Oncol	2017; 22(3): 494-504.
Hata T, Takemasa I, Takahashi H, Haraguchi N, Nishinura J, Hata T, Mizushima T, Doki Y, Mori M	Downregulation of serum metabolite GTA-446 as a novel potential marker for early detection of colorectal cancer	Br J Cancer	2017 Jul 11; 117: 227-232.
Miyake Y, Nishimura J, Kato T, Ikeda M, Tsujie M, Hata T, Takemasa I, Mizushima T, Yamamoto H, Sekimoto M, Nezu R, Doki Y, Mori M, Multi-center Clinical Study Group of Osaka, Colorectal Cancer Treatment Group (MCSGO).	Phase III trial comparing UFT + PSK to UFT + LV in stage IIB, III colorectal cancer (MCSGO-CCTG)	Surg Today	2018 Jan; 48(1): 66-72.

Sato Y, Ohnuma H, Nobuoka T, Hirakawa M, Sagawa T, Fujikawa K, Takahashi Y, Shinya M, Katsuki S, Takahashi M, Maeda M, Okagawa Y, Naoki U, Kikuch S, Okamoto K, Miyamoto H, Shimada M, Takemasa I, Kato J, Takayama T	Conversion therapy for inoperable advanced gastric cancer patients by docetaxel, cisplatin, and S-1 (DCS) chemotherapy: a multi-institutional retrospective study	Gastric Cancer	2017 May; 20(3): 517-526.
Yasui M, Ikeda M, Miyake M, Ide Y, Okuyama M, Shingai T, Kitani K, Ikenaga M, Hasegawa J, Akamatsu H, Murata K, Takemasa I, Mizushima T, Yamamoto H, Sekimoto M, Nezu R, Doki Y, Mori M; Clinical Study Group of Osaka University (CSGO), Colorectal Group	Comparison of bleeding risks related to venous thromboembolism prophylaxis in laparoscopic vs open colorectal cancer surgery: a multicenter study in Japanese patients	Am J Surg	2017 Jan; 213(1): 43-49.
Kokudo T, Hasegawa K, Kokudo N	Assessment of preoperative liver function based on indocyanine green clearance	Hepatology	2017; 66(2): 675-676.
Takiyama A, Tanaka T, Yamamoto Y, Hata K, Ishihara S, Nozawa H, Kawai K, Kiyomatsu T, Nishikawa T, Otani K, Sasaki K, Watanabe T	Microsatellite Status of Primary Colorectal Cancer Predicts the Incidence of Postoperative Colorectal Neoplasms	Anticancer Res	2017 Oct; 37(10): 5785-5790.
Abe S, Kawai K, Nozawa H, Hata K, Kiyomatsu T, Tanaka T, Nishikawa T, Otani K, Sasaki K, Kaneko M, Murono K, Emoto S, Watanabe T	Use of a nomogram to predict the closure rate of diverting ileostomy after low anterior resection: A retrospective cohort study	Int J Surg	2017 Nov; 47: 83-88.
Takiyama H, Kawai K, Ishihara S, Yasuda K, Otani K, Nishikawa T, Tanaka T, Kiyomatsu T, Hata K, Nozawa H, Morikawa T, Watanabe T	Different Impacts of Preoperative Radiotherapy and Chemoradiotherapy on Oncological Outcomes in Patients with Stages II and III Lower Rectal Cancer: A Propensity Score Analysis	Dig Surg	2017 Jun 21. doi: 10.1159/000477778. [Epub ahead of print]
Sonoda H, Kawai K, Yamaguchi H, Murono K, Kaneko M, Nishikawa T, Otani K, Sasaki K, Yasuda K, Tanaka T, Kiyomatsu T, Hata K, Nozawa H, Ishihara S, Aikou S, Yamashita H, Ushiku T, Seto Y, Fukayama M, Watanabe T	Lymphogenous metastasis to the transverse colon that originated from signet-ring cell gastric cancer: A case report and review of the literature	Clin Res Hepatol Gastroenterol	2017 May 16. Pii: s2210-7401(17)30093-1
Ishihara S, Kawai K, Tanaka T, Kiyomatsu T, Hata K, Nozawa H, Morikawa T, Watanabe T	Oncological Outcomes of Lateral Pelvic Lymph Node Metastasis in Rectal Cancer Treated With Preoperative Chemoradiotherapy	Dis Colon Rectum	2017 May; 60(5): 469-476.

堀口明彦、伊東昌広、浅野之夫、 荒川 敏、伊藤良太郎、 伊勢谷昌志、清水謙太郎、 大城友有子、安岡宏展、 河合永季	膀胱頭部血管の解剖	胆と膀胱	2017; 38:35-39.
---	-----------	------	-----------------

研究班分担研究者三年目の『診療ガイドライン』または『がん登録』に関する論文リスト

著者氏名	論文タイトル名	書籍名	巻号:ページ 出版年
Miyazaki J, Nishiyama H, Fujimoto H, Ohyama C, Koie T, Hinotsu S, Kikuchi E, Sakura M, Inokuchi J, Hara T	Laparoscopic Versus Open Nephroureterectomy in Muscle-Invasive Upper Tract Urothelial Carcinoma: Subanalysis of the Multi-Institutional National Database of the Japanese Urological Association	J Endourol	2016; 30: 520-525.
Inokuchi J, Naito S, Fujimoto H, Hara T, Sakura M, Nishiyama H, Miyazaki J, Kikuchi E, Hinotsu S, Koie T, Ohyama C, Cancer Registration Committee of the Japanese Urological Association.	Impact of multimodal treatment on prognosis for patients with metastatic upper urinary tract urothelial cancer: Subanalysis of the multi-institutional nationwide case series study of the Japanese Urological Association	Int J Urol	2016; 23(3): 224-30.
Endo S, Ikeda N, Kondo T, Nakajima J, Kondo H, Yokoi K, Chida M, Sato M, Toyooka S, Yoshida K, Okada Y, Sato Y, Okada M, Okumura M, Chihara K, Fukuchi E, Miyata H	Model of lung cancer surgery risk derived from a Japanese nationwide web-based database of 78,594 patients during 2014-2015	Eur J Cardiothorac Surg	2017; 52: 1182-89.
Tazuma S, Unno M, Igarashi Y, Inui K, Uchiyama K, Kai M, Tsuyuguchi H, Mori T, Yamaguchi K, Ryozaawa S, nimura Y, Fujita N, Kubota K, Shoda J, Tabata M, Nine K, Sugana K, Watanabe M, Shimosegawa T	Evidence-based clinical practice guidelines for cholelithiasis 2016	J Gastroenterol	2017; 52: 276-300.
Katai H, Ishikawa T, Akazawa K, Isobe Y, Miyashiro I, Oda I, Tsujitani S, Ono H, Tanabe S, Fukagawa T, Nunobe S, Kakeji Y, Nashimoto A, Registration Committee of the Japanese Gastric Cancer Association.	Five-year survival analysis of surgically resected gastric cancer cases in Japan: a retrospective analysis of more than 100,000 patients from the nationwide registry of the Japanese Gastric Cancer Association (2001-2007)	Gastric Cancer	2018; Jan; 21(1) :144-154

Tanabe S, Hirabayashi S, Oda I, Ono H, Nashimoto A, Isobe Y, Miyashiro I, Tsujitani S, Seto Y, Fukagawa T, Nunobe S, Furukawa H, Kodera Y, Kaminishi M, Katai H	Gastric cancer treated by endoscopic submucosal dissection or endoscopic mucosal resection in Japan from 2004 through 2006: JGCA nationwide registry conducted in 2013	Gastric Cancer	2017 Sep; 20(5): 834-842
Hamada T, Nomura H, Iwatsuki K, Japanese Skin Cancer Society (JSCS), Lymphoma Study Group.	Regional incidences of adult T-cell leukemia/lymphoma with cutaneous involvement in Japan	J Dermatol	2018 Jan; 45(1): 58-63. doi:10.1111/1346-8138.14100. Epub 2017 Oct 25.
Endo S, Ikeda N, Kondo T, Nakajima J, Kondo H, Yokoi K, Chida M, Sato M, Toyooka S, Yoshida K, Okada Y, Sato Y, Okada M, Okumura M, Chihara K, Fukuchi E, Miyata H	Model of lung cancer surgery risk derived from a Japanese nationwide web-based database of 78,594 patients during 2014-2015	Eur J Cardiothorac Surg	2017; 52(6): 1182-1189.
Kikuchi H, Miyata H, Konno H, Kamiya K, Tomotaki A, Gotoh M, Wakabayashi G, Mori M	Development and external validation of preoperative risk models for operative morbidities after total gastrectomy using a Japanese web-based nationwide registry	Gastric Cancer	2017; 20(6): 987-997.
Takeuchi H, Miyata H, Ozawa S, Udagawa H, Osugi H, Matsubara H, Konno H, Seto Y, Kitagawa Y	Comparison of Short-Term Outcomes Between Open and Minimally Invasive Esophagectomy for Esophageal Cancer Using a Nationwide Database in Japan	Ann Surg Oncol	2017; 24(7): 1821-1827.
Aoki S, Miyata H, Konno H, Gotoh M, Motoi F, Kumamaru H, Wakabayashi G, Kakeji Y, Mori M, Seto Y, Unno M	Risk factors of serious postoperative complications after pancreaticoduodenectomy and risk calculators for predicting postoperative complications: a nationwide study of 17,564 patients in Japan	J Hepatobiliary Pancreat Sci	2017; 24(5): 243-251.
Kakeji Y, Takahashi A, Udagawa H, Unno M, Endo I, Kunisaki C, Taketomi A, Tangoku A, Masaki T, Marubashi S, Yoshida K, Gotoh M, Konno H, Miyata H, Seto Y	National Clinical Database Surgical outcomes in gastroenterological surgery in Japan: Report of National Clinical database 2011-2016.	Ann Gastroenterol Surg.	2017; 1-18.

Miyazaki T, Kitagawa Y, Kuwano H, Motoyasu Kusano M, Oyama T, Muto M, Kato H, Takeuchi H, Toh Y, Doki Y, Naomoto Y, Nemoto K, Matsubara H, Yanagisawa A, Uno T, Kato K, Yoshida M, Kawakubo H, Booka E, Kawamura O, Fukuchi M, Sakai M, Sohda M, Nakajima M, The Committee for the “Guidelines for diagnosis and treatment of carcinoma of the esophagus” of the Japan Esophageal Society.	Decreased risk of esophageal cancer owing to cigarette and alcohol cessation in smokers and drinkers: a systematic review and meta-analysis	Esophagus	2017; 14: 290-302.
Masuda M, Kuwano H, Okumura M, Arai H, Endo S, Doki Y, Kobayashi J, Motomura N, Nishida H, Saiki Y, Tanaka F, Tanemoto K, Toh Y, Yokomise H	Thoracic and cardiovascular surgery in Japan during 2014 : Annual report by The Japanese Association for Thoracic Surgery	Gen Thorac Cardiovasc Surg	2017; 65(3): 182-186.
Takada Y, Kaido T, Shirabe K, Nagano H, Egawa H, Sugawara Y, Taketomi A, Takahara T, Wakabayashi G, Nakanishi C, Kawagishi N, Kenjo A, Gotoh M, Toyoki Y, Hakamada K, Ohtsuka M, Akamatsu N, Kokudo N, Takeda K, Endo I, Takamura H, Okajima H, Wada H, Kubo S, Kuramitsu K, Ku Y, Ishiyama K, Ohdan H, Ito E, Maehara Y, Honda M, Inomata Y, Furukawa H, Uemoto S, Yamaue H, Miyazaki M, Takada T	LTx-PET study group of the Japanese Society of Hepato-Biliary-Pancreatic Surgery and the Japanese Liver Transplantation Society. Significance of preoperative fluorodeoxyglucose-positron emission tomography in prediction of tumor recurrence after liver transplantation for hepatocellular carcinoma patients: a Japanese multicenter study	J Hepatobiliary Pancreat Sci	2017; 24(1): 49-57.
Kikuchi H, Miyata H, Konno H, Kamiya K, Tomotaki A, Gotoh M, Wakabayashi G, Mori M	Development and external validation of preoperative risk models for operative morbidities after total gastrectomy using a Japanese web-based nationwide registry	Gastric Cancer	2017; 20(6): 987-997.
Watanabe T, Miyata H, Konno H, Kawai K, Ishihara S, Sunami E, Hirahara N, Wakabayashi G, Gotoh M, Mori M	Prediction model for complications after low anterior resection based on data from 33,411 Japanese patients included in the National Clinical Database	Surgery.	2017; 161(6): 1597-1608.
Kunisaki C, Miyata H, Konno H, Saze Z, Hirahara N, Kikuchi H, Wakabayashi G, Gotoh M, Mori M	Modeling preoperative risk factors for potentially lethal morbidities using a nationwide Japanese web-based database of patients undergoing distal gastrectomy for gastric cancer.	Gastric Cancer	2017; 20(3): 496-507.

Shigeta S, Nagase S, Mikami M, Ikeda M, Shida M, Sakaguchi I, Ushioda N, Takahashi F, Yamagami W, Yaegashi N, Udagawa Y, Katabuchi H	Assessing the effect of guideline introduction on clinical practice and outcome in patients with endometrial cancer in Japan: a project of the Japan Society of Gynecologic Oncology (JSGO) guideline evaluation committee	J Gynecol Oncol	2017; 28(6): e76.
Mikami M, Nagase S, Yamagami W, Ushijima K, Tashiro H, Katabuchi H	Opportunistic bilateral salpingectomy during benign gynecological surgery for ovarian cancer prevention: a survey of Gynecologic Oncology Committee of Japan Society of Obstetrics and Gynecology	J Gynecol Oncol	2017; 28(5): e52.
Katanoda K, Shibata A, Matsuda T, Hori M, Nakata K, Narita Y, Ogawa C, Munakata W, Kawai A, Nishimoto H	Childhood, adolescent and young adult cancer incidence in Japan in 2009-2011	Jpn J Clin Oncol	2017; 47: 762-771.
Hiki N, Honda M, Etoh T, Yoshida K, Kodera Y, Kakeji Y, Kumamaru H, Miyata H, Yamashita Y, Inomata M, Konno H, Seto Y, Kitano S	Japanese Gastric Cancer Association. Japanese gastric cancer treatment guidelines 2014 (ver. 4)	Gastric Cancer	2017; 20(1): 1-19.
Yoshida K, Honda M, Kumamaru H, Kodera Y, Kakeji Y, Hiki N, Etoh T, Miyata H, Yamashita Y, Seto Y, Kitano S, Konno H	Surgical outcomes of laparoscopic distal gastrectomy compared to open distal gastrectomy: A retrospective cohort study based on a nationwide registry database in Japan	Ann Gastroenterol Surg	2017 Dec 22. doi: 10.1002/Ags3.12054
Etoh T, Honda M, Kumamaru H, Miyata H, Yoshida K, Kodera Y, Kakeji Y, Inomata M, Konno H, Seto Y, Kitano S, Hiki N	Morbidity and Mortality From a Propensity Score-Matched, Prospective Cohort Study of Laparoscopic Versus Open Total Gastrectomy for Gastric Cancer: Data From a Nationwide Web-Based Database, has been accepted for publication in Surgical Endoscopy	Surg Endosc	2017 Dec 7. doi: 10.1007/s00464-017-5976-0. [Epub ahead of print]
Kobayashi H, Ishida H, Ueno H, Hinoi T, Inoue Y, Ishida F, Kanemitsu Y, Konishi T, Yamaguchi T, Tomita N, Matsubara N, Watanabe T, Sugihara K	Childbirth after surgery for familial adenomatous polyposis in Japan	Surg Today	2017; 47(2): 233-237.
Kobayashi H, Ishida H, Ueno H, Hinoi T, Inoue Y, Ishida F, Kanemitsu Y, Konishi T, Yamaguchi T, Tomita N, Matsubara N, Watanabe T, Sugihara K	Association between age and the development of colorectal cancer in patients with familial adenomatous polyposis: a multi-institutional study	Surg Today	2017; 47(4): 470-475.
Yamadera M, Ueno H, Kobayashi H, Konishi T, Ishida F, Yamaguchi T, Hinoi T, Inoue Y, Kanemitsu Y, Tomita N, Ishida H, Sugihara K	Current status of prophylactic surgical treatment for familial adenomatous polyposis in Japan	Surg Today	2017; 47(6): 690-696.

Tanaka M, Kanemitsu Y, Ueno H, Kobayashi H, Konishi T, Ishida F, Yamaguchi T, Hinoi T, Inoue Y, Tomita N, Ishida H, Sugihara K	Prognostic impact of hospital volume on familial adenomatous polyposis: a nationwide multicenter study	Int J Colorectal Dis	2017; 32: 1489-1498.
Watanabe T, Muro K, Ajioka Y, Hashiguchi Y, Ito Y, Saito Y, Hamaguchi T, Ishida H, Ishiguro M, Ishihara S, Kanemitsu Y, Kawano H, Kinugasa Y, Kokudo N, Murofushi K, Nakajima T, Oka S, Sakai Y, Tsuji A, Uehara K, Ueno H, Yamazaki K, Yoshida M, Yoshino T, Boku N, Fujimori T, Itabashi M, Koinuma N, Morita T, Nishimura G, Sakata Y, Shimada Y, Takahashi K, Tanaka S, Tsuruta O, Yamaguchi T, Yamaguchi N, Tanaka T, Kotake K, Sugihara K, Japanese Society for Cancer of the Colon and Rectum.	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2016 for the treatment of colorectal cancer.	Int J Clin Oncol	2017 Mar 27. doi: 10.1007/s10147-017-1101-6. [Epub ahead of print]
Kaibori M, Yoshii K, Yokota I, Hasegawa K, Nagashima F, Kubo S, Kon M, Izumi N, Kadoya M, Kudo M, Kumada T, Sakamoto M, Nakashima O, Matsuyama Y, Takayama T, Kokudo N, Liver Cancer Study Group of Japan.	Impact of Advanced Age on Survival in Patients Undergoing Resection of Hepatocellular Carcinoma: Report of a Japanese Nationwide Survey	Ann Surg	2017 Sep 15. doi: 10.1097/SLA.0000000000000526. [Epub ahead of print]
Kokudo T, Hasegawa K, Matsuyama Y, Takayama T, Izumi N, Kadoya M, Kudo M, Kubo S, Sakamoto M, Nakashima O, Kumada T, Kokudo N, Liver Cancer Study Group of Japan.	Liver resection for hepatocellular carcinoma associated with hepatic vein invasion: A Japanese nationwide survey	Hepatology	2017; 66(2): 510-517.
Hara T, Fujimoto H, Kondo T, Shinohara N, Obara W, Kimura G, Kume H, Nonomura N, Hongo F, Sugiyama T, Kanayama HO, Takahashi M, Fukumori T, Eto M, Cancer Registration Committee of the Japanese Urological Association.	Active heavy cigarette smoking is associated with poor survival in Japanese patients with advanced renal cell carcinoma: sub-analysis of the multi-institutional national database of the Japanese Urological Association	Jpn J Clin Oncol	2017 Nov; 7: 1-8. [Epub ahead of print]
伊藤大介, 有田淳一, 赤松延久, 長谷川潔, 國土典宏	【消化器腫瘍性疾患治療ガイドラインのポイント】 ガイドラインに沿った肝細胞癌の手術	成人病と生活習慣病	2017; 47(2): 211-216
日本小児血液・がん学会学術・調査委員会 日本小児血液・がん学会疾患登録集計報告	2010年～2013年診断例数確定値.	日本小児血液・がん学会雑誌	2017; 54(5). [in press]
日本小児外科学会悪性腫瘍委員会	小児の外科的悪性腫瘍、2015年登録症例の全国集計結果の報告	日小外会誌	2017; 53(1): 115-150.