

III. 研究成果の刊行に関する一覧表

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|------------------|----------|-----------|------|
| Inoue S, Hosono S, Ito H, Oze I, Nishino Y, Hattori M, Matsuda T, Miyashiro I, Nakayama T, Mizuno M, Matsuo K, Kato K, Tanaka H, Ito Y; J-CANSIS Research Group. | Improvement in 5-Year Relative Survival in Cancer of the Corpus Uteri From 1993-2000 to 2001-2006 in Japan. | J Epidemiol | 28(2) | 75-58 | 2018 |
| Masaoka H, Ito H, Yokomizo A, Eto M, Matsuo K | Potential overtreatment among men aged 80 years and older with localized prostate cancer in Japan. | Cancer Sci. | 108(8) | 1673-1680 | 2017 |
| Yoshimura A, Ito H, Nishino Y, Hattori M, Matsuda T, Miyashiro I, Nakayama T, Iwata H, Matsuo K, Tanaka H, Ito Y. | Recent Improvement in the Long-term Survival of Breast Cancer Patients by Age and Stage in Japan. | J Epidemiol. | In press | | |
| Nakata K, Ito Y, Magadi W, Bonaventure A, Stiller CA, Katanoda K, Matsuda T, Miyashiro I, Pritchard-Jones K, Rachelet B. | Childhood cancer incidence and survival in Japan and England: A population-based study (1993-2010). | Cancer Sci. | 109 | 422-434. | 2018 |
| Katanoda K, Shibata A, Matsuda T, Hori M, Nakata K*, Narita Y, Ogawa C, Munakata W, Kawai A, Nishimoto H. | Childhood, adolescent and young adult cancer incidence in Japan in 2009-2011. | Jpn J Clin Oncol | 47 | 762-771 | 2017 |

| | | | | | |
|--|---|--|--------|----------|----------|
| Nakagawa H, Ito H, Hosono S, Oze I, Mikami H, Hattori M, Nishino Y, Sugiyama H, Nakata K, Tanaka H. | Changes in trends in colorectal cancer incidence rate by anatomic site between 1978 and 2004 in Japan. | Eur J Cancer Prev. | 26 | 269-276 | 2017 |
| K.Kamo, T.Tonda, K.Satoh | Growth analysis using nuisance baseline. | FORMATH | 16 | 1-10 | 2017 |
| H.Yanagihara, K.Kamo, S.Imori, M.Yamamura | A study on the bias-correction effect of the AIC for selecting variables in normal multivariate linear regression models under model misspecification | REVSTAT-Statistical Journal | 15 (3) | 299-332 | 2017 |
| A.Matsuda, K.Saika, R.Tanaka, Y.Ito, K.Fukui, K.Kamo | Simulation models in gastric cancer screening: a systematic review | Asian Pacific Journal of Cancer Prevention | | | accepted |
| K.Iesato, T.Hori, Y.Yoto, M.Yamamoto, N.Inazawa, K.Kamo, H.Ikeda, S.Iyama, N.Hatakeyama, A.Iguchi, J.Sugita, R.Kobayashi, N.Suzuki, H.Tsutsumi | Long-term prognosis of patients with HHV-6 reactivation following allogeneic HSC-T | Pediatrics International | | | accepted |
| K.Tanaka, T.Kajimoto, T.Hayashi, O.Asanuma, M.Hori, K.Kamo, I.Sumida, Y.Takahashi, K.Tateoka, G.Bengua, K.Sakata, S.Endo | An in vitro verification of strength estimation for moving an ¹²⁵ I source during implantation in brachytherapy | Journal of Radiation Research | | | accepted |
| Saika, K. and T. Matsuda | Cancer incidence rates in the world from the Cancer Incidence in Five Continents XI | Jpn J Clin Oncol | 48(1) | p. 98-99 | 2018 |

| | | | | | |
|----------------------------|--|------------------|--------|--------------|------|
| Matsuda, T. and A. Okuyama | Cancer incidence rates in the world from the Cancer Incidence in Five Continents XI | Jpn J Clin Oncol | 48(2) | p. 202-203 | 2018 |
| Inoue, S., et al | Improvement in 5-Year Relative Survival in Cancer of the Corpus Uteri From 1993-2000 to 2001-2006 in Japan | J Epidemiol | 28(2) | p. 75-80 | 2018 |
| Allemani, C., et al | Global surveillance of trends in cancer survival 2000-14 (CONCORD-3): analysis of individual records for 37 513 025 patients diagnosed with one of 18 cancers from 322 population-based registries in 71 countries | Lancet | | | 2018 |
| Shinagawa, T., et al | The incidence and mortality rates of neuroblastoma cases before and after the cessation of the mass screening program in Japan: A descriptive study | Int J Cancer | 140(3) | p. 618-625 | 2017 |
| Saika, K. and T. Matsuda | The estimates of 5-year cancer prevalence in adult population in 2012 | Jpn J Clin Oncol | 47(6) | p. 581-582 | 2017 |
| Okuyama, A. and T. Matsuda | Incidence rate for pancreatic cancer in Japanese in Japan and in the United States from the Cancer Incidence in Five Continents. | Jpn J Clin Oncol | 47(1) | p. 90-91 | 2017 |
| Niino, M. and T. Matsuda | The estimates of five-year liver cancer prevalence in adult population in 2012. | Jpn J Clin Oncol | 47(12) | p. 1198-1199 | 2017 |

| | | | | | |
|--|---|-------------------------------|---------------------|---------------|----------|
| Nakagawa-Senda, H., et al. | Cancer Prevalence in Aichi, Japan for 2012: Estimates Based on Incidence and Survival Data from Population-Based Cancer Registries. | Asian Pac J Cancer Prev | 18(8) | p. 2151-2156. | 2017 |
| Matsuda, T. and A. Okuyama | Incidence rate for bladder cancer in Japanese in Japan and in the United States from the Cancer Incidence in Five Continents. | Jpn J Clin Oncol | 47(3) | p. 284-285 | 2017 |
| Matsuda, T. and A. Okuyama | The estimates of 5-year colorectal cancer prevalence in adult population in 2012. | Jpn J Clin Oncol | 47(7) | p. 669-670 | 2017 |
| 松田智大 | 【がん転移学(上)-がん転移のメカニズムと治療戦略:その基礎と臨床-】がんの疫学 がん転移の疫学と動向 がん登録データに垣間見る日本のがん診断と治療の進歩 | 日本臨床 | 75(増刊8 がん転移学(上)) | p. 23-30. | 2017 |
| K.Kamo, T.Tonda, K.Satoh | Growth analysis using nuisance baseline. | FORMATH | 16 | p.1-10 | 2017 |
| K.Iesato, T.Hori, Y.Yoto, M.Yamamoto, N.Inazawa, K.Kamo, H.Ikeda, S.Iyama, N.Hatakeyama, A.Iguchi, J.Sugita, R.Kobayashi, N.Suzuki, H.Tsutsumi | Long-term prognosis of patients with HHV-6 reactivation following allogeneic HSCT. | Pediatrics International | | | accepted |
| K.Tanaka, T.Kajimoto, T.Hayashi, O.Asanuma, M.Hori, K.Kamio, I.Sumida, Y.Takahashi, K.Tateoka, G.Bengua, K.Sakata, S.Endo | An in vitro verification of strength estimation for moving an ¹²⁵ I source during implantation in brachytherapy. | Journal of Radiation Research | | | accepted |

| | | | | | |
|---|---|----------------------|---------|-------------|------|
| Yagi A, Ueda Y, Kakuda M, Tanaka Y, Egawa-Takata T, Morimoto A, Iwamiya T, Matsuzaki S, Kobayashi E, Yoshino K, Fukui K, Ito Y, Nakayama T, Kimura T. | Descriptive epidemiological study of vaginal cancer using data from the Osaka Japan population-based cancer registry: Long-term analysis from a clinical viewpoint. | Medicine (Baltimore) | 96 (32) | e7751 | 2017 |
| Kinoshita FL, Ito Y, Morishima T, Miyashiro I, Nakayama T | Sex differences in lung cancer survival: long-term trends using population-based cancer registry data in Osaka, Japan. | Jpn J Clin Oncol | 47 (9) | p.863-869 | 2017 |
| Taniyama, Y., Katanoda, K., Charvat, H., Hori, M., Ohno, Y., Sasazuki, S., Tsugane, S | Estimation of lifetime cumulative incidence and mortality risk of gastric cancer. | Jpn J Clin Oncol | 47(11) | p.1097-1102 | 2017 |
| 片野田耕太, 堀芽久美, 柴田亜希子, 松田智大 | 国および都道府県のがん75歳未満年齢調整死亡率の減少は加速したか. | JACR Monograph | 23 | p.292-297 | 2017 |
| Machii R and Saika K. | Incidence rate for larynx cancer in Japanese in Japan and in the United States from the Cancer Incid | Jpn J Clin Oncol | 47 | 471-472 | 2017 |
| Okuyama A and Saika K | The estimates of 5-year stomach cancer prevalence in adult population in 2012 | Jpn J Clin Oncol | 47 | 777-778 | 2017 |

様式A (8)

| | | | | | |
|--|--|------------------|----|-----------|------|
| Machii R and <u>S</u> <u>aika K</u> | The estimates of 5-year uterus cancer prevalence in adult population in 2012 | Jpn J Clin Oncol | 47 | 1103-1104 | 2017 |
|--|--|------------------|----|-----------|------|