研究成果の刊行に関する一覧表

書籍

		書籍全体の					
著者氏名	論文タイトル名	編集者名	書籍名	出版社名	出版地	出版年	ページ
José L.		丹波嘉一	Pallium	メディカル・	東京	2017	
Pereira		郎,他(監	Canada 緩和	サイエンス・			
(著者)		訳)	ケアポケッ	インターナ			
			トブック	ショナル			
			Pallium				
			Palliative				
			Pocketbook				
			Second				
			Edition				
		日本がんサ	がん薬物療	金原出版㈱	東京	2017	
		ポーティブ	法に伴う抹				
		ケア学会	消神経障害				
		(編)	マネジメン				
			トの手引き				
			2017 年版				
森雅紀	第6章フェロー	島田悠一	海外医学留	日本医事新	東京	2017	217-221
	シップ1.内科	(編著)	学のすべて	報社			
	のフェローシッ						
	プーホスピス・						
	緩和医療						

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Okizaki A, Tagami K, Matsumoto Y, <u>Fuji</u> <u>mori M</u> , Morita M, Ki	Comparison of indicators for achievement of pain control with personalized pain goal in a comprehensive cancer center.	nage			2017
M, Nakaya N, <u>Fujimor</u> <u>i M</u> , Higuchi Y, Kake da K, <u>Uchitomi Y</u> , Ya mada N.	Association between serious psychological distress a nd nonparticipation in can cer screening and the modifying effect of socioeconomic status: Analysis of an onymized data from a national cross-sectional survey in Japan.				2017
Hamano J, Shirado A, Morita T.	Which physicians' behavior s on death pronouncement a ffect family-perceived phy sician compassion? A rando mized, scripted, video-vig nette study.	nagement.			2017

ki M, <u>Fujimori M</u> , Hi guchi Y, Fujiwara M, Terada S, Okamura H, <u>Uchitomi Y</u> , Yamad	Confidence in communicating with patients with cance r mediates the relationship between rehabilitation therapists' autistic-like traits perceived difficulty in communication.	are.			2017
W, Tanifuji T, Suzuk i H, Takeshima T, Ma	Characteristics of cancer patients who died by suici de in the Tokyo metropolit an area. Jpn J Clin Oncol.		47(5)	458-62.	2017
u KM, Wang CH, Juang YY, Lai CH, <u>Fujimor</u> <u>i M</u> , Fang CK.	Truth telling in Taiwanese cancer care: patients' and families' preferences and their experiences of doctors' practices.	,	26(7)	999-1005.	2017
M, Nakaya N, <u>Fujimori</u> <u>M</u> , Higuchi Y, Hayash ibara C, So R, Kakeda K, Kodama M, <u>Uchitom</u>	Cancer screening participation in schizophrenic outpatients and the influence of the ir functional disability on the screening rate: A crosssectional study in Japan.	urosci.	71(12)	813-825.	2017 Dec
Koyama T, Kitamura			81(4)	74	2017 May
<u>Uchitomi Y</u> .	Factors associated with pati ent preferences for communic ation of bad news.Palliat Su pport Care.	re.	15(3)	328-335	2017 Jun
,	Phase II trial of subcutan eous methylnaltrexone in the treatment of severe opioid-induced constipation (OIC) in cancer patients: An exploratory study.		22	397-404	2017

					,
al	Continuous deep sedation: A proposal for performing more rigorous empirical re search.	nage	53	146-152	2017
	Predictors of response to corticosteroids for dyspne a in advanced cancer patie nts: a preliminary multice nter prospective observational study.	er	25	1169-1181	2017
et al	Effects of End-of-Life Discussions on the Mental Health of Bereaved Family Members and Quality of Patient Death and Care.	nage	54	17-26	2017
	Talking about death with terminally-ill cancer patients: What contributes to the regret of bereaved family members?	nage	54	853-860	2017
	"What I did for my loved one is more important than whether we talked about death": A nationwide survey of bereaved family members.		Nov 20	[Epub ahead of print]	2017
I	Efficacy of two types of palliative sedation therapy defined using intervention protocols: proportional vs. deep sedation.	er		[Epub ahead of print]	2017
<u>森雅紀</u>	進行がんによる症状とその緩 和・支持療法について教えて ください	medicina	54(8)	1298-1302	2017

<u>森雅紀</u> ,他(企画)	「眠れない!」みかたをかえ て問いなおす 特集にあたっ て		27(4)	220	2017
<u>森雅紀</u>	フェンタニルは突出的な呼吸 困難に効果はあるの ?	緩和ケア	27(6)	390-392	2017
	終末期がん患者と死を前提と した話や行動をしたか否かに ついての遺族の後悔に関する 研究		22(7)	728-730	2017