

・ 研究成果の刊行に関する一覧表

書籍（外国語）

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|---------|-----------|-----|------|-----|-----|-----|
| | | | | | | | |

書籍（日本語）

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|----------------------------|---|--------------------------------------|--|---------------|-----|-------|-------------|
| 加藤雅志 | | | がん・生殖医療ハンドブック 大須賀 穰 鈴木 直 編集 短時間のうちに多くの 意思決定を迫られる患者にどう関わる？ がん相談支援センターがん専門相談員 の立場から。 | メディカ出版 | 大阪 | 2017 | pp313-pp318 |
| 加藤雅志 | | | 緩和ケアと精神保健. 第6版精神保健福祉 社士養成セミナー第2巻 精神保健学 精神 保健の課題と支援. | へるす出版 | 東京 | 2017 | pp164-179 |
| 木澤義之他 | 小児緩和ケアの現 状と展望 | 志真泰夫 恒藤 暁 細川豊史 宮下光令 山崎章郎 | ホスピス緩和ケア白書2017 | 青海社 | 東京都 | 2017年 | 34-37 |
| 井上順一郎, 木澤義之他 | 緩和医療の実際 | 井上順一 朗神津 玲 | 理学療法 MOOK21 がんの理学療法 | 三輪書店 | 東京都 | 2017年 | 93-98 |
| 木澤義之他 | 緩和医療ピットフ ォールファイル | 森田達也 濱口恵子 | 緩和医療ピットフォールファイル | 南江堂 | 東京都 | 2017年 | 6-78 |
| 木澤義之他 | 緩和医療と終末期 (エンド・オブ・ラ イフ)ケア | 矢崎義雄他 | 内科学 | 朝倉書店 | 東京都 | 2017年 | 186-188 |
| 木澤義之他 | 人生の最終段階を 見据えたアドバン ス・ケア・プランニ ング | 長江弘子 | 「生きる」を考える | 日本看護協会 出版会 | 東京都 | 2017年 | 186-196 |
| 木澤義之他 | わが国の政策と診 療報酬の動向 | 木澤義之 矢野和美 | 心疾患COPD神経疾患の緩和ケア | 青海社 | 東京都 | 2017年 | 8-11 |
| 木澤義之他 | エンド・オブ・ライ フケア | 小川朝生 木澤義之 山本 亮 | 新版 がん緩和ケアガイドブック | 青海社 | 東京都 | 2017年 | 95-105 |
| 木澤義之他 | 患者と家族の意向 が異なるとき | 木澤義之 山本 亮 浜野 淳 | いのちの終わりにどうかかわるか | 医学書院 | 東京都 | 2017年 | 68-73 |
| 木澤義之他 | | 木澤義之 山本 亮 浜野 淳 | いのちの終わりにどうかかわるか | 医学書院 | 東京都 | 2017年 | 全項 |
| 森田達也, 木澤義之, 梅田恵, 久原幸 (編集). | | | 3ステップ実践緩和ケア〔第2版〕. | 青海社, | | 2018 | |

| | | | | | | | |
|--|--|--|--|------------------------------------|-----|------|--------|
| 森田達也. | | | 終末期の苦痛がなくなる時、何が選 択できるのか？ - 苦痛緩和のための鎮静 〔セデーション〕. | 医学書院. | 東京 | 2017 | |
| 森田達也, 濱口恵 子 (編集者) | | | 苦い経験から学ぶ! 緩和医療ピットフ ォールファイル | 南江堂 | 東京 | 2017 | |
| 森田達也. | | José L. Pereira (著者), 丹波嘉 一郎, 大中俊宏 (監訳) | Pallium Canada 緩和ケアポケットブッ ク Pallium Palliative Pocketbook Sec ond Edition. | メディカル・サ イエンス・イン ターナシヨナ ル. | 東京 | 2017 | |
| 森田達也. | | 日本がんサポーテ ィブケア学会 (編) | がん薬物療法に伴う抹消神経障害マネジ メントの手引き | 金原出版 | 東京 | 2017 | |
| 小川朝生. | | | 精神的ケア. In: 大江裕一郎, 鈴木健司, editor. インフォームドコンセントのた めの図説シリーズ 肺がん 改訂5版. | 医薬ジャーナ ル社 | 大阪 | 2017 | |
| 小川朝生. | | | あなたの患者さん、認知症かもしれませ ん. | 医学書院 | 東京都 | 2017 | |
| 小川朝生、木澤義 之、濱野淳、山本亮、 飯島勝矢、平井啓、 道永麻里、他. | | | 新版 がん緩和ケアガイドブック. | 青海社 | 東京都 | 2017 | |
| ○小川朝生. | | | (3)精神的ケア. 大江裕一郎, 鈴木健 司, インフォームドコンセントのための 図説シリーズ 肺がん 改訂5版. | 医薬ジャーナ ル社 | | 2017 | 212-6. |

雑誌（外国語）

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|---|--------|-----------------------|-------|
| Nakazawa Y, Yamamoto R, <u>Kato M</u> , Miyashita M, Kizawa Y, Morita T. | Improved Knowledge of and Difficulties in Palliative care among physicians during 2008 and 2015 in Japan: association With a nation-wide palliative care education program. | Cancer. | . | | 2017 |
| Nakazawa Y, <u>Kato M</u> , Miyashita M, et al | Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: an analysis of two nationwide representative surveys in 2008 and 2015. | J Pain Symptom Management. | | (Epub ahead of print) | 2017 |
| Miyoshi Y, Yorifuji T, Horikawa R, Takahashi I, Nagasaki K, Ishiguro H, Fujiwara I, Ito J, Oba M, Fujisaki H, <u>Kato M</u> , Shimizu C, Kato T, Matsumoto K, Sago H, Takimoto T, Okada H, Suzuki N, Yokoya S, Ogata T, Ozono K. | Childbirth and fertility preservation in childhood and adolescent cancer patients: a second national survey of Japanese pediatric endocrinologists. | Clin Pediatric Endocrinology, and Metabolism. | 26(2) | 81-88, | 2017 |
| Nakazawa, Y., <u>Kato, M.</u> , Yoshida, S., Miyashita, M., Morita, T., & Kizawa, Y. | Population-based quality indicators for palliative care programs for cancer patients in Japan: A delphi study. | Journal of Pain and Symptom Management, | 51(4) | 652-661 | (2016 |
| Yamashita R, <u>Kizawa Y</u> ,et al | Unfinished Business in Families of Terminally Ill With Cancer Patients. | J Pain Symptom Management. | 54(6) | 861-869 | 2017 |
| Aoyama M, <u>Kizawa Y</u> ,et al | The Japan HOspice and Palliative Care Evaluation Study 3: Study Design, Characteristics of Participants and Participating Institutions, and Response Rates. | Am J Hosp Palliat Care. | 34(7) | 654-664 | 2017 |
| Mori M, <u>Kizawa Y</u> ,et al | Talking about death with terminally-ill cancer patients: What contributes to the regret of bereaved family members? | JPain Symptom Management | | Epub ahead of print | 2017 |
| Hamano J, <u>Kizawa Y</u> ,et al. | Trust in Physicians, Continuity and Coordination of Care, and Quality of Death in Patients with Advanced Cancer. | J Palliat Med. | 20(11) | 1252-1259 | 2017 |
| Hirooka K, <u>Kizawa Y</u> ,et al | End-of-life experiences of family caregivers of deceased patients with cancer:A nation-wide survey | Psycho Oncology | | Epub ahead of print | 2017 |

| | | | | | |
|---|--|---|----------|---------------------|-----------|
| Momo K, <u>Kizawa Y</u> , et al | Assessment of indomethacin oral spray for the treatment of oropharyngeal mucositis-induced pain during anticancer therapy | Supportive Care in Cancer | | Epub ahead of print | 2017 |
| Otani H, <u>Kizawa Y</u> , et al | Meaningful Communication Before Death, but Not Present at the Time of Death Itself, is Associated With Better Outcomes on Measures of Depression and | J Pain Symptom Manage | 54(3) | 273-279 | 2017 July |
| Yamaguchi T, <u>Kizawa Y</u> , et al. | Effects of End-of-Life Discussions on the Mental Health of Bereaved Family Members and Quality of Patient Death and Care. J Pain Symptom Manage. | | 54 (1) | 17-26. | 2017 |
| Hatano Y, <u>Kizawa Y</u> , et al. | The relationship between cancer patients' place of death and bereaved caregivers' mental health status. | Psycho Oncology. | 26(11) | 1959-1964. | 2017 |
| Kanoh A, <u>Kizawa Y</u> , et al. | End-of-life care and discussions in Japanese geriatric health service facilities: A nationwide survey of managing directors' viewpoints. | American Journal of Hospice and Palliative Medicine | | | 2017 |
| Miura H, <u>Kizawa Y</u> , et al. | Benefits of the Japanese version of the advance care planning facilitators education program. | Geriatr Gerontol Int. | | 350-352. | 2017 |
| Yamamoto S, <u>Kizawa Y</u> , et al. | Decision Making Regarding the Place of End-of-Life Cancer Care: The Burden on Bereaved Families and Related Factors. | J Pain Symptom Manage | 53 (5) | 862-870 | 2017 |
| Yotani N, <u>Kizawa Y</u> , et al | Advance care planning for adolescent patients with life-threatening neurological conditions: a survey of Japanese paediatric neurologists | BMJ Pediatrics Open | | Epub ahead of print | 2017 |
| Morita T, Imai K, Yokomichi N, Mori M, <u>Kizawa Y</u> , Tsuneto S. | Continuous Deep Sedation: A Proposal for Performing More Rigorous Empirical Research. | J Pain Symptom Manage | 53(1) | 146-152. | 2017 |
| Yotani N, <u>Kizawa Y</u> , et al | Advance care planning for adolescent patients with life-threatening neurological conditions: a survey of Japanese paediatric neurologists | BMJ Pediatrics Open | | Epub ahead of print | 2017 |
| Sakashita A, <u>Kizawa Y</u> , et al | Which research questions are important for the bereaved families of palliative care cancer patients? A nationwide survey. | J Pain Symptom Manage | | Epub ahead of print | 2017 |

| | | | | | |
|---------------------------------|--|-----------------------------|-------|---------------------|----------|
| Shinjo T, Kizawa Y,et al | Japanese physicians' experiences of terminally ill patients voluntarily stopping eating and drinking:a national survey | BMJ Support Palliative Care | | Epub ahead of print | 2017 |
| Kobayakawa M, Kizawa Y,et al | Psychological and psychiatric symptoms of terminally ill patients with cancer and their family caregivers in the home-care setting: A nation-wide survey from the perspective of bereaved family members in Japan. | J Psychosom Res. | 103 | 127-132 | 2017 Dec |
| Mori M, Kizawa Y,et al | "What I Did for My Loved One Is More Important than Whether We Talked About Death": A Nationwide Survey of Bereaved Family Members. | J Palliat Med. | | Epub ahead of print | 2017 |
| Hamano J, Kizawa Y,et al | A nationwide survey about palliative sedation involving Japanese palliative care specialists:Intentions and key factors used to determine sedation as proportionally appropriate. | J Pain Symptom Manage. | | Epub ahead of print | 2017 |
| Kakutani K, Kizawa Y,et al | Prospective Cohort Study of Performance Status and Activities of Daily Living After Surgery for Spinal Metastasis. | Clin Spine Surg. | 30(8) | E1026-E1032 | 2017 Oct |
| Nakazawa Y, Kizawa Y,et al | Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: an analysis of two nationwide representative surveys in 2008 and 2015. | J Pain Symptom Manage. | | Epub ahead of print | 2017 |
| Matsuoka H, Kizawa Y,et al | Study protocol for a multi-institutional, randomised, double-blinded, placebo-controlled phase III trial investigating additive efficacy of duloxetine for neuropathic cancer pain refractory to opioids and gabapentinoids: the DIRECT study. | BMJ Open. | 7(8) | e017280 | 2017 Aug |
| Miyazaki S, Kizawa Y,et al | Quality of life and cost-utility of surgical treatment for patients with spinal metastases: prospective cohort study. | Int Orthop. | 41(6) | 1265-1271 | 2017 Jun |
| Morita T, Kizawa Y,et al | Continuous Deep Sedation: A Proposal for Performing More Rigorous Empirical Research. | J Pain Symptom Manage. | 53(1) | 146-152 | 2017 Jan |
| Aoyama M, Kizawa Y,et al | Factors associated with possible complicated grief and major depressive disorders | Psychology | | 1-7 | 2017 Dec |

| | | | | | |
|--|--|----------------------|-------|-----------|-------|
| Nakazato K, Shiozaki M, Hirai K, <u>Morita T</u> , Tataru R, Ichihara K, Sato S, Shimizu M, Tsuneto S, Shima Y, Miyashita M. | Verbal communication of families with cancer patients at end of life: A questionnaire survey with bereaved family members. | Psycho-Oncology | 27 | 155-162 | 2018 |
| Mori M, Fujimori M, Hamano J, Naito AS, <u>Morita T</u> . | Which physicians' behaviors on death pronouncement affect family-perceived physician compassion? A randomized, scripted, video-vignette study. | J Pain Symptom Manag | 55(2) | 189-197 | 2018 |
| Sakashita A, <u>Morita T</u> , Kishino M, Aoyama M, Kizawa Y, Tsuneto S, Shima Y, Miyashita M. | Which research questions are important for the bereaved families of palliative care cancer patients? A nationwide survey. | J Pain Symptom Manag | 55(2) | 379-386 | 2018 |
| Nakazawa Y, Kato M, Miyashita M, <u>Morita T</u> , Kizawa Y. | Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: An analysis of two nationwide representative surveys in 2008 and 2015. | J Pain Symptom Manag | 55(2) | 402-412 | 2018 |
| Minoura T, Takeuchi M, Morita T, Kawakami K. | Practice patterns of medications for patients with malignant bowel obstruction using a nationwide claims database and the association between treatment outcomes and concomitant use of H ₂ -blockers/Proton pump inhibitors and corticosteroids with octreotide. | J Pain Symptom Manag | 55(2) | 413-419 | 2018 |
| Hamano J, Morita T, Ikenaga M, Abo H, Kizawa Y, Tsuneto S. | A nationwide survey about palliative sedation involving Japanese palliative care specialists: Intentions and key factors used to determine sedation as proportionally appropriate. | J Pain Symptom Manag | 55(3) | 785-791 | 2018 |
| Hanada R, Yokomichi N, Kato C, Miki K, Oyama S, Morita T, Kawahara R. | Efficacy and safety of reinfusion of concentrated ascetic fluid for malignant ascites: a concept-proof study. | Support Care Cancer | 26(5) | 1489-1497 | 2018 |
| <u>Morita T</u> , Imai K, Yokomichi N, Mori M, Kizawa Y, Tsuneto S. | Continuous deep sedation: A proposal for performing more rigorous empirical research. | J Pain Symptom Manag | 53(1) | 146-152 | 2017 |
| Matsuo N, <u>Morita T</u> , Matsuda Y, Okamoto K, Matsumoto Y, Kaneishi K, Odagiri T, Sakurai H, Katayama H, Mori I, Yamada H, Watanabe H, Yokoyama T, Yamaguchi T, Nishi T, Shirado A, Hiramoto S, Watanabe T, Kohara H, Shimoyama S, Aruga E, Baba M, Sumita K, Iwase S. | Predictors of responses to corticosteroids for anorexia in advanced cancer patients: a multicenter prospective observational study. | Support Care Cancer | 25(1) | 41-50 | 2017. |

| | | | | | |
|---|---|--------------------------|-------|-----------|-------|
| Miyashita M, Aoyama M, Nakahata M, Yamada Y, Abe M, Yanagihara K, Shirado A, Shutoh M, Okamoto Y, Hamano J, Miyamoto A, Yoshida S, Sato K, Hirai K, <u>Morita T.</u> | Development the care evaluation scale version 2.0: a modified version of a measure for bereaved family members to evaluate the structure and process of palliative care for cancer patient. | BMC Palliat Care | 16(1) | 8 | 2017 |
| Fujii A, Yamada Y, Takayama K, Nakano T, Kishimoto J, <u>Morita T.</u> , Nakanishi Y. | Longitudinal assessment of pain management with the pain management index in cancer outpatients receiving chemotherapy. | Support Care for Cancer | 25(3) | 925-932 | 2017. |
| Yamaguchi T, Kuriya M, <u>Morita T.</u> , Agar M, Choi YS, Goh C, Lingegowda KB, Lim R, Liu RK, MacLeod R, Ocampo R, Cheng SY, Phungtrassami T, Nguyen YP, Tsuneto S. | Palliative care development in the Asia-Pacific region: an international survey from the Asia Pacific Hospice Palliative Care Network (APHN). | BMJ Support Palliat Care | 7(1) | 23-31 | 2017. |
| Hamano J, Tokuda Y, Kawagoe S, Shinjo T, Shirayama H, Ozawa T, Shishido H, Otomo S, Nagayama J, Baba M, Tei Y, Hiramoto S, Suga A, Hisanaga T, Ishihara T, Iwashita T, Kaneishi K, Kuriyama T, Maeda T, <u>Morita T.</u> | Adding items that assess changes in activities of daily living does not improve the predictive accuracy of the palliative prognostic index. | Palliat Med | 31(3) | 258-266 | 2017. |
| Okamoto Y, Tsuneto S, <u>Morita T.</u> , Takagi T, Shimizu M, Miyashita M, Uejima E, Shima Y. | Desirable information of opioids for families of patients with terminal cancer: The bereaved family members' experiences and recommendations. | Am J Hosp Palliat Care | 34(3) | 248-253 | 2017 |
| Mori M, Shirado AN, Morita T, Okamoto K, Matuda Y, Matsumoto Y, Yamada H, Sakurai H, Aruga E, Kaneishi K, Watanabe H, Yamaguchi T, Odagiri T, Hiramoto S, Kohara H, Matsuo N, Katayama H, Nishi T, Matsui T, Iwase S. | Predictors of response to corticosteroids for dyspnea in advanced cancer patients: a preliminary multicenter prospective observational study. | Support Care for Cancer | 25(4) | 1169-1181 | 2017 |
| Matsuo N, <u>Morita T.</u> , Matsuda Y, Okamoto K, Matsumoto Y, Kaneishi K, Odagiri T, Sakurai H, Katayama H, Mori I, Yamada H, Watanabe H, Yokoyama T, Yamaguchi T, Nishi T, Shirado A, Hiramoto S, Watanabe T, Kohara H, Shimoyama S, Aruga E, Baba M, Sumita K, Iwase S. | Predictors of delirium in corticosteroid-treated patients with advanced cancer: An exploratory, multicenter, prospective, observational study. | J Palliat Med | 20(4) | 352-359 | 2017. |

| | | | | | |
|---|--|------------------------------|--------|-----------|-------|
| Yamada T, <u>Morita T</u> , Maeda I, Inoue S, Ikenaga M, Matsumoto Y, Baba M, Sekine R, Yamaguchi T, Hirohashi T, Tajima T, Tatara R, Watanabe H, Otani H, Takagi C, Matsuda Y, Ono S, Ozawa T, Yamamoto R, Shishido H, Yamamoto N. | A prospective, multicenter cohort study to validate a simple performance status-based survival prediction system for oncologist. | Cancer | 123(8) | 1442-1452 | 2017 |
| Yamamoto S, Arao H, Matsutani E, Aoki M, Kishino M, <u>Morita T</u> , Shima Y, Kizawa Y, Tsuneto S, Aoyama M, Miyashita M. | Decision making regarding the place of end-of-life cancer care: The burden on bereaved families and related factors. | J Pain Symptom Manage | 53(5) | 862-870 | 2017 |
| Naito AS, Sakuma Y, Kinoshita H, Ito T, Mimatsu S, Tarumi A, Kiyohara E, <u>Morita T</u> . | Screening using the fifth vital sign in the electronic medical recording system. | Jpn J Clin Oncol | 47(5) | 430-433 | 2017 |
| <u>Morita T</u> , Rietjens JA, Imai K, Mori M, Tsuneto S. | Author 's reply to rady and verheijde. | J Pain Symptom Manage | 53(6) | e12-e13 | 2017. |
| <u>Morita T</u> , Rietjens JA, Imai K, Mori M, Tsuneto S. | Author 's reply to twycross. | J Pain Symptom Manage | 53(6) | e15-e16 | 2017 |
| Amano K, Maeda I, Morita T, Baba M, Miura T, Hama T, Mori I, Nakajima N, Nishi T, Sakurai H, Shimoyama S, Shinjo T, Shirayama H, Yamada T, Ono S, Ozawa T, Yamamoto R, Yamamoto N, Shishido H, Kinoshita H. | C-reactive protein, symptoms and activity of daily living in patients with advanced cancer receiving palliative care. | J Cachexia Sarcopenia Muscle | 8(3) | 457-465 | 2017. |
| Matsuo N, <u>Morita T</u> , Matsuda Y, Okamoto K, Matsumoto Y, Kaneishi K, Odagiri T, Sakurai H, Katsuyama H, Mori I, Yamada H, Watanabe H, Yokoyama T, Yamaguchi T, Nishi T, Shirado A, Hiramoto S, Watanabe T, Kohara H, Shimoyama S, Aruga E, Baba M, Sumita K, Iwase S. | Predictors of responses to corticosteroids for cancer-related fatigue in advanced cancer patients: A multicenter, prospective, observational study. | J Pain Symptom Manage | 52(1) | 64-72 | 2017 |
| Matsuoka H, Ishiki H, Iwase S, Koyama A, Kawaguchi T, Kizawa Y, <u>Morita T</u> , Matsuda Y, Miyajima T, Ariyoshi K, Yamaguchi T. | Study protocol for a multi-institutional, randomized, double-blinded, placebo-controlled phase trial investigating additive efficacy of duloxetine for neuropathic cancer pain refractory to opioids and gabapentinoids: the DIRECT study. | BMJ Open | 7(8): | e017280, | 2017 |

| | | | | | |
|--|---|------------------------|--------|-----------|------|
| Uneno Y, Taneishi K, Kanai M, Okamoto K, Yamamoto Y, Yoshioka A, Hiramoto S, Nozaki A, Nishikawa Y, Yamaguchi D, Tomono T, Nakatsui M, Baba M, <u>Morita T</u> , Matsumoto S, Kuroda T, Okuno T, Miyamoto M. | Development and validation of a set of six adaptable prognosis prediction (SAP) models based on time-series real-world big data analysis for patients with cancer receiving chemotherapy: A multicenter case crossover study. | PLoS One | 12(8) | e0183291 | 2017 |
| Shimizu M, Fujisawa D, Kurihara M, Sato K, <u>Morita T</u> , Kato M, Miyashita M. | Validation study for the brief measure of quality of life and quality of care: A questionnaire for the national random sampling hospital survey. | Am J Hosp Palliat Care | 34(7) | 622-631 | 2017 |
| Aoyama M, <u>Morita T</u> , Kizawa Y, Tsuneto S, Shima Y, Miyashita M. | The Japan Hospice and Palliative Care Evaluation Study 3: Study design, characteristics of participants and participating institutions and response rates. | Am J Hosp Palliat Care | 34(7) | 654-664 | 2017 |
| Otani H, Yoshida S, <u>Morita T</u> , Aoyama M, Kizawa Y, Shima Y, Tsuneto S, Miyashita M. | Meaningful communication before death, but not preset at the time of death itself, is associated with better outcomes on measures of depression and complicated grief among bereaved family members of cancer patients. | J Pain Symptom Manag | 54(3) | 273-279 | 2017 |
| Takahashi R, Morita T, Miyashita M. | Variations in denominators and cut-off points of pain intensity in the pain management index: A methodological systematic review. | J Pain Symptom Manag | 54(5) | e1-e4 | 2017 |
| Hamano J, Morita T, Fukui S, Kizawa Y, Tsuneto S, Shima Y, Kobayakawa M, Aoyama M, Miyashita M. | Trust in physicians, continuity and coordination of care and quality of death in patients with advanced cancer. | J Palliat Med | 20(11) | 1252-1259 | 2017 |
| Hatano Y, Aoyama M, Morita T, Yamaguchi T, Maeda I, Kizawa Y, Tsuneto S, Shima Y, Miyashita M. | The relationship between cancer patients' place of death and bereaved caregivers' mental health status. | Psychooncology | 26(11) | 1959-1964 | 2017 |
| Kobayakawa M, Ogawa A, Konno M, Kurata A, Hamano J, <u>Morita T</u> , Kizawa Y, Tsuneto S, Shima Y, Aoyama M, Miyashita M. | Psychological and psychiatric symptoms of terminally ill patients with cancer and their family caregivers in the home-care setting: A nation-wide survey from the perspective of bereaved family members in Japan. | J Psychosomatic Res | 103 | 127-132 | 2017 |
| Yamashita R, Arai H, Takao A, Masutani E, Morita T, Shima Y, Kizawa Y, Tsuneto S, Aoyama M, Miyashita M. | Unfinished business in families of terminally ill with cancer patients. | J Pain Symptom Manag | 54(6) | 861-869 | 2017 |

| | | | | | |
|--|---|--------------------------|-------|-----------------------|------|
| Mori M, Yoshida S, Shiozaki M, Baba M, Morita T, Aoyama M, Kizawa Y, Tsuneto S, Shima Y, Miyashita M. | Talking about death with terminally-ill cancer patients: What contributes to the regret of bereaved family members? | J Pain Symptom Manage | 54(6) | 853-860 | 2017 |
| Watanabe YS, Miura T, Okizaki A, Tagami K, Matsumoto Y, Fujimori M, Morita T, Kinoshita H. | Comparison of indicators for achievement of pain control with a personalized pain goal in comprehensive cancer center. | J Pain Symptom Manage | | [Epub ahead of print] | 2017 |
| Aoyama M, Sakaguchi Y, Morita T, Ogawa A, Fujisawa D, Kizawa Y, Tsuneto S, Shima Y, Miyashita M. | Factors associated with possible complicated grief and major depressive disorders. | Psychooncology | | [Epub ahead of print] | 2017 |
| Imai K, Morita T, Yokomichi N, Mori M, Naito AS, Tsukuura H, Yamaguchi T, Kawaguchi T, Fukutani K, Inoue S. | Efficacy of two types of palliative sedation therapy defined using intervention protocols: proportional vs. deep sedation. | Support Care Cancer | | [Epub ahead of print] | 2017 |
| Hanada R, Yokomichi N, Kato C, Mori M, Iki K, Oyama S, Morita T, Kawahara R. | Efficacy and safety of reinfusion of concentrated ascetic fluid for malignant ascites: a conceptproof study. | Support Care Cancer | | [Epub ahead of print] | 2017 |
| Mori M, Yoshida S, Shiozaki M, Morita T, Baba M, Aoyama M, Kizawa Y, Tsuneto S, Shima Y, Miyashita M. | “What I did for my loved one is more important than whether we talked about death”: A nationwide survey of bereaved family members. | J Palliat Med | | [Epub ahead of print] | 2017 |
| Shinjo T, Morita T, Kiuchi D, Ikenaga M, Abo H, Maeda S, Tsuneto S, Kizawa Y. | Japanese physicians’ experiences of terminally ill patients voluntarily stopping eating and drinking: a national survey. | BMJ Support Palliat Care | | [Epub ahead of print] | 2017 |
| Tsukuura H, Miyazaki M, Morita T, Sugishita M, Kato H, Murasaki Y, Gyawali B, Kubo Y, Ando M, Kondo M, Yamada K, Hasegawa Y, Ando Y. | Efficacy of prophylactic treatment for oxycodone-induced nausea and vomiting among patients with cancer pain (POINT): A randomized, placebo-controlled, double-blind trial. | Oncologist | | [Epub ahead of print] | 2017 |
| Hatano Y, Morita T, Otani H, Iguchi M, Marashi N, Shima Y, Miyashita M. | Physician behavior toward death pronouncement in palliative care units. | J Palliat Med | | [Epub ahead of print] | 2017 |

| | | | | | |
|---|--|---------------------------------|----------------|------------------------|------|
| Nakanishi M Okumura Y, <u>Ogawa A.</u> | Physical restraint to patients with dementia in acute physical care settings: effect of the financial incentive to acute care hospitals. | International Psychogeriatrics. | | inpress. | |
| ○Hirooka K, Fukahori H, Taku K, Togari T, <u>Ogawa A.</u> | Quality of death, rumination, and posttraumatic growth among bereaved family members of cancer patients in home palliative care. | Psychooncology. | | PubMed PMID: 28432854. | 2017 |
| ○Hirooka K, Fukahori H, Taku K, Togari T, <u>Ogawa A.</u> | Examining Posttraumatic Growth Among Bereaved Family Members of Patients With Cancer Who Received Palliative Care at Home. | Am J Hosp Palliat Care. | | PubMed PMID: 28393544. | 2017 |
| Nakazawa Y, Yamamoto R, Kato M, <u>Miyashita M.</u> , Kizawa Y, Morita T. | Improved Knowledge of and Difficulties in Palliative care among physicians during 2008 and 2015 in Japan: association With a nation-wide palliative care education program. | Cancer. | | | 2017 |
| Nakazawa Y, Kato M, <u>Miyashita M.</u> , et al | Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: an analysis of two nationwide representative surveys in 2008 and 2015. | J Pain Symptom Manage. | | (Epub ahead of print) | 2017 |
| Kobayakawa M, Ogawa A, Konno M, Kurata A, Hamano J, Morita T, Kizawa Y, Tsuneto S, Shima Y, Aoyama M, <u>Miyashita M.</u> | Psychological and psychiatric symptoms of terminally ill patients with cancer and their family caregivers in the home-care setting: A nation-wide survey from the perspective of bereaved family members in Japan. | J Psychosom Res. | 103 | 127-132 | 2017 |
| Hamano J, Morita T, Fukui S, Kizawa Y, Tunetou S, Shima Y, Kobayakawa M, Aoyama M, <u>Miyashita M.</u> | Trust in Physicians, Continuity and Coordination of Care, and Quality of Death in Patients with Advanced Cancer. | J Palliat Med. | 20(11) | 1252-9 | 2017 |
| Sakashita A, Morita T, Kishino M, Aoyama M, Kizawa Y, Tsuneto S, Shima Y, <u>Miyashita M.</u> | Which Research Questions Are Important for the Bereaved Families of Palliative Care Cancer Patients? A Nationwide Survey. J Pain Symptom Manage. | J Pain Symptom Manage. | S0885-3924(17) | S0885-3924(17) | 2017 |

| | | | | | |
|---|--|---|--------|-----------------------|------|
| Hirooka K, Otani H, Morita T, Miura T, Fukahori H, Aoyama M, Kizawa Y, Shima Y, Tsuneto S, Miyashita M. | End-of-life experiences of family caregivers of deceased patients with cancer: A nationwide survey. <i>Psychooncology</i> . | | | Epub: ahead of print. | 2017 |
| Otani H, Yoshida S, Morita T, Aoyama M, Kizawa Y, Shima Y, Tsuneto S, Miyashita M. | Meaningful Communication Before Death, but Not Present at the Time of Death Itself, Is Associated With Better Outcomes on Measures of Depression and Complicated Grief Among Bereaved Family Members of Cancer Patients. | <i>J Pain Symptom Manage</i> | 54(3) | 273-9 | 2017 |
| Yamaguchi T, Maeda I, Hatano Y, Mori M, Shima Y, Tsuneto S, Kizawa Y, Morita T, Yamaguchi T, Aoyama M, Miyashita M. | Effects of End-of-Life Discussions on the Mental Health of Bereaved Family Members and Quality of Patient Death and Care. <i>J Pain Symptom Manage</i> . | <i>J Pain Symptom Manage</i> | 54(1) | 17-26 | 2017 |
| Hatano Y, Aoyama M, Morita T, Yamaguchi T, Maeda I, Kizawa Y, Tsuneto S, Shima Y, Miyashita M. | The relationship between cancer patients' place of death and bereaved caregivers' mental health status. | <i>Psychooncology</i> . | 26(11) | 1959-64. | 2017 |
| Yamamoto S, Arao H, Masutani E, Aoki M, Kishino M, Morita T, Shimizu Y, Kizawa Y, Tsuneto S, Aoyama M, Miyashita M. | Decision-making regarding the place of end-of-life cancer care: The burden on bereaved families and related factors. | <i>J Pain Symptom Manage</i> | 53(5) | 862-70. | 2017 |
| Miyashita M, Aoyama M, Nakahata M, Yamada Y, Abe M, Yanagihara K, Shirado A, Shutoh M, Okamoto Y, Hamano J, Miyamoto A, Yoshida S, Sato K, Hirai K, Morita T. | Development of the Care Evaluation Scale Version 2.0: A Modified Version of a Measure for Bereaved Family Members to Evaluate the Structure and Process of Palliative Care for Cancer Patients. | <i>BMC Palliat Care</i> . | 16(1) | 8. | 2017 |
| Nakanishi M Okumura Y, Ogawa A. | Physical restraint to patients with dementia in acute physical care settings: effect of the financial incentive to acute care hospitals. | <i>International Psychogeriatrics</i> . | | inpress. | 2017 |
| Hirooka K, Fukahori H, Taku K, Togari T, Ogawa A. | Quality of death, rumination, and posttraumatic growth among bereaved family members of cancer patients in home palliative care. <i>Psychooncology</i> . | | | PubMed | 2017 |
| Hirooka K, Fukahori H, Taku K, Togari T, Ogawa A. | Examining Posttraumatic Growth Among Bereaved Family Members of Patients With Cancer Who Received Palliative Care at Home. | <i>Am J Hosp Palliat Care</i> . | | PubMed | 2017 |

| | | | | | |
|--|---|----------------------|--|-----------------------|------|
| Nakazawa Y, Yamamoto R, Kato M, Miyashita M, Kizawa Y, Morita T. | Improved Knowledge of and Difficulties in Palliative care among physicians during 2008 and 2015 in Japan: association With a nation-wide palliative care education program. | Cancer. | | | 2017 |
| Nakazawa Y, Kato M, Miyashita M, et al | Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: an analysis of two nationwide representative surveys in 2008 and 2015. | J Pain Symptom Manag | | (Epub ahead of print) | 2017 |

雑誌（日本語）

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|--------------------------|--------|-------------|------|
| 秋月晶子, 秋月伸哉, 中澤葉宇子, 安保博文, 伊勢雄也, 岡本禎晃, 海津美希子, 品田雄市, 山代亜紀子, 坂下明大, 加藤雅志. | 緩和ケアチームセルフチェックプログラムの実施可能性に関する多施設調査. | Palliative Care Research | 13(2) | 195-200 | 2018 |
| 加藤雅志. | 国の動向と担当者として考えていたことの施策と行政の立場からの関わり. ホスピス緩和ケア白書2018. | 青海社 | | pp2-5 | 2018 |
| 加藤雅志. | がん・生殖医療ハンドブック 大須賀 穰 鈴木 直 編集 短時間のうちに多くの意思決定を迫られる患者にどう関わる? がん相談支援センターがん専門相談員の立場から. | メディカ出版 | | pp313-pp318 | 2017 |
| 加藤雅志. | 緩和ケアと精神保健. 第6版精神保健福祉士養成セミナー第2巻 精神保健学 精神保健の課題と支援. | へるす出版, | | pp164-179, | 2017 |
| 加藤雅志. | 緩和ケアとがん対策基本法 | 精神科 | 31(4) | 275-280 | 2017 |
| 加藤雅志. | がん診療の地域医療連携の現状 積極的に参加しよう | Medical Practice | Vol.34 | 24-29 | 2017 |
| 加藤雅志. | 緩和ケアの魔法の言葉. 森田達也 責任編集 緩和ケア2016年6月増刊号 | 青海社 | | pp87-90 | 2016 |
| 加藤雅志. | 総合病院での緩和ケアチーム. 山本賢司 編著 精神科領域のチーム医療実践マニュアル | 新興医学出版社 | | pp97-113 | 2016 |
| 五十嵐尚子, 木澤義之他 | 遺族によるホスピス・緩和ケアの質の評価に関する多施設遺族調査における結果のフィードバックの活用状況 | Palliative Care Research | 12巻1号 | 131-139 | 2017 |

| | | | | | |
|---|--|--------------------------|---------|-----------|-------|
| 木澤義之, 坂下明大他 | 緩和ケアとエンド・オブ・ライフ (終末期ケア) | 肺癌 | 57巻 | 720-722 | 2017 |
| 青山真帆, 木澤義之他 | 宗教的背景のある施設において患者の望ましい死の達成度が高い理由 全国のホスピス・ | Palliative Care Research | 12巻2号 | 211-220 | 2017 |
| 木澤義之, 長岡広香 | 早期緩和ケア介入の意義とアドバンス・ケア・プランニングの実践ポイント | 薬局 | 68巻8号 | 2786-2791 | 2017 |
| 木澤義之, 山本亮 | 緩和ケア研修会 PEACE プロジェクトの成果と展望 | 癌と化学療法 | 44巻7号 | 541-544 | 2017 |
| 木澤義之 | 意思決定支援 | 日本医師会雑誌 | 146巻5号 | 965 | 2017 |
| 木澤義之 | 【心疾患・COPD・神経疾患の緩和ケアと何が同じで、どこがちがうか】わが国の政策と診療報酬の動向 | 緩和ケア | 27巻6月増刊 | 8-11 | 2017 |
| 岸野 恵, 木澤義之他 | がん患者が答えやすい痛みの尺度 鎮痛水準測定法開発のための予備調査 | ペインクリニック | 38巻1号 | 93-98 | 2017 |
| 長岡広香, 木澤義之他 | がん診療連携拠点病院のソーシャルワーカー・退院調整看護師から見た緩和ケア病棟転院の障壁 | Palliative Care Research | 12巻4号 | 789-799 | 2017 |
| 岸野恵, 木澤義之, 佐藤悠子, 宮下光令, 森田達也, 細川豊史. | がん患者が答えやすい痛みの尺度 鎮痛水準測定方法開発のための予備調査 . | ペインクリニック | 38(1) | 93-98 | 2017. |
| 采野優, 森雅紀, 森田達也, 武藤学. | 「早期緩和ケア」「オンコロジーと緩和ケアの連携」「がんと診断されたときからの緩和ケア」のちがい. | 緩和ケア | 28(1) | 5-10 | 2018 |
| 森田達也. | 診断時からの緩和ケアを成り立たせる臨床モデルは何か? . | 緩和ケア | 28(1) | 11-16 | 2018 |
| 高橋理智, 森田達也, 野里洵子, 服部政治, 上野博司, 岡本禎晃, 伊勢雄也, 佐藤一樹, 宮下光令, 細川豊史. | 日本のがん疼痛とオピオイド量の真実 第3回 日本のがん患者の疼痛の頻度とPain Management Indexに関するメタ分析. | 緩和ケア | 28(1) | 42-49 | 2018 |
| 森田達也, 森雅紀. | 落としきれないKey article第19回臨床でどうしたらいいかわからないことを「心理実験」で明らかにする. | 緩和ケア | 28(1) | 56-62 | 2018 |
| 森田達也, 木澤義之, 梅田恵, 久原幸 (編集). | 3ステップ実践緩和ケア【第2版】. | (株)青海社 | | | 2018 |

| | | | | | |
|---|---|------------------|-------|----------|-------|
| 森田達也. | 緩和ケア口伝 - 現場で広がるコツと御法度. 眠気にペモリン(とカフェイン). | 緩和ケア | 28(2) | 126-127 | 2018 |
| 森田達也, 十九浦宏明. | 落としはいけないKey article第20回オキシコンチンの投与開始時にプロクロルペラジンの予防投与は効果がなさそうだ. | 緩和ケア | 28(2) | 130-135 | 2018 |
| 森田達也. | 落としはいけないKey article第13回治療効果を測定するのはNRSの変化でいいのか?. | 緩和ケア | 27(1) | 53-57,20 | 2017 |
| 森田達也. | 終末期の苦痛がなくなる時、何が選択できるのか? - 苦痛緩和のための鎮静[セデーション]. | 医学書院. | | | 2017 |
| 森田達也. | Key article第14回メサドンは神経障害性疼痛に初回治療として経皮フェンタニルよりも有効らしい. | 緩和ケア | 27(2) | 125-129 | 2017 |
| 五十嵐尚子, 青山真帆, 佐藤一樹, 森田達也, 木澤義之, 恒藤暁, 志真泰夫, 宮下光令. | 遺族によるホスピス・緩和ケアの質の評価に関する多施設遺族調査における結果のフィードバックの活用状況. | Palliat Care Res | 12(1) | 131-139 | 2017. |
| 日下部明彦, 野里洵子, 平野和恵, 齋藤直裕, 池永恵子, 檜柑富貴子, 結束貴臣, 松浦哲也, 吉見明香, 内藤明美, 沖田将人, 稲森正彦, 山本裕司, 森田達也. | 「地域の多職種でつくった死亡診断時の医師の立ち居振る舞いについてのガイドブック」の医学教育に用いた報告. | Palliat Care Res | 12(1) | 906-910 | 2017. |
| 森田達也. | 落としはいけないKey article第15回終末期せん妄に抗精神病薬は無効で、生命予後も短くする?. | 緩和ケア | 27(3) | 196-202 | 2017. |
| 小田切拓也, 森田達也, 伊藤浩明, 山田祐司, 橋本淳, 関本剛, 馬場美華, 成元勝広, 鈴木友宜, 辻村恭江. | ホスピス・緩和ケア病棟から存命退院した患者の退院後の療養場所と死亡確認場所に関する全国調査. | 癌の臨床 | 63(2) | 159-165 | 2017 |
| 青山真帆, 齋藤愛, 菅井真理, 森田達也, 木澤義之, 恒藤暁, 志真泰夫, 宮下光令. | 宗教的背景のある施設において患者の望ましい死の達成度が高い理由 全国のホスピス・緩和ケア病棟127施設の遺族調査の結果から . | Palliat Care Res | 12(2) | 211-220 | 2017 |
| 森田達也, 濱口恵子(編集者). | 苦い経験から学ぶ! 緩和医療ピットフォー | 南江堂. | | | 2017 |
| 森田達也. | 落としはいけないKey article第16回死前喘鳴の薬物療法を考える. | 緩和ケア | 27(4) | 270-275 | 2017 |

| | | | | | | |
|---|--|------------------------|--------|----------|--|-------|
| José L. Pereira (著者), 丹波嘉一郎, 大中俊宏 (監訳). | Pallium Canada 緩和ケアポケットブック Pallium Palliative Pocketbook Second Edition. | メディカル・サイエンス・インターナショナル. | | | | 2017 |
| 佐久間由美, 森田達也. | 外来緩和ケアのマネジメントのコツ 「緩和ケア外来」というより、「外来の緩和ケアチーム」. | 緩和ケア | 27(5) | 306-313 | | 2017 |
| 森田達也. | 落としはいけない! Key article 第17回 モルヒネはがんの進行を促進するが、メチルナルトレキソンは抑制する?. | 緩和ケア | 27(5) | 344-347 | | 2017 |
| 森田達也. | 日本がんサポーターブケア学会(編). がん薬物療法に伴う抹消神経障害マネジメントの手引き | 金原出版 | | | | 2017 |
| 児玉麻衣子, 小林美貴, 片山寛次, 田辺公一, 森田達也. | Good Death Scale (GDS) 日本語版訳の作成と言語的妥当性の検討. | Palliat Care Res | 12(4) | 311-316 | | 2017. |
| 鈴木梢, 森田達也, 田中桂子, 鄭陽, 東有佳里, 五十嵐尚子, 志真泰夫, 宮下光令. | 緩和ケア病棟で亡くなったがん患者における補完代替医療の使用実態と家族の体験. | Palliat Care Res | 12(4) | 731-738 | | 2017. |
| 塩崎麻里子, 三條真紀子, 吉田沙蘭, 平井啓, 宮下光令, 森田達也, 恒藤暁, 志真泰夫. | がん患者遺族の終末期における治療中止の意思決定に対する後悔と心理的対処: 家族は治療中止の何に、どのような理由で後悔しているのか? | Palliat Care Res | 12(4) | 753-760 | | 2017 |
| 山口崇, 森田達也 (企画担当). | 呼吸困難~エビデンスはそうだけど、実際はこれもいいよね. 特集にあたって. | 緩和ケア | 27(6) | 376 | | 2017 |
| 森田達也, 小山田隼佑. | 落としはいけない! Key article 第18回 非劣性試験って何? 粘膜吸収性フェンタニルvs. モルヒネ皮下注射. | 緩和ケア | 27(6) | 424-428 | | 2017 |
| 伊藤怜子, 清水恵, 内藤明美, 佐藤一樹, 藤澤大介, 恒藤暁, 森田達也, 宮下光令. | Memorial Symptom Assessment Scale (MSAS) を使用した日本における一般市民を対象とした身体症状・精神症状の有症率と強度、苦痛の程度の現状. | Palliat Care Res | 12(4) | 761-770 | | 2017 |
| 山口健也, 柏木秀行, 鈴木俊幸, 宜保淳也, 赤堀和也, 江口冬樹, 森田達也. | 経胃的にドレナージし症状緩和を得た卵巣癌に伴う被包化腹水の1例. | 日本プライマリ・ケア連合学会誌 | 40(4) | 186-188 | | 2017 |
| ○小川朝生. | 認知症・せん妄の緩和ケア. | 精神科. | 31(4) | 295-301. | | 2017 |
| ○小川朝生. | せん妄対策が変わってきた! 「DELTAプログラム」ってどんなもの?. | エキスパートナース. | 33(12) | 51-7. | | 2017 |

| | | | | | |
|---|---|---------------------------|--------|------------|------|
| ○小川朝生. | 《がんサポートのいま》 がんサバイバー支援とピアサポート. | Modern Physician. | 37(10) | 1032-5. | 2017 |
| 小川朝生. | せん妄 適確にアセスメントをし、せん妄を予防する. | 看護科学研究. | 15(2) | 45-9. | 2017 |
| ○小川朝生. | がん患者の包括的アセスメントとチーム医療の実践. | 薬局. | 68(8) | 30-5. | 2017 |
| ○小川朝生. | サイコオンコロジストの立場から. | 日本医師会雑誌. | 146(5) | 937-40 | 2017 |
| ○小川朝生. | 医療における意思決定能力の評価. | 緩和ケア. | 27(4): | 263. | 2017 |
| ○小川朝生. | 寝かしたほうがよい不眠、寝かさなくてよい不眠 閾値下せん妄を見つける. | 緩和ケア. | 27(4) | 241-5. | 2017 |
| ○小川朝生. | サイコオンコロジーの意義と診療の実際. | 新薬と臨牀. | 66(5) | 66-9. | 2017 |
| 菅野雄介, 野畑宏之, 岩田愛雄, 比嘉謙介, 佐山七生, 内村泰子, 大谷清子, 豊永香奈, 宮下光令, 小川朝生. | がん診療連携拠点病院における認知症の整備体制に関する実態調査. | Palliat Care Res. | | (in press) | 2017 |
| 岸野恵, 木澤義之, 佐藤悠子, 宮下光令, 森田達也, 細川豊史. | がん患者が答えやすい痛みの尺度 - 鎮痛水準測定方法開発のための予備調査 - . | ペインクリニック. | | (in press) | 2017 |
| 清水恵, 青山真帆, 森田達也, 恒藤暁, 志真泰夫, 宮下光令. | 遺族による終末期がん患者への緩和ケアの質の評価のための全国調査: the Japan Hospice and Palliative Care Evaluation 2 study(J-HOPE2 study). | Palliat Care Res. | | (in press) | 2017 |
| 杉山 育子, 庄司 春菜, 五十嵐 尚子, 佐藤 一樹, 高橋 都, 宮下 光令. | がん患者の家族介護者のquality of lifeに影響を与える要因 日本語版CQOLC (The Caregiver Quality of Life Index-Cancer)を用いた検討 . | Palliative Care Research. | 12(3) | 259-69. | 2017 |
| 佐藤一樹, 芹澤未有, 宮下光令, 木下寛也. | 遺族による終末期高齢患者の介護体験評価: 認知症併存の有無での比較と関連要因. | Palliat Care Res. | 12 (1) | 159-68. | 2017 |
| 佐藤一樹, 菊地亜里沙, 宮下光令, 木下寛也. | 終末期高齢者の望ましい死の達成の遺族による評価: 認知症併存の有無での比較と関連要因. | Palliat Care Res. | 12 (1) | 149-58. | 2017 |