

研究成果の刊行に関する一覧表

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Asayama K, Ohkubo T, Satoh A, Tanaka S, Higashiyama A, Murakami Y, Yamada M, Saitoh S, Okayama A, Miura K, Ueshima H, Miyamoto Y, Okamura T, Evidence for Cardiovascular Prevention From Observational Cohorts in Japan (EPOCH-JAPAN)	Cardiovascular risk and blood pressure lowering treatment among elderly individuals: Evidence for Cardiovascular Prevention from Observational Cohorts in Japan.	J Hypertens	36(2)	410-418	2017
2	Hirata T, Sugiyama D, Nagasawa SY, Murakami Y, Saitoh S, Okayama A, Iso H, Irie F, Sairenchi T, Miyamoto Y, Yamada M, Ishikawa S, Miura K, Ueshima H, Okamura T; EPOCH-JAPAN Research Group.	A pooled analysis of the association of isolated low levels of high-density lipoprotein cholesterol with cardiovascular mortality in Japan.	Eur J Epidemiol	32(7)	547-557	2017
3	Nagai M, Murakami Y, Tamakoshi A, Kiyohara Y, Yamada M, Ukawa S, Hirata T, Tanaka S, Miura K, Ueshima H, Okamura T; Evidence for Cardiovascular Prevention from Observational Cohorts in Japan (EPOCH-JAPAN) Research Group.	Fasting but not casual blood glucose is associated with pancreatic cancer mortality in Japanese: EPOCH-JAPAN.	Cancer Causes Control	28(6)	625-633	2017
4	Oishi E, et al.	Day-to-day blood pressure variability and risk of dementia in a general Japanese elderly population: the Hisayama Study	Circulation	136	516-525	2017
5	Takae K, et al.	Albuminuria increases the risks for both Alzheimer disease and vascular dementia in community - dwelling Japanese elderly: the Hisayama Study	J Am Heart Assoc	7	e006693	2018
6	Mukai N, et al.	Alternative measures of hyperglycemia and risk of Alzheimer's disease in the community: the Hisayama Study	J Clin Endocrinol Metab	102	3002-3010	2017
7	Umehara K, et al.	Association between serum vitamin D and all-cause and cause-specific death in a general Japanese population - the Hisayama Study	Circ J	81	1315-1321	2017
8	Hata J, et al.	White-coat and masked hypertension are associated with albuminuria in a general population: the Hisayama Study	Hypertens Res	40	937-943	2017
9	Usui T, et al.	Serum non-high-density lipoprotein cholesterol and risk of cardiovascular disease in community dwellers with chronic kidney disease: the Hisayama Study	J Atheroscler Thromb	24	706-715	2017
10	Ozawa M, et al.	Dietary protein intake and stroke risk in a general Japanese population: the Hisayama Study	Stroke	48	1478-1486	2017

11	Sakata S,et al.	Morning and evening blood pressures are associated with intima-media thickness in a general population - the Hisayama Study	Circ J	81	1647-1653	2017
12	Nagata M,et al.	The ratio of serum eicosapentaenoic acid to arachidonic acid and risk of cancer death in a Japanese community: the Hisayama Study	J Epidemiol	27	578-583	2017
13	Ohara T,et al.	Trends in dementia prevalence, incidence, and survival rate in a Japanese community	Neurology	88	1925-1932	2017
14	Kudo K,et al.	Association of airflow limitation with carotid atherosclerosis in a Japanese community - the Hisayama Study	Circ J	81	1846-1853	2017
15	Murakami K, et al.	Risk Factors for Stroke among Young-Old and Old-Old Community-Dwelling Adults in Japan: the Ohasama Study.	J Atheroscler Thromb	24	290-300	2017
16	Melgarejo JD, et al.	Prevalence, Treatment, and Control Rates of Conventional and Ambulatory Hypertension Across 10 Populations in 3 Continents.	Hypertension	70	50-58	2017
17	Murakami K, et al.	Home blood pressure predicts stroke incidence among older adults with impaired physical function: the Ohasama study.	J Hypertens	35	2395-2401	2017
18	Matsunaga M, Yatsuya H, Iso H, Yamashita K, Li Y, Yamagishi K, Tanabe N, Wada Y, Wang C, Ota A, Tamakoshi K, Tamakoshi A; JACC Study Group.	Similarities and differences between coronary heart disease and stroke in the associations with cardiovascular risk factors: The Japan Collaborative Cohort Study	Atherosclerosis	26	124-30	2017
19	Kihara T, Yamagishi K, Iso H, Tamakoshi A; JACC Study Group.	Passive smoking and mortality from aortic dissection or aneurysm.	Atherosclerosis	263	145-50	2017
20	Shirakawa T, Yamagishi K, Yatsuya H, Tanabe N, Tamakoshi A, Iso H; JACC Study Group.	Alcohol consumption and mortality from aortic disease among Japanese men: The Japan Collaborative Cohort study.	Atherosclerosis	266	Aug-64	2017
21	Kokubo Y, Watanabe M, Higashiyama A, Nakao YM, Kusano K, Miyamoto Y.	Development of a Basic Risk Score for Incident Atrial Fibrillation in a Japanese General Population - The Suita Study.	Circ J	81(11)	1580-1588	2017
22	Turin TC, Okamura T, Rumana N, Afzal AR, Watanabe M, Higashiyama A, Nakao YM, Nakai M, Takegami M, Nishimura K, Kokubo Y, Okayama A, Miyamoto Y	Diabetes and lifetime risk of coronary heart disease.	Prim Care Diabetes	11(5)	461-466	2017
23	Turin TC, Okamura T, Rumana N, Afzal AR, Watanabe M, Higashiyama A, Nakao YM, Nakai M, Takegami M, Nishimura K, Kokubo Y, Okayama A, Miyamoto Y	Diabetes and lifetime risk of stroke and subtypes in an urban middle-aged population.	Diabetes Complications	31(5)	831-835	2017
24	Kikui M, Kokubo Y, Ono T, Kida M, Kosaka T, Yamamoto M, Watanabe M, Maeda Y, Miyamoto Y.	Relationship between Metabolic Syndrome Components and Periodontal Disease in a Japanese General Population: the Suita Study.	J Atheroscler Thromb.	24(5)	495-507	2017

25	斎藤重幸	収縮期血圧140/mmHgは薬剤を追加して下げるべきか	循環器ジャーナル	66	48-57	2017
26	Furuhashi M, Yuda S, MD, Muranaka A, Kawamukai M, Matsumoto M, Tanaka M, Moniwa N, Ohnishi H, Saitoh S, Miura T	Circulating Fatty Acid-Binding Protein 4 Concentration Predicts the Progression of Carotid Atherosclerosis in a General Population Without Medication.	<i>Circ J.</i>	doi: 10.1253/circj.CJ-17-1295	1-6	2017
27	Akasaka H, rofumi Ohnishi H, Narita Y, Kameda M, Miki T, Takahashi H, Wari Yamamot Y, Sohma H, SPRUCE project investigators.	The Serum Level of KL-6 is Associated with the Risk of Insulin Resistance and New-onset Diabetes Mellitus:The Tanno-Sobetsu Study.	Intern Med.	doi: 10.2169/internalmedicine.8716-16)	1-10	2017
28	Tomata Y, Zhang S, Sugiyama K, Kaiho Y, Sugawara Y, Tsuji I.	Changes in time spent walking and the risk of incident dementia in older Japanese people: the Ohsaki Cohort 2006 Study.	Age and Ageing	46(5)	857-860	2017
29	Bando S, Tomata Y, Aida J, Sugiyama K, Sugawara Y, Tsuji I.	Impact of oral self-care on incident functional disability in elderly Japanese: the Ohsaki Cohort 2006 study.	BMJ Open	7(9)	e017946	2017
30	Zhang S, Tomata Y, Sugiyama K, Sugawara Y, Tsuji I.	Citrus consumption and incident dementia in elderly Japanese: the Ohsaki Cohort 2006 Study.	British Journal of Nutrition	117(8)	1174-1180	2017
31	Sakai T, Sugawara Y, Watanabe I, Watanabe T, Tomata Y, Nakaya N, Tsuji I.	Age at first birth and long-term mortality for mothers: the Ohsaki cohort study.	Environmental Health and Preventive Medicine	22(1)	24	2017
32	Sakurai M, Yoshita K, Nakamura K, Miura K, Takamura T, Nagasawa S-Y, Morikawa Y, Kido T, Naruse Y, Nogawa K, Suwazono Y, Sasaki S, Ishizaki M, Nakagawa H.	Skipping breakfast and 5-year changes in body mass index and waist circumference in Japanese men and women.	Obes Sci Pract	3	162-170	2017
33	Tatsukawa Y, Misumi M, Kim YM, Yamada M, Ohishi W, Fujiwara S, Nakanishi S, Yoneda M.	Body composition and development of diabetes: A 15-year follow-up study in a Japanese population.	Eur J Clin Nutr			In press
34	Nakamura M, Ishibashi Y, Tanaka F, Omama S, Onoda T, Takahashi T, Takahashi S, Tanno K, Ohsawa M, Sakata K, Koshiyama M, Ogasawara K, Okayama A; Iwate-KENCO Study Group.	Ability of B-Type Natriuretic Peptide Testing to Predict Cardioembolic Stroke in the General Population - Comparisons With C-Reactive Protein and Urinary Albumin.	Circ J.		in press	2018
35	Ohsawa M, Okamura T, Tanno K, Ogasawara K, Itai K, Yonekura Y, Konishi K, Omama S, Miyamatsu N, Turin TC, Morino Y, Itoh T, Onoda T, Sakata K, Ishibashi Y, Makita S, Nakamura M, Tanaka F, Kuribayashi T, Ohta M, Okayama A.	Risk of stroke and heart failure attributable to atrial fibrillation in middle-aged and elderly people: Results from a five-year prospective cohort study of Japanese community dwellers.	J Epidemiol.	27	360-367	2017
36	Liu K, Cui R, Eshak ES, Cui M, Dong JY, Kiyama M, Okada T, Kitamura A, Umesawa M, Yamagishi K, Imano H, Ohira T, Iso H.	Associations of central aortic pressure and brachial blood pressure with flow mediated dilatation in apparently healthy Japanese men: The Circulatory Risk in Communities Study (CIRCS).	Atherosclerosis	259	46-50	2017
37	Kitamura A, Yamagishi K, Imano H, Kiyama M, Cui R, Ohira T, Umesawa M, Muraki I, Sankai T, Saito I, Iso H	CIRCS Investigators. Impact of Hypertension and Subclinical Organ Damage on the Incidence of Cardiovascular Disease Among Japanese Residents at the Population and Individual Levels - The Circulatory Risk in Communities Study (CIRCS).	Circ J	81 (7)	1022-1023	2017

38	Cui R, Yamagishi K, Muraki I, Hayama-Terada M, Umesawa M, Imano H, Li Y, Eshak ES, Ohira T, Kiyama M, Okada T, Kitamura A, Tanigawa T, Iso H	CIRCS investigators. Association between markers of arterial stiffness and atrial fibrillation in the Circulatory Risk in Communities Study (CIRCS).	Atherosclerosis.	263	244-248	2017
39	Cui M, Cui R, Liu K, Dong JY, Imano H, Hayama-Terada M, Muraki I, Kiyama M, Okada T, Kitamura A, Umesawa M, Yamagishi K, Ohira T, Iso H	CIRCS investigators. Associations of Tobacco Smoking with Impaired Endothelial Function: The Circulatory Risk in Communities Study (CIRCS)	J Atheroscler Thromb	25		2018
40	Imano H, Iso H, Kitamura A, Yamagishi K, Hayama-Terada M, Muraki I, Okada T, Umesawa M, Ohira T, Sankai T, Cui R, Tanigawa T, Kiyama M	CIRCS Investigators. Nonfasting Glucose and Incident Stroke and Its Types - The Circulatory Risk in Communities Study (CIRCS).	Circ J			2018
41	Sakamaki T., Hara M., Kayaba K., Kotani K., Ishikawa S.	Coffee Consumption and Incidence of Subarachnoid Hemorrhage: The Jichi Medical School Cohort Study.	J Epidemiol	26	71-75	2016
42	Mieno M. N., Tanaka N., Arai T., Kawahara T., Kuchiba A., Ishikawa S., Sawabe M.	Accuracy of Death Certificates and Assessment of Factors for Misclassification of Underlying Cause of Death.	J Epidemiol	26	191-198	2016
43	Tadenuma S, Kanda H, Ishikawa S, Kayaba K, Gotoh T, Nakamura Y, Kajii E.	Salt Preference and the Incidence of Cardiovascular Disease in a Japanese General Population: The Jichi Medical School Cohort Study.	Health	8	105-115	2016
44	Sugiyama T, Ishikawa S, Kotani K, Gotoh T, Itoh Y, Kayaba K, Kajii E.	Relationship Between Serum High-Sensitivity C-Reactive Protein and Myocardial Infarction in a General Japanese Population.	J Clin Lab Anal	30	999-1002	2016
45	Ishikawa Y, Ishikawa J, Ishikawa S, Kario K, Kajii E.	Jichi Medical School Cohort Investigators Group. Progression from prehypertension to hypertension and risk of cardiovascular disease.	J Epidemiol	27(1)	8-13	2017
46	Kawate N, Kayaba K, Hara M, Kotani K, Ishikawa S.	Body mass index and stroke incidence in Japanese community residents: The Jichi Medical School (JMS) Cohort Study.	J Epidemiol	27(7)	325-330	2017
47	Shiraishi T, Ishikawa S, Kario K, Kayaba K, Kajii E.	Factor VII and incidence of myocardial infarction in a Japanese population: The Jichi Medical School Cohort Study.	J Clin Lab Anal		in press	2017
48	Tsuda T, Takefuji M, Wettschureck N, Kotani K, Morimoto R, Okumura T, Kaur H, Eguchi S, Sakaguchi T, Ishihama S, Kikuchi R, Unno K, Matsushita K, Ishikawa S, Offermanns S, Murohara T.	Corticotropin releasing hormone receptor 2 exacerbates chronic cardiac dysfunction.	J Exp Med	214(7)	1877-1888	2017
49	Katoh Y, Ota A, Yatsuya H, Li Y, Naito H, Fujisawa A, Matsunaga M, Hirakawa Y, Chiang C, Toyoshima H, Tamakoshi K, Aoyama A.	Functional capacity, self-rated health status, and psychosocial characteristics of employed cancer survivors in Japan.	Fujita Medical Journal	3卷3号	55-61	2017
50	Yatsuya H, Li Y, Hirakawa Y, Ota A, Matsunaga M, Hilawe EH, Chiang C, Zhang Y, Tamakoshi K, Toyoshima H, Aoyama A.	A point system for predicting 10-year risk of developing type 2 diabetes mellitus in Japanese men: Aichi Workers' Cohort Study.	Journal of Epidemiology	28卷7号 (予定)	未定	2018