

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Hashimoto Y, Matsudaira K, Sawada SS , Gando Y , Kawakami R, Kinugawa C, Okamoto T, Tsukamoto K, Miyachi M , Naito H.	Obesity and low back pain: A retrospective cohort study of Japanese males.	J Phys Ther Sci	29 (6)	978-83	2017
Gando Y , Murakami H, Yamamoto K, Kawakami R, Ohno H, Sawada SS , Miyatake N, Miyachi M .	Greater progression of age-related aortic stiffening in adults with poor trunk flexibility: A 5-year longitudinal study.	Front Physiol	8	e454	2017
Momma H, Sawada SS , Lee IM, Gando Y , Kawakami R , Terada S, Miyachi M , Kinugawa C, Okamoto T, Tsukamoto K, Huang C, Nagatomi R, Blair SN.	Consistently high level of cardiorespiratory fitness and incidence of type 2 diabetes.	Med Sci Sports Exerc	49 (10)	2048-55	2017
小熊祐子 .	運動開始のメディカルチェックについて考える—地域での身体活動促進を念頭に	慶應義塾大学スポーツ医学研究センター紀要2016	20	19-23	2018
小熊祐子	自治体と連携した取り組み(地域特性に合わせた取り組み)健康スポーツ医を通して自治体と大学が連携して事業を行う事例 ふじさわプラス・テンの事例を通して 健康スポーツ医学委員答申2018	日本医師会健康スポーツ医学委員会	3	50-52	2018
Takechi S, Yoshimura K, Oguma Y , Saito Y , Mimura M.	Relationship between Social Capital and Cognitive Functions among Community-Based Elderly.	Advances in Alzheimer's Disease.	6 (2)	45-51	2017
Komatsu H, Yagasaki K, Saito Y , Oguma Y .	Regular group exercise contributes to balanced health in older adults in Japan: a qualitative study.	BMC Geriatr.	17 (1)	190	2017
Yamamoto N, Sawada SS , Lee IM, Gando Y , Kawakami R , Murakami H, Miyachi M , Yoshitake Y, Asai H, Okamoto T, Tsukamoto K, Tanaka H, Blair SN.	Tracking of cardiorespiratory fitness in Japanese men.	J Phys Fitness Sports Med	7 (1)	25-33	2017
Saito Y , Oguma Y , Tanaka A, Kamada M, Inoue S, Inaji J, Kobori Y, Tajima T, Kato R, Kibayashi Y, Narumi Y, Takeuchi A, Miyachi M, Lee IM, Takebayashi T	Community-wide physical activity intervention based on the Japanese physical activity guidelines for adults: A non-randomized controlled trial	Prev Med	107	61-68	2018
Kawakami R , Sawada SS , Lee IM, Gando Y , Momma H, Terada S, Kinugawa C, Okamoto T, Tsukamoto K, Higuchi M, Miyachi M , Blair SN.	Long-term impact of cardiorespiratory fitness on type 2 diabetes incidence: A cohort study of Japanese men.	J Epidemiol			<i>in press</i>
Momma H, Sawada SS , Sloan RA, Gando Y , Kawakami R , Terada S, Miyachi M , Kinugawa C, Okamoto T, Tsukamoto K, Huang C, Nagatomi R, Blair SN.	Importance of achieving a “fit” cardiorespiratory fitness level for several years on the incidence of type 2 diabetes mellitus: a Japanese cohort study.	J Epidemiol			<i>in press</i>

Hashimoto Y, Matsudaira K, <u>Sawada SS</u> , <u>Gando Y</u> , <u>Kawakami R</u> , Kinugawa C, Okamoto T, Tsukamoto K, <u>Miyachi M</u> , Naito H, Blair SN.	Objectively measured physical activity and low back pain in Japanese men.	J Phys Act Health			<i>in press</i>
---	--	----------------------	--	--	-----------------