

研究成果の刊行に関する一覧表(平成29年4月～平成30年3月)

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Tamura Y, Kumamaru H, Satoh T, Miyata H, Ogawa A, Tanabe N, Hatano M, Yao A, Abe K, Tsujino I, Fukuda K, Kimura H, Kuwana M, Matsubara H, Tatsumi K; Japan PH Registry (JAPHR) Network.	Effectiveness and Outcome of Pulmonary Arterial Hypertension-Specific Therapy in Japanese Patients With Pulmonary Arterial Hypertension.	Circ J.	82	275-282	2018
田村雄二・古川明日香・倉石博・巽浩一郎・Jenelle Yorke	肺高血圧症疾患特異的PRO指標emPHasis-10日本語版の開発と言語の妥当性	日呼吸誌	7 (2)	79-84	2018
Kimura G, Kataoka M, Inami T, Fukuda K1, Yoshino H, <u>Satoh T</u>	Sorafenib as a potential strategy for refractory pulmonary arterial hypertension.	Pulm Pharmacol Ther	44	46-49	2017
Satoh T	Diagnosis and Treatment of Pulmonary Hypertension Editor Yoshihiro Fukumoto. Medical Therapy for Chronic Thromboembolic Pulmonary Hypertension.	Springer		185-192	2017
Ogawa A, <u>Satoh T</u> , Fukuda T, Sugimura K, Fukumoto Y, Emoto N, Yamada N, Yao A, Ando M, Ogino H, Tanabe N, Tsujino I, Hanaoka M, Minatoya K, Ito H, Matsubara H	Balloon Pulmonary Angioplasty for Chronic Thromboembolism.	Circ Cardiovasc Qual Outcomes	10	e004029	2017
Gamou S, Kataoka M, Aimi Y, Chiba T, Momose Y, Isobe S, Hirayama T, Yoshino H, Fukuda K, <u>Satoh T</u>	Genetics in pulmonary arterial hypertension in a large homogeneous Japanese population.	Clin Genet.	10	/cge.131 54.	2017
Jujo-Sanada T, <u>Tanabe N</u> , Sakao S, Sugiura T, Sekine A, Nishimura R, Suda R, Naito A, Miwa H, Yamamoto K, Sasaki A, Matsumura A, Ema R, Kasai H, Kato F, <u>Tatsumi K</u> .	The anticoagulant effects of warfarin and the bleeding risk associated with its use in patients with chronic thromboembolic pulmonary hypertension at a specialist center in Japan: a retrospective cohort study.	Pulm Circ.	7	684-691	2017
Suda R, <u>Tanabe N</u> , Ishida K, Kato F, Urushibara T, Sekine A, Nishimura R, Jujo T, Sugiura T, Shigeta A, Sakao S, <u>Tatsumi K</u> .	Prognostic and pathophysiological marker for patients with chronic thromboembolic pulmonary hypertension : Usefulness of diffusing capacity for carbon monoxide at diagnosis.	Respirology	22	179-186	2017
Kato F, Sakao S, Takeuchi T, Suzuki T, Nishimura R, Yasuda T, <u>Tanabe N</u> , <u>Tatsumi K</u> .	Endothelial cell-related autophagic pathways in Sugen/hypoxia-exposed pulmonary arterial hypertensive rats.	Am J Physiol Lung Cell Mol Physiol.	313	L899-L915	2017
Kasai H, <u>Tanabe N</u> , Fujimoto K, Hoshi H, Naito J, Suzuki R, Matsumura A, Sugiura T, Sakao S, <u>Tatsumi K</u> .	Mosaic attenuation pattern in non-contrast computed tomography for the assessment of pulmonary perfusion in chronic thromboembolic pulmonary hypertension.	Respir Investig.	55	300-307	2017

研究成果の刊行に関する一覧表(平成29年4月～平成30年3月)

Ema R, Sugiura T, Kawata N, <u>Tanabe N</u> , Kasai H, Nishimura R, Jujo T, Shigeta A, Sakao S, <u>Tatsumi K</u> .	The dilatation of main pulmonary artery and right ventricle observed by enhanced chest computed tomography predict poor outcome in inoperable chronic thromboembolic pulmonary hypertension.	Eur J Radiol.	94	70-77	2017
Abe M, Tsushima K, Ikari J, Kawata N, Terada J, <u>Tanabe N</u> , <u>Tatsumi K</u> .	Evaluation of the clinical characteristics of everolimus-induced lung injury and determination of associated risk factors.	Resp Med.	134	6-11	2017
Yamamoto K, <u>Tanabe N</u> , Suda R, Sasaki A, Matsumura A, Ema R, Kasai H, Kato F, Sekine A, Nishimura R, Jujo T, Sugiura T, Shigeta A, Sakao S, <u>Tatsumi K</u> .	Riociguat for patients with chronic thromboembolic pulmonary hypertension: usefulness of transitioning from phosphodiesterase type 5 inhibitor.	Respir Investig.	55	270-275	2017
Inagaki T, Terada J, Yahaba M, Kawata N, Jujo T, Nagashima K, Sakao S, <u>Tanabe N</u> , <u>Tatsumi K</u> .	Heart rate and oxygen saturation change patterns during a 6-min walk test in subjects with chronic thromboembolic pulmonary hypertension.	Respir Care	Epub ahead of print		2017
Ozawa K, Funabashi N, Takaoka H, <u>Tanabe N</u> , <u>Tatsumi K</u> , Kobayashi Y.	Detection of right ventricular myocardial fibrosis using quantitative CT attenuation of the right ventricular myocardium in the late phase on 320 slice CT in subjects with pulmonary hypertension.	Int J Cardiol.	228	165-168	2017
Tamura Y, Kumamaru H, Satoh T, Miyata H, Ogawa A, <u>Tanabe N</u> , Hatano M, Yao A, Abe K, Tsujino I, Fukuda K, Kimura H, Kuwana M, Matsubara H, <u>Tatsumi K</u> on behalf of the Japan PH Registry (JAPHR) Network.	Effectiveness and outcome of pulmonary arterial hypertension-specific therapy in Japanese patients with pulmonary arterial hypertension.	Circ J.	82	275-282	2017
Kimura M, Tamura Y, Guignabert C, Takei M, Kosaki K, <u>Tanabe N</u> , <u>Tatsumi K</u> , Saji T, Satoh T, Kataoka M, Kamitsuji S, Kamatani N, Thuillet R, Tu L, Humbert M, Fukuda K, Sano M.	A genome-wide association analysis identifies PDE1A DNAJC10 locus on chromosome 2 associated with idiopathic pulmonary arterial hypertension in a Japanese population.	Oncotarget .	8	74917-74926	2017
Nakamura H, Kato M, Noguchi A, Ohira H, <u>Tsujino I</u> , Atsumi T.	Efficient detection of pulmonary arterial hypertension using serum haptoglobin level and cardiac MRI in patients with connective tissue diseases: a pilot study.	Clin Exp Rheumatol	Epub ahead of print		2018
Shoji T, Mizugaki H, Ikezawa Y, Furuta M, Takashima Y, Kikuchi H, Goudarzi H, Asahina H, Kikuchi J, Kikuchi E, Sakakibara-Konishi J, Shinagawa N, <u>Tsujino I</u> , Nishimura M.	Successful Application of Edoxaban in the Treatment of Venous Thromboembolism Recurrence in a Patient with Non-small Cell Lung Cancer after Tumor Shrinkage	Intern Med.	Epub ahead of print		2018

研究成果の刊行に関する一覧表(平成29年4月～平成30年3月)

Sato T, <u>Tsujino I</u> , Ohira H, Oyama-Manabe N, Ito YM, Takashina C, Watanabe T, Nishimura M	Accuracy of echocardiographic indices for serial monitoring of right ventricular systolic function in patients with precapillary pulmonary hypertension	PLoS One	12(11)	e018780 6	2017
Shimizu K, <u>Tsujino I</u> , Sato T, Sugimoto A, Nakaya T, Watanabe T, Ohira H, Ito YM, Nishimura M	Performance of computed tomography-derived pulmonary vasculature metrics in the diagnosis and haemodynamic assessment of pulmonary arterial hypertension	Eur J Radiol	96	31-38	2017
Ogawa A, Satoh T, Fukuda T, Sugimura K, Fukumoto Y, Emoto N, Yamada N, Yao A, Ando M, Ogino H, Tanabe N, <u>Tsujino I</u> , Hanaoka M, Minatoya K, Ito H, Matsubara H	Balloon Pulmonary Angioplasty for Chronic Thromboembolic Pulmonary Hypertension: Results of a Multicenter Registry	Circ Cardiovasc Qual Outcomes	10(11)	e004029	2017
Nakamura H, Kato M, Nakaya T, Kono M, Tanimura S, Sato T, Fujieda Y, Oku K, Ohira H, Bohgaki T, Yasuda S, <u>Tsujino I</u> , Nishimura M, Atsumi T	Decreased haptoglobin levels inversely correlated with pulmonary artery pressure in patients with pulmonary arterial hypertension: A cross-sectional study	Medicine (Baltimore)	96(43)	e8349	2017
Sato T, Ohira H, <u>Tsujino I</u>	Representative Chest Auscultation Findings in Pulmonary Hypertension: Phonocardiograms and Sound Clips	Am Thorac	14(5)	e1-3	2017
Tanabe N, Ikeda S, Tahara N, Fukuda K, Hatano M, Ito H, Nakayama T, Anzai T, Hashimoto A, Inoue T, Kajinami K, Kihara Y, Kinoshita H, Kuwahara K, Murohara T, Okazaki O, Sakai S, Satoh T, Takeda Y, Takeishi Y, Taniguchi M, <u>Watanabe H</u> , Yamamoto T, Yamauchi-Takahara K, Yoshioka K, Sasayama S	Efficacy and Safety of an Orally Administered Selective Prostacyclin Receptor Agonist, Selexipag, in Japanese Patients With Pulmonary Arterial Hypertension.	Circulation Journal	Article ID:CJ-16-1348		2017
Shirai Y, and <u>Kuwana M</u>	Complex pathophysiology of pulmonary hypertension associated with systemic sclerosis: potential unfavorable effects of pulmonary vasodilators	J. Scleroderma Relat. Disord	2(2)	92-99	2017
Tamura Y, Kumamaru H, Satoh T, Miyata H, Ogawa A, Tanabe N, Hatano M, Yao A, Abe K, Tsujino I, Fukuda K, Kimura H, <u>Kuwana M</u> , Matsubara H, Tatsumi K; Japan PH Registry (JAPHR) Network.	Effectiveness and outcome of pulmonary arterial hypertension-specific therapy in Japanese patients with pulmonary arterial hypertension	Circ J.	82(1)	275-282	2017

研究成果の刊行に関する一覧表(平成29年4月～平成30年3月)

Coghlan JG, Galiè N, Barberà JA, Frost AE, Ghofrani HA, Hoeper MM, <u>Kuwana M</u> , McLaughlin VV, Peacock AJ, Simonneau G, Vachiéry JL, Blair C, Gillies H, Miller KL, Harris JHN, Langley J, and Rubin LJ	Initial combination therapy with ambrisentan and tadalafil in connective tissue disease-associated pulmonary arterial hypertension (CTD-PAH): subgroup analysis from the AMBITION trial	Ann. Rheum.	76(7)	1219-1227	2017
Yasuoka Y, Shirai Y, Tamura Y, Takeuchi T, and <u>Kuwana M</u>	Predictors for favorable responses to immunosuppressive treatment in pulmonary arterial hypertension associated with connective tissue disease	Circ. J	82(1)	546-554	2018
Mihara K, Ogawa A, <u>Matsubara H</u> , Terao T, Ichikawa Y.	Investigation of safety and efficacy of the new more thermostable formulation of Flolan (epoprostenol) in Japanese patients with pulmonary arterial hypertension (PAH)-An open-label, single-arm study.	PLoS One.	13	e0195195	2018
Ogawa A, Satoh T, Tamura Y, Fukuda K, <u>Matsubara H</u> .	Survival of Japanese Patients With Idiopathic/Heritable Pulmonary Arterial Hypertension.	Am J Cardiol.	119	1479-1484	2017
Ogawa A, Satoh T, Fukuda T, Sugimura K, Fukumoto Y, Emoto N, Yamada N, Yao A, Ando M, Ogino H, Tanabe N, Tsujino I, Hanaoka M, Minatoya K, Ito H, <u>Matsubara H</u> .	Balloon Pulmonary Angioplasty for Chronic Thromboembolic Pulmonary Hypertension: Results of a Multicenter Registry.	Circ Cardiovasc Qual Outcomes.	10	e004029	2017
Ogawa A, Miyaji K, <u>Matsubara H</u> .	Efficacy and safety of long-term imatinib therapy for patients with pulmonary veno-occlusive disease and pulmonary capillary hemangiomatosis.	Respir Med.	131	215-219	2017
Ogawa A, Takahashi Y, <u>Matsubara H</u> .	Clinical prediction score for identifying patients with pulmonary veno-occlusive disease/pulmonary capillary hemangiomatosis.	J Cardiol.	Epub ahead of print		2018
Hosokawa K, <u>Abe K</u> , Horimoto K, Yamasaki Y, Nagao M, Tsutsui H.	Balloon Pulmonary Angioplasty Relieves Hemodynamic Stress towards Untreated-Side Pulmonary Vasculature and Ameliorates Its Resistance in Patients with Chronic Thromboembolic Pulmonary Hypertension.	EuroIntervention	20	2069-2076	2018
Hosokawa K, Yamamoto T, <u>Abe K</u> , Tsutsui H.	Delayed-onset Lung Injury After Balloon Pulmonary Angioplasty.	Eur Heart J Cardiovasc Imaging.	18	275-282	2017

研究成果の刊行に関する一覧表(平成29年4月～平成30年3月)

Tanaka M, <u>Abe K</u> , Oka M, Saku K, Yoshida K, Ishikawa T, McMurtry IF, Sunagawa K, Hoka S, Tsutsui H.	Inhibition of Nitric Oxide Synthase Unmasks Vigorous Vasoconstriction in Established Pulmonary Arterial Hypertension.	Physiol Rep.	82	1426	2017
Hosokawa K, <u>Abe K</u> , Kashihara S, Tsutsui H.	Three Dimensional SPECT/CT Fusion Imaging Guided Balloon Pulmonary Angioplasty for Chronic Thromboembolic Pulmonary Hypertension.	JACC Cardiovasc Interv.	10	e193-194	2017
Tamura Y, Kumamaru H, Satoh T, <u>Miyata H</u> , Ogawa A, Tanabe N, Hatano M, Yao A, Abe K, Tsujino I, Fukuda K, Kimura H, Kuwana M, Matsubara H, Tatsumi K; Japan PH Registry (JAPHR) Network.	Effectiveness and Outcome of Pulmonary Arterial Hypertension-Specific Therapy in Japanese Patients With Pulmonary Arterial Hypertension.	Circ J.	10.1253/circj.CJ-17-0139		2017