

研究成果の刊行に関する一覧表（平成 29 年度）

雑誌					
発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Sumida T, Azuma N, Moriyama M, Takahashi H, Asashima H, Honda F, Abe S, Ono Y, Hirota T, Hirata S, Tanaka Y, Shimizu T, Nakamura H, Kawakami A, Sano H, Ogawa Y, Tsubota K, Ryo K, Saito I, Tanaka A, Nakamura S, Takamura E, Tanaka M, Suzuki K, Takeuchi T, Yamakawa N, Mimori T, Ohta A, Nshiyama S, Yoshihara T, Suzuki Y, Kawano M, Tomiita M, Tsuboi H.	Clinical practice guideline for Sjögren's syndrome 2017	Mod Rheumatol		doi: 10.1080/14397595.2018.1438093. [Epub ahead of print]	2018
Kochi Y, Kamatani Y, Kondo Y, Suzuki A, Kawakami E, Hiwa R, Momozawa Y, Fujimoto M, Jinnin M, Tanaka Y, Kanda T, Cooper RG, Chinoy H, Rothwell S, Lamb JA, Vencovský J, Mann H, Ohmura K, Myouzen K, Ishigaki K, Nakashima R, Hosono Y, Tsuboi H, Kawasumi H, Iwasaki Y, Kajiyama H, Horita T, Ogawa Momohara M, Takamura A, Tsunoda S, Shimizu J, Fujio K, Amano H, Mimori A, Kawakami A, Umehara H, Takeuchi T, Sano H, Muro Y, Atsumi T, Mimura T, Kawaguchi Y, Mimori T, Takahashi A, Kubo M, Kohsaka H, Sumida T, Yamamoto K.	Splicing variant of WDFY4 augments MDA5 signalling and the risk of clinically amyopathic dermatomyositis.	Ann Rheum Dis		doi: 10.1136/annrheumdis-2017-212149. [Epub ahead of print]	2018
Ikuma D, Hiromura K, Kajiyama H, Suwa J, Ikeuchi H, Sakairi T, Kaneko Y, Maeshima A, Kurosawa H, Hirayama Y, Yokota K, Araki Y, Sato K, Asanuma YF, Akiyama Y, Hara M, Nojima Y, and Mimura T.	The correlation of urinary podocytes and podocalyxin with histological features of lupus nephritis.	Lupus		doi: 10.1177/0961203317734918. [Epub 2017 Oct 19].	2018
Kirino Y, Kawaguchi Y, Tada Y, Tsukamoto H, Ota T, Iwamoto M, Takahashi H, Nagasawa K, Takei S, Horiuchi T, Ichida H, Minota S, Ueda A, Ohta A, Ishigatsubo Y.	Beneficial use of serum ferritin and heme oxygenase-1 as biomarkers in adult-onset Still's disease: A multicenter retrospective study.	Mod Rheumatol		doi: 10.1080/14397595.2017.1422231. [Epub ahead of print]	2018
Kubota T, Takei S, Shimizu M, Yasumura J, Nakagishi Y, Kizawa T, Yashiro M, Wakiguchi H, Yamasaki Y, Kawano Y.	Early prediction for over two years efficacy of the first biologic agent for polyarticular juvenile idiopathic arthritis: A multi-institutional study in Japan.	Mod Rheumatol		doi: 10.1080/14397595.2017.1415628. [Epub ahead of print]	2018
Mader S, Jeganathan V, Arinuma Y, Fujieda Y, Dujmovic I, Drulovic J, Shimizu Y, Sakuma Y, Stern JNH, Aranow C, Mackay M, Yasuda S, Atsumi T, Hirohata S, Diamond B.	Understanding the antibody repertoire in Neuropsychiatric Systemic Lupus Erythematosus and Neuromyelitis Optica Spectrum Disorders: do they share common targets?	Arthritis Rheumatol	70(2)	277-86	2018
Watanabe T, Oku K, Amengual O, Hisada R, Ohmura K, Nakagawa I, Shida H, Bohgaki T, Horita T, Yasuda S, Atsumi T.	Effects of statins on thrombosis development in patients with systemic lupus erythematosus and antiphospholipid antibodies.	Lupus	27(2)	225-34	2018

Yasuoka H, Shirai Y, Tamura Y, Takeuchi T, Kuwana M.	College of Rheumatology regarding transitional care	Circ J	82(2)	546-54	2018
Ohtsuji M, Lin Q, Okazaki H, Takahashi K, Amano H, Yagita H, Nishimura H, Hirose S.	Anti-CD11b antibody treatment suppresses the osteoclast generation, inflammatory cell infiltration, and autoantibody production in arthritis-prone Fc γ RIIB-deficient mice.	Arthritis Res Ther	20	593-7	2018
Atsumi T, Fujio K, Yamaoka K, Tomobe M, Kuroyanagi K, Kameda H.	Safety and effectiveness of subcutaneous tocilizumab in patients with rheumatoid arthritis in a real-world clinical setting.	Mod Rheumatol	8	1-9	2018
Mori M, Sugiyama N, Morishima Y, Sugiyama N, Kokubo T, Takei S, Yokota S.	Safety and effectiveness of etanercept for treatment of juvenile idiopathic arthritis: Results from a postmarketing surveillance.	Mod Rheumatol	28(1)	101-7	2018
Tsujioka T, Sugiyama M, Ueki M, Tozawa Y, Takezaki S, Ohshima J, Cho Y, Yamada M, Iguchi A, Kobayashi I, Ariga T.	Difficulty in the diagnosis of bone and joint pain associated with pediatric acute leukemia; comparison with juvenile idiopathic arthritis.	Mod Rheumatol	28	108-13	2018
Fujimoto S, Koga T, Kawakami A, Kawabata H, Okamoto S, Mizuki M, Yano S, Ide M, Uno K, Yagi K, Kojima T, Mizutani M, Tokumine Y, Nishimoto N, Fujiwara H, Nakatsuka SI, Shiozawa K, Iwaki N, Masaki Y, Yoshizaki K.	Tentative diagnostic criteria and disease severity classification for Castleman disease: A report of the research group on Castleman disease in Japan.	Mod Rheumatol	28(1)	161-7	2018
Nakaoka Y, Isobe M, Takei S, Tanaka Y, Ishii T, Yokota S, Nomura A, Yoshida S, Nishimoto N.	Efficacy and safety of tocilizumab in patients with refractory Takayasu arteritis: results from a randomised, double-blind, placebo-controlled, phase 3 trial in Japan (the TAKT study)	Ann Rheum Dis	77(3)	348-54	2018
Oku K, Atsumi T, Akiyama Y, Amano H, Azuma N, Bohgaki T, Asanuma YF, Horita T, Hosoya T, Ichinose K, Kato M, Katsumata Y, Kawaguchi Y, Kawakami A, Koga T, Kohsaka H, Kondo Y, Kubo K, Kuwana M, Mimori A, Mimori T, Mimura T, Murakami K, Nakano K, Nakayamada S, Ogishima H, Ohmura K, Saito K, Sano H, Shibuya M, Takahashi Y, Takasaki Y, Takeuchi T, Tamura N, Tanaka Y, Tsuboi H, Tsunoda S, Yukawa N, Yamakawa N, Yamamoto K, Sumida T.	Evaluation of the alternative classification criteria of systemic lupus erythematosus established by Systemic Lupus International Collaborating Clinics (SLICC).	Mod Rheumatol	doi: 10.1080/14397595.2017.1385154. [Epub ahead of print]		2017
Nakamura H, Oku K, Amengual O, Ohmura K, Fujieda Y, Kato M, Bohgaki T, Yasuda S, Atsumi T.	First-line, non-criteria antiphospholipid antibody testing for the diagnosis of antiphospholipid syndrome in clinical practice: a combination of anti-beta2-glycoprotein I domain I and phosphatidylserine-dependent antiprothrombin antibodies.	Arthritis Care Res (Hoboken)	doi: 10.1002/acr.23310. [Epub ahead of print]		2017

Shimizu Y, Yasuda S, Kimura T, Nishio S, Kono M, Ohmura K, Shimamura S, Kono M, Fujieda Y, Kato M, Oku K, Bohgaki T, Fukasawa Y, Tanaka S, <u>Atsumi T.</u>	Interferon-inducible Mx1 protein is highly expressed in renal tissues from treatment-naïve lupus nephritis, but not in those under immunosuppressive treatment.	Mod Rheumatol	doi: 10.1080/14397595.2017.1404711. [Epub ahead of print]	2017
Shimizu M, Mizuta M, Yasumi T, Iwata N, Okura Y, Kinjo N, Umebayashi H, Kubota T, Nakagishi Y, Nishimura K, Yashiro M, Yasumura J, Yamazaki K, Wakiguchi H, <u>Okamoto N. Mori M.</u>	Validation of classification criteria of macrophage activation syndrome in Japanese patients with systemic juvenile idiopathic arthritis.	Arthritis Care Res	doi: 10.1002/acr.23482. [Epub ahead of print]	2017
Kondo Y, Yokosawa M, Kaneko S, Furuyama K, Segawa S, Tsuboi H, Matsumoto I, <u>Sumida T.</u>	Transcriptional regulation of CD4+ T cell differentiation in experimentally-induced arthritis and rheumatoid arthritis.	Arthritis Rheum	doi: 10.1002/art.40398. [Epub ahead of print]	2017
Takahashi H, Tsuboi H, Yokosawa M, Asashima H, Hirota T, Kondo Y, Matsumoto I, <u>Sumida T.</u>	Diffusion-weighted magnetic resonance imaging of parotid glands before and after abatacept therapy in patients with Sjögren's syndrome associated with rheumatoid arthritis: Utility to evaluate and predict response to treatment.	Mod Rheumatol	doi: 10.1080/14397595.2017.1349234. [Epub ahead of print]	2017
Barzaghi F., Amaya Hernandez LC, Neven B, Ricci S, Kucuk ZY, Bleesing JJH, Nademi Z, et al. (35/59) (<u>Kobayashi I</u>)	Long-term follow up of IPEX patients after different therapeutic strategies: an international multicenter retrospective study.	J Allergy Clin Immunol	doi: 10.1016/j.jaci.2017.10.041. [Epub ahead of print]	2017
Mader S, Jeganathan V, Arinuma Y, Fujieda Y, Dujmovic I, Drulovic J, Shimizu Y, Sakuma Y, Stern JNH, Aranow C, Mackay M, Yasuda S, <u>Atsumi T.</u> , <u>Hirohata S.</u> Diamond B.	Understanding the antibody repertoire in Neuropsychiatric Systemic Lupus Erythematosus and Neuromyelitis Optica Spectrum Disorders: do they share common targets?	Arthritis Rheumatol	doi: 10.1002/art.40356 [Epub ahead of print]	2017
Yokota K, Wada T, Akiyama Y, <u>Mimura T.</u>	Detection of synovial inflammation in rheumatic diseases using superb microvascular imaging: Comparison with conventional power Doppler imaging.	Mod Rheumatol	doi: 10.1080/14397595.2017.1337288. [Epub ahead of print]	2017
Ichinose K, Ohyama K, Furukawa k, Higuchi O, Mukaino A, Satoh K, Nakane S, Shimizu T, Umeda M, Fukui S, Nishino A, Nakajima H, Koga T, Kawashiri SY, Iwamoto N, Tamai M, Nakamura H, Origuchi T, Yoshida N, Kuroda N, <u>Kawakami A.</u>	Novel anti-suprabasin antibodies may contribute to the pathogenesis of neuropsychiatric systemic lupus erythematosus.	Clin Immunol	doi: 10.1016/j.clim.2017.11.006. [Epub ahead of print]	2017
Sumitomo S, Nagafuchi Y, Tsuchida Y, Tsuchiya H, Ota M, Ishigaki K, Nakachi S, Kato R, Sakurai K, Hanata N, Tateishi S, Kanda H, Suzuki A, Kochi Y, <u>Fujio K.</u> , Yamamoto K.	A gene module associated with dysregulated TCR signaling pathways in CD4+ T cell subsets in rheumatoid arthritis.	J Autoimmun	doi: 10.1016/j.jaut.2017.11.001. [Epub ahead of print]	2017

Mori Y, Masuda T, Kosugi T, Yoshioka T, Hori M, Nagaya H, Maeda K, Sato Y, Kojima H, Kato N, Ishimoto T, Katsuno T, <u>Yuzawa Y</u> , Kadomatsu K, Maruyama S.	The clinical relevance of plasma CD147/basigin in biopsy-proven kidney diseases.	Clin Exp Nephrol	doi: 10.1007/s10157-017-1518-2. [Epub ahead of print]	2017
Kiyokawa T, Hanaoka H, Iida H, Ishimori K, Takakuwa Y, Yamasaki, Y Okazaki T, Ozaki S, and <u>Kawahata K</u> .	Syndrome of inappropriate antidiuretic hormone secretion (SIADH) in a patient with microscopic polyangiitis following low-dose intravenous cyclophosphamide: a possible pathogenic link with disease activity.	Modern Rheumatology Case Reports	doi/abs/10.1080/24725625.2017.1414913 [Epub ahead of print]	2017
Kimura Y, Yanagimachi M, Ino Y, Aketagawa M, Matsuo M, Okayama A, Shimizu H, Oba K, Morioka I, Imagawa T, Kaneko T, Yokota S, Hirano H, <u>Mori M</u> .	Identification of candidate serum biomarkers for Kawasaki disease using proteomic analysis.	Sci Rep	7 43732. doi: 10.1038/srep43732.	2017
His a K, Yanagimachi M, Naruto T, Miyamae T, Kikuchi M, Hara R, Imagawa T, Yokota S, <u>Mori M</u> .	PADI4 and the HLA-DRB1 shared epitope in juvenile idiopathic arthritis.	PLoS One	12(2) e0171961. doi: 10.1371/journal.pone.0171961.	2017
Takada H, Kimura N, Yoshihashi-Nakazato Y, <u>Kawahata K</u> , <u>Kohsaka H</u> .	Discoid Lupus Erythematosus Complicated with Pregnancy-induced Hemophagocytic Syndrome.	Intern Med	56(12) 1581–3	2017
Hasegawa H, <u>Kawahata K</u> , Mizoguchi F, Okiyama N, Miyasaka N, <u>Kohsaka H</u> .	Direct suppression of autoaggressive CD8+ T cells with CD80/86 blockade in CD8+ T cell-mediated polymyositis models of mice.	Clin Exp Rheumatol	35(4) 593–7	2017
Sano H, Sano Y, Ishiguchi E, Shimizu F, Omoto M, Maeda T, Nishihara H, Takeshita Y, Takahashi S, Oishi M, <u>Kanda T</u> .	Establishment of a New Conditionally Immortalized Human Skeletal Muscle Microvascular Endothelial Cell Line	J Cell Physiol	232 3286–95	2017
Nishihara H, Shimizu F, Kitagawa T, Yamanaka N, Akada J, Kuramitsu Y, Sano Y, Takeshita Y, Maeda T, Abe M, Koga M, Nakamura K, <u>Kanda T</u>	Identification of galectin-3 as a possible antibody target for secondary progressive multiple sclerosis	Mult Scler	23 382–94	2017
3) Takeshita Y, Obermeier B, Cotleur AC, Spampinato SF, Shimizu F, Yamamoto E, Sano Y, Kryzer TJ, Lennon VA, <u>Kanda T</u> , Ransohoff RM	Effects of neuromyelitis optica-IgG at the blood-brain barrier in vitro.	Neurol Neuroimmunol Neuroinflamm	4 e311	2017
<u>Mori M</u> , Nakagawa M, Tsuchida N, Kawada K, Sato J, Sakiyama M, Hirano S, Sato K, Nakamura H.	Proposal for the development of biologics in pediatric rheumatology field.	Pediatr Int	60(2) 108–14	2017
<u>Muro Y</u> , Nakanishi H, Katsuno M, Kono M, Akiyama M.	Prevalence of anti-NT5C1A antibodies in Japanese patients with autoimmune rheumatic diseases in comparison with other patient cohorts.	Clin Chim Acta.	472 1–4	2017
Coghlan JG, Galiè N, Barberà JA, Frost AE, Ghofrani HA, Hooper MM, <u>Kuwana M</u> , McLaughlin JV, Peacock AJ, Simonneau G, Vachiéry JL, Blair C, Gillies H, Miller KL, Harris JHN, Langley J, Rubin LJ; AMBITION investigators.	Initial combination therapy with ambrisentan and tadalafil in connective tissue disease-associated pulmonary arterial hypertension (CTD-PAH): subgroup analysis from the AMBITION	Ann Rheum Dis	76(7) 1219–27	2017

Tanizawa K, Handa T, <u>Nakashima R</u> , Kubo T, Hosono Y, Watanabe K, Aihara K, Ikezoe K, Sokai A, Nakatsuka Y, Taguchi Y, Hatta K, Noma S, Kobashi Y, Yoshizawa A, Oga T, Hirai T, Chin K, Nagai S, Izumi T, Mimori T, Mishima M.	The long-term outcome of interstitial lung disease with anti-aminoacyl-tRNA synthetase antibodies.	Respir Med	127	57–64	2017
Fujisawa T, Hozumi H, Kono M, Enomoto N, Nakamura Y, Inui N, <u>Nakashima R</u> , Imura Y, Mimori T, Suda T.	Predictive factors for long-term outcome in polymyositis/dermatomyositis-associated interstitial lung diseases.	Respir Investig	55	130–7	2017
Hozumi H, Fujisawa T, Enomoto N, <u>Nakashima R</u> , Enomoto Y, Suzuki Y, Kono M, Karayama M, Furuhashi K, Murakami A, Inui N, Nakamura Y, Mimori T, Suda T.	Clinical Utility of YKL-40 in Polymyositis/dermatomyositis-associated Interstitial Lung Disease.	J Rheumatol	44	1394–401	2017
Nitta T, Kochi Y, <u>Muro R</u> , Tomofuji Y, Okamura T, Murata S, Suzuki H, <u>Sumida T</u> , Yamamoto K, Takayanagi H.	Human thymoproteasome variations impact CD8 T cell selection and autoimmunity.	Science Immunol	2(12)	eaan5165	2017
Tsuboi H, Hagiwara S, Asashima H, Takahashi H, Hirota T, Umehara H, <u>Kawakami A</u> , Nakamura H, Sano H, <u>Tsubota K</u> , Ogawa Y, <u>Takamura E</u> , Saito I, Inoue H, Nakamura S, Moriyama M, <u>Takeuchi T</u> , <u>Tanaka Y</u> , Hirata S, Mimori T, Matsumoto I, <u>Sumida T</u> .	Comparison of the performance of new ACR-EULAR classification criteria for primary Sjogren's syndrome with former sets of criteria in Japanese patients.	Ann Rheum Dis	76(12)	1980–5	2017
Iizuka-Koga M, Asashima H, Ando M, Lai C-Y, Mochizuki S, Nakanishi M, Nishimura T, Tsuboi H, Hirota T, Takahashi H, Masumoto I, Otsu M, <u>Sumida T</u> .	Functional analysis of dendritic cells generated from T-iPS cells from CD4+ T cell clones of Sjögren's syndrome.	Stem Cell Reports	8(5)	1155–63	2017
Takahashi H, Tsuboi H, Asashima H, Hirota T, Kondo Y, Moriyama M, Matsumoto I, <u>Nakamura S</u> , <u>Sumida T</u> .	cDNA microarray analysis identifies NR4A2 as a novel molecule involved in the pathogenesis of Sjogren's syndrome.	Clin Exp Immunol	190(1)	96–109	2017
Mimori T, Harigai M, <u>Atsumi T</u> , <u>Fujii T</u> , Kuwana M, Matsuno H, Momohara S, <u>Takei S</u> , Tamura N, Takasaki Y, Ikeuchi S, Kushimoto S, Koike T.	Safety and effectiveness of 24-week treatment with iguratimod, a new oral disease-modifying antirheumatic drug, for patients with rheumatoid arthritis: interim analysis of a post-marketing surveillance study of 2679 patients in Japan.	Mod Rheumatol	27(5)	755–65	2017
<u>Masaki Y</u> , Matsui S, Saeki T, Tsuboi H, Hirata S, Izumi Y, Miyashita T, Fujikawa K, Dobashi H, Susaki K, Morimoto H, Takagi K, Kawano M, Origuchi T, Wada Y, Takahashi N, Horikoshi M, Ogishima H, Suzuki Y, Kawanami T, Kawanami Iwao H, Sakai T, Fujita Y, Fukushima T, Saito M, Suzuki R, Morikawa Y, Yoshino T, <u>Nakamura S</u> , Kojima M, Kurose N, Sato Y, Tanaka Y, Sugai S, <u>Sumida T</u> .	A multicenter phase II prospective clinical trial of glucocorticoid for patients with untreated IgG4-related disease.	Mod Rheumatol	27(5)	849–54	2017

Watanabe-Imai K, Harigai M, Sada KE, Yamamura M, <u>Fujii T</u> , Dobashi H, Amano K, Ito S, Homma S, Kumagai S, Banno S, Arimura Y, Makino H; Research Committee on Intractable Vasculitides, the Ministry of Health, Labor and Welfare of Japan.	Clinical characteristics of and risk factors for serious infection in Japanese patients within six months of remission induction therapy for antineutrophil cytoplasmic antibody-associated vasculitis registered in a nationwide, prospective, inception cohort study.	Mod Rheumatol	27(4)	646-51	2017
Kuramoto N, Ohmura K, Ikari K, Yano K, Furu M, Yamakawa N, Hashimoto M, Ito H, <u>Fujii T</u> , Murakami K, <u>Nakashima R</u> , Imura Y, Yukawa N, Yoshifumi H, Taniguchi A, Momohara S, Yamanaka H, Matsuda F, Mimori T, Terao C.	Anti-centromere antibody exhibits specific distribution levels among anti-nuclear antibodies and may characterize a distinct subset in rheumatoid arthritis.	Sci Rep	7(1)	6911	2017
Ishizaki J, Takemori A, Suemori K, Matsumoto T, Akita Y, Sada KE, <u>Yuzawa Y</u> , Amano K, Takasaki Y, Harigai M, Arimura Y, Makino H, Yasukawa M, Takemori N, Hasegawa H; Research Committee of Intractable Vasculitis Syndrome and the Research Committee of Intractable Renal Disease of the Ministry of Health, Labour and Welfare of Japan (<u>Fujii T</u>).	Targeted proteomics reveals promising biomarkers of disease activity and organ involvement in antineutrophil cytoplasmic antibody-associated vasculitis.	Arthritis Res Ther	19(1)	218	2017
Minowa K, <u>Amano H</u> , Ando S, Watanabe T, Ogasawara M, Kawano S, Kaneko T, Morimoto S, Yamaji K, Tamura N, Tokano Y, Hashimoto H, Takasaki Y.	Disease flare patterns and predictors of systemic lupus erythematosus in a monocentric cohort of 423 Japanese patients during a long-term follow-up: The JUDE study.	Mod Rheumatol	27	72-6	2017
48) Oku K, <u>Atsumi T</u> , Akiyama Y, <u>Amano H</u> , Azuma N, Bohgaki T, Asanuma YF, Horita T, Hosoya T, Ichinose K, Kato M, Katsumata Y, Kawaguchi Y, <u>Kawakami A</u> , Koga T, <u>Kohsaka H</u> , Kondo Y, Kubo K, <u>Kuwana M</u> , Mimori A, Mimori T, <u>Mimura T</u> , Murakami K, Nakano K, Nakayamada S, Ogishima H, Ohmura K, Saito K, Sano H, Shibuya M, Takahashi Y, Takasaki Y, <u>Takeuchi T</u> , Tamura N, <u>Tanaka Y</u> , Tsuboi H, Tsunoda S, Yukawa N, Yamakawa N, Yamamoto K, <u>Sumida T</u> .	Evaluation of the alternative classification criteria of systemic lupus erythematosus established by Systemic Lupus International Collaborating Clinics (SLICC).	Mod Rheumatol	9	1-7	2017
Masuda T, Maeda K, Sato W, Kosugi T, Sato Y, Kojima H, Kato N, Ishimoto T, Tsuboi N, Uchimura K, <u>Yuzawa Y</u> , Maruyama S, Kadomatsu K.	Growth Factor Midkine Promotes T-Cell Activation through Nuclear Factor of Activated T Cells Signaling and Th1 Cell Differentiation in Lupus Nephritis.	Am J Pathol	187(4)	740-51	2017
Miyamae T, <u>Takei S</u> , Itoh Y, Yamanaka H	Survey of attitudes of non-pediatric rheumatologists among councilors of the Japan.	Mod Rheumatol	27(6)	1047-50	2017
Nagakura T, Wakiguchi H, Kubota T, Yamatou T, Yamasaki Y, Nonaka Y, Nerome Y, Akaike H, Takezaki T, Imanaka H, Kawano Y, <u>Takei S</u> .	Tumor necrosis factor inhibitors provide longterm clinical benefits in pediatric and young adult patients with Blau syndrome.	J Rheumatol	44(4)	536-8	2017

Craig JP, Nichols KK, Akpek EK, Caffery B, Dua HS, Joo CK, Liu Z, Nelson JD, Nichols JJ, <u>Tsubota K</u> , Stapleton F	TFOS DEWS II Definition and Classification Report	Ocul Surf	15	276-83	2017
<u>Tsubota K</u> , Yokoi N, Shimazaki J, Watanabe H, Dogru M, Yamada M, Kinoshita S, Kim H-M, Tchah H-W, Hyon JY, Yoon K-C, Seo KY, Sun X, Chen W, Liang L, Li M, Liu Z.	New Perspectives on Dry Eye Definition and Diagnosis: A Consensus Report by the Asia Dry Eye Society	Ocul Surf	15(1)	65-76	2017
Miyashita T, Morimoto S, Honda D, Nakano S, <u>Amano H</u> , Osawa I, Yamaji K, Tomino Y, Takasaki Y, Tamura N.	Outcomes of the Re-classification of WHO Class IV Lupus Nephritis Using the ISN/RPS Classification: a Single Center Retrospective Observational Study from the JUDE Study.	Juntendo Med J	63	362-9	2017
Koguchi-Yoshioka H, Okiyama N, Iwamoto K, Matsumura Y, Ogawa T, Inoue S, Watanabe R, <u>Fujimoto M</u> .	Intravenous immunoglobulin contributes to control anti-melanoma differentiation-associated protein 5 (MDA5) antibody-associated dermatomyositis with palmar violaceous macules/papules.	Br J Dermatol	177(5)	1442-6	2017
Chen Z, Wang Y, <u>Kuwana M</u> , Xu X, Hu W, Feng X, Wang H, Kimura A, and Sun L.	HLA-DRB1 alleles as genetic risk factors for the development of anti-MDA5 antibodies in patients with dermatomyositis.	J. Rheumatol	44(9)	1389-93	2017
Tamura Y, Kumamaru H, Satoh T, Miyata H, Ogawa A, Tanabe N, Hatano M, Yao A, Abe K, Tsuzino I, Fukuda K, Kimura H, <u>Kuwana M</u> , Matsubara H, Tatsumi K, and the Japan PH Registry (JAPHR) Network	Effectiveness and outcome of pulmonary arterial hypertension-specific therapy in Japanese patients with pulmonary arterial hypertension.	Circ J	82(1)	275-82	2017
Egami Y, Narushima Y, Ohshima M, Yoshida A, Yoneta N, <u>Masaki Y</u> , Itoh K.	Human recombinant Fab fragment from combinatorial libraries of a B cell lymphoma patient recognizes core protein of chondroitin sulfate proteoglycan 4.	J Biochem	163(1)	61-8	2017
Tomita N, Yokoyama M, Yamamoto W, Watanabe R, Shimazu Y, <u>Masaki Y</u> , Tsunoda S, Hashimoto C, Murayama K, Yano T, Okamoto R, Kikuchi A, Tamura K, Sato K, Sunami K, Shibayama H, Takimoto R, Ohshima R, Takahashi H, Moriuchi Y, Kinoshita T, Yamamoto M, Numata A, Nakajima H, Miura I, Takeuchi K.	The Standard International Prognostic Index for Predicting the Risk of CNS Involvement in DLBCL without Specific Prophylaxis.	Leuk Lymphoma	8	1-8	2017
Miura K, Konishi J, Miyake T, Makita M, Hojo A, <u>Masaki Y</u> , Uno M, Ozaki J, Yoshida C, Niiya D, Kitazume K, Maeda Y, Takizawa J, Sakai R, Yano T, Yamamoto K, Sunami K, Hiramatsu Y, Kazutoshi Aoyama, Tsujimura H, Murakami J, Hatta Y, Kanno M.	A Host-Dependent Prognostic Model for Elderly Patients with Diffuse Large B-Cell Lymphoma.	Oncologist	22(5)	554-60	2017
Ueki M, Yamada M, Ito K, Tozawa Y, Morino S Horikoshi Y, Takada H, Abdrabou SS, Takezaki S, <u>Kobayashi I</u> , Ariga T	A heterozygous dominant-negative mutation in the coiled-coil domain of STAT1 is the cause of autosomal-dominant mendelian susceptibility to mycobacterial diseases.	Clin Immunol	174	24-31	2017

Sugiyama M, Iguchi A, Yamada M, Terashita Y, Ohshima J, Cho Y, Miyake N, Matsumoto N, Ueki M, Yamazaki Y, Takezaki S, <u>Kobayashi I</u> , Ariga T.	Successful bone marrow transplantation in two sisters with activated phosphoinositide 3-kinase δ syndrome 2.	Bone Marrow Tranplantation	52	1678-80	2017
23. Muramatsu K, Ujiie H, Yokozeki M, Tsukinaga I, Ito M, Shikano T, Suzuki A, Tozawa T, <u>Kobayashi I</u>	Recurrence of juvenile dermatomyositis 8 years after remission.	J Ammer Acad Dermatol Case Rep	3	29	2017
Oka A, Asano Y, Hasegawa M, <u>Fujimoto M</u> , Ishikawa O, <u>Kuwana M</u> , <u>Kawaguchi Y</u> , Yamamoto T, Takahashi H, Goto D, Endo H, <u>Jinnin M</u> , Mano S, Hosomichi K, Mabuchi T, Ueda MT, Nakagawa S, Beck S, Bahram S, Takehara K, Sato S, Ihn H.	RXRβ Is an MHC-Encoded Susceptibility Gene Associated with Anti-Topoisomerase I Antibody-Positive Systemic Sclerosis.	J Invest Dermatol	137(9)	1878-6	2017
Ide M, <u>Jinnin M</u> , Tomizawa Y, Wang Z, Kajihara I, Fukushima S, Hashizume Y, Asano Y, Ihn H.	Transforming growth factor β-inhibitor Repsox downregulates collagen expression of scleroderma dermal fibroblasts and prevents bleomycin-induced mice skin fibrosis.	Exp Dermatol	26(11)	1139-43	2017
Sawamura S, Jinnin M, Shimbara M, Nakamura K, Kudo H, Inoue K, Nakayama W, Kajihara I, Fukushima S, Ihn H.	Serum levels of genomic DNA of α1(I) collagen are elevated in scleroderma patients.	J Dermatol	44(8)	927-31	2017
Ogawa-Momohara M, <u>Muro Y</u> , Satoh M, Akiyama M.	Autoantibodies to Su/Argonaute 2 in Japanese patients with inflammatory myopathy.	Clin Chim Acta	471	304-7	2017
Taki T, <u>Muro Y</u> , Ogawa Y, Akiyama M.	Palmoplantar hyperkeratosis in dermatomyositis with anti-PM/Scl antibodies.	Br J Dermatol	176(5)	e94	2017
Takeichi T, Watanabe N, <u>Muro Y</u> , Teshigawara S, Sato M, Ban N, Akiyama M.	Phosphorylated signal transducer and activator of transcription 3 in the epidermis in adult-onset Still's disease.	J Dermatol	44(10)	1172-5	2017
<u>Muro Y</u> , Iwata N, Tanaka Y, Kodera M, Kono M, Akiyama M.	Anti-dense Fine Speckled 70 Autoantibodies in Japanese Children with Dermatomyositis, Localized Scleroderma, and Idiopathic Arthritis with Iridocyclitis.	J Rheumatol	44(5)	711-2	2017
Araki Y, <u>Mimura T</u> .	Matrix metalloproteinase gene activation resulting from disordered epigenetic mechanisms in rheumatoid arthritis.	Int J Mol Sci	18(5)	905	2017
Araki Y, <u>Mimura T</u> .	The histone modification code in the pathogenesis of autoimmune diseases.	Mediators of Inflammation	2017	1-12	2017
Shoda H, Nagafuchi Y, Tsuchida Y, Sakurai K, Sumitomo S, <u>Fujio K</u> , Yamamoto K.	Increased serum concentrations of IL-1 beta, IL-21 and Th17 cells in overweight patients with rheumatoid arthritis.	Arthritis Res Ther	19	111	2017
Asano T, Furukawa H, Sato S, Yashiro M, Kobayashi H, Watanabe H, Suzuki E, Ito T, Ubara Y, Kobayashi D, Iwanaga N, Izumi Y, Fujikawa K, Yamasaki S, Nakamura T, Koga T, Shimizu T, Umeda M, Nonaka F, Yasunami M, Ueki Y, Eguchi K, Tsuchiya N, Tohma S, Yoshiura KI, Ohira H, <u>Kawakami A</u> , Migita K.	Effects of HLA-DRB1 alleles on susceptibility and clinical manifestations in Japanese patients with adult onset Still's disease.	Arthritis Res Ther	19(1)	199	2017

Ikeda T, Fujii H, Nose M, Kamogawa Y, Shirai T, Shiota Y, <u>Ishii T</u> , Harigae H.	Bortezomib treatment induces a higher mortality rate in lupus model mice with a higher disease activity.	Arthritis Res Ther	19(1)	187	2017
Ishizu A, Tomaru U, Masuda S, Sada K, Amano K, Harigai M, <u>Kawaguchi Y</u> , Arimura Y, Yamagata K, Ozaki S, Dobashi H, Homma S, Okada Y, Sugiyama H, Usui J, Tsuboi N, Matsuo S, Makino H	Prediction of response to remission induction therapy by gene expression profiling of peripheral blood in Japanese patients with microscopic polyangiitis.	Arthritis Res Ther	19	1172-5	2017
Nishino A, Hanaoka M, Katsumata Y, <u>Kawaguchi Y</u> , Yamanaka H	Technetium-99m albumin scintigraphy in protein-losing gastroenteropathy with systemic lupus erythematosus: Typical diagnostic pattern of radiotracer leakage and chronological improvement by treatment.	J Clin Rheumatol	23	41-2	2017
Ochiai M, Sato E, Tanaka E, Tochihara M, Shimizu Y, Osawa H, Sidara K, Sugimoto N, Hoshi D, <u>Kawaguchi Y</u> , Taniguchi A, Yamanaka H	Successful delivery in a patient with clinically amyopathic dermatomyositis during pregnancy despite first-trimester acute exacerbation of interstitial lung disease.	Mod Rheumatol	27	364-8	2017
Abe G, Kikuchi H, Arinuma Y, <u>Hirohata S</u>	Brain MRI in patients with acute confusional state of diffuse psychiatric/neuropsychological syndromes in systemic lupus erythematosus.	Mod Rheumatol	27(2)	278-83	2017
Sakuma Y, Nagai T, Yoshio T, <u>Hirohata S</u>	Differential activation mechanisms of serum C5a in lupus nephritis and neuropsychiatric systemic lupus erythematosus.	Mod Rheumatol	27(2)	292-7	2017
Ohashi R, Fukazawa R, Watanabe M, Hashimoto K, Suzuki N, Nagi-Miura N, Ohno N, Shimizu A, <u>Itoh Y</u>	Characterization of a murine model with arteritis induced by Nod1 ligand, FK565: A comparative study with a CAWS-induced model.	Mod Rheumatol	27(6)	1024-30	2017
Asano T, Ito H, Kariya Y, Hoshi K, Yoshihara A, Ugawa Y, Sekine H, <u>Hirohata S</u> , Yamaguchi Y, Sato S, Kobayashi H, Migita K, Ohira H, Hashimoto Y, Watanabe H.	Evaluation of blood-brain barrier function by quotient alpha2 macroglobulin and its relationship with interleukin-6 and complement component 3 levels in neuropsychiatric systemic lupus erythematosus.	PLoS One	12(10)	e0186414	2017
Kawaguchi S, Higasa K, <u>Shimizu M</u> , <u>Yamada R</u> , Matsuda F.	HLA - HD: An accurate HLA typing algorithm for next - generation sequencing data	Human Mutation	38	788-97	2017
Murakami R, Matsumura N, JB Brown, Higasa K, Tsutsumi T, Kamada M, AT Hisham, Hosoe Y, Kitamura S, Yamaguchi K, Abiko K, Hamanishi J, Baba T, Koshiyama M, Okuno Y, <u>Yamada R</u> , Matsuda F, Konishi I, Mandai M.	Exome sequencing landscape analysis in ovarian clear cell carcinoma shed light on key chromosomal regions and mutation gene networks	The American journal of pathology	187	2246-58	2017
Ishigaki K, Kochi Y, Suzuki A, Tsuchida Y, Tsuchiya H, Sumitomo S, Yamaguchi K, Nagafuchi Y, Nakachi S, Kato R, Sakurai K, Shoda H, Ikari K, Taniguchi A, Yamanaka H, Miya F, Tsunoda T, Okada Y, Momozawa Y, Kamatani Y, <u>Yamada R</u> , Kubo M, <u>Fujio K</u> , Yamamoto K.	Polygenic burdens on cell-specific pathways underlie the risk of rheumatoid arthritis	Nat Genet	49	1120-5	2017

Shinagawa S, Okazaki T, Ikeda M, Yudoh K, Kisanuki YY, Yanagisawa M, <u>Kawahata K</u> , Ozaki S.	T cells upon activation promote endothelin 1 production in monocytes via IFN- γ and TNF- α .	Sci Rep	7	14500	2017
Eri T, <u>Kawahata K</u> , Kanzaki T, Imamura M, Michishita K, Akahira L, Bannai E, Yoshikawa N, Kimura Y, Satoh T, Uematsu S, Tanaka H, Yamamoto K.	Intestinal microbiota link lymphopenia to murine autoimmunity via PD-1(+)CXCR5(-/dim) B-helper T cell induction.	Sci Rep	7	46037	2017
Okamoto N, Shabana K, Murata T, Tamai H.	A paediatric case of granulomatosis with polyangiitis accompanied with dorsalis pedis artery occlusion and prominent cryofibrinogenaemia.	Mod Rheumatol Case Reports	1(2)	127-33	2017
園部 秀樹, 小川 葉子, 向井 慎, 山根 みお, 亀山 香織, <u>坪田 一男</u>	Sjögren症候群の涙腺における免疫グロブリンの特徴的局在を示した1例	あたらしい眼科	34(4)	575-9	2017
小澤 信博, 小川 葉子, 西條 裕美子, 鴨居 瑞加, 内野 美樹, 山根 みお, He Jingliang, 向井 慎, <u>坪田 一男</u>	眼類天疱瘡2症例における角膜神経の病的変化 生体レーザー共焦点顕微鏡による観察	あたらしい眼科	34(4)	560-2	2017
小川 譲, 小川 葉子, He Hua, 向井 慎, 山根 みお, Scheffer CG Tseng, <u>坪田 一男</u>	HC-HA/PTX3複合体投与によるGVHDマウスマodelのマイボーム腺と周辺組織への影響	あたらしい眼科	34(4)	571-4	2017
川口 鎮司	肺動脈性肺高血圧症	リウマチ科	58	1-6	2017
川口 鎮司	膠原病性肺高血圧症の基礎研究、診断、治療の進歩	最新医学	72	1128-34	2017
廣畠 俊成	各臓器障害 中枢神経ループス	J Visual Dermatol	163(1)	787-9	2017
富板 美奈子	小児膠原病-長期予後の改善と成人への移行を考える Sjögren症候群	小児科	58	460-75	2017
岡本 奈美	小児膠原病-長期予後の改善と成人への移行を考える 「若年性特発性関節炎」	小児科	58	441-50	2017
岡本 奈美	JIAにおける抗TNF療法	リウマチ科	58	265-71	2017
岡本 奈美	小児で見られる脊椎関節炎	整形・災害外科	60	1477-85	2017

書籍							ページ
著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	
Sato S, Fujimoto and Kuwana M	Anti-MDA5 Autoantibody	Christopher-Stine and Lundberg I	Myositis Handbook: An Inclusive Guide to the Inflammatory Myopathies	Jaaypee Brothers Medical Publishers	New Delhi, India		in press
McHugh N, Zoe B, Gono T, Kuwana M, and Targoff I.	The role of autoantibodies in myositis	Aggarwal R and Oddis CV	Managing Myositis: A Practical Guide	Springer	London, UK		in press
伊藤 保彦	急性リウマチ熱	福井 次矢、高木 誠、小室 成	今日の治療指針 2018年版	医学書院	東京	2018	1428
上阪 等、沢田 哲治、藤井 隆夫、山村 昌弘	免疫系序論	デニス L. カスパー ほか	ハリソン内科学 第5版	メディカル・サイクス・インターナショナル	東京	2017	2153
住田 孝之、他	シェーレン症候群診療ガイドライン2017年版	住田 孝之	シェーレン症候群診療ガイドライン2017年版	診断と治療社	東京	2017	1-120
森 雅亮	自己免疫疾患-Preclinical Stateから発症・早期診で-	熊谷 俊一	別冊・医学のあゆみ	医歯薬出版	東京	2017	98-106
森 雅亮、他	若年性特発性関節炎 診療ハンドブック 2017	一般社団法人日本リウマチ学会小児リウマチ調査検討小委員会	若年性特発性関節炎 診療ハンドブック 2017	メディカルレビュー社	大阪	2017	84

藤本 学、他	成人スチル病診療ガイドライン2017年版	厚生労働科学研究費補助金 難治性疾患等政策研究事業 自己免疫疾患に関する調査 研究班	成人スチル病診療ガイドライン 2017年版	診断と治療社	東京	2017	
三村 俊英、他	成人スチル病診療ガイドライン2017年版	厚生労働科学研究費補助金 難治性疾患等政策研究事業 自己免疫疾患に関する調査 研究班	診断と治療	医学書出版	東京	2017	100
中嶋 蘭	自己抗体と多発性筋炎・皮膚筋炎の病型	宮坂 信之	炎症と免疫	先端医学社	東京	2017	497-503
藤井 隆夫	抗核抗体、抗DNA抗体	富野 康日己、高橋 和久、 長谷部 直幸、渡辺 純夫、 藤元 昭一、小松 則夫、弘 世 貴久、瀧澤 俊也、渥美 達也	内科外来診断navi	中外医学社	東京	2017	340-2
Satoh T and Kuwana M	T cell abnormalities	Ishida Y and Tomoyama Y	Autoimmune Thrombocytopenia	Springer	London, UK	2017	63-74
Satoh T and Kuwana M	Differential diagnosis: secondary ITP	Ishida Y and Tomoyama Y	Autoimmune Thrombocytopenia	Springer	London, UK	2017	97-106
桑名 正隆	膠原病(全身性エリトマトーデス/混合性結合組織 病)に伴う肺動脈性肺高血圧症	伊藤 浩、松原 宏己	新 肺高血圧症診療マニュアル	南江堂	東京	2017	194-8
三村 俊英	特集 厚生労働省指定難病の診断基準と重症度、成 人スチル病	住田 孝之	分子リウマチ治療 10巻1号	先端医学社	東京	2017	24-6
舟久保 ゆう、 三村 俊英	非専門医にもできる！ リウマチ・膠原病診断 膠原 病の疫学		内科 119巻2号	南江堂	東京	2017	187-94
舟久保 ゆう、 三村 俊英	§11 膠原病・アレルギー疾患、1. SLE関連、 §11-2 抗リン脂質抗体症候群。	猿田 享男、北村 惣一郎	1336専門家による私の治療 2017-18年度版	日本医事新報社	東京	2017	813-6
三村 俊英	12. リウマチアレルギー性疾患及びアレルギー性疾 患 5) 成人スチル病	矢崎 義雄	内科学 第11版	朝倉書店	東京	2017	1244-45
正木 康史	白血球系疾患1) 総論 (1) 白血球減少症 (2) 白 血球増加症	矢崎 義雄	内科学 第11版	朝倉書店	東京	2017	1967-70、 1970-2
正木 康史	血管内リンパ腫	小澤 敬也、中尾 真二、 松村 到	血液疾患最新の治療2017-2019	南江堂	東京	2017	177-9
中村 誠司	ドライマウスはどのような病気か？ 鑑別すべき疾 患とは？ ～原因別に考えるドライマウスの診断～		超高齢社会におけるドライマウ スへの対応 いま、ドライマウ スにどう取り組むべきか	ヒヨーロン・バブ リッシャーズ	東京	2017	17-28
中村 誠司	口腔乾燥症（ドライマウス）について①、②		健康教室	東山書房	京都	2017	78-81、86-89
中村 誠司	口腔乾燥	夏目 長門、池上 由美子	治療をささえる。がん患者の口 腔ケア	医学書院	東京	2017	53-61
中村 誠司	IX口腔乾燥 93唾液	一般社団法人日本口腔ケア 学会	口腔ケア基礎知識	永末書店	京都	2017	274-6
富板 美奈子	Sjögren症候群の疾患標識抗体-抗SS-A/Ro抗体、抗 SS-B/La抗体、その他	「小児内科」「小児外科」 編集委員会	小児臨床検査のポイント2017	東京医学社	東京	2017	357-60
伊藤 梓、國方 彦 志、安田 正幸、 相澤 奈帆子、石 井 智徳、中澤 徹	全身性エリテマトーデス患者における眼血流解析	新家 真	眼科臨床紀要	眼科臨床紀要会	東京	2017	849