

研究成果の刊行に関する一覧表

<書籍>

| 著者氏名 | 論文 タイトル名 | 書籍全体 の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|---|---|-------------------------------|--|-------------------|---------------|-------------|---------------|
| Satoh T and Kuwana M | T cell abnormalities | Ishida Y and Tomoyama Y | Autoimmune Thrombocytope nia | Springer | London, UK | 2017 | 63-74 |
| Satoh T and Kuwana M | Differential diagnosis: secondary ITP | Ishida Y and Tomoyama Y | Autoimmune Thrombocytope nia | Springer | London, UK | 2017 | 97-106 |
| Hato T, Kurata Y: | Epidemiology. | Ishida Y, Tomiyama Y | Autoimmune Thrombocytope nia | Springer | Singapor e | 2017 | 41-49 |
| Hato T | Transfusion | Ishida Y, Tomiyama Y | Autoimmune Thrombocytope nia | Springer | Singapor e | 2017 | 191- 197 |
| 羽藤高明 | 輸血・血液型 検査 | 櫻林郁之介 | 今日の臨床検 査 2017-2018 | 南江堂 | 東京 | 2017 | 129- 136 |
| 羽藤高明 | HLA検査 | 櫻林郁之介 | 今日の臨床検 査 2017-2018 | 南江堂 | 東京 | 2017 | 137- 142 |
| Fujimura Y, Kokame K, Matsumoto M | Upshaw- Schulman syndrome | Nima Rezaei | Genetic Syndromes: A Comprehensive Reference Guide | Springer | In press | In press | In press |
| 香美祥二 | 溶血性尿毒症症 候群と非典型溶 血性尿毒症症候 群 | 矢崎義雄 | 内科学第11版 | 朝倉書店 | 東京 | 2017 | 1449- 1451 |
| 小林隆夫 | 肺血栓塞栓症の 予防と治療指針 | 岡元和文 | 救急・集中治 療最新ガイド ライン 2018-' 19 | 総合医学 社 | 東京 | 2018 | 327- 331 |
| 小林隆夫 | 産褥期の静脈血 栓塞栓症 | 猿田享男, 北村惣一郎 | 私の治療2017- 2018年度版 | 日本医事 新報社 | 東京 | 2017 | 1541- 1543 |
| 小林隆夫 | 産科DIC | 日本産婦人 科・新生児 血液学会 | 産婦人科・新 生児領域の血 液疾患診療の 手引き | メディカ ルビュー 社 | 東京 | 2017 | 97-108 |
| 小林隆夫 | 血栓塞栓症合併 妊娠 | 日本産婦人 科・新生児 血液学会 | 産婦人科・新 生児領域の血 液疾患診療の 手引き | メディカ ルビュー 社 | 東京 | 2017 | 41-52 |

<雑誌>

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|--|------------------|----------|------|
| Ebara Y, Morozumi M, Sato M, Moritoki N, Toyofuku M, Takata M, <u>Murata M</u> , Ubukata K, Iwata S | Enhancement of bactericidal activity against group B streptococci with reduced penicillin susceptibility by uptake of gentamicin into cells resulting from combination with β -lactam antibiotics. | J Infect Chemother. | 23 (5) | 312-318. | 2017 |
| Azuma K, Osawa Y, Tabata S, Katsukawa F, Ishida H, Oguma Y, Kawai T, Itoh H, Okuda H, Oguchi S, Ohta A, Kikuchi H, <u>Murata M</u> , Matsumoto H | Decrease in regional body fat after long-term high-intensity interval training. | The Journal of Physical Fitness and Sports Medicine. | Vol. 6 | 103-110 | 2017 |
| Fujio Y, Kojima K, Hashiguchi M, Wakui M, <u>Murata M</u> , Amagai M, Yamagami J | Validation of chemiluminescent enzyme immunoassay in detection of autoantibodies in pemphigus and pemphigoid. | J Dermatol Sci | 85/ 3 | 208-215 | 2017 |
| Toyofuku M, Morozumi M, Hida M, Satoh Y, Sakata H, Shiro H, Ubukata K, <u>Murata M</u> , Iwata, S. | Effects of Intrapartum Antibiotic Prophylaxis on Neonatal Acquisition of Group B Streptococci. | The Journal of Pediatrics. | 190 | 169-173 | 2017 |
| 大平賢太郎、藤森祐多、片桐尚子、清水長子、三ツ橋雄之、涌井昌俊、 <u>村田満</u> | Xa阻害薬のPT, APTTと抗Xa活性測定法によるモニタリングの有用性検討 | 日本検査血液学会雑誌 | 第58巻 第4号 | 271-281 | 2017 |
| <u>村田満</u> | 《特集》血栓止血の臨床化学 | 臨床化学 | Vol. 46 No. 2 | 94 | 2017 |
| Rubic-Schneider T, <u>Kuwana M</u> , Christen B, Assenmacher M, Hainzl O, Zimmermann F, Fischer R, Koppenburg V, Chibout SD, Wright TM, Seidl A, and Kammüller M | T cell assays confirm immunogenicity of tungsten-induced erythropoietin aggregates associated with pure red cell aplasia | Blood Adv | 1 (6) | 367-379 | 2017 |

| | | | | | |
|--|--|---------------------|----------|---------|----------|
| Nishimoto T, Okazaki Y, Numajiri M, and <u>Kuwana M</u> | Mouse immune thrombocytopenia is associated with Th1 bias and expression of activating Fc γ receptors. | Int. J. Hematol | 105(5) | 598-605 | 2017 |
| Salem D, Subang R, <u>Kuwana M</u> , Levine JS, and Rauch J | T cells from induced and spontaneous models of SLE recognize a common T cell epitope on β 2-glycoprotein I | Cell. Mol. Immunol | | | In press |
| Casey N, Fujiwara H, Azuma T, Murakami Y, Yoshimitsu M, Masamoto I, Nawa Y, Yamanouchi J, Narumi H, Yakushijin Y, <u>Hato T</u> , Yasukawa M | An unusual, CD4 and CD8 dual-positive, CD25 negative, tumor cell phenotype in a patient with adult T-cell leukemia/lymphoma. | Leuk Lymphoma | in press | | 2018 |
| Mori S, Yamanouchi J, Okamoto K, <u>Hato T</u> , Yasukawa M | A novel frameshift mutation leading to inherited type I antithrombin deficiency. | Blood Coagul Fibrin | 28 | 189-192 | 2017 |
| 酒井道生、天野景裕、小川孔幸、高見昭良、徳川多津子、野上恵嗣、 <u>羽藤高明</u> 、藤井輝久、松本功、松本剛史 | 後天性血友病A診療ガイドライン 2017年改訂版 | 日本血栓止血学会誌 | 28 | 715-747 | 2017 |
| <u>羽藤高明</u> 、横山健次、 <u>國島伸治</u> | 2016 Hot Topics 血小板分野 | 日本血栓止血学会誌 | 28 | 79-82 | 2017 |
| <u>Matsumoto M</u> , Fujimura Y, Wada H, <u>Kokame K</u> , <u>Miyakawa Y</u> , Ueda Y, Higasa S, Moriki T, Yagi H, Miyata T, <u>Murata M</u> ; For TTP group of Blood Coagulation Abnormalities Research Team, Research on Rare and Intractable Disease supported by Health, Labour, and Welfare Sciences Research Grants. | Diagnostic and treatment guidelines for thrombotic thrombocytopenic purpura (TTP) 2017 in Japan. | Int J Hematol | 106 | 3-15 | 2017 |

| | | | | | |
|--|--|----------------|---------|-----------|------|
| 松本雅則、藤村吉博、和田英夫、 <u>小亀浩市</u> 、 <u>宮川義隆</u> 、上田恭典、日笠聡、森木隆典、八木秀男、宮田敏行、 <u>村田満</u> | 血栓性血小板減少性紫斑病 (TTP) 診療ガイド 2017. | 臨床血液 | 58 | 271-281 | 2017 |
| Yoshii Y, Fujimura Y, Bennett CL, Isonishi A, Kurumatani N, <u>Matsumoto M.</u> | Implementation of a rapid assay of ADAMTS13 activity was associated with improved 30-day survival rate in patients with acquired primary thrombotic thrombocytopenic purpura who received platelet transfusions. | Transfusion | 57 | 2045-2053 | 2017 |
| Yoshida Y, <u>Matsumoto M</u> , Yagi H, Isonishi A, Sakai K, Hayakawa M, Hori Y, Sado T, Kobayashi H, Y Fujimura Y. | Severe reduction of free-form ADAMTS13, unbound to von Willebrand factor, in plasma of patients with HELLP syndrome. | Blood Advances | 1 | 1628-1631 | 2017 |
| Yagi H, Yamaguchi N, Shida Y, Sugimoto M, Tubaki K, Fujimura Y, <u>Matsumoto M.</u> | Highly elevated plasma level of von Willebrand factor accelerates the formation of platelet thrombus under high shear stress in plasma with deficient ADAMTS13 activity. | Thromb Res | 159 | 91-95 | 2017 |
| Yamashita M, <u>Matsumoto M</u> , Hayakawa M, Sakai K, Fujimura Y, Ogata N. | Intravitreal injection of aflibercept, an anti-VEGF antagonist, down-regulates plasma von Willebrand factor in patients with age-related macular degeneration. | Sci Rep | 24 | 1491 | 2018 |
| Maeda T, Nakagawa K, Murata K, Kanaumi Y, Seguchi S, Kawamura S, Kodama M, Kawai T, Kakutani I, Ohnishi Y, <u>Kokame K</u> , Okazaki H, Miyata S | Identifying patients at high risk of heparin-induced thrombocytopenia-associated thrombosis with a platelet activation assay using flow cytometry | Thromb Haemost | 117 (1) | 127-138 | 2017 |

| | | | | | |
|--|---|--------------------------------------|-------------|---------------|----------|
| <u>Matsumoto M</u> , Fujimura Y, Wada H, Kokame K, Miyakawa Y, Ueda Y, Higasa S, Moriki T, Yagi H, <u>Miyata T</u> , <u>Murata M</u> | Diagnostic and treatment guidelines for thrombotic thrombocytopenic purpura (TTP) 2017 in Japan | Int J Hematol | 106 (1) | 3-15 | 2017 |
| Dhanesha N, Doddapattar P, Chorawala MR, Nayak MK, <u>Kokame K</u> , Staber JM, Lentz SR, Chauhan AK | ADAMTS13 retards progression of diabetic nephropathy by inhibiting intrarenal thrombosis in mice | Arterioscle r Thromb Vasc Biol | 37 (7) | 1332- 1338 | 2017 |
| Torrealba N, Navarro-Marquez M, Garrido V, Pedrozo Z, Romero D, Eura Y, Villalobos E, Roa JC, Chiong M, <u>Kokame K</u> , Lavandero S | Herpud1 negatively regulates pathological cardiac hypertrophy by inducing IP3 receptor degradation | Sci Rep | 7 (1) | 13402 | 2017 |
| Navarro-Marquez M, Torrealba N, Troncoso R, Vasquez-Trincado C, Rodriguez M, Morales PE, Villalobos E, Eura Y, Garcia L, Chiong M, Klip A, Jaimovich E, <u>Kokame K</u> , Lavandero S | Herpud1 impacts insulin-dependent glucose uptake in skeletal muscle cells by controlling the Ca ²⁺ - calcineurin-Akt axis | Biochim Biophys Acta | In press | In press | In press |
| Fujisawa M, Kato H, Yoshida Y, Usui T, Takata M, Fujimoto M, Wada H, Uchida Y, <u>Kokame K</u> , Matsumoto M, Fujimura Y, Miyata T, <u>Nangaku M</u> | Clinical characteristics and genetic backgrounds of Japanese patients with atypical hemolytic uremic syndrome | Clin Exp Nephrol | In press | In press | In press |
| 船越康智、岡田雅彦、 <u>松本雅則</u> 、 <u>小亀浩市</u> 、 森内浩幸 | 先天性血栓性血小板減少 性紫斑病の兄弟例 | 臨床血液 | 58 (8) | 933-937 | 2017 |
| Fujisawa M, Kato H, Yoshida Y, Usui T, Takata M, Uchida Y, Miyata T, Matsumoto M, Fujimura Y, <u>Nangaku M</u> . | Clinical characteristics and genetic background of atypical HUS in Japanese patients. | Clin Exp Nephrol. | in press | in press | 2018 |
| Kato H, <u>Nangaku M</u> , Okada H, Kagami S. | Controversies of the classification of TMA and the terminology of aHUS. | Clin Exp Nephrol | in press | in press | 2017 |

| | | | | | |
|---|--|-----------------------------------|------------|---------|------|
| 加藤秀樹、菅原有佳、 南学正臣 | 次世代シーケンサーを用いた非典型溶血性尿毒症症候群の遺伝子診断 | 日本血栓止血学会誌 | 28 (1) | 33-40 | 2017 |
| 香美祥二 | 溶血性尿毒症症候群 (HUS) とペロ毒素 | 腎臓内科・泌尿器科 | 第6巻 第4号 | 273-277 | 2017 |
| Otsuka, Y., Ueda, M., Nakazono, E., Tsuda, T., Jin, X., Noguchi, K., Sata, S., Miyazaki, H., Abe, S., Imai, K., Iwamoto, M., Masuda, T., Moriguchi, R., Nakano, S., and Tsuda, H. | Relationship between plasma protein S levels and apolipoprotein C-II in Japanese middle-aged obese women and young nonobese women. | Blood Coagul Fibrinolysis | 20(1) | 39-47 | 2018 |
| Yasutake K., Moriguchi R., Kajiyama, T., Miyazaki H., Abe S., Masuda T., Imai K., Iwamoto M., Tsuda H., Obe, M., Kawate, H., Ueno H., Ono M., Goromaru, R., Ohe, K., Enjoji, M., Tsuchihashi, T., Nakano S. | Interannual Study of Spot Urine-evaluated Sodium and Potassium Excretion in Young Japanese Women. | J Clin Hypertens. | 19 | 653-660 | 2017 |
| 津田博子 | 特発性血栓症 | 臨床血液 | 58 (10) | 279-287 | 2017 |
| 津田博子 | 特発性血栓症（遺伝性血栓性素因による）の診療ガイドライン策定に向けて．第11回日本血栓止血学会学術標準化委員会シンポジウム報告 | 日本血栓止血学会誌 | 28 (4) | 566-567 | 2017 |
| 津田博子 | 静脈血栓症の遺伝要因 | in「動脈・静脈の疾患（上）-最新の診断・治療の動向-」．日本臨床 | 75（増刊号4） | 129-134 | 2017 |

| | | | | | |
|--|---|--------------------|----------|---------|------|
| Moriyasu F, Furuichi Y, Tanaka A, Takikawa H, Yoshida H, Sakaida I, Obara K, Hashizume M, Kage M, Ohfuji S, Kitano S, Kawasaki S, Kokubu S, Matsutani S, Eguchi S, Shiomi S, <u>Kojima T</u> , Maehara Y, Kuniyoshi Y. | Diagnosis and treatment guidelines for aberrant portal hemodynamics. | Hepatol Res. | 47(5) | 373-386 | 2017 |
| Miljic P, Gvozdenov M, Takagi Y, Takagi A, Pruner I, Dragojevic M, Tomic B, Bodrozic J, <u>Kojima T</u> , Radojkovic D, Djordjevic V. | Clinical and biochemical characterization of the Prothrombin Belgrade mutation in a large Serbian pedigree: new insights into antithrombin resistance mechanism. | J Thromb Haemost. | 15(4) | 670-677 | 2017 |
| Yamashita A, Nagae C, Mori M, Ashikaga T, <u>Kojima T</u> , Taki M. | First case report of hemophilia B Leyden in Japan. | Int J Hematol. | 106(1) | 135-137 | 2017 |
| Tamura S, Murata-Kawakami M, Takagi Y, Suzuki S, Katsumi A, Takagi A, <u>Kojima T</u> . | In vitro exploration of latent prothrombin mutants conveying antithrombin resistance. | Thromb Res. | 159 | 33-38 | 2017 |
| Suzuki S, Nakamura Y, Suzuki N, Yamazaki T, Takagi Y, Tamura S, Takagi A, Kanematsu T, Matsushita T, <u>Kojima T</u> . | Combined deficiency of factors V and VIII by chance coinheritance of parahaemophilia and haemophilia A, but not by mutations of either <i>LMAN1</i> or <i>MCFD2</i> , in a Japanese family. | Haemophilia. | 24(1) | e13-e16 | 2018 |
| Sanda N, Suzuki N, Suzuki A, Kanematsu T, Kishimoto M, Hasuwa H, Takagi A, <u>Kojima T</u> , Matsushita T, Nakamura S. | Vwf K1362A resulted in failure of protein synthesis in mice. | Int J Hematol. | in press | | 2018 |
| Tamura S, Suga Y, Tanamura M, Murata-Kawakami M, Takagi Y, Hattori Y, Kakihara M, Suzuki S, Takagi A, <u>Kojima T</u> . | Optimisation of antithrombin resistance assay as a practical clinical laboratory test: development of prothrombin activator using factors Xa/Va and automation of assay. | Int J Lab Hematol. | in press | | 2018 |

| | | | | | |
|---|--|----------------------------|----------------|-----------------------------------|------|
| Ota S, Matsuda A, Ogihara Y, Yamada N, Nakamura M, Mori T, Hamada M, <u>Kobayashi T</u> , Ito M. | Incidence, characteristics and management of venous thromboembolism in Japan during 2011. | Circ J | 82 (2) | 555-560 | 2018 |
| <u>Kobayashi T</u> , Kajiki M, Nihashi K, Honda G. | Surveillance of the safety and efficacy of recombinant human soluble thrombomodulin in patients with obstetrical disseminated intravascular coagulation. | Thromb Res | 159 | 109-115 | 2017 |
| <u>Kobayashi T</u> , Sugiura K, Ojima T | Risks of thromboembolism associated with hormone contraceptives in Japanese compared with Western women | J Obstet Gynaecol Res | 43 (5) | 789-797 | 2017 |
| 朝倉英策、高橋芳右、内山俊正、江口豊、岡本好司、川杉和夫、 <u>小林隆夫</u> 、瀧正志、辻仲利政、松下正、松野一彦、窓岩清治、矢富裕、和田英夫 | 日本血栓止血学会DIC診断基準2017年版 | 日本血栓止血学会誌 | 28 (3) | 369-391 | 2017 |
| <u>小林隆夫</u> | 産科領域における血栓塞栓症に対する薬物療法 | 周産期医学 泌学会雑誌 | 48 (1) | 92-94 | 2018 |
| <u>小林隆夫</u> 、 <u>杉浦和子</u> | わが国における女性ホルモン剤使用に関連する血栓塞栓症の現況 | 日本生殖内 分泌学会雑誌 | 22 | 9-15 | 2017 |
| <u>小林隆夫</u> | 診療ガイドに基づいた静脈血栓塞栓症の予防と治療 | 臨床血液 | 58 (7) | 875-882 | 2017 |
| <u>小林隆夫</u> | (2) 静脈血栓塞栓症の危険因子 7) 妊娠. 動脈・静脈の疾患 (上) | 日本臨床 | 75巻増 刊号 | 120-123 | 2017 |
| <u>小林隆夫</u> | 遺伝子組換え活性型血液凝固第VII因子製剤 | 産科と婦人 科 | 84 (5) | 547-552 | 2017 |
| <u>小林隆夫</u> | 女性と静脈血栓塞栓症 | 日本医師会 雑誌 | 146 (1) | 42 | 2017 |
| Inoue H, Terachi S, Uchiumi T, Sato T, Urata M, Ishimura M, Koga Y, Hotta T, Hara T, Kang D, <u>Ohga S.</u> | The clinical presentation and genotype of protein C deficiency with double mutations. | Pediatr Blood Cancer | Jul; 64 (7) | doi: 10.1002/ pbc.2640 4 | 2017 |

| | | | | | |
|--|--|------------------------|---------|--------|------|
| Kirino M, Ochiai M, Ichiyama M, Inoue H, Kusuda T, Kinjo T, Ishimura M, <u>Ohga S.</u> | Transient hemi-lower limb ischemia in the newborn; arterial thrombosis or persistent sciatic artery? | Am J Perinatol Reports | 7 | e13-16 | 2017 |
| 市山正子、井上普介、井上裕文、落合正行、石村匡崇、楠田剛、山下博徳、佐藤和夫、堀田多恵子、内海健、康東天、 <u>大賀正一</u> | 新生児のプロテインC活性基準値と遺伝性プロテインC欠乏症の診断. | 日本産婦人科新生児血液学会雑誌 | Vol. 26 | 17-22 | 2017 |