

雑誌（英文）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Imagama S, Ando K, Takeuchi K, Kato S, Murakami H, Aizawa T, Ozawa H, Hasegawa T, Matsuyama Y, Koda M, Yamazaki M, Chikuda H, Shindo S, Nakagawa Y, Kimura A, Takeshita K, Wada K, Katoh H, Watanabe M, Yamada K, Furuya T, Tsujii T, Fujibayashi S, Mori K, Kawaguchi Y, Watanabe K, Matsumoto M, Yoshii T, Okawa A.	Perioperative Complications after Surgery for Thoracic Ossification of Posterior Longitudinal Ligament- Nationwide Multicenter Prospective Study.	Spine			2018
Yamada T, Yoshii T, Yamamoto N, Hirai T, Inose H, Okawa A.	Surgical outcomes for lumbar spinal canal stenosis with coexisting cervical stenosis (tandem spinal stenosis): a retrospective analysis of 565 cases.	J Orthop Surg Res.	13(1)		2018

Hirai T, Yoshii T, Nagoshi N, Takeuchi K, Mori K, Ushio S, Iwanami A, Yamada T, Seki S, Tsuji T, Fujiyoshi K, Furukawa M, Nishimura S, Wada K, Furuya T, Matsuyama Y, Hasegawa T, Takeshita K, Kimura A, Abematsu M, Haro H, Ohba T, Watanabe M, Katoh H, Watanabe K, Ozawa H, Kanno H, Imagama S, Ando K, Fujibayashi S, Koda M, Yamazaki M, Matsumoto M, Nakamura M, Okawa A, Kawaguchi Y.	Distribution of ossified spinal lesions in patients with severe ossification of the posterior longitudinal ligament and prediction of ossification at each segment based on the cervical OP index classification: a multicenter study (JOSL CT study).	BMC Musculoskelet Disord	5;19(1)	107	2018
Kimura A, Takeshita K, Inoue H, Seichi A, Kawasaki Y, Yoshii T, Inose H, Furuya T, Takeuchi K, Matsunaga S, Seki S, Tsushima M, Imagama S, Koda M, Yamazaki M, Mori K, Nishimura H, Endo K, Yamada K, Sato K, Okawa A.	The 25-question Geriatric Locomotive Function Scale predicts the risk of recurrent falls in postoperative patients with cervical myelopathy.	J Orthop Sci	23(1)	185-189	2018

Hirai T, Yoshii T, Sakai K, Inose H, Yamada T, Kato T, Kawabata S, Arai Y, Shinomiya K, Okawa A.	Long-term results of a prospective study of anterior decompression with fusion and posterior decompression with laminoplasty for treatment of cervical spondylotic myelopathy.	J Orthop Sci. i.	23(1)	32-38	2018
Yamada T, Yoshii T, Yamamoto N, Hirai T, Inose H, Kato T, Kawabata S, Okawa A.	Clinical Outcomes of Cervical Spinal Surgery for Cervical Myelopathic Patients with Coexisting Lumbar Spinal Canal Stenosis (Tandem Spinal Stenosis) A retrospective analysis of 297 cases.	Spine	43(4)	E234-241	2018
Puentes S , Kadone H , Kubota S , Abe T , Shimizu Y , Marushima A , Sankai Y , Yamazaki M , Suzuki K	Reshaping of Gait Coordination by Robotic Intervention in Myelopathy Patients After Surgery	Front Neurosci			2018
Koda M, Furuya T, Saito J, Iijima Y, Kitamura M, Ohtori S, Orita S, Inage K, Abe T, Noguchi H, Funayama T, Kumagai H, Miura K, Nagashima K, Yamazaki M	Postoperative K-line conversion from negative to positive is independently associated with a better surgical outcome after posterior decompression with instrumented fusion for K-line negative cervical ossification of the posterior ligament	Eur Spine J			2018
Kimura A et al	Predictors of Persistent Axial Neck Pain After Cervical Laminoplasty	Spine	43	10-15	2018

Matsuoka Y, Endo K, Nishimura H et al:	Cervical kyphotic deformity after laminoplasty in patients with cervical ossification of posterior longitudinal ligament with normal sagittal spinal alignment	SSRR			2018 (in press)
Nishida N, Kanchiku T, Nakandakari D, Tahara S, Ohgi J, Ichihara K, Sakuramoto I, Chen X, Taguchi T.	Analysis of stress application at the thoracolumbar junction and influence of vertebral body collapse on the spinal cord and cauda equina.	Exp Ther Med	15(2)	1177-1184	2018
Imajo Y, Kanchiku T, Suzuki H, Funaba M, Nishida N, Taguchi T.	Utility of the central motor conduction time recorded from the abductor pollicis brevis and the abductor digiti minimi muscles in patients with C6-7 myelopathy.	J Spinal Cord Med	41(2)	182-191	2018
Fujiwara H, Oda T, Makino T, Moriguchi Y, Yonenobu K, Kaito T.	Impact of cervical sagittal alignment on axial neck pain and health-related quality of life after cervical laminoplasty in patients with cervical spondylotic myelopathy or ossification of the posterior longitudinal ligament - a prospective comparative study.	Clin Spine Surg.		[Epub ahead of print]	2018
Hirai T, Yoshii T, Arai Y, Sakai K, Torigoe I, Maehara H, Tomori M, Taniyama T, Sato H, Okawa A.	A Comparative Study of Anterior Decompression With Fusion and Posterior Decompression With Laminoplasty for the Treatment of Cervical Spondylotic Myelopathy Patients With Large Anterior Compression of the Spinal Cord.	Clin Spine Surg.	30(8)	E1137-1142	2017

Yoshii T, Hirai T, Yamada T, Inose H, Kato T, Sakai K, Enomoto M, Kawabata S, Arai Y, Okawa A	Intraoperative evaluation using mobile computed tomography in anterior cervical decompression with floating method for massive ossification of the posterior longitudinal ligament.	J Orthop Surg Res.	12(1)		2017
Yoshii T, Hirai T, Sakai K, Sotome S, Enomoto M, Yamada T, Inose H, Kato T, Kawabata S, Okawa A.	Anterior Cervical Corpectomy and Fusion Using a Synthetic Hydroxyapatite Graft for Ossification of the Posterior Longitudinal Ligament.	Orthopedics	40(2)	E334-339	2017
Kimura A, Seichi A, Takeshita K, Inoue H, Kato T, Yoshii T, Furuya T, Koda M, Takeuchi K, Matsunaga S, Seki S, Ishikawa Y, Imagama S, Yamazaki M, Mori K, Kawasaki Y, Fujita K, Endo K, Sato K, Okawa A.	Fall-related Deterioration of Subjective Symptoms in Patients with Cervical Myopathy.	Spine	42(7)	E398-403	2017
Kawaguchi Y, Nakano M, Yasuda T, Seki S, Suzuki K, Yahara Y, Makino H, Kitajima I, Kimura T.	Serum biomarkers in patients with ossification of the posterior longitudinal ligament (OPLL): Inflammation in OPLL.	PLoS One.			2017

Kawaguchi Y, Seki S, Yahara Y, Homma T, Kimura T.	Sternum-splitting anterior approach following posterior decompression and fusion in patients with massive ossification of the posterior longitudinal ligament in the upper thoracic spine: report of 2 cases and literature review.	Eur Spine J.			2017
Kawaguchi Y, Nakano M, Yasuda T, Seki S, Suzuki K, Yahara Y, Makino H, Kitajima I, Kimura T.	Serum biomarkers in patients with ossification of the posterior longitudinal ligament (OPLL): Inflammation in OPLL.	PLoS One.			2017
Maeno T Iwasaki M, et al.	Anterior migration of an interbody graft in posterior lumbar interbody fusion: Report of three cases without removal of the migrated graft.	J Orthop Sci	[Epub ahead of print]		2017
Fujimori T, Iwasaki M, et al.	Severe cervical flexion myelopathy with long tract signs - A case report and a review of literature -.	Spinal Cord Series and Cases	11巻3号	17016	2017
Fujimori T, Iwasaki M, Nagamoto Y, et al.	Reliability and Usefulness of Intraoperative 3-Dimensional Imaging by Mobile C-Arm With Flat-Panel Detector.	Clin Spine S	30巻1号	E64-75	2017
Kushioka J, Iwasaki M, et al.	High-dose tranexamic acid reduces intraoperative and postoperative blood loss in posterior lumbar interbody fusion.	J Neurosurg Spine	26巻3号	363-367	2017
Kawaguchi Y, Nakano M, Yasuda T, Seki S, Hori T, Suzuki K, Makino H, Kitajima I, Kimura T.	Serum biomarkers in patients with ossification of the posterior longitudinal ligament (OPLL): inflammation in OPLL--.	PLoS One	12(5)	e0174881	2017

Kubota S, Abe T, Kadone H, Fujii K, Shimizu Y, Marushima A, Ueno T, Kawamoto H, Hada Y, Matsumura A, Sankai Y, Yamazaki M	Walking ability following Hybrid Assistive Limb treatment for a patient with chronic myelopathy after surgery for cervical ossification of the posterior longitudinal ligament	J Spinal Cord Med	20	pp1-9	2017
Fujii K, Abe T, Kubota S, Marushima A, Kawamoto H, Ueno T, Matsushita A, Nakai K, Saotome K, Kadone H, Endo A, Haginoya A, Hada Y, Matsumura A, Sankai Y, Yamazaki M	The voluntary driven exoskeleton Hybrid Assistive Limb (HAL) for postoperative training of thoracic ossification of the posterior longitudinal ligament: a case report	J Spinal Cord Med	40	361-367	2017
Taketomi M. Shimizu Y. Kadone H. Kubota S, Abe T, Marushima A , Ueno T. Endo A. Kawamoto H., Matsumura A , Sankai Y , Hada Y . Yamazaki M	Hybrid Assistive Limb Intervention in a Patient with Late Neurological Deterioration after Thoracic Myelopathy Surgery due to Ossification of the Ligamentum Flavum	Case Rep Orthop			2017
Imagama S	Risk factors for ineffectiveness of posterior decompression and dekyphotic corrective fusion with instrumentation for beak type thoracic ossification of the posterior longitudinal ligament: a single institute study	Neurosurgery	80	800-808	2017

Nakahara Y, Kitoh H, Nakashima Y, Toguchida J, Haga N	The longitudinal study of activities of daily living and quality of life in Japanese patients with fibrodysplasia ossificans progressiva.	Disabil Reha		2017 Nov 1 6:1-6 (Epub ahead of print)	2017
Imagama S	Factors for a good surgical outcome in posterior decompression and fusion with instrumentation for thoracic ossification of the posterior longitudinal ligament: Prospective single center study	Operative Neurosurgery	13	661-669	2017
Katsumi K, Watanabe K, Hirano T, Ohashi M. Mizouchi T, Ito T, Endo N	Natural history of the ossification of cervical posterior longitudinal ligament: a three dimensional analysis	International orthopedic	In press	In press	2017
Tateda S, Aizawa T, Hashimoto K, Kanno H, Ohtsu S, Itoi E, Ozawa H.	Successful Management of Gorham-Stout Disease in the Cervical Spine by Combined Conservative and Surgical Treatments: A Case Report.	Tohoku J Exp Med.	241(4)	249-254	2017
Fujimoto K, Kanchiku T, Imajo Y, Suzuki H, Funaba M, Nishida N, Taguchi T.	Use of Central Motor Conduction Time and Spinal Cord Evoked Potentials in the Electrophysiological Assessment of Compressive Cervical Myelopathy.	Spine	42	895-902	2017

Funaba M, Kanchiku T, Imajo Y, Suzuki H, Yoshida Y, Nishida N, Fujimoto K, Taguchi T.	A Novel Scoring System Associated With Surgical Outcome of Distal-type Cervical Spondylotic Amyotrophy.	Clin Spine Surg	30	E1182-E1189	2017
Osawa Y, Matsushita M, Hasegawa S, Esaki R, Fujio M, Ohgasawara B, Ishiguro N, Ohno K, Kitoh H	Activated FGFR3 promotes bone formation via accelerating endochondral ossification in mouse model of distraction osteogenesis	Bone	105	42-49	2017
Okita G , Ohba T , Takamura T , Ebata S , Ueda R , Onishi H , Haro H .	Application of neurite orientation dispersion and density imaging or diffusion tensor imaging to quantify the severity of cervical spondylotic myelopathy and assess postoperative neurological recovery.	Spine J.	18(2)	268-275	2017
Liu X, Kumagai G, Wada K, Tanaka T, Fujita T, Sasaki A, Furukawa K, Ishibashi Y.	Suppression of osteogenic differentiation in mesenchymal stem cells from patients with ossification of the posterior longitudinal ligament by a histamine-2-receptor antagonist.	Eur J Pharmacol	810	156-162	2017
Liu X, Kumagai G, Wada K, OTanaka T, Asari T, Oishi K, Fujita T, Mizukami H, Furukawa KI, Ishibashi Y.	High Osteogenic Potential of Adipose- and Muscle-derived Mesenchymal Stem Cells in Spinal-Ossification Model Mice.	Spine	42	E1342-E1349	2017

Yamauchi R, Itabashi T, Wada K, Tanaka T, Kumagai G, Ishibashi Y.	Photofunctionalised Ti6Al4V implants enhance early phase osseointegration.	Bone Joint Res	6	331-336	2017
Funao H, Khechen B, Haws BE, Ishii K	Surgical Management of Thoracic Ossification of the Posterior Longitudinal Ligament	Contemporary Spine Surgery			In press
Tsuji T, Fujita N, Watanabe K, Nakamura M, Matsumoto M, Ishii K	Correlation between preoperative physical signs and functional outcomes after laminoplasty for ossification of the posterior longitudinal ligament	J Orthop Sci	22	266-269	2017
Matsubayashi Y, Chikuda H, Oshima Y, Taniguchi Y, Fujimoto Y, Shimizu T, Tanaka S	C7 sagittal vertical axis is the determinant of the C5-C7 angle in cervical sagittal alignment.	Spine J	17(5)	622-626	2017