

【書籍】

No	著者氏名	論文タイトル	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
1	尹 浩信、浅野善英、石川治、川口鎮司、桑名正隆、後藤大輔、神人正寿、竹原和彦、長谷川稔、波多野将、藤本 学、牧野貴充、山本俊幸	全身性強皮症・限局性強皮症・好酸球性筋膜炎・硬化性萎縮性苔癬の診断基準・重症度分類・診療ガイドライン	強皮症・皮膚線維化疾患の診断基準・重症度分類・診療ガイドライン作成委員会	全身性強皮症・限局性強皮症・好酸球性筋膜炎・硬化性萎縮性苔癬の診断基準・重症度分類・診療ガイドライン	金原出版	東京	2017	
2	石川 治	限局性強皮症	石川 治	「皮膚科カラーアトラス第6版」	中外医学社	東京	2018	112-3
3	石川 治	全身性強皮症	石川 治	「皮膚科カラーアトラス第7版」	中外医学社	東京	2019	114-6
4	茂木精一郎	好酸球性筋膜炎	石川 治	「皮膚科カラーアトラス第3版」	中外医学社	東京	2017	P133-134
5	茂木精一郎	腎性全身性線維症	石川 治	「皮膚科カラーアトラス第4版」	中外医学社	東京	2018	135
6	茂木精一郎	ヒトアジュバント病	石川 治	「皮膚科カラーアトラス第3版」	中外医学社	東京	2017	136
7	茂木精一郎	萎縮性硬化性苔癬	石川 治	「皮膚科カラーアトラス第4版」	中外医学社	東京	2017	151
8	茂木精一郎	Werner症候群	石川 治	「皮膚科カラーアトラス第5版」	中外医学社	東京	2017	154-155
9	Shah A and Kuwana M	Cancer in Systemic Sclerosis	Varga J, Denton CP, Wigley FM, Allamore Y, and Kuwana M	In "Scleroderma -From Pathogenesis to Comprehensive	Springer	New York, USA	2017	525-532
10	Kuwana M and Medsger TA, Jr	The clinical aspects of autoantibodies	Second edition. Edited by Varga J, Denton CP, Wigley FM, Allamore Y, and Kuwana M	In "Scleroderma -From Pathogenesis to Comprehensive Management"	Springer	New York, USA	2017	207-220
11	桑名正隆	強皮症の自然歴と早期診断	熊谷俊一	別冊・医学のあゆみ	医歯薬出版	東京	2017	53-58
12	桑名正隆	全身性強皮症.	矢崎義雄	内科学 第11版、	朝倉書店	東京	2017	1254-1258
13	後藤大輔	第1章 全身性強皮症、B重症度分類、4. 消化管	強皮症・皮膚線維化疾患の診断基準・重症度分類・診療ガイドライン作成委員会	全身性強皮症・限局性強皮症・好酸球性筋膜炎・硬化性萎縮性苔癬の診断基準・重症度分類・診療ガイドライン	金原出版	東京	2017	11
14	後藤大輔	第1章 全身性強皮症、C診療ガイドライン、3 消化管、1. 消化管病変の診療アルゴリズム	強皮症・皮膚線維化疾患の診断基準・重症度分類・診療ガイドライン作成委員会	全身性強皮症・限局性強皮症・好酸球性筋膜炎・硬化性萎縮性苔癬の診断基準・重症度分類・診療ガイドライン	金原出版	東京	2017	52
15	後藤大輔	第1章 全身性強皮症、C診療ガイドライン、3 消化管、2. Clinical Question	強皮症・皮膚線維化疾患の診断基準・重症度分類・診療ガイドライン作成委員会	全身性強皮症・限局性強皮症・好酸球性筋膜炎・硬化性萎縮性苔癬の診断基準・重症度分類・診療ガイドライン	金原出版	東京	2017	53-66
16	長谷川 稔	皮膚潰瘍	富野康日己、高橋和久、長谷部直幸、渡辺純夫、藤元昭一、小松則夫、弘世貴久、瀧澤俊也、渥美達也	内科外来診断navi	中外医学社	東京	2017	322-323

17	波多野将	ヘパリン	池田隆徳	超実践的！抗凝固薬の使いかた	メディカ出版	大阪	2017	211-214
18	波多野将	膠原病に伴う肺動脈性肺高血圧症	小室一成、赤澤宏、波多野将、渡辺昌文	循環器疾患のロジック	南山堂	東京	2017	326-332
19	波多野将	リオシグアトによるCTEPH治療	福田恵一、巽浩一郎	sGC刺激薬リオシグアトによる肺高血圧症治療～基礎から実臨床まで～	メディカルレビュー社	大阪	2017	42-48
20	藤本 学	VII 膠原病および類似疾患 5 限局性強皮症	渡辺晋一、古川福実	皮膚疾患最新の治療 2017-2018	南江堂	東京	2017	88

【雑誌】

No.	発表者氏名	論文タイトル	発表誌名	巻号	ページ	出版年
1	Ishibashi T, Jinnin M, Kajihara I, Fukushima S, Ihn H.	Bullous dermatosis of the elderly leg: a new clinical entity?	Drug Discov Ther		in press	
2	Kanamori S, Kajihara I, Kanazawa-Yamada S, Otsuka-Maeda S, Ihn H.	Expression of aurora kinase A in dermatofibrosarcoma protuberans.	J Dermatol		in press	
3	Jinnin M, Yamamoto T, Asano Y, Ishikawa O, Sato S, Takehara K, Hasegawa M, Fujimoto M, Ihn H.	Guideline for diagnostic criteria, severity classification and treatment of eosinophilic faciiitis.	J Dermatol		in press	
4	Ikeda I, Igata T, Ihn H.	First aid for skin tears by mini patch grafting from the flap edge.	J Emerg Med		in press	
5	Yamamoto Y, Makino T, Kudo H, Ihn H, Fujiwara K, Shin M.	Immunocytochemistry for polyamines in rat hair foocle using two monoclonal antibodies specific for spermine and sperminidine and for putrescine	Histochem Cell Biol		in press	
6	Sonoda-Shimada K, Kajihara I, Shimada S, Igata T, Jinnin M, Honda Y, Ihn H.	A case of pigmented lipofibromatosis in a 27-year-old woman.	J Dermatol		in press	
7	Noda-Yamashita T, Kajihara I, Kidou M, Ihn H.	Dyskeratosis congenital associated with congenital hypothyroidism.	J Dermatol		in press	
8	Inoue M, Miyashita A, Noguchi H, Hirose N, Nishimura K, Masuda M, Ihn H.	Human protothecosis in Japan: A belated case report with current status.	J Dermatol		in press	
9	Kajihara I, Yamada-Kanazawa S, Maeda-Otsuka S, Jinnin M, Akaike K, Ihn H.	Secukinumab-induced interstitial pneumonia in a patient with psoriasis vulgaris.	J Dermatol		in press	
10	Umezaki N, Ishimoto T, Koba I, Nakaya T, Mawatari M, Kuramoto K, Izumi D, Sakamoto Y, Miyamoto Y, Yoshida N, Watanabe M, Inoue Y, Ihn H, Baba	Anorectal malignant melanoma with extensive intraepithelial extension: report of a case.	Int Canc Conf J		in press	
11	Ogata-Aoki H, Higashi-Kuwata N, Hattori SI, Hayshi H, Danish M, Aoki M, Shiotsu C, Hashiguchi Y, Hamada A, Kobayashi H, Ihn H, Okada S, Mitsuya H.	Raltegravir blocks the infectivity of red-fluorescent-protein (mCherry)-labeled HIV-1JR-FL in the setting of post-exposure prophylaxis in NOD/SCID/Jak3 ^{-/-} mice transplanted with human PBMCs.	Antiviral Res	149	78-88	2018
12	Aoi J, Fukushima S, Jinnin M, Ihn H.	Fluorescence in situ hybridization for diagnosis of malignant melanoma using RREB1, MyB, Cep 6, and CCND1 probes in Japanese patients	Dermatologic a Sinica	35	213-214	2017

13	Weber J, Mandala M, Del Vecchio M, Ggas HJ, Arance AM, Cowey CL, Dalle S, Svhenker M, Chiarion-Sileni V, Marquez-Rodas I, Grob JJ, Butler MO, Middleton MR, Maio M, Atkinson V, Queirolo P, Gonzalez R, Kudchadkar RR, Smylie M, Meyer N, Mortier L, Atkins MB, Long GV, Bhatia S, LeBBc C, Rutkowski P, Yokota K, Yamazaki N, Kin TM, de Prol V, Sabater J, Qureshi A, Larkin J, Ascerto PA, Cinat G, Zarba J, Brown M, Carlino M, Cebon J, Haydon A, Hersey P, Hill A, McNeil C, Millward M, Laimer M, Richtig E, Bauriain JF, Beuselinc B, Kruse V, Neyns B, Claveau J, Miller W, Savage K, Arenberger P, Krajsova I, Kubala E, Vantuchova Y, Hernberg M, Skyttä T, Dreno B, Bafaloukos D, Liskay G, Donnellan P, Gullo G, McCaffrey J, Cognetti F, Guidoboni M, Queirolo P, Fujimoto M, Ihn H, Inozume T, Koga H, Ozawa K, Takenouchi T, Uchi H, Yoshikawa S, Lee DH, Lee J, Shin SJ, Hospers G, Koornstra R, Van Den Eertwegh	Ajuvant nivolumab versus ipillimumab in resected stage III or IV melanoma.	N Eng J Med	377	1824-35	2017
14	Abe M, Nishigori C, Torii H, Ihn H, Ito K, Nagaoka M, Isogawa N, Kawaguchi I, Tomochika Y, Kobayashi M, Tallman AM, Papp KA	Tofacitinib for the treatment of moderate to severe chronic plaque psoriasis in Japanese patients: Subgroup analyses from a randomized, placebo-controlled phase 3 trial.	J Dermatol	44	1228-37	2017
15	Ide M, Jinnin M, Tomizawa Y, Wang Z, Kajihara I, Fukushima S, Hashizume Y, Asano Y, Ihn H.	Transforming growth factor α inhibitor Repsox down-regulates collagen expression of scleroderma dermal fibroblasts and prevents bleomycin-induced mice skin fibrosis	Exp Dermatol	26	1139-43	2017
16	Nakashima S, Jinnin M, Kanemaru H, Kajihara I, Igata T, Okamoto S, Tazaki Y, Harada M, Masuguchi S, Fukushima S, Masuzawa M, Amoh Y, Masuzawa M, Ihn H	The role of miR-210, E2F3 and ephrin A3 in angiosarcoma cell proliferation.	Eur J Dermatol	27	464-471	2017
17	Ichihara A, Jinnin M, Ihn H.	Treatment of psoriasis with ustekinumab improved skin tightening in systemic sclerosis.	Clin Exp Rheumatol	106	208-210	2017
18	Egashira S, Jinnin M, Ajino M, Shimozone N, Okamoto S, Tasaki Y, Hirano A, Ide M, Kijihara I, Aoi J, Harada M, Igata T, Masuguchi S, Fukushima S, Ihn H	Chronic sun exposure-related fusion oncogenes EGFR-PPARGC1A in cutaneous squamous cell carcinoma.	Sci Rep	7	12654	2017
19	Oka A, Asano Y, Hasegawa M, Fujimoto M, Ishikawa O, Kuwana M, Kawaguchi Y, Yamamoto T, Takahashi H, Goto D, Endo H, Jinnin M, Mano S, Hosomichi K, Mabuchi T, Ueda MT, Nakagawa S, Beck S, Bahram S, Takehara K, Goto S, Hara H	RXRB is an MHC-encoded susceptibility gene associated with anti-topoisomerase I antibody-positive systemic sclerosis.	J Invest Dermatol	137	1878-86	2017

20	Sawamura S, Kajihara I, Makino K, Makino T, Fukushima S, Jinnin M, Oyama B, Hashimoto T, Ihn H.	Systemic lupus erythematosus associated with myasthenia gravis, pemphigus foliaceus and chronic thyroiditis after thymectomy.	Australas J Dermatol	58	e120-2	2017
21	Yamada-Kanazawa S, Kajihara I, Fukushima S, Jinnin M, Masuzawa M, Makuzawa M, Amoh Y, Hoshina D, Abe R, Ihn H.	Inhibition of heat shock protein 90 exerts antitumor effect in angiosarcoma: involvement of the vascular endothelial growth factor signaling pathway.	Br J Dermatol	177	456-469	2017
22	Izumiya Y, Jinnin M, Kimura Y, Wang Z, Onoue Y, Hanatani S, Araki S, Ihn H, Ogawa H.	Expression of Let-7 family microRNAs in skin correlates negatively with severity of pulmonary hypertension in patients with systemic sclerosis.	Int J Cardiol Heart Vasc	8	98-102	2017
23	Nakamura Y, Kajihara I, Yamada-Kanazawa S, Maeda-Otsuka S, Johno T, Aoi J, Igata T, Masuguchi S, Fukushima S, Jinnin M, Ihn H.	Intratumor dihydropyrimidine dehydrogenase mRNA expression levels are decreased in extramammary Paget's disease.	Drug Discov Ther	11	152-5	2017
24	Higashi-Kuwata N, Ogata-Aoki H, Hattori SI, Hayashi H, Danish M, Aoki M, Shiotsu C, Kuwamura T, Ihn H, Kobayashi H, Okada S, Mitsuya H.	Early phase dynamics of traceable mCherry fluorescent protein-carrying HIV-1 infection in human peripheral blood mononuclear cells-transplanted NOD/SCID/Il2 ^{-/-} mice.	Antiviral Res	144	83-92	2017
25	Sawamura S, Jinnin M, Shimbara M, Nakamura K, Kudo H, Inoue K, Nakayama W, Kajihara I, Fukushima S, Ihn H.	Serum levels of genomic DNA of $\alpha 1(I)$ collagen are elevated in scleroderma patients.	J Dermatol	44	927-931	2017
26	Sawamura S, Kajihara I, Jinnin M, Honda Y, Ihn H.	Cutaneous spindle cell adenolipoma on the nose: A rare variant of lipoma.	J Dermatol	44	e156-7	2017
27	Yamazaki N, Kiyohara Y, Uhara H, Iizuka H, Uehara J, Ohtsuka F, Fujisawa Y, Tekenouchi T, Isei T, Iwatsuki K, Uchi H, Ihn H, Minami H, Tabara H.	Cytokine biomarkers to predict antitumor responses to nivolumab suggested in a phase 2 study for advanced melanoma.	Cancer Sci		1022-31	2017
28	Yamazaki N, Kiyohara Y, Uhara H, Uehara J, Fujimoto M, Takenouchi T, Otsuka M, Uchi H, Ihn H, Minami H.	Efficacy and safety of nivolumab in Japanese patients with previously untreated advanced melanoma: a phase II study.	Cancer Sci	108	1223-30	2017
29	Noguchi H, Hiruma M, Matsumoto T, Kano R, Ihn H.	Ungual aspergillosis successfully treated with topical efinaconazole.	J Dermatol	44	848-850	2017
30	Sato Y, Kajihara I, Yamada-Kanazawa S, Jinnin M, Ihn H.	S100A7 expression levels in coordination with IL-8 indicate the clinical response to infliximab for psoriasis patients.	J Dermatol	44	838-839	2017
31	Noguchi H, Hiruma M, Matsumoto T, Yaguchi T, Tashima H, Ihn H.	Multiple subcutaneous Candida abscesses on the palm and fingers in an immunocompetent patient.	J Dermatol	44	e174-7	2017
32	Noguchi H, Hiruma M, Matsumoto T, Kano R, Tanaka M, Yaguchi T, Sonoda K, Ihn H.	Fungal melanonychia: Ungual phaeohyphomycosis caused by Botryosphaeria dothidea.	Acta Derm Venereol	97	765-6	2017
33	Terao C, Kawaguchi T, Dieude P, Varga J, Kuwana M, Hudson M, Kawaguchi Y, Matucci M, Ohmura K, Riemekasten G, Kawasaki A, Airo P, Horita T, Oka A, Hachulla E, Yoshifuji H, Japanese Scleroderma Genetic Consortium, Caramaschi P, Hunzelman N, Baron M, Hassouns P, Raychaudhuri S, Liao K, Gregersen P, Torii T, Tsuchiya N, Takehara K, Sato S, Ihn H, Riccieri V, Melchers I, Valentini G, Cauvet A,	Trans-ethnic meta-analysis of genome-wide association study identifies GSDMA and PRDM1 as susceptibility genes to systemic sclerosis.	Ann Rheum Dis	76	1150-8	2017

34	Torii H, Nakano M, Yano T, Kadono K, Nakagawa H, Fujita Y, Horie K, Ito M, Iitani M, Ito K, Kaneko T, Akasaka T, Ohtsuki M, Yasuda M, Abe M, Tanida Y, Terui T, Arai S, Nakano T, Etoh T, Asano Y, Umezawa Y, Saeki H, Adachi M, Seishima M, Tokura Y, Morita A, Yamanaka K, Tani M, Tanimura H, Yamazaki F, Nishigori C, Kaneko S, Muto M, Nakamura M, Hino R, Nakayama	Efficacy and safety of dose escalation of infliximab therapy in Japanese patients with psoriasis: Results of the SPREAD study.	J Dermatol	44	552-9	2017
35	Yamazaki N, Takenouchi N, Fujimoto M, Ihn H, Uchi H, Inozume T, Kiyohara Y, Uhara H, Nakagawa K, Furukawa H, Wada H, Noguchi K, Shimamoto T, Yokota K	Phase 1b study of pembrolizumab (MK-3475; anti-PD-1 monoclonal antibody) in Japanese patients with advanced melanoma (KEYNOTE-041).	Cancer Chemother Pharmacol	79	651-60	2017
36	Noguchi H, Hiruma M, Matsumoto T, Yaguchi T, Sano A, Mitsui N, Watanabe S, Ihn H	Subcutaneous cystic phaeohyphomycosis due to <i>Pleurostomophora richardiae</i> .	J Dermatol	44	e62-3	2017
37	Saeki H, Nakagawa H, Nakajo K, Ishii T, Morisaki Y, Aoki T, Cameron GS, Osuntokun OO, Akasaka T, Asano Y, Etoh T, Fujita Y, Hashimoto T, Higashiyama M, Igarashi A, Ihn H, Iwatsuki K, Kabashima K, Kawada A, Kawashima M, Nakamura K, Okubo Y, Okuyama R, Ozawa A, Sayama K, Seishima M, Shiohara T, Takahara M, Takahashi H, Takehara K, Tanase K, Tani M, Umezawa Y, watanabe H,	Efficacy and safety of ixekizumab treatment for Japanese patients with moderate to severe plaque psoriasis, erythrodermic psoriasis and generalized pustular psoriasis: Results from a 52-week, open-label, phase 3 study (UNCOVER-J).	J Dermatol	44	355-62	2017
38	Egashira S, Kajihara I, Kanemaru H, Uemura-Kiyohara M, Yamada-Kanazawa S, Nakahara S, Nagamoto E, Fukushima S, Jinnin M, Inoue Y, Ihn H	Achieved good response of S-1 and docetaxel combination chemotherapy in two patients with metastatic extramammary Paget's disease.	J Dermatol	44	e103-4	2017
39	Maeda S, Kajihara I, Ogata A, John T, Jinnin M, Ihn H	Bromoderma in a pituitary adenoma patient treated with bromocriptine.	J Dermatol	44	e95-6	2017
40	Wang Z, Jinnin M, Harada M, Kudo H, Inoue K, Nakayama W, Honda N, Makino K, Kajihara I, Fukushima S, Ihn H	Diagnosis of nail psoriasis: evaluation of nail-derived microRNAs as potential novel biomarkers.	Eur J Dermatol	27	20-27	2017
41	Harada M, Jinnin M, Wang Z, Hirano A, Tomizawa Y, Kira T, Igata T, Masuguchi S, Fukushima S, Ihn H	The expression of miR-124 increases in aged skin to cause cell senescence and it decreases in squamous cell carcinoma.	Biosci Trends	10	454-9	2017
42	Amagai M, Ikeda S, Hashimoto T, Mizuashi M, Fujisawa A, Ihn H, Matsuzaki Y, Ohtsuka M, Fujiwara H, Furuta J, Tago O, Yamagami J, Tanikawa A, Uhara H, Morita A, Nakanishi G, Tani M, Aoyama Y, Makino E, Muto M, Manabe M, Konno T, Murata S, Izaki S, Watanabe H, Yamaguchi Y, Matsukura S, Seishima M, Habe K, Yoshida Y, Kaneko S, Shindo H, Nakajima K, Kanekura T,	A randomized double-blind trial of intravenous immunoglobulin for bullous pemphigoid.	J Dermatol Sci	85	77-84	2017

43	Noguchi H, Hiruma M, Matsumoto T, Kano R, Ihn H.	Ungual hyalohyphomycosis caused by <i>Fusarium proliferatum</i> in an immunocompetent patient.	J Dermatol	44	88-90	2017
44	Nakayama W, Jinnin M, Tomizawa Y, Nakamura K, Kudo H, Inoue K, Makino K, Honda N, Kajihara I, Fukushima S, Ihn H.	Dysregulated Interleukin-23 signalling contributes to the increased collagen production in scleroderma fibroblasts via balancing microRNA expression.	Rheumatology	56	145-55	2017
45	Hamaguchi Y, Sumida T, Kawaguchi Y, Ihn H, Tanaka S, Asano Y, Motegi S, Kuwana M, Endo H, Takehara K.	Safety and tolerability of bosentan for digital ulcers in Japanese patients with systemic sclerosis: prospective, multicenter, open-label study.	J Dermatol	44	#####	2017
46	Nakahara S, Fukushima S, Yamashita J, Kubo Y, Tokuzumi A, Miyashita A, Harada M, Nakamura K, Jinnin M, Ihn H.	AT-rich interaction domain-containing protein 3B is a new tumor marker for melanoma.	Acta Derm Venereol	96	112-114	2017
47	尹 浩信	全身性強皮症	診療ガイドラインUO-TO-DATE 2018 →2019		621-626	2018
48	尹 浩信	「強皮症・皮膚線維化疾患の診断基準・重症度分類・診療ガイドラインに関する研究」研究班の取り組み	膠原	188	12-14	2018
49	尹 浩信	ベーチェット病	皮膚疾患最新の治療 2017-2018		94-95	2017
50	尹 浩信	生物学的製剤による乾癬治療	マルホ皮膚科セミナー	245	16-20	2017
51	尹 浩信	全身性強皮症	ガイドライン外来診療2017		468-471	2017
52	藤本 学、尹 浩信、佐藤伸一	膠原病診療のこれまでとこれから	皮膚アレルギーフロンティア	15	38-46	2017
53	尹 浩信	膠原病におけるエビデンスに基づく診療ガイドライン up to date 全身性強皮	炎症と免疫	25	423-7	2017
54	尹 浩信	好酸球性筋膜炎	臨床免疫・アレルギー科	68	310-3	2017
55	Taniguchi T, Asano Y, Fukasawa T, Yoshizaki A, Sato S	A critical contribution of the IL-6/STAT3 axis to vasculopathy associated with systemic sclerosis. (原著)	J Dermatol	44(8)	967-971	2017
56	Miyagawa T, Asano Y, de Mestier Y, Saigusa R, Taniguchi T, Yamashita T, Nakamura K, Hirabayashi M, Miura S, Ichimura Y, Takahashi T, Yoshizaki A, Miyagaki T, Sugaya M, Sato S	Serum H-ficolin levels: clinical association with interstitial lung disease in patients with systemic sclerosis. (原著)	J Dermatol	44(10)	1168-1171	2017
57	Toyama T, Asano Y, Miyagawa T, Nakamura K, Hirabayashi M, Yamashita T, Saigusa R, Miura S, Ichimura Y, Takahashi T, Taniguchi T, Yoshizaki A, Sato S	The impact of transcriptional factor Fli1 deficiency on the regulation of angiogenesis. (原著)	Exp Dermatol	26(10)	912-918	2017
58	Taniguchi T, Asano Y, Nakamura K, Yamashita T, Saigusa R, Ichimura Y, Takahashi T, Toyama T, Yoshizaki A, Sato S	Fli1 deficiency induces CXCL6 expression in dermal fibroblasts and endothelial cells, contributing to the development of fibrosis and vasculopathy in systemic sclerosis. (原著)	J Rheumatol	44(8)	1198-1205	2017
59	Saigusa R, Asano Y, Nakamura K, Hirabayashi M, Miura S, Yamashita T, Taniguchi T, Ichimura Y, Takahashi T, Yoshizaki A, Miyagaki T, Sugaya	Systemic sclerosis dermal fibroblasts suppress Th1 cytokine production via galectin-9 overproduction due to Fli1 deficiency. (原著)	J Invest Dermatol	137(9)	1850-1859	2017

60	Taniguchi T, Miyagawa T, Tamaki Z, Nakamura K, Yamashita T, Saigusa R, Takahashi T, Toyama T, Ichimura Y, Yoshizaki A, Tada Y, Sugaya M, Kadono T, Sato S, Asano Y	A possible implication of reduced levels of LIF, LIFR, and gp130 in vasculopathy related to systemic sclerosis. (原著)	Arch Dermatol Res	309(10)	833-842	2017
61	Fukasawa T, Yoshizaki A, Ebata S, Nakamura K, Saigusa R, Miura S, Yamashita T, Hirabayashi M, Ichimura Y, Taniguchi T, Asano Y, Shimizu H, Kazoe Y, Mawatari K, Kitamori T, Sato S	Contribution of Soluble Forms of Programmed Death 1 and Programmed Death Ligand 2 to Disease Severity and Progression in Systemic Sclerosis. (原著)	Arthritis Rheumatol	69(9)	1879-1890	2017
62	Ebata S, Yoshizaki A, Fukasawa T, Nakamura K, Yamashita T, Miura S, Saigusa R, Ichimura Y, Takahashi T, Hirabayashi M, Taniguchi T, Akamata K, Asano Y	Unprecedented success of rituximab therapy for prednisolone- and immunosuppressant-resistant systemic sclerosis-associated interstitial lung disease	Scand J Rheumatol	46(3)	247-252	2017
63	Takahashi T, Asano Y, Taniguchi T, Yoshizaki A, Sato S	Serum LL-37 levels correlate with the efficacy of i.v. cyclophosphamide pulse for skin sclerosis and interstitial lung disease in systemic sclerosis	J Dermatol	44(4)	468-469	2017
64	Takahashi T, Asano Y, Sugawara K, Yamashita T, Nakamura K, Saigusa R, Ichimura Y, Toyama T, Taniguchi T, Akamata K, Noda S, Yoshizaki A, Tsuruta D, Trojanowska M, Sato S	Epithelial Fli1 deficiency drives systemic autoimmunity and fibrosis: Possible roles in scleroderma. (原著)	J Exp Med	214(4)	1129-1151	2017
65	Yamashita T, Asano Y, Taniguchi T, Nakamura K, Saigusa R, Miura S, Toyama T, Takahashi T, Ichimura Y, Yoshizaki A, Trojanowska M, Sato S	Glycyrrhizin Ameliorates Fibrosis, Vasculopathy, and Inflammation in Animal Models of Systemic Sclerosis. (原著)	J Invest Dermatol	137(3)	631-640	2017
66	Saigusa R, Asano Y, Nakamura K, Yamashita T, Ichimura Y, Takahashi T, Toyama T, Taniguchi T, Yoshizaki A, Miyazaki M, Tamaki Z, Sato S	Plasma plasmin- α 2-plasmin inhibitor complex levels may predict the effect of cyclophosphamide for systemic sclerosis-related interstitial lung disease. (原著)	Mod Rheumatol	27(4)	618-622	2017
67	Takahashi T, Asano Y, Yamashita T, Nakamura K, Saigusa R, Miura S, Ichimura Y, Toyama T, Hirabayashi M, Taniguchi T, Yoshizaki A, Sato S	A potential contribution of psoriasin to vascular and epithelial abnormalities and inflammation in systemic sclerosis. (原著)	J Eur Acad Dermatol Venereol	in press		
68	Hirabayashi M, Asano Y, Yamashita T, Miura S, Nakamura K, Taniguchi T, Saigusa R, Takahashi T, Ichimura Y, Miyagawa T, Yoshizaki A, Miyazaki M, Sugaya M, Sato S	A Possible Proinflammatory Role of Heparin-binding EGF-like Growth Factor in the Active Phase of Systemic Sclerosis. (原著)	J Dermatol	in press		
69	Saigusa R, Asano Y, Yamashita T, Takahashi T, Nakamura K, Miura S, Ichimura Y, Toyama T, Taniguchi T, Sumida H, Tamaki Z, Miyazaki M, Yoshizaki A, Sato S, 浅野善英	Systemic sclerosis complicated with localized scleroderma-like lesions induced by Köbner phenomenon. (原著)	J Dermatol Sci	in press		
70	浅野善英	【膠原病はどこまでわかったか?】膠原病はどこまでわかったか?全身性強皮症の発症メカニズム	皮膚アレルギーフロンティア	15(1)	17-21	2017
71	浅野善英	【皮膚科治療薬処方ガイド-年齢・病態に応じた薬の使い方-】シクロホスファミド アザチオプリン	Derma	255	102-108	2017
72	浅野善英	【皮膚疾患に有効性を示す内服薬-その効果と注意点-】(Part2.)症例と薬理作用(case 2a) 全身性強皮症の手指潰瘍 ボセンタン	Visual Dermatology	16(9)	874-875	2017

73	浅野善英	【皮膚疾患に有効性を示す内服薬-その効果と注意点-】(Part2.)症例と薬理作用(case 2b) ボセンタンの薬理作用(解説/特集)	Visula Dermatology	16(9)	876	2017
74	創傷・熱傷ガイドライン委員会	日本皮膚科学会ガイドライン 創傷・褥瘡・熱傷ガイドライン 4:膠原病・血管炎にともなう皮膚潰瘍診療ガイドライン	日本皮膚科学会雑誌	127(9)	2033-2075	2017
75	茂木精一郎	医師主導治験・臨床試験:適応拡大を目指して	臨床皮膚科	71	24	2017
76	茂木精一郎	「皮膚病変でみる内科疾患」腎臓病の皮膚病変 腎性全身性線維症	「日本医事新報」	4887	52-53	2017
77	茂木精一郎	膠原病の皮膚病変の治療トピックス	「皮膚アレルギーフロンティア」	15	27-30	2017
78	Motegi S, Uehara A, Yamada K, Sekiguchi A, Fujiwara C, Toki S, Date Y, Nakamura T, Ishikawa O.	Efficacy of Botulinum Toxin B Injection for Raynaud's Phenomenon and Digital Ulcers in Patients with Systemic Sclerosis. (原著)	Acta Derm Venereol.	97	843-50	2017
79	Motegi S, Sekiguchi A, Fujiwara C, Toki S, Ishikawa O.	Possible association of elevated serum collagen type IV level with skin sclerosis in systemic sclerosis. (原著)	J Dermatol.	44	167-72	2017
80	Motegi S, Sekiguchi A, Toki S, Amano H, Ishikawa O.	Progressive myelopathy in systemic sclerosis patient with cervical intraspinal calcinosis.	J Dermatol.	44	209-10	2017
81	Motegi S, Sekiguchi A, Saito S, Ishibuchi H, Kishi C, Yasuda M, Ishikawa O.	Successful treatment of Raynaud's phenomenon and digital ulcers in systemic sclerosis patients with botulinum toxin B injection: Assessment of peripheral vascular disorder by angiography and dermoscopic image of	J Dermatol.	in press		
82	Ishizu A, Tomaru U, Masuda S, Sada K, Amano K, Harigai M, Kawaguchi Y, Arimura Y, Yamagata K, Ozaki S, Dobashi H, Homma S, Okada Y, Sugiyama H, Ueki I, Tombei N, Motoya S.	Prediction of response to remission induction therapy by gene expression profiling of peripheral blood in Japanese patients with microscopic polyangiitis	Arthritis Res Ther	19	117	2017
83	Ochiai M, Sato E, Tanaka E, Tochiara M, Shimizu Y, Osawa H, Sidara K, Sugimoto N, Hoshi D, Kawaguchi Y, Taniguchi A, Yamanaka H	Successful delivery in a patient with clinically amyopathic dermatomyositis during pregnancy despite first-trimester acute exacerbation of interstitial lung disease	Mod Rheumatol	27	364-368	2017
84	Nishino A, Hanaoka M, Katsumata Y, Kawaguchi Y, Yamanaka H	Technetium-99m albumin scintigraphy in protein-losing gastroenteropathy with systemic lupus erythematosus: Typical diagnostic pattern of radiotracer leakage and chronological improvement by treatment	J Clin Rheumatol	23	41-42	2017
85	川口鎮司	肺動脈性肺高血圧症	リウマチ科	58	1-6	2017
86	川口鎮司	膠原病性肺高血圧症の基礎研究、診断、診療の進歩	最新医学	72	1128-1134	2017
87	Yasuoka Y, Shirai Y, Tamura Y, Takeuchi T, and Kuwana M	Predictors for favorable responses to immunosuppressive treatment in pulmonary arterial hypertension associated with connective tissue disease. (原著)	Circ. J	Epub ahead of print		
88	Tamura Y, Kumamaru H, Satoh T, Miyata H, Ogawa A, Tanabe N, Hatano M, Yao A, Abe K, Tsuzino I, Fukuda K, Kimura H, Kuwana M, Matsubara H, Tatsumi K, and the Japan PH Registry (JAPHR)	Effectiveness and outcome of pulmonary arterial hypertension-specific therapy in Japanese patients with pulmonary arterial hypertension. (原著)	Circ. J	Epub ahead of print		

89	Varga J, Trojanowska M, and Kuwana M	Pathogenesis of systemic sclerosis: recent insights of molecular and cellular mechanisms and therapeutic opportunities	J. Scleroderma Relat. Disord	2	137-152	2017
90	Oka A, Asano Y, Hasegawa M, Fujimoto M, Ishikawa O, Kuwana M, Kawaguchi Y, Yamamoto T, Takahashi H, Goto D, Endo H, Jinnin M, Mano S, Hosomichi K, Mabuchi T, Takahashi-Ueda M, Nakagawa S, Beck S, Bahram S, Takehara K, Sato S, Ihn H	RXR β is an MHC-encoded susceptibility gene associated with anti-topoisomerase I antibody-positive systemic sclerosis. (原著)	J. Invest. Dermatol	137	1878-1886	2017
91	Coghlan JG, Galiè N, Barberà JA, Frost AE, Ghofrani HA, Hoepfer MM, Kuwana M, McLaughlin VV, Peacock AJ, Simonneau G, Vachiéry JL, Blair C, Gillies H, Miller KL, Harris JHN, Langley J, and D'Alto F	Initial combination therapy with ambrisentan and tadalafil in connective tissue disease-associated pulmonary arterial hypertension (CTD-PAH): subgroup analysis from the AMBITION trial. (原著)	Ann. Rheum. Dis	76	1219-1227	2017
92	Terao C, Kawaguchi T, Dieude P, Varga J, Kuwana M, Hudson M, Kawaguchi Y, Matucci-Cernic M, Ohmura K, Riemekasten G, Kawasaki A, Airo P, Horita T, Oka A, Hachulla E, Yoshifuji H, Caramaschi P, Hunzelman N, Baron M, Atsumi T, Hassouns P, Torii T, Takahashi M, Tabara Y, Shimizu M, Tochimoto A, Ayuzawa N, Yanagida H, Furukawa H, Tohma S, Hasegawa M, Fujimoto M, Ishikawa O, Yamamoto T, Goto D, Asano Y, Jinnin M, Endo H, Takahashi H, Takehara K, Sato S, Ihn H, Raychaudhuri S, Liao K, Gregersen P, Tsuchiya N, Riccieri V, Melchers J, Valentini G, Couwet A, Shirai Y, and Kuwana M	Trans-ethnic meta-analysis identifies <i>GSDMA</i> and <i>PRDM1</i> as susceptibility genes to systemic sclerosis. (原著)	Ann. Rheum. Dis	76	1150-1158	2017
93	Shirai Y, and Kuwana M	Complex pathophysiology of pulmonary hypertension associated with systemic sclerosis: potential unfavorable effects of pulmonary vasodilators	J. Scleroderma Relat. Disord	2	92-99	2017
94	Kuwana M	Circulating anti-nuclear antibodies in systemic sclerosis: utility in diagnosis and disease subsetting	J. Nippon Med	84	56-63	2017
95	Kuwana M	A to-do list at diagnosis of systemic sclerosis in case of positive anti-RNA polymerase III antibodies.	J. Rheumatol	44	550-552	2017
96	Khanna D, Furst DE, Clements PJ, Allanore Y, Baron M, Czirjak L, Distler O, Foeldvari I, Kuwana M, Matucci-Cernic M, Mayes M, Medsger TA, Jr, Merkel PA, Pope JE, Seibold JR, Steen VD, Denton CP	Standardization of the modified Rodnan skin score for use in clinical trials of systemic sclerosis.	J. Scleroderma Relat. Dis	2	11-18.	2017
97	Takeuchi A, Matsushita T, Kaji K, Okamoto Y, Yasui M, Hirata K, Oishi N, Higashi A, Seishima M, Asano T, Fujimoto M, Kuwana M, Takehara K, and Hamaguchi Y.	Autoantibody to scaffold attachment factor B (SAFB): a novel connective tissue disease-related autoantibody associated with interstitial lung disease. (原著)	J. Autoimmun	76	101-107	2017

98	Hamaguchi Y, Sumida T, Kawaguchi Y, Ihn H, Tanaka S, Asano Y, Motegi S, Kuwana M, Endo H, and Takehara K	Safety and tolerability of bosentan for digital ulcers in Japanese patients with systemic sclerosis: prospective, multicenter, open-label study. (原著)	J. Dermatol	44	13-17	2017
99	Oka A, Asano Y, Hasegawa M, Fujimoto M, Ishikawa O, Kuwana M, Kawaguchi Y, Yamamoto T, Takahashi H, Goto D, Endo H, Jinnin M, Mano S, Hosomichi K, Mabuchi T, Ueda MT, Nakagawa S, Beck S, Bahram S, Takehara K, Sato S, Ihn H	RXR _B Is an MHC-Encoded Susceptibility Gene Associated with Anti-Topoisomerase I Antibody-Positive Systemic Sclerosis.	J Invest Dermatol	9	1878-1886	2017
100	Terao C, Kawaguchi T, Dieude P, Varga J, Kuwana M, Hudson M, Kawaguchi Y, Matucci-Cerinic M, Ohmura K, Riemekasten G, Kawasaki A, Airo P, Horita T, Oka A, Hachulla E, Yoshifuji H, Caramaschi P, Hunzelmann N, Baron M, Atsumi T, Hassoun P, Torii T, Takahashi M, Tabara Y, Shimizu M, Tochimoto A, Ayuzawa N, Yanagida H, Furukawa H, Tohma S, Hasegawa M, Fujimoto M, Ishikawa O, Yamamoto T, Goto D, Asano Y, Jinnin M, Endo H, Takahashi H, Takehara K, Sato S, Ihn H, Raychaudhuri S, Liao K, Gregersen P, Tsuchiya N, Ricciari V, Melchers J, Valentini G, Cawston A	Transethnic meta-analysis identifies GSDMA and PRDM1 as susceptibility genes to systemic sclerosis.	Ann Rheum Dis	6	1150-1158	2017
101	Sawamura S, Jinnin M, Shimbara M, Nakamura K, Kudo H, Inoue K, Nakayama W, Kajihara I, Fukushima S, Ihn H	Serum levels of genomic DNA of $\alpha 1(I)$ collagen are elevated in scleroderma patients.	J Invest Dermatol.	137	1878-1886	2017
102	Ide M, Jinnin M, Tomizawa Y, Wang Z, Kajihara I, Fukushima S, Hashizume Y, Asano Y, Ihn H.	Transforming growth factor β -inhibitor Repsox downregulates collagen expression of scleroderma dermal fibroblasts and prevents bleomycin-induced mice skin fibrosis	Exp Dermatol.	26	1139-1143	2017
103	Oka A, Asano Y, Hasegawa M, Fujimoto M, Ishikawa O, Kuwana M, Kawaguchi Y, Yamamoto T, Takahashi H, Goto D, Endo H, Jinnin M, Mano S, Hosomichi K, Mabuchi T, Ueda MT, Nakagawa S, Beck S, Bahram S, Takehara K, Sato S, Ihn H	RXR _B Is an MHC-Encoded Susceptibility Gene Associated with Anti-Topoisomerase I Antibody-Positive Systemic Sclerosis.	J Dermatol.	44	927-931	2017
104	Matsushita T, Date M, Kano M, Mizumaki K, Tennichi M, Kobayashi T, Hamaguchi Y, Hasegawa M, Fujimoto M, Takehara K	Blockade of p38 Mitogen-Activated Protein Kinase Inhibits Murine Sclerodermatous Chronic Graft-versus-Host Disease.(原著)	Am J Pathol.	187(4)	841-850	2017

105	Terao C, Kawaguchi T, Dieude P, Varga J, Kuwana M, Hudson M, Kawaguchi Y, Matucci-Cerinic M, Ohmura K, Riemekasten G, Kawasaki A, Airo P, Horita T, Oka A, Hachulla E, Yoshifuji H, Caramaschi P, Hunzelmann N, Baron M, Atsumi T, Hassoun P, Torii T, Takahashi M, Tabara Y, Shimizu M, Tochimoto A, Ayuzawa N, Yanagida H, Furukawa H, Tohma S, Hasegawa M, Fujimoto M, Ishikawa O, Yamamoto T, Goto D, Asano Y, Jinnin M, Endo H, Takahashi H, Takehara K, Sato S, Ihn H, Raychaudhuri S3, Liao K, Gregersen P, Tsuchiya N, Ricciari V, Melchers I, Valentini G, Cauvet Oka A, Asano Y, Hasegawa M, Fujimoto M, Ishikawa O, Kuwana M, Kawaguchi Y, Yamamoto T, Takahashi H, Goto D, Endo H, Jinnin M, Mano S, Hosomichi K, Mabuchi T, Ueda MT, Nakagawa S, Beck S, Bahram S, Takehara K, Sato S, Ihn H	Transethnic meta-analysis identifies GSDMA and PRDM1 as susceptibility genes to systemic sclerosis.(原著)	Ann Rheum Dis.	76(6)	1150-1158	2017
106	安富素子、川崎亜希子、山田健太、鈴木孝二、宮川和彦、長谷川稔、大嶋勇成	RXRβ Is an MHC-Encoded Susceptibility Gene Associated with Anti-Topoisomerase I Antibody-Positive Systemic Sclerosis.(原著)	J Invest Dermatol.	137(9)	1878-1886	2017
107	藤本 亨、浅井 純、浅野善英、石井貴之、岩田洋平、川上民裕、小寺雅也、安部正敏、天野正宏、池上隆太、爲政大幾、磯貝善蔵、伊藤孝明、井上雄二、入澤亮吉、大塚正樹、尾本陽一、加藤裕史、門野岳史、金子 栄、加納宏行、川口雅一、久木野竜一、幸野健、古賀文二、境 恵祐、櫻井英一、皿山泰子、新谷洋一、谷岡未樹、谷崎英昭、辻田 淳、土井直孝、中西健史、橋本 彰、長谷川稔、林 昌浩、廣崎邦紀、藤田英樹、藤原 浩、前川武雄、松尾光馬、間所直樹、茂木精一郎、八代浩、山崎 修、吉野雄一郎、レパヴー・アンドレ、立花隆夫、尹	レイノー現象に対してシルデナフィールが有効であった混合結合組織病の小児例 (原著)	日本小児皮膚科学会雑誌	36(2)	27	2017
108	創傷・褥瘡・熱傷ガイドライン4：膠原病・血管炎にともなう皮膚潰瘍診療ガイドライン	日本皮膚科学会誌	127(9)	2033-2075	2017	
109	Tanabe N, Ikeda S, Tahara N, Fukuda K, Hatano M, Ito H, Nakayama T, Anzai T, Hashimoto A, Inoue T, Kajinami K, Kihara Y, Kinoshita H, Kuwahara K, Murohara T, Okazaki O, Sakai S, Satoh T, Takeda Y, Takeishi Y, Taniguchi M, Watanabe H, Yamamoto T, Yamauchi-Takahara	Efficacy and Safety of an Orally Administered Selective Prostacyclin Receptor Agonist, Selexipag, in Japanese Patients With Pulmonary Arterial Hypertension.(原著)	Circ J	81	1360-1367	2017
110	Hara H, Takeda N, Morita H, Hatano M, Amiya E, Maki H, Minatsuki S, Taki M, Shiraiishi Y, Fujiwara T, Maemura S, Komuro I	Three novel BMP2 mutations associated with advanced pulmonary arterial hypertension.(原著)	Hum Genome Var	4	17010	2017

111	Kiriyama H, Amiya E, Hatano M, Hosoya Y, Maki H, Nitta D, Saito A, Shiraishi Y, Minatsuki S, Sato T, Murakami H, Uehara M, Manaka K, Makita N, Watanabe	Rapid Improvement of thyroid storm-related hemodynamic collapse by aggressive anti-thyroid therapy including steroid pulse: A case report.(原著)	Medicine	96	e7053	2017
112	Tamura Y, Kumamaru H, Satoh T, Miyata H, Ogawa A, Tanabe N, Hatano M, Yao A, Abe K, Tsujino I, Fukuda K, Kimura H, Kuwana M, Matsubara H, Tatsumi K	Effectiveness and Outcome of Pulmonary Arterial Hypertension-Specific Therapy in Japanese Patients With Pulmonary Arterial Hypertension.(原著)	Circ J	82	275-282	2017
113	Kimura M, Nawata K, Kinoshita O, Yamauchi H, Hoshino Y, Hatano M, Amiya E, Kashiwa K, Endo M, Kagami Y, Nemoto M, Ono M	Readmissions after continuous flow left ventricular assist device implantation.(原著)	J Artif Organs	20	311-317	2017
114	Kato NP, Okada I, Kagami Y, Endo M, Hatano M, Ono M, Jaarsma T, Kinugawa K. Kato NP, Okada I, Kagami Y, Endo M, Hatano M, Ono M,	Quality of life of family caregivers of patients with a left ventricular assist device in Japan.(原著)	J Cardiol	71	81-87	2017
115	Minatsuki S, Hatano M, Maki H, Ando J, Komuro I.	The Structure of a Chronic Total Occlusion and Its Safe Treatment in a Patient with Chronic Thromboembolic Pulmonary Hypertension.(原著)	Int Heart J	58	824-827	2017
116	Numata G, Amiya E, Kojima T, Fujiu K, Hatano M, Watanabe M, Komuro I.	Cardiac Resynchronization Therapy in Patients with Ebstein's Anomaly.(原著)	Int Heart J	58	816-819	2017
117	Adachi Y, Kinoshita O, Hatano M, Shintani Y, Naito N, Kimura M, Nawata K, Nitta D, Maki H, Ueda K, Amiya E, Takimoto E, Komuro I, Ono M	Successful bridge to recovery in fulminant myocarditis using a biventricular assist device: a case report.(原著)	J Med Case Rep	11	295	2017
118	Numata G, Koderu S, Kiriyama H, Nakayama A, Amiya E, Kiyosue A, Hatano M, Takimoto E, Watanabe M, Komuro I	Usefulness of central venous saturation as a predictor of thiamine deficiency in critically ill patients: a case report.(原著)	J Intensive Care	5	61	2017
119	Saito A, Amiya E, Hatano M, Hosoya Y, Maki H, Nitta D, Minatsuki S, Watanabe M, Komuro I.	Newly developed atrial fibrillation progresses to a more severe INTERMACS score in a patient with advanced heart failure due to dilated cardiomyopathy.(原著)	Clin Case Rep	5	2028-2033	2017
120	波多野将	少し動いただけで息切れがひどいんです	内科	Vol.119 No.4	626-631	2017
121	波多野将	心疾患患者における輸液処方の組み立て方	内科	Vol.120 No.1	61-64	2017
122	波多野将	自己心機能の回復による補助人工心臓からの離脱	医学のあゆみ	Vol.262 No.1	27-30	2017
123	波多野将	左心疾患による肺高血圧症の診断・治療	最新医学	第72巻 8号	78-84	2017
124	波多野将	肺高血圧症	月間Mebio	Vol.34 No.8	38-43	2017
125	波多野将	良くなったら薬をやめることはできるの？	循環器ジャーナル	第66巻 第1号	150-158	2017
126	Okuyama N, Asano Y, Hamaguchi Y, Jinnin M, Motegi S, Koizumi H, Hasegawa M, Ishikawa O, Sato S, Takehara K, Yamamoto T, Fujimoto M, Ihn H	Impact of a new simplified disability scoring system for adult patients with localized scleroderma.	J Dermatol.	Accepted		

127	Terao C, Kawaguchi T, Dieude P, Varga J, Kuwana M, Hudson M, Kawaguchi Y, Matucci-Cerinic M, Ohmura K, Riemekasten G, Kawasaki A, Airo P, Horita T, Oka A, Hachulla E, Yoshifuji H, Caramaschi P, Hunzelmann N, Baron M, Atsumi T, Hassoun P, Torii T, Takahashi M, Tabara Y, Shimizu M, Tochimoto A, Ayuzawa N, Yanagida H, Furukawa H, Tohma S, Hasegawa M, Fujimoto M, Ishikawa O, Yamamoto T, Goto D, Asano Y, Jinnin M, Endo H, Takahashi H, Takehara K, Sato S, Ihn H, Raychaudhuri S, Liao K, Gregersen P, Tsuchiya N, Ricciari V, Melchior J, Valentini G, Couvret A	Transethnic meta-analysis identifies GSDMA and PRDM1 as susceptibility genes to systemic sclerosis.	Ann Rheum Dis.	76	1150-1158	2017
128	Oka A, Asano Y, Hasegawa M, Fujimoto M, Ishikawa O, Kuwana M, Kawaguchi Y, Yamamoto T, Takahashi H, Goto D, Endo H, Jinnin M, Mano S, Hosomichi K, Mabuchi T, Ueda MT, Nakagawa S, Beck S, Bahram S, Takehara K, Sato S, Ihn H	RXRB Is an MHC-Encoded Susceptibility Gene Associated with Anti-Topoisomerase I Antibody-Positive Systemic Sclerosis.	J Invest Dermatol.	137	1878-1886	2017
129	Ogawa T, Okiyama N, Koguchi-Yoshioka H, Fujimoto M.	Taxane-induced scleroderma-like skin changes resulting in gangrene: A case report.	J Dermatol.	44	e54-e55	2017
130	牧野貴充	【診断基準を満たさないとき、どうする?】 総論 診断基準の最近の傾向(解説/特集)	Visual Dermatology	16	628-636	2017
131	Someya F, Nakagawa T, Mugii N	Characteristics for Quality of Life during the Clinical Course of Interstitial Lung Disease	Journal of Pulmonary & Respiratory Medicine	7		2017
132	Mugii N, Hamaguchi Y, Maddali-Bongi S	Clinical significance and usefulness of rehabilitation for systemic sclerosis	Journal of Scleroderma and Related Disorders			2018
133	麦井直樹, 澤田幸恵, 染矢富士子, 松下貴史, 濱口儒人, 竹原和彦	全身性強皮症患者の調理動作の活動制限	作業療法ジャーナル	51	1317-1322	2017