

研究成果の刊行に関する一覧表

< ガイドライン >

- ・脳腫瘍診療ガイドライン2019年版（金原出版株式会社）
- ・ミスマッチ修復機能欠損固形がんに対する診断および免疫チェックポイント阻害薬を用いた診療に関する暫定的臨床提言

< 論文 >

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yoshida K, Kodera Y , Kochi M, Ichikawa W, Kakeji Y, Sano T, Nagao N, Takahashi M, Takagane A, Watanabe T, Kaji M, Okitsu H, Nomura T, Matsui T, Yoshikawa T, Matsuyama J, Yamada M, Ito S, Takeuchi M, Fujii M.	Addition of Docetaxel to Oral Fluoropyrimidine Improves Efficacy in Patients With Stage III Gastric Cancer: Interim Analysis of JACCRO GC-07, a Randomized Controlled Trial.	J Clin Oncol.	37(15)	1296-1304	2019
Tanaka C, Kanda M, Funasaka K, Miyahara R, Murotani K, Tanaka Y, Takeda S, Kobayashi D, Hirooka Y, Fujiwara M, Goto H, Kodera Y .	Detection of indocyanine green fluorescence to determine tumor location during laparoscopic gastrectomy for gastric cancer: Results of a prospective study.	Asian J Endosc Surg.	Epub ahead of print		2019
Tanaka C, Kanda M, Murotani K, Yoshikawa T, Cho H, Ito Y, Matsui T, Nakayama H, Yamada T, Kobayashi D, Fujiwara M, Kodera Y .	Long-term quality of life and nutrition status of the aboral pouch reconstruction after total gastrectomy for gastric cancer: a prospective multicenter observational study (CCOG1505).	Gastric Cancer.	22(3)	607-616	2019
Kodera Y , Yoshida K, Kumamaru H, Kakeji Y, Hiki N, Etoh T, Honda M, Miyata H, Yamashita Y, Seto Y, Kitano S, Konno H.	Introducing laparoscopic total gastrectomy for gastric cancer in general practice: a retrospective cohort study based on a nationwide registry database in Japan.	Gastric Cancer.	22(1)	202-213	2019
Nakayama G, Mitsuma A, Sunagawa Y, Ishigure K, Yokoyama H, Matsui T, Nakayama H, Nakata K, Ishiyama A, Asada T, Umeda S, Ezaka K, Hattori N, Takami H, Kobayashi D, Tanaka C, Kanda M, Yamada S, Koike M, Fujiwara M, Fujii T, Murotani K, Ando Y, Kodera Y .	Randomized Phase II Trial of CapOX plus Bevacizumab and CapIRI plus Bevacizumab as First-Line Treatment for Japanese Patients with Metastatic Colorectal Cancer (CCOG-1201 Study).	Oncology.	23(8)	919-927	2018

Muro K , Van Cutsem E, Narita Y, Pentheroudakis G, Baba E, Li J, Ryu MH, Zamanih WIW, Yong WP, Yeh KH, Kato K, Lu Z, Cho BC, Nor IM, Ng M, Chen LT, Nakajima TE, Shitara K, Kawakami H, Tsushima T, Yoshino T, Lordick F, Martinelli E, Smyth EC, Arnold D, Minami H, Taberero J, Douillard JY.	Pan-Asian adapted ESMO Clinical Practice Guidelines for the management of patients with metastatic gastric cancer: a JSMO-ESMO initiative endorsed by CSCO, KSMO, MOS, SSO and TOS.	Ann Oncol.	30(1)	19-33	2019
Kashima H, Noma K, Ohara T, Kato T, Katsura Y, Komoto S, Sato H, Katsube R, Ninomiya T, Tazawa H, Shirakawa Y, Fujiwara T .	Cancer-associated fibroblasts (CAFs) promote the lymph node metastasis of esophageal squamous cell carcinoma.	Int J Cancer.	144(4)	828-840	2019
Takeda S, Shigeyasu K, Okugawa Y, Yoshida K, Mori Y, Yano S, Noma K, Umeda Y, Kondo Y, Kishimoto H, Teraishi F, Nagasaka T, Tazawa H, Kagawa S, Fujiwara T , Goel A.	Activation of AZIN1 RNA editing is a novel mechanism that promotes invasive potential of cancer-associated fibroblasts in colorectal cancer.	Cancer Lett.	444	127-135	2019
Morihiro T, Kuroda S, Kanaya N, Kakiuchi Y, Kubota T, Aoyama K, Tanaka T, Kikuchi S, Nagasaka T, Nishizaki M, Kagawa S, Tazawa H, Fujiwara T .	PD-L1 expression combined with microsatellite instability/CD8+ tumor infiltrating lymphocytes as a useful prognostic biomarker in gastric cancer.	Sci Rep.	9(1)	4633	2019
Noma K, Shirakawa Y, Kanaya N, Okada T, Maeda N, Ninomiya T, Tanabe S, Sakurama K, Fujiwara T .	Visualized evaluation of blood flow to the gastric conduit and complications in esophageal reconstruction.	J Am Coll Surg.	226(3)	241-251	2018
Kagawa S, Muraoka A, Kambara T, Nakayama H, Hamano R, Tanaka N, Noma K, Tanakaya K, Kishimoto H, Shigeyasu K, Kuroda S, Kikuchi S, Kuwada K, Nishizaki M, Shirakawa Y, Fujiwara T .	A multi-institution phase II study of docetaxel and S-1 in combination with trastuzumab for HER2-positive advanced gastric cancer (DASH study).	Cancer Chemother Pharmacol.	81(2)	387-392	2018
Kuwada K, Kuroda S, Kikuchi S, Yoshida R, Nishizaki M, Kagawa S, Fujiwara T .	Sarcopenia and comorbidity in gastric cancer surgery as a useful combined factor to predict eventual death from other causes.	Ann Surg Oncol.	25(5)	1160-1166	2018

Kato T, Noma K, Ohara T, Kashima H, Katsura Y, Sato H, Komoto S, Katsube R, Ninomiya T, Tazawa H, Shirakawa Y, Fujiwara T.	Cancer-associated fibroblasts affect intratumoral CD8+ and FoxP3+ T cells via interleukin 6 in the tumor microenvironment.	Clin Cancer Res.	24(19)	4820-4833	2018
Shirakawa Y, Noma K, Maeda N, Ninomiya T, Tanabe S, Kikuchi S, Kuroda S, Nishizaki M, Kagawa S, Kawahara Y, Okada H, Fujiwara T.	Clinical characteristics and management of gastric tube cancer after esophagectomy.	Esophagus.	15(3)	180-189	2018
Watanabe M, Kagawa S, Kuwada K, Hashimoto Y, Shigeyasu K, Ishida M, Sakamoto S, Ito A, Kikuchi S, Kuroda S, Kishimoto H, Tomida S, Yoshida R, Tazawa H, Urata Y, Fujiwara T.	Integrated fluorescent cytology with nano-biologics for peritoneally disseminated gastric cancer patients.	Cancer Sci.	109(10)	3263-3271	2018
Kuroda S, Choda Y, Otsuka S, Ueyama S, Tanaka N, Muraoka A, Hato S, Kimura T, Tanakaya K, Kikuchi S, Tanabe S, Noma K, Nishizaki M, Kagawa S, Shirakawa Y, Kamikawa Y, Fujiwara T.	Multicenter retrospective study to evaluate the efficacy and safety of the double-flap technique as antireflux esophagogastrostomy after proximal gastrectomy (rD-FLAP Study).	Ann Gastroenterol Surg.	3(1)	96-103	2018
Tashiro K, Arikawa M, Fukunaga Y, Nakatani F, Kobayashi E, Kawai A. , Miyamoto S.	Free latissimus dorsi musculocutaneous flap for external hemipelvectomy reconstruction.	Microsurgery.	39(2)	138-143	2019
Ogura K, Uehara K, Akiyama T, Shinoda Y, Iwata S, Tsukushi S, Kobayashi E, Hirose T, Yonemoto T, Endo M, Tanzawa Y, Nakatani F, Kawano H, Tanaka S, Kawai A.	Minimal clinically important differences in Toronto Extremity Salvage Score for patients with lower extremity sarcoma.	J Orthop Sci.	pii	S0949-2658(19)30118-6	2019
Asano N, Matsuzaki J, Ichikawa M, Kawauchi J, Takizawa S, Aoki Y, Sakamoto H, Yoshida A, Kobayashi E, Tanzawa Y, Nakayama R, Morioka H, Matsumoto M, Nakamura M, Kondo T, Kato K, Tsuchiya N, Kawai A. , Ochiya T.	A serum microRNA classifier for the diagnosis of sarcomas of various histological subtypes.	Nat Commun.	10(1)	1299	2019
Sekimizu M, Yoshida A, Mitani S, Asano N, Hirata M, Kubo T, Yamazaki F, Sakamoto H, Kato M, Makise N, Mori T, Yamazaki N, Sekine S, Oda I, Watanabe SI, Hiraga H, Yonemoto T, Kawamoto T, Naka N, Funouchi Y, Nishida Y, Honoki K, Kawano H, Tsuchiya H, Kunisada T, Matsuda K, Inagaki K, Kawai A. , Ichikawa H.	Frequent mutations of genes encoding vacuolar H ⁺ -ATPase components in granular cell tumors.	Genes Chromosomes Cancer.	58(6)	373-380	2019

Makise N, Sekimizu M, Konishi E, Motoi T, Kubo T, Ikoma H, Watanabe SI, Okuma T, Hiraoka N, Fukayama M, Kawai A , Ichikawa H, Yoshida A.	H3K27me3 deficiency defines a subset of dedifferentiated chondrosarcomas with characteristic clinicopathological features.	Mod Pathol.	32(3)	435-445	2019
Yamazaki F, Nakatani F, Asano N, Wakai S, Sekimizu M, Mitani S, Kubo T, Kawai A , Ichikawa H, Yoshida A.	Novel NTRK3 Fusions in Fibrosarcomas of Adults.	Am J Surg Pathol.	43(4)	523-530	2019
Araki Y, Yoshida A, Tanzawa Y, Endo M, Kobayashi E, Kawai A .	Reconstruction of the Shoulder Joint with a Custom-Made Ceramic Implant After a Total Scapulectomy: A Case Report.	JBJS Case Connect.	8(1)	e12	2018
Makise N, Sekimizu M, Kubo T, Wakai S, Watanabe SI, Kato T, Kinoshita T, Hiraoka N, Fukayama M, Kawai A , Ichikawa H, Yoshida A.	Extraskeletal Osteosarcoma: MDM2 and H3K27me3 analysis of 19 cases suggest disease heterogeneity.	Histopathology.	73(1)	147-156	2018
Ogura K, Susa M, Morioka H, Matsumine A, Ishii T, Hamada K, Ueda T, Kawai A .	Reconstruction using a constrained-type hip tumor prosthesis after resection of malignant periacetabular tumors: A study by the Japanese Musculoskeletal Oncology Group (JMOG).	J Surg Oncol.	117(7)	1455-1463	2018
Yoshida A, Makise N, Wakai S, Kawai A , Hiraoka N.	INSM1 expression and its diagnostic significance in extraskeletal myxoid chondrosarcoma.	Mod Pathol.	31(5)	744-752	2018
Makise N, Sekimizu M, Kubo T, Wakai S, Hiraoka N, Komiyama M, Fukayama M, Kawai A , Ichikawa H, Yoshida A.	Clarifying the Distinction Between Malignant Peripheral Nerve Sheath Tumor and Dedifferentiated Liposarcoma: A Critical Reappraisal of the Diagnostic Utility of MDM2 and H3K27me3 Status.	Am J Surg Pathol.	42(5)	656-664	2018
Crompton JG, Ogura K, Bernthal NM, Kawai A , Eilber FC.	Local Control of Soft Tissue and Bone Sarcomas.	J Clin Oncol.	36(2)	111-117	2018

Stacchiotti S, Mir O, Le Cesne A, Vincenzi B, Fedenko A, Maki RG, Somaiah N, Patel S, Brahmi M, Blay JY, Boye K, Sundby Hall K, Gelderblom H, Hindi N, Martin-Broto J, Kosela H, Rutkowski P, Italiano A, Duffaud F, Kobayashi E, Casali PG, Provenzano S, Kawai A.	Activity of Pazopanib and Trabectedin in Advanced Alveolar Soft Part Sarcoma.	Oncologi st.	23(1)	62-70	2018
Kawai A. Goto T, Shibata T, Tani K, Mizutani S, Nishikawa A, Shibata T, Matsumoto S, Nagata K, Narukawa M, Matsui S, Ando M, Toguchida J, Monden M, Heike T, Kimura S, Ueda R.	Current state of therapeutic development for rare cancers in Japan, and proposals for improvement.	Cancer Sci.	109(5)	1731-1737	2018
Tsuda Y, Ogura K, Shinoda Y, Kobayashi H, Tanaka S, Kawai A.	The outcomes and prognostic factors in patients with osteosarcoma according to age: a Japanese nationwide study with focusing on the age differences.	BMC Cancer.	18(1)	614	2018
Frezza AM, Jones RL, Lo Vullo S, Asano N, Lucibello F, Ben-Ami E, Ratan R, Teterycz P, Boye K, Brahmi M, Palmerini E, Fedenko A, Vincenzi B, Brunello A, Desar IME, Benjamin RS, Blay JY, Broto JM, Casali PG, Gelderblom H, Grignani G, Gronchi A, Hall KS, Mir O, Rutkowski P, Wagner AJ, Anurova O, Collini P, Dei Tos AP, Flucke U, Hornick JL, Lobmaier I, Philippe T, Picci P, Ranchere D, Renne SL, Sbaraglia M, Thway K, Wagrodzki M, Wang WL, Yoshida A, Mariani L, Kawai A. Stacchiotti S.	Anthracycline, Gemcitabine, and Pazopanib in Epithelioid Sarcoma: A Multi-institutional Case Series.	JAMA Oncol.	4(9)	e180-219	2018
Ogura K, Uehara K, Akiyama T, Shinoda Y, Iwata S, Tsukushi S, Kobayashi E, Hirose T, Yonemoto T, Endo M, Tanzawa Y, Nakatani F, Kawano H, Tanaka S, Kawai A.	Development of a patient-oriented disease specific outcome measure of health-related quality of life (HRQOL) for musculoskeletal oncology patients.	J Orthop Sci.	pii	S0949-2658(18)30317-8	2018
Fukushima T, Ogura K, Akiyama T, Takeshita K, Kawai A.	Descriptive epidemiology and outcomes of bone sarcomas in adolescent and young adult patients in Japan.	BMC Musculoskelet Disord.	19(1)	297	2018

Ogura K, Hosoda F, Arai Y, Nakamura H, Hama N, Totoki Y, Yoshida A, Nagai M, Kato M, Arakawa E, Mukai W, Rokutan H, Kawai A , Tanaka S, Shibata T.	Integrated genetic and epigenetic analysis of myxofibrosarcoma.	Nat Commun	9(1)	2765	2018
Toki S, Wakai S, Sekimizu M, Mori T, Ichikawa H, Kawai A , Yoshida A.	PAX7 immunohistochemical evaluation of Ewing sarcoma and other small round cell tumours.	Histopathology.	73(4)	645-652	2018
Nakamura Y, Shida D, Shibayama T, Yoshida A, Matsui Y, Shinoda Y, Iwata S , Kanemitsu Y.	Giant multilocular prostatic cystadenoma.	World J Surg Oncol.	17(1)	42	2019
Joo MW, Kang YK, Ogura K, Iwata S , Kim JH, Jeong WJ, Niu X, Chinder PS, Kim HS, Seo SW, Chung YG.	Post-radiation sarcoma: A study by the Eastern Asian Musculoskeletal Oncology Group.	PLoS One.	13(10)	e0204927	2018
Iwata S , Araki A, Funatsu H, Yonemoto T, Kamoda H, Itami M, Ishii T.	Optimal surgical margin for infiltrative soft tissue sarcomas: Assessing the efficacy of excising beyond the infiltration.	J Surg Oncol.	118(3)	525-531	2018
Akiyama T, Ogura K, Gokita T, Tsukushi S, Iwata S , Nakamura T, Matsumine A, Yonemoto T, Nishida Y, Saita K, Kawai A , Matsumoto S, Yamaguchi T.	Analysis of the Infiltrative Features of Chordoma: The Relationship Between Micro-Skip Metastasis and Postoperative Outcomes.	Ann Surg Oncol.	25(4)	912-919	2018
Iwasaki T, Yamamoto H, Oda Y .	Current Update on the Molecular Biology of Cutaneous Sarcoma: Dermatofibrosarcoma Protuberans.	Curr Treat Options Oncol.	20(4)	29	2019
Souzaki R, Kawakubo N, Matsuura T, Yoshimaru K, Koga Y, Takemoto J, Shibui Y, Kohashi K, Hayashida M, Oda Y , Ohga S, Taguchi T.	Navigation surgery using indocyanine green fluorescent imaging for hepatoblastoma patients.	Pediatr Surg Int.	35(5)	551-557	2019
Takemoto J, Kuda M, Kohashi K, Yamada Y, Koga Y, Kinoshita I, Souzaki R, Taguchi T, Oda Y .	HuC/D expression in small round cell tumors and neuroendocrine tumors: a useful tool for distinguishing neuroblastoma from childhood small round cell tumors.	Hum Pathol.	85	162-167	2019 (corresponding)
Shibui Y, Miyoshi K, Kohashi K, Kinoshita Y, Kuda M, Yamamoto H, Taguchi T, Iwamoto Y, Oda Y .	Glypican-3 expression in malignant small round cell tumors.	Oncol Letters.	17	3523-3528	2019 (corresponding)

Komohara Y, Takeya H, Wakigami N, Kusada N, Bekki H, Ishihara S, Takeya M, Nakashima Y, <u>Oda Y.</u>	Positive correlation between the density of macrophages and T-cells in undifferentiated sarcoma.	Med Mol Morphol.	52(1)	44-51	2019
Yamashita K, Kohashi K, Yamada Y, Ishii T, Nishida Y, Urakawa H, Ito I, Takahashi M, Inoue T, Ito M, Ohara Y, <u>Oda Y.</u> , Toyokuni S.	Osteogenic differentiation in dedifferentiated liposarcoma: a study of 36 cases in comparison to the cases without ossification.	Histopathology.	72(5)	729-738	2018 (corresponding)
Yasutake N, Ohishi Y, Taguchi K, Hiraki Y, Oya M, Oshiro Y, Mine M, Iwasaki T, Yamamoto H, Kohashi K, Sonoda K, Kato K, <u>Oda Y.</u>	Insulin-like growth factor II messenger RNA-binding protein-3 is an independent prognostic factor in uterine leiomyosarcoma.	Histopathology.	72(5)	739-748	2018 (corresponding)
Yoshida Y, Nobusawa S, Nakata S, Nakada M, Arakawa Y, Mineharu Y, Sugita Y, Yoshioka T, Araki A, Sato Y, Takeshima H, Okada M, Nishi A, Yamazaki T, Kohashi K, <u>Oda Y.</u> , Hirato J, Yokoo H.	CNS high-grade neuroepithelial tumor with BCOR internal tandem duplication: a comparison with its counterparts in the kidney and soft tissue.	Brain Pathol.	28(5)	710-720	2018
Kobayashi T, Koga Y, Ishimura M, Nakashima K, Kato W, Ono H, Sonoda M, Eguchi K, Fukano R, Honjo S, <u>Oda Y.</u> , Ohga S.	Fever and Skin Involvement at Diagnosis Predicting the Intractable Langerhans Cell Histiocytosis: 40 Case-Series in a Single Center.	J Pediatr Hematol Oncol.	40(3)	e148-e153	2018
Yahiro K, Matsumoto Y, Fukushi JI, Kawaguchi KI, Endo M, Setsu N, Iida K, Fukushima S, Nakagawa M, Kimura A, <u>Oda Y.</u> , Nakashima Y.	Class III β -Tubulin Overexpression Induces Chemoresistance to Eribulin in a Leiomyosarcoma Cell Line.	Anal Cell Pathol (Amst).	2018	8987-568	2018
Onishi S, Kajiwaru Y, Takayasu T, Kolakshyapati M, Ishifuro M, Amatya VJ, Takeshima Y, <u>Sugiyama K.</u> , Kurisu K, Yamasaki F.	Perfusion Computed Tomography Parameters Are Useful for Differentiating Glioblastoma, Lymphoma, and Metastasis.	World Neurosurg.	119	e890-e897	2018
Yamasaki F, Takayasu T, Nosaka R, Haratake D, Arihiro K, Ueno H, Shimomura R, Akiyama Y, <u>Sugiyama K.</u> , Matsumoto M, Kurisu K.	Transient spontaneous regression of brainstem glioblastoma.	J Neurosurg Sci.	62(5)	610-612	2018
Hirose T, Nobusawa S, <u>Sugiyama K.</u> , Amatya VJ, Fujimoto N, Sasaki A, Mikami Y, Kakita A, Tanaka S, Yokoo H.	Astroblastoma: a distinct tumor entity characterized by alterations of the X chromosome and MN1 rearrangement.	Brain Pathol.	28(5)	684-694	2018

Takayasu T, Yamasaki F, Akiyama Y, Ohtaki M, Saito T, Nosaka R, Takano M, Sugiyama K , Kurisu K.	Advantages of high b-value diffusion-weighted imaging for preoperative differential diagnosis between embryonal and ependymal tumors at 3 T MRI.	Eur J Radiol.	101	136-143	2018
Wakabayashi T, Natsume A, Mizusawa J, Katayama H, Fukuda H, Sumi M, Nishikawa R, Narita Y, Muragaki Y, Maruyama T, Ito T, Beppu T, Nakamura H, Kayama T, Sato S, Nagane M, Mishima K, Nakasu Y, Kurisu K, Yamasaki F, Sugiyama K T, Iwadate Y, Terasaki M, Kobayashi H, Matsumura A, Ishikawa E, Sasaki H, Mukasa A, Matsuo T, Hirano H, Kumabe T, Shinoura N, Hashimoto N, Aoki T, Asai A, Abe T, Yoshino A, Arakawa Y, Asano K, Yoshimoto K, Shibui S; Members of Japan Clinical Oncology Group Brain Tumor Study Group (JCOG-BTSG).	JCOG0911 INTEGRA study: a randomized screening phase II trial of interferon β plus temozolomide in comparison with temozolomide alone for newly diagnosed glioblastoma.	J Neurooncol.	138(3)	627-636	2018
Yamasaki F, Kinoshita Y, Takayasu T, Usui S, Kolakshyapati M, Takano M, Tsuyuguchi S, Amatya VJ, Akiyama Y, Takeshima Y, Sugiyama K , Kurisu K.	Proton Magnetic Resonance Spectroscopy Detection of High Lipid Levels and Low Apparent Diffusion Coefficient Is Characteristic of Germinomas.	World Neurosurg.	112	e84-e94	2018
Saito T, Sugiyama K , Hama S, Yamasaki F, Takayasu T, Nosaka R, Muragaki Y, Kawamata T, Kurisu K.	Prognostic importance of temozolomide-induced neutropenia in glioblastoma, IDH-wildtype patients.	Neurosurg Rev.	41(2)	621-628	2018

Kayama T, Sato S, Sakurada K, Mizusawa J, Nishikawa R, Narita Y, Sumi M, Miyakita Y, Kumabe T, Sonoda Y, Arakawa Y, Miyamoto S, Beppu T, <u>Sugiyama K</u> , Nakamura H, Nagane M, Nakasu Y, Hashimoto N, Terasaki M, Matsumura A, Ishikawa E, Wakabayashi T, Iwadate Y, Ohue S, Kobayashi H, Kinoshita M, Asano K, Mukasa A, Tanaka K, Asai A, Nakamura H, Abe T, Muragaki Y, Iwasaki K, Aoki T, Watanabe T, Sasaki H, Izumoto S, Mizoguchi M, Matsuo T, Takeshima H, Hayashi M, Jokura H, Mizowaki T, Shimizu E, Shirato H, Tago M, Katayama H, Fukuda H, Shibui S; Japan Clinical Oncology Group.	Effects of Surgery With Salvage Stereotactic Radiosurgery Versus Surgery With Whole-Brain Radiation Therapy in Patients With One to Four Brain Metastases (JCOG0504): A Phase III, Noninferiority, Randomized Controlled Trial.	J Clin Oncol.	Epub ahead of print		2018
Kawai K, <u>Nishiyama H</u> .	Preservation of fertility of adult male cancer patients treated with chemotherapy.	Int J Clin Oncol.	24	34-40	2019
Kawahara T, <u>Nishiyama H</u> .	Diagnosis and Treatment of MSI-H Cancer in the Urological Malignancy.	Gan To Kagaku Ryoho.	45	1573-1576	2018
Shiraishi T, Nakamura T, Ukimura O; Cancer Registration Committee of the Japanese Urological Association. Collaborators: Ohyama C, Kanayama H, Fujimoto H, Miki T, <u>Nishiyama H</u> , Suzuki K, Eto M, Nakanishi H, Fukumori T, Naito S.	Chemotherapy for metastatic testicular cancer. The first nationwide multi-institutional study by the Cancer Registration Committee of the Japanese Urological Association.	Int J Urol.	25	730-736	2018
Kurobe M, Kawai K, Suetomi T, Iwamoto T, Waku N, Kawahara T, Kojima T, Joraku A, Miyazaki J, <u>Nishiyama H</u> .	High prevalence of hypogonadism determined by serum free testosterone level in Japanese testicular cancer survivors.	Int J Urol.	25	457-462	2018
<u>Nishiyama H</u> .	Asia Consensus Statement on NCCN Clinical Practice Guideline for bladder cancer.	Jpn J Clin Oncol.	48	3-6	2018
Koike H, <u>Nishida Y</u> , Kohno K, Shimoyama Y, Motoi T, Hamada S, Kawai A, Ogose A, Ozaki T, Kunisada T, Matsumoto Y, Matsunobu T, Ae K, Gokita T, Sakai T, Shimizu K, Ishiguro N.	Is immunohistochemical staining for β -catenin the definitive pathological diagnostic tool for desmoid-type fibromatosis? A multi-institutional study.	Hum Pathol.	84	155-163	2019

Takeuchi A, Nomura A, Yamamoto N, Hayashi K, Igarashi K, Tandai S, Kawai A, Matsumine A, Miwa S, Nishida Y , Nakamura T, Terauchi R, Hoshi M, Kunisada T, Endo M, Yoshimura K, Murayama T, Tsuchiya H.	Randomized placebo-controlled double-blind phase II study of zaltoprofen for patients with diffuse-type and unresectable localized tenosynovial giant cell tumors: a study protocol.	BMC Musculoskelet Disord.	20(1)	68	2019
Urakawa H, Mizusawa J, Tanaka K, Eba J, Hiraga H, Kawai A, Nishida Y , Hosaka M, Iwamoto Y, Fukuda H, Ozaki T.	A randomized phase III trial of denosumab before curettage for giant cell tumor of bone: Japan Clinical Oncology Group Study JCOG1610.	Jpn J Clin Oncol.	49(4)	379-382	2019
Urakawa H, Yonemoto T, Matsumoto S, Takagi T, Asanuma K, Watanuki M, Takemoto A, Naka N, Matsumoto Y, Kawai A, Kunisada T, Kubo T, Emori M, Hiraga H, Hatano H, Tsukushi S, Nishida Y , Akisue T, Morii T, Takahashi M, Nagano A, Yoshikawa H, Sato K, Kawano M, Hiraoka K, Tanaka K, Iwamoto Y, Ozaki T.	Clinical outcome of primary giant cell tumor of bone after curettage with or without perioperative denosumab in Japan: from a questionnaire for JCOG 1610 study.	World J Surg Oncol.	16(1)	160	2018
Sugiura H, Tsukushi S, Yoshida M, Nishida Y .	What Is the Success of Repeat Surgical Treatment of a Local Recurrence After Initial Wide Resection of Soft Tissue Sarcomas?	Clin Orthop Relat Res.	476(9)	1791-1800	2018
Shinomiya H, Uehara N, Teshima M, Kakigi A, Otsuki N, Nibu KI .	Clinical management for T1 and T2 external auditory canal cancer.	Auris Nasus Larynx.	Epub ahead of print		2019
丹生健一 , 中溝宗永, 吉本世一, 土井麻理子, 岡田昌史.	頭頸部癌全国症例登録システムの構築と臓器温存治療のエビデンスの創出.	日耳鼻会報	122	202-203	2019
Ikeda A, Shiga K, Katagiri K, Saito D, Miyaguchi J, Oikawa SI, Tsuchida K, Asakage T, Ozawa H, Nibu KI , Ohtsuki N, Fujimoto Y, Kaneko KI.	Multi-institutional survey of carotid body tumors in Japan.	Oncol Lett.	15(4)	5318-5324	2018
花澤豊行, 小林正佳, 中川隆之, 鴻信義, 藤本保志, 児玉悟, 讃岐徹治, 田中秀峰, 有泉陽介, 丹生健一 , 朝蔭孝宏.	本邦における鼻副鼻腔腫瘍に対する内視鏡手術の現況と課題 全国アンケートからの解析結果.	日耳鼻会報	121(2)	119-126	2018
Nishida T, Sakai Y, Takagi M, Ozaka M, Kitagawa Y, Kurokawa Y, Masuzawa T, Naito Y, Kagimura T, Hirota S , and the members of the STAR ReGISTry Study Group.	Adherence to the guidelines and the pathological diagnosis of high-risk gastrointestinal stromal tumors in the real world.	Gastric Cancer.	Epub ahead of print		2019

Iemura Y, Katsushima H, Kataoka TR, Hirota S , Shimada T.	An unusual case of duodenal gastrointestinal stromal tumour combined with the neuronal elements.	Pathol Int.	Epub ahead of print		2019
Sugase T, Takahashi T, Serada S, Fujimoto M, Ohkawara T, Hiramatsu K, Nishida T, Hirota S , Saito Y, Tanaka K, Miyazaki Y, Makino T, Kurokawa Y, Yamasaki M, Nakajima K, Hanasaki K, Kishimoto T, Mori M, Doki Y, Naka T.	SOCS1 gene therapy has antitumor effects in imatinib-resistant gastrointestinal stromal tumor cells through FAK/PI3 K signaling.	Gastric Cancer.	21(6)	968-976	2018
Nishida T, Cho H, Hirota S , Masuzawa T, Chiguchi G, Tsujinaka T, Kinki GIST Study Group.	Clinicopathological features and prognosis of primary GISTs with tumor rupture in the real world.	Ann Surg Oncol.	25(7)	1961-1969	2018
Kitagawa H, Kaneko M, Kano M, Ibuki Y, Amatya VJ, Takeshima Y, Hirota S , Hirabayashi N.	Coexistence of gastrointestinal stromal tumor and leiomyosarcoma of the stomach presenting as a collision tumor: a case report and review of literature.	Pathol Int.	68 (5)	313-317	2018
Shinto E, Ike H, Hida JI, Kobayashi H, Hashiguchi Y , Kajiwara Y, Hase K, Ueno H, Sugihara K.	Marked impact of tumor location on the appropriate cutoff values and the prognostic significance of the lymph node ratio in stage III colon cancer: a multi-institutional retrospective analysis.	J Gastroenterol.	Epub ahead of print		2019
Shinto E, Hida JI, Kobayashi H, Hashiguchi Y , Hase K, Ueno H, Watanabe T, Sugihara K.	Prominent Information of jN3 Positive in Stage III Colorectal Cancer Removed by D3 Dissection: Retrospective Analysis of 6866 Patients From a Multi-institutional Database in Japan.	Dis Colon Rectum.	61(4)	447-453	2018
Hashiguchi Y.	Anatomic Basis Based on Embryologic Plane and Vascular Variation.	Surgical Treatment of Colorectal Cancer.	231-240,	2018	
橋口 陽二郎.	診療ガイドラインの再評価 今後の方向性 大腸癌治療ガイドラインの今後の方向性.	日本外科学会雑誌.	119(5)	567-568	2018
Shinto E, Hida JI, Ike H, Kobayashi H, Hashiguchi Y , Hase K, Ueno H, Sugihara K.	A New N Staging System for Colorectal Cancer in the Era of Extended	Ann Surg Oncol.	25(13)	3891-3897	2018

	Lymphadenectomy.				
Matsumoto S, Wakatsuki K, Migita K, Nakade H, Kunishige T, Miyao S, Sho M.	Anastomotic leakage following retrosternal pull-up.	Langenb ecks Arch Surg.	Epub ahead of print		2019
Akahori T, Sho M , Yanagimoto H, Satoi S, Nagai M, Nishiwada S, Nakagawa K, Nakamura K, Yamamoto T, Hirooka S, Yamaki S, Ikeda N.	Phase II Study of the Triple Combination Chemotherapy of SOXIRI (S-1/Oxaliplatin/Irinotecan) in Patients with Unresectable Pancreatic Ductal Adenocarcinoma.	Oncologi st.	Epub ahead of print		2019
Aoki S, Motoi F, Murakami Y, Sho M , Satoi S, Honda G, Uemura K, Okada KI, Matsumoto I, Nagai M, Yanagimoto H, Kurata M, Fukumoto T, Mizuma M, Yamaue H, Unno M; Multicenter Study Group of Pancreatobiliary Surgery (MSG-PBS).	Decreased serum carbohydrate antigen 19-9 levels after neoadjuvant therapy predict a better prognosis for patients with pancreatic adenocarcinoma: a multicenter case-control study of 240 patients.	BMC Cancer.	19(1)	252	2019
Nagakawa Y, Sahara Y, Hosokawa Y, Murakami Y, Yamaue H, Satoi S, Unno M, Isaji S, Endo I, Sho M , Fujii T, Takishita C, Hijikata Y, Suzuki S, Kawachi S, Katsumata K, Ohta T, Nagakawa T, Tsuchida A.	Clinical Impact of Neoadjuvant Chemotherapy and Chemoradiotherapy in Borderline Resectable Pancreatic Cancer: Analysis of 884 Patients at Facilities Specializing in Pancreatic Surgery.	Ann Surg Oncol.	26(6)	1629-1636	2019
Motoi F, Kosuge T, Ueno H, Yamaue H, Satoi S, Sho M , Honda G, Matsumoto I, Wada K, Furuse J, Matsuyama Y, Unno M; Study Group of Preoperative Therapy for Pancreatic Cancer (Prep) and Japanese Study Group of Adjuvant Therapy for Pancreatic cancer (JSAP).	Randomized phase II/III trial of neoadjuvant chemotherapy with gemcitabine and S-1 versus upfront surgery for resectable pancreatic cancer (Prep-02/JSAP05) .	Jpn J Clin Oncol.	49(2)	190-194	2019
Wakatsuki K, Matsumoto S, Migita K, Kunishige T, Nakade H, Miyao S, Sho M.	Prognostic value of the fibrinogen-to-platelet ratio as an inflammatory and coagulative index in patients with gastric cancer.	Surg Today.	49(4)	334-342	2019
Nakamura K, Sho M , Akahori T, Nagai M, Nishiwada S, Nakagawa K, Tanaka T, Kichikawa K, Tamamoto T, Hasegawa M, Mitoro A, Yoshiji H, Ikeda N.	A Comparison Between Plastic and Metallic Biliary Stent Placement in Patients Receiving Preoperative Neoadjuvant Chemoradiotherapy for	World J Surg.	43(2)	642-648	2019

	Resectable Pancreatic Cancer.				
Motoi F, Murakami Y, Okada KI, Matsumoto I, Uemura K, Satoi S, Sho M , Honda G, Fukumoto T, Yanagimoto H, Kinoshita S, Kurata M, Aoki S, Mizuma M, Yamaue H, Unno M; Multicenter Study Group of Pancreatobiliary Surgery (MSG-PBS).	Sustained Elevation of Postoperative Serum Level of Carbohydrate Antigen 19-9 is High-Risk Stigmata for Primary Hepatic Recurrence in Patients with Curatively Resected Pancreatic Adenocarcinoma.	World J Surg.	43(2)	634-641	2019
Nagai M, Sho M , Akahori T, Nishiwada S, Nakagawa K, Nakamura K, Tanaka T, Nishiofuku H, Kichikawa K, Ikeda N.	Risk Factors for Late-Onset Gastrointestinal Hemorrhage After Pancreatoduodenectomy for Pancreatic Cancer.	World J Surg.	43(2)	626-633	2019
Motoi F, Satoi S, Honda G, Wada K, Shinchi H, Matsumoto I, Sho M , Tsuchida A, Unno M; Study Group of Preoperative therapy for Pancreatic cancer (PREP).	A single-arm, phase II trial of neoadjuvant gemcitabine and S1 in patients with resectable and borderline resectable pancreatic adenocarcinoma: PREP-01 study.	J Gastroenterol.	54(2)	194-203	2019
Hirono S, Kawai M, Okada KI, Fujii T, Sho M , Satoi S, Amano R, Eguchi H, Mataka Y, Nakamura M, Matsumoto I, Baba H, Tani M, Kawabata Y, Nagakawa Y, Yamada S, Murakami Y, Shimokawa T, Yamaue H.	MAPLE-PD trial (Mesenteric Approach vs. Conventional Approach for Pancreatic Cancer during Pancreaticoduodenectomy): study protocol for a multicenter randomized controlled trial of 354 patients with pancreatic ductal adenocarcinoma.	Trials.	19(1)	613	2018
Yasuda S, Nomi T, Hokuto D, Yoshikawa T, Matsuo Y, Sho M .	Liver Regeneration After Major Liver Resection for Hepatocellular Carcinoma in the Elderly.	J Invest Surg.	2	1-7	2018
Maeda H, Okada KI, Fujii T, Oba MS, Kawai M, Hirono S, Kodera Y, Sho M , Akahori T, Shimizu Y, Ambo Y, Kondo N, Murakami Y, Ohuchida J, Eguchi H, Nagano H, Sakamoto J, Yamaue H.	Transition of serum cytokines following pancreaticoduodenectomy: A subsidiary study of JAPAN-PD.	Oncol Lett.	16(5)	6847-6853	2018

Migita K, Matsumoto S, Wakatsuki K, Ito M, Kunishige T, Nakade H, <u>Sho M.</u>	The Prognostic Significance of the Geriatric Nutritional Risk Index in Patients with Esophageal Squamous Cell Carcinoma.	Nutr Cancer.	70(8)	1237-1245	2018
Nomi T, Hokuto D, Yoshikawa T, Matsuo Y, <u>Sho M.</u>	A Novel Navigation for Laparoscopic Anatomic Liver Resection Using Indocyanine Green Fluorescence.	Ann Surg Oncol.	25(13)	3982	2018
Nakagawa K, Akahori T, Nishiwada S, Nagai M, Nakamura K, Tanaka T, Tamamoto T, Ohbayashi C, Hasegawa M, Kichikawa K, Ikeda N, <u>Sho M.</u>	Prognostic factors for actual long-term survival in the era of multidisciplinary treatment for pancreatic ductal adenocarcinoma.	Langenb ecks Arch Surg.	403(6)	693-700	2018
Doi S, Matsumoto S, Wakatsuki K, Migita K, Ito M, Kunishige T, Nakade H, Hatakeyama K, Ohbayashi C, <u>Sho M.</u>	A neuroendocrine carcinoma with a well-differentiated adenocarcinoma component arising in Barrett's esophagus: a case report and literature review.	Surg Case Rep.	4(1)	103	2018
Matsumoto S, Wakatsuki K, Migita K, Ito M, Nakade H, Kunishige T, Kitano M, Nakatani M, <u>Sho M.</u>	Predictive Factors for Delayed Gastric Emptying after Distal Gastrectomy with Roux-en-Y Reconstruction.	Am Surg.	84(6)	1086-1090	2018
Ishioka K, Koyama F, Kuge H, Inoue T, Obara S, Nakamoto T, Sasaki Y, Nakamura Y, Takeda M, Ohbayashi C, Kuwahara M, <u>Sho M.</u>	Anal gland adenocarcinoma in situ with pagetoid spread: a case report.	Surg Case Rep.	4(1)	63	2018
Satoi S, Yamamoto T, Motoi F, Matsumoto I, Yoshitomi H, Amano R, Tahara M, Murakami Y, Arimitsu H, Hirono S, <u>Sho M.</u> , Ryota H, Ohtsuka M, Unno M, Takeyama Y, Yamaue H.	Clinical impact of developing better practices at the institutional level on surgical outcomes after distal pancreatectomy in 1515 patients: Domestic audit of the Japanese Society of Pancreatic Surgery.	Ann Gastroenterol Surg.	2(3)	212-219	2018
Urisono Y, Sakata A, Matsui H, Kasuda S, Ono S, Yoshimoto K, Nishio K, <u>Sho M.</u> , Akiyama M, Miyata T, Okuchi K, Nishimura S, Sugimoto M.	Von Willebrand Factor Aggravates Hepatic Ischemia-Reperfusion Injury by Promoting Neutrophil Recruitment in Mice.	Thromb Haemost	118(4)	700-708	2018

Sekita-Hatakeyama Y, Nishikawa T, Takeuchi M, Morita K, Takeda M, Hatakeyama K, Nakai T, Uchiyama T, Itami H, Fujii T, Mitoro A, Sho M , Ohbayashi C.	K-ras mutation analysis of residual liquid-based cytology specimens from endoscopic ultrasound-guided fine needle aspiration improves cell block diagnosis of pancreatic ductal adenocarcinoma.	PLoS One.	13(3)	e0193692	2018
Ishioka K, Hokuto D, Nomi T, Yasuda S, Yoshikawa T, Matsuo Y, Akahori T, Nishiwada S, Nakagawa K, Nagai M, Nakamura K, Ikeda N, Sho M .	Significance of bacterial culturing of prophylactic drainage fluid in the early postoperative period after liver resection for predicting the development of surgical site infections.	Surg Today.	48(6)	625-631	2018
Hokuto D, Nomi T, Yasuda S, Yoshikawa T, Ishioka K, Yamada T, Takahiro A, Nakagawa K, Nagai M, Nakamura K, Kanehiro H, Sho M .	Does anatomic resection improve the postoperative outcomes of solitary hepatocellular carcinomas located on the liver surface?	Surgery.	163(2)	285-290	2018
Yamamoto T, Satoi S, Kawai M, Motoi F, Sho M , Uemura KI, Matsumoto I, Honda G, Okada KI, Akahori T, Toyama H, Kurata M, Yanagimoto H, Yamaue H, Unno M, Kon M, Murakami Y.	Is distal pancreatectomy with en-bloc celiac axis resection effective for patients with locally advanced pancreatic ductal adenocarcinoma? -Multicenter surgical group study.	Pancreatology.	18(1)	106-113	2018