

Ⅲ. 研究成果の刊行に関する一覧表

書籍（外国語）

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ

書籍（日本語）

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
加藤雅志.			がん・生殖医療ハンドブック 大須賀 穰 鈴木 直 編集 短時間のうちに多くの意思決定を迫られる患者にどう関わる？ ーがん相談支援センターがん専門相談員の立場から.	メディカ出版	大阪	2017	pp313-pp318
加藤雅志			緩和ケアと精神保健. 第6版精神保健福祉士養成セミナー第2巻 精神保健学・精神保健の課題と支援.	へるす出版	東京	2017	pp164-179
木澤義之他			いのちの終わりにどうかかわるか	医学書院	東京都	2017年	全項
森田達也.他		ガイドライン統括委員会 (編集)	がん患者の治療抵抗性の苦痛と鎮静に関する基本的な考え方の手引き 2018年版.	金原出版株式会社	東京	2018	
森田達也.他			3ステップ実践緩和ケア [第2版].	榊青海社,	東京	2018	
森田達也.		José L. Pereira (著者). 丹波嘉一郎, 大中俊宏 (監訳)	Pallium Canada 緩和ケアポケットブック Pallium Palliative Pocketbook Second Edition.	メディカル・サイエンス・インターナショナル.	東京	2017	
森田達也.		日本がんサポータークラブ学会 (編)	がん薬物療法に伴う抹消神経障害マネジメントの手引き	金原出版	東京	2017	
小川朝生.			精神的ケア. In: 大江裕一郎, 鈴木健司, editor. インフォームドコンセントのための図説シリーズ 肺がん 改訂5版.	医薬ジャーナル社	大阪	2017	
小川朝生.			あなたの患者さん、認知症かもしれません.	医学書院	東京都	2017	
○小川朝生.			(3) 精神的ケア. 大江裕一郎, 鈴木健司, インフォームドコンセントのための図説シリーズ 肺がん 改訂5版.	医薬ジャーナル社		2017	212-6.

雑誌 (外国語)

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
akashita A, Kizawa Y, Kato M, Akizuki N, Nakazawa Y, Kaizu M, Yano K, Sato T, Tokoro A.	Development of a Standard for Hospital-Based Palliative Care Consultation Team in Japan Using a Modified Delphi Method.	Journal of Pain and Symptom Management,	56(5)	746-751	2018
Yoshida S, Ogawa C, Shimizu K, Kobayashi M, Inoguchi H, Oshima Y, Dotani C, Nakahara R, <u>Kato M.</u>	Japanese physicians' attitudes toward end-of-life discussion with pediatric patients with cancer.	Supportive Care in Cancer,	26(11)	3861-3871.	2018
Takeuchi E, <u>Kato M</u> , Miyata K, Suzuki N, Shimizu C, Okada H, Matsunaga N, Shimizu M, Moroi N, Fujisawa D, Mimura M, Miyoshi Y.	The effects of an educational program for non-physician health care providers regarding fertility preservation.	Supportive Care in Cancer,	26(10)	3447-3452.	2018
Nakazawa Y, Yamamoto R, <u>Kato M</u> , Miyashita M, Kizawa Y, Morita T.	Improved Knowledge of and Difficulties in Palliative care among physicians during 2008 and 2015 in Japan: association With a nation-wide palliative care education program.	Cancer.	124(3)	626-635.	2018
Nakazawa Y, <u>Kato M</u> , Miyashita M, Morita T, Kizawa Y.	Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: an analysis of two nationwide representative surveys in 2008 and 2015.	Journal of Pain and Symptom Management	55(2)	402-412.	2018
Miyoshi Y, Yorifuji T, Horikawa R, Takahashi I, Nagasaki K, Ishiguro H, Fujiwara I, Ito J, Obata M, Fujisaki H, <u>Kato M</u> , Shimizu C, Kato T, Matsumoto K, Sago H, Takimoto T, Okada H, Suzuki N, Yokoya S, Ogata T, Ozono K.	Childbirth and fertility preservation in childhood and adolescent cancer patients: a second national survey of Japanese pediatric endocrinologists.	Clin Pediatr Endocrinol,	26(2)	81-88	2017
Okamoto Y, <u>Kizawa Y</u> , et al.	Bereaved Family Members' Perceptions of the Distressing Symptoms of Terminal Patients With Cancer.	American Journal of Hospice & Palliative Medicine.		1-6	2018
Shibata N, Kizawa Y, et al.	Palliative Care based on Antemortem Diagnosis in a Case of Nonbacterial Thrombotic Endocarditis with Concomitant Repeated Systemic Embolization.	Internal Medicine.			2018
Masukawa K, Kizawa Y, et al.	The Japan Hospice and Palliative Evaluation Study 4: a cross-sectional questionnaire survey.	BMC Palliative Care.			2018

Yotani N, Kizawa Y.	Specialized Palliative Care for Children in Japan JSPM 2018. Journal of Pain and Symptom Management.		Vol.56 No.4	582-587	2018
Omae T, Yotani N, Sakashita A, Kizawa Y.	Number of Unused Medications at the Time of Last Admission: A Prospective Observational Study in a Single Palliative Care Unit.	American Journal of Hospice & Palliative Medicine.	Vol.35 (12)	1498-1504	2018
Hamano J, Kizawa Y, et al.	Trust in Physicians, Continuity and Coordination of Care, and Quality of Death in Patients with Advanced Cancer.	J Palliat Med.	20(11)	1252-1259.	2017
Yamaguchi T, Kizawa Y, et al.	Effects of End-of-Life Discussions on the Mental Health of Bereaved Family Members and Quality of Patient Death and Care.	J Pain Symptom Manage.	54 (1)	17-26.	2017
Hatano Y, Kizawa Y, et al.	The relationship between cancer patients' place of death and bereaved caregivers' mental health status.	Psycho-Oncology.	26(11)	1959-1964.	2017
Kanoh A, Kizawa Y, et al.	End-of-life care and discussions in Japanese geriatric health service facilities: A nationwide survey of managing directors' viewpoints.	American Journal of Hospice and Palliative Medicine.			2017
Miura H, Kizawa Y, et al.	Benefits of the Japanese version of the advanced care planning facilitators education program.	Geriatr Gerontol Int.		350-352.	2017
Yamamoto S, Kizawa Y, et al.	Decision Making Regarding the Place of End-of-Life Cancer Care: The Burden on Bereaved Families and Related Factors.	J Pain Symptom Manage.	53 (5)	862-870	2017
Morita T, Imai K, Yokomichi N, Mori M, Kizawa Y, Tsuneto S.	Continuous Deep Sedation: A Proposal for Performing More Rigorous Empirical Research.	J Pain Symptom Manage.	53(1)	146-152.	2017
Nakazato K, Shiozaki M, Hirai K, Morita T, Tatara R, Ichihara K, Sato S, Shimizu M, Tsuneto S, Shima Y, Miyashita M.	Verbal communication of families with cancer patients at end of life: A questionnaire survey with bereaved family members.	Psycho-Oncology	27	155-162	2018.
Mori M, Fujimori M, Hamano J, Naito AS, Morita T.	Which physicians' behaviors on death pronouncement affect family-perceived physician compassion? A randomized, scripted, video-vignette study.	J Pain Symptom Manage	55(2)	189-197	2018

Sakashita A, Morita T, Kishino M, Aoyama M, Kizawa Y, Tsuneto S, Shima Y, Miyashita M.	Which research questions are important for the bereaved families of palliative care cancer patients? A nationwide survey.	J Pain Symptom Manage	55(2)	379-386	2018
Nakazawa Y, Kato M, Miyashita M, Morita T, Kizawa Y.	Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: An analysis of two nationwide representative surveys in 2008 and 2015.	J Pain Symptom Manage	55(2)	402-412	2018
Minoura T, Takeuchi M, Morita T, Kawakami K.	Practice patterns of medications for patients with malignant bowel obstruction using a nationwide claims database and the association between treatment outcomes and concomitant use of H ₂ -blockers/Proton pump inhibitors and corticosteroids with octreotide.	J Pain Symptom Manage	55(2)	413-419	2018
Hamano J, Morita T, Ikenaga M Abo H, Kizawa Y, Tsuneto S.	A nationwide survey about palliative sedation involving Japanese palliative care specialists: Intentions and key factors used to determine sedation as proportionally appropriate.	J Pain Symptom Manage	55(3)	785-791	2018
Mori M, Yoshida S, Shiozaki M, Morita T, Baba M, Aoyama M, Kizawa Y Tsuneto S, Shima Y, Miyashita M.	"What I did for my loved one is more important than whether we talked about death": A nationwide survey of bereaved family members.	J Palliat Med	21(3)	335-341	2018
Hatano Y, Morita T, Otani H, Igarashi N, Shima Y, Miyashita M.	Physician behavior toward death pronouncement in palliative care units.	J Palliat Med	21(3)	368-372	2018
Ishida M, Onishi H, Morita T, Uchitomi Y, Shimizu M, Tsuneto S, Shima Y, Miyashita M.	Communication disparity between the bereaved and others: What hurts them and what is unhelpful? A nationwide study of the cancer bereaved.	J Pain Symptom Manage	55(4)	1061-1067	2018
Watanabe YS, Miura T, Okizaki A, Tagami K, Matsumoto Y, Fujimori M, Morita T, Kinoshita H.	Comparison of indicators for achievement of pain control with a personalized pain goal in a comprehensive cancer center.	J Pain Symptom Manage	55(4)	1159-1164	2018
Hanada R, Yokomichi N, Kato C, Miki K, Oyama S, Morita T, Kawahara R.	Efficacy and safety of reinfusion of concentrated ascetic fluid for malignant ascites: a concept-proof study.	Support Care Cancer	26(5)	1489-1497	2018
Mori M, Morita T, Yokomichi N, Nitto A, Takahashi N, Miyamoto S, Nishie H, Matsuoaka J, Sakurai H, Ishihara T, Tarumi Y, Ogawa A.	Validation of the Edmonton symptom assessment system: ascites modification.	J Pain Symptom Manage	55(6)	1557-1563,	2018

Hamano J, Morita T, Mori M, Uchitomi Y.	Talking about palliative sedation with the family: Informed consent vs. assent and a better framework for explaining potential risks.	J Pain Symptom Manage	56(3)	e5-e8	2018
Kako J, Morita T, Yamaguchi T, Kobayashi M, Sekimoto A, Kinoshita H, Ogawa A, Zenda S, Uchitomi Y, Inoguchi H, Matsushima E.	Fan therapy is effective in relieving dyspnea in patients with terminally ill cancer: A parallel-arm, randomized controlled trial.	J Pain Symptom Manage	56(4)	493-500	2018
Ogawa A, Kondo K, Takei H, Fujisawa D, Ohe Y, Akechi T.	Decision-Making Capacity for Chemotherapy and Associated Factors in Newly Diagnosed Patients with Lung Cancer.	The oncologist	23(4)	489-95	2018
Kako J Kobayashi M, Kanno Y, Ogawa A, Miura T, Matsushima Y.	The Optimal Cutoff Point for Expressing Revised Edmonton Symptom Assessment System Scores as Binary Data Indicating the Presence or Absence of Symptoms.	The American journal of hospice & palliative care.	35(11)	1390-1393.	
Ogawa A, Okumura Y, Fujisawa D, Takei H, Sasaki C, Hirai K, et al.	Quality of care in hospitalized cancer patients before and after implementation of a systematic prevention program for delirium: the DELTA exploratory trial.	Support Care Cancer.	PubMed		
Nakanishi M Okumura Y, Ogawa A.	Physical restraint to patients with dementia in acute physical care settings: effect of the financial incentive to acute care hospitals.	International Psychiatry.	:(7)	991-1000	
Sakata N, Okumura Y, Fushimi K, Nakanishi M, Ogawa A.	Dementia and Risk of 30-Day Readmission in Older Adults After Discharge from Acute Care Hospitals.	Journal of the American Geriatrics Society.	66(5)	871-8.	
○Hirooka K, Fukahori H, Takahashi K, Togari T, Ogawa A.	Quality of death, rumination, and posttraumatic growth among bereaved family members of cancer patients in home palliative care.	Psychooncology		2017	
○Hirooka K, Fukahori H, Takahashi K, Togari T, Ogawa A.	Examining Posttraumatic Growth Among Bereaved Family Members of Patients With Cancer Who Received Palliative Care at Home.	Am J Hosp Palliat Care.		2017	

雑誌（日本語）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
加藤雅志, 他	がんサバイバーシップとしての妊孕性温存への支援 がん専門相談員の立場から. ヘルスケアプロバイダーのためのがん・生殖医療.	メディカ出版		pp38-pp41	2019
加藤雅志, 他	緩和ケアチームセルフチェックプログラムの実施可能性に関する多施設調査.	Palliative Care Research	13(2)	195-200	2018
加藤雅志.	国の動向と担当者として考えていたこと 国の施策と行政の立場からの関わり. ホスピス緩和ケア白書2018.	青海社		pp2-5	2018
加藤雅志, 他	がん・生殖医療ハンドブック 短時間のうちに多くの意思決定を迫られる患者にどう関わる?—がん相談支援センターがん専門相談員の立場から.	メディカ出版		pp313-pp318	2017
加藤雅志.	緩和ケアと精神保健. 第6版精神保健福祉士養成セミナー第2巻 精神保健学・精神保健の課題と支援.	へるす出版,		pp164-179,	2017
加藤雅志.	緩和ケアとがん対策基本法	精神科	31(4)	275-280	2017
加藤雅志.	がん診療の地域医療連携の現状—積極的に参加しよう—	Medical Practice	Vol.34	24-29	2017
木澤義之他	緩和ケアの研修, 自己研鑽に関する若手医師の考え: 質問紙調査の自由記述の質的分析	ホスピス Palliat Care Res	13巻2号	175-179	2018
木澤義之	患者・家族の意向を尊重した意思決定支援、特にアドバンス・ケア・プランニング (ACP) について	看護	70巻7号	71-75	2018
木澤義之	ACPの国際学会に参加しました	緩和ケア	Vol.28No.4	313-314	2018
木澤義之	終末期の「推定意思」も重要	週間東洋経済	第6806号	P40	2018
木澤義之他	透析患者のがん末期の緩和ケアにおける薬物療法の関わり方	臨床透析	Vol.34No.10	73-78	2018
木澤義之他	緩和ケアを専門としようとしている若手医師の研修、自己研鑽に対するニーズには何が影響するか	Palliat Care Res	13巻3号	297-303	2018

木澤義之	人生の最期をどう過ごすかー人生の過ごし方や価値観にあった医療・ケアを実践するために	耳 SRL 宝函	Vol.39No.3	39-44	2018
木澤義之、長江弘子 他	【「生きる」を考える】人生の最終段階を見据えたアドバンス・ケア・プランニング	日本看護協会出版会		p 186-196	2017
木澤義之、小川朝生、 木澤義之、山本亮	【新版 がん緩和ケアガイドブック】エンド・オブ・ライフケア	青海社		p 95-105	2017
森田達也,他	「早期緩和ケア」「オンコロジーと緩和ケアの連携」「がんと診断されたときからの緩和ケア」のちがいを。	緩和ケア	28(1)	5-10	2018
森田達也.	診断時からの緩和ケアを成り立たせる臨床モデルは何か？.	緩和ケア	28(1)	11-16	2018.
森田達也,他	日本のがん疼痛とオピオイド量の真実 第3回 日本のがん患者の疼痛の頻度とPain Management Indexに関するメタ分析.	緩和ケア	28(1)	42-49	2018.
森田達也,他	落としてはいけないKey article第19回実臨床でどうしたらいいかわからないことを「心理実験」で明らかにする.	緩和ケア	28(1)	56-62	2018.
森田達也	緩和ケア口伝ー現場で広がるコツと御法度. 眠気にペモリン (とカフェイン) .	緩和ケア	28(2)	126-127	2018.
森田達也,他	落としてはいけないKey article第20回オキシコンチンの投与開始時にプロクロルペラジンの予防投与は効果がなさそうだ.	緩和ケア	28(2)	130-135	2018.
森田達也.	2. 緩和ケアにおける臨床研究A. 黎明期から現在まで. ホスピス緩和ケア白書2018 がん対策基本法ーこれまでの10年これからの10年. (公益財団法人日本ホスピス他	東京	10-16	2018.
森田達也,他	緩和ケアの研修、自己研鑽に関する若手医師の考え : 質問紙調査の自由記述の質的分析.	Palliat Care Res	13(2)	175-179	2018.
森田達也,他	進行がん患者と家族の食に関する苦悩への緩和ケアと栄養サポート.	Palliat Care Res	13(2)	169-174	2018.
森田達也.	明るい面に目を向ける 希望はいいものだ.	緩和ケア	28(6月増刊)	7-9	2018.
森田達也.	遺族の声を臨床に生かすーJ-HOPE3研究 (多施設遺族調査) からの学びー 付帯20 終末期がん患者にみられる「故人やあの世をみた体験」に関する研究.	がん看護	23(5)	518-520	2018.
森田達也.	落としてはいけないKey article第22回AIと行動経済学は緩和ケアを変えるか？	緩和ケア	28(4)	302-308	2018.

森田達也,他	落としてはいけないKey article第23回ガイドラインにしたがって制吐剤を選択するのは意味がない？	緩和ケア	28(5)	384-389	2018.
森田達也,他	緩和ケアを専門としようとしている若手医師の研修、自己研鑽に対するニーズには何が影響するか.	Palliat Care Res	13(3)	297-303	2018.
小川朝生	認知症の症状が進んできた段階における終末期ケアのあり方に関する調査研究事業 認知症の緩和ケア.	日本精神科病院協会雑誌.	37(7)	44-9	2018.
小川朝生	急性期病院入院患者、認知症合併で治療アウトカム低下-多職種で支援するための教育プログラムを開発.	月刊薬事.	60(11)	9-11.	2018.
小川朝生	私の処方 せん妄.	Modern Physician.	38(8)	896.	2018.
小川朝生	5.何か見えるとって徘徊する(せん妄) .外来・病棟でよくみる精神症状対応マニュアル.	月刊薬事増刊号	60(10)	104-11	2018.
小川朝生	コンサルテーションは梁山泊だよ.	緩和ケア	28(6月増刊号)	134-6.	2018.
小川朝生	第3次がん対策推進基本計画について.	心と社会	49(2)	86-95.	2018.
小川朝生	うつ病・適応障害.	medicina.	55(11)	1756-8.	2018.
小川朝生	Non-convulsive status epilepticus(非けいれん性てんかん重積状態) .	緩和ケア	28(5)	367	2018.
小川朝生	認知症がん患者への対応.	新薬と臨牀.	67(11)	62-9.	2018.