

IV. 研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
斎藤重幸	高血圧	門脇孝他	糖尿病の最新の治療	南江堂	東京	2018	229-233
Ohonishi H, Saitoh S	Obesity and Diabetes as risk factors for Cardiovascular disease in the Elderly	Washio M, Kiyohara C	Health Issues and Care system for the elderly	Springer	Tokyo	2018	97-106

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Satoh M, Ohkubo T, Asayama K, Murakami Y, Sugiyama D, Yamada M, Saitoh S, Sakata K, Irie F, Sairenchi T, Ishikawa S, Kiyama M, Ohnishi H, Miura K, Imai Y, Ueshima H, Okamura T	Lifetime Risk of Stroke and Coronary Heart Disease Deaths According to Blood Pressure Level: EPOCH-JAPAN (Evidence for Cardiovascular Prevention From Observational Cohorts in Japan)	Hypertension	73	52-59	2019
2	Ukawa S, Tamakoshi A, Murakami Y, Kiyohara Y, Yamada M, Nagai M, Satoh A, Miura K, Ueshima H, Okamura T	Analysis of the Associations between Body Mass Index, Total Cholesterol, and Liver Cancer-related Mortality in Japan	Asian Pac J Cancer Prev	19	2089-2095	2018
3	Hozawa A, Hirata T, Yatsuya H, Murakami Y, Kuriyama S, Tsuji I, Sugiyama D, Satoh A, Tanaka-Mizuno S, Miura K, Ueshima H, Okamura T	Association between body mass index and all-cause death in Japanese population: pooled individual participant	J Epidemiol.	3		2018
4	Honda T, Yoshida D, Hata J, Hirakawa Y, Ishida Y, Shibata M, Sakata S, Kitazono T, Ninomiya T	Development and validation of modified risk prediction models for cardiovascular disease and its subtypes: the Hisayama Study	Atherosclerosis	279	38-44	2018

5	Tanaka M, Honda T, Yamakage H, Hata J, Yoshida D, Hirakawa Y, Shibata M, Inoue T, Kusakabe T, Satoh-Asahara N, Ninomiya T	A potential novel pathological implication of serum soluble triggering receptor expressed on myeloid cell 2 in insulin resistance in a general Japanese population: the Hisayama study	Diabetes Res Clin Pract	146	225-232	2018
6	Yubi T, Hata J, Ohara T, Mukai N, Hirakawa Y, Yoshida D, Gotoh S, Hirabayashi N, Furuta Y, Ago T, Kitazono T, Kiyohara Y, Ninomiya T	Prevalence of and risk factors for cerebral microbleeds in a general Japanese elderly community	Neurol Clin Pract	8	223-231	2018
7	Fujiwara K, Yasuda M, Hata J, Oshima Y, Hashimoto S, Yoshitomi T, Kiyohara Y, Ishibashi T, Ninomiya T, Sonoda KH	Prevalence and risk Factors for polypoidal choroidal vasculopathy in a general Japanese population: the Hisayama Study	Semin Ophthalmol	33	813-819	2018
8	Ohara T, Honda T, Hata J, Yoshida D, Mukai N, Hirakawa Y, Shibata M, Kishimoto H, Kitazono T, Kanba S ¹ , Ninomiya T	Association between daily sleep duration and risk of dementia and mortality in a Japanese community	J Am Geriatr Soc	66	1911-1918	2018
9	Shibata M, Ohara T, Yoshida D, Hata J, Mukai N, Kawano H, Kanba S, Kitazono T, Ninomiya T	Association between the ratio of serum arachidonic acid to eicosapentaenoic acid and the presence of depressive symptoms in a general Japanese population: the Hisayama Study	J Affect Disord	237	73-79	2018
10	Furuta Y, Hata J, Mukai N, Hirakawa Y, Ago T, Kitazono T, Kiyohara Y, Ninomiya T	Secular trends in the incidence, risk factors, and prognosis of transient ischemic attack in Japan: the Hisayama Study	Atherosclerosis	273	84-90	2018

11	Takae K, Hata J, Ohara T, Yoshida D, Shibata M, Mukai N, Hirakawa Y, Kishimoto H, Tsuruya K, Kitazono T, Kiyohara Y, Ninomiya T	Albuminuria increases the risks for both Alzheimer disease and vascular dementia in community-dwelling Japanese elderly: the Hisayama Study	J Am Heart Assoc	7	pii: e006693	2018
12	Iida M, Ikeda F, Hata J, Hirakawa Y, Ohara T, Mukai N, Yoshida D, Yonemoto K, Esaki M, Kitazono T, Kiyohara Y, Ninomiya T	Development and validation of a risk assessment tool for gastric cancer in a general Japanese population	Gastric Cancer	21	383-390	2018
13	Satoh M, Murakami T, Asayama K, Hirose T, Kikuya M, Inoue R, Tsubota-Utsugi M, Murakami K, Matsuda A, Hara A, Obara T, Kawasaki R, Nomura K, Metoki H, Node K, Imai Y, Ohkubo T	N-Terminal pro-B-Type natriuretic peptide is not a significant predictor of stroke incidence after 5 years -the Ohasama study-.	Circ J	82	2055-2062	2018
14	Satoh M, Asayama K, Kikuya M, Inoue R, Tsubota-Utsugi M, Obara T, Murakami K, Matsuda A, Murakami T, Nomura K, Metoki H, Imai Y, Ohkubo T	Nocturnal blood pressure decline based on different time intervals and long-term cardiovascular risk: the Ohasama Study.	Clin Exp Hypertens	40	1-7	2018
15	Saito S, Ohi T, Murakami T, Komiyama T, Miyoshi Y, Endo K, Satoh M, Asayama K, Inoue R, Kikuya M, Metoki H, Imai Y, Ohkubo T, Hattori Y	Association between tooth loss and cognitive impairment in community-dwelling older Japanese adults: a 4-year prospective cohort study from the Ohasama study.	BMC Oral Health	18	142	2018

16	Yang WY, Thijs L, Zhang ZY, Asayama K, Boggia J, Hansen TW, Ohkubo T, Jeppesen J, Stolarz-Skrzypek K, Malyutina S, Casiglia E, Nikitin Y, Li Y, Wang JG, Imai Y, Kawecka-Jaszcz K, O'Brien E, Staessen JA	Evidence-based proposal for the number of ambulatory readings required for assessing blood pressure level in research settings: an analysis of the IDACO database.	Blood Pressure.	27	341-350	2018
17	Ikehara S, Iso H, Maruyama K, Ukawa S, Tamakoshi A	Television viewing time, walking time, and risk of type 2 diabetes in Japanese men and women: The Japan Collaborative Cohort Study.	Prev Med	118	220-225	2019
18	Cui R, Iso H, Eshak ES, Maruyama K, Tamakoshi A	Water intake from foods and beverages and risk of mortality from CVD: the Japan Collaborative Cohort (JACC) Study.	Public Health Nutr	21(16)	3011-3017	2018
19	Gero K, Iso H, Kitamura A, Yamagishi K, Yatsuya H, Tamakoshi A.	Cardiovascular disease mortality in relation to physical activity during adolescence and adulthood in Japan: Does school-based sport club participation matter?	Prev Med	113	102-108	2018
20	Ohira T, Iso H, Yamagishi K, Tamakoshi A	Fish Intake and Death From Pulmonary Embolisms Among Japanese Men and Women - The Japan Collaborative Cohort (JACC) Study.	Circ J	82(8)	2063-2070	2018
21	Eshak ES, Iso H, Yamagishi K, Maruyama K, Umesawa M, Tamakoshi A.	Associations between copper and zinc intakes from diet and mortality from cardiovascular disease in a large population-based prospective cohort study.	J Nutr Biochem	56	126-132	2018

22	Yasukawa S, Eguchi E, Ogino K, Tamakoshi A, Iso H.	"Ikigai", Subjective Wellbeing, as a Modifier of the Parity-Cardiovascular Mortality Association - The Japan Collaborative Cohort Study.	Circ J	82(5)	1302-1308	2018
23	Eshak ES, Iso H, Yamagishi K, Cui R, Tamakoshi A.	Dietary intakes of fat soluble vitamins as predictors of mortality from heart failure in a large prospective cohort study.	Nutrition	47	50-55	2018
24	Sheerah HA, Eshak ES, Cui R, Imano H, Iso H, Tamakoshi A	Relationship Between Dietary Vitamin D and Deaths From Stroke and Coronary Heart Disease: The Japan Collaborative Cohort Study.	Stroke	49(2)	454-457	2018
25	Ma E, Iso H, Yamagishi K, Ando M, Wakai K, Tamakoshi A.	Dietary Antioxidant Micronutrients and All-Cause Mortality: The Japan Collaborative Cohort Study for Evaluation of Cancer Risk.	J Epidemiol	28(9)	388-396	2018
26	Okada E, Nakamura K, Ukawa S, Wakai K, Date C, Iso H, Tamakoshi A.	The Japanese food score and risk of all-cause, CVD and cancer mortality: the Japan Collaborative Cohort Study.	Br J Nutr	120(4)	464-471	2018
27	Kokubo Y, Watanabe M, Higashiyama A, Nakao YM, Nakamura F, Miyamoto Y.	Impact of Intima-Media Thickness Progression in the Common Carotid Arteries on the Risk of Incident Cardiovascular Disease in the Suita Study	J Am Heart Assoc.	7	e007720	2018
28	Ogata S, Watanabe M, Kokubo Y, Higashiyama A, Nakao YM, Takegami M, Nishimura K, Nakai M, Kiyoshige E, Hosoda K, Okamura T, Miyamoto .	Longitudinal Trajectories of Fasting Plasma Glucose and Risks of Cardiovascular Diseases in Middle Age to Elderly People Within the General Japanese Population: The Suita Study	J Am Heart Assoc.	8	e010628	2018

29	斎藤重幸	わが国の糖尿病のトレンド	日本循環器病 予防学会誌	53	211- 219	2018
30	斎藤重幸	糖尿病	腎と透析	85	228- 233	2018
31	Furuhashi M, Yuda S, Muranaka A, Kawamukai M, Matsumoto M, Tanaka M, Moniwa N, Ohnishi H, MD, Saitoh D, Shimamoto K, Miura T.	Circulating Fatty Acid- Binding Protein 4 Concentration Predicts the Progression of Carotid Atherosclerosis in a General Population Without Medication	<i>Circ J</i>	82	1121 – 1129	2018
32	Furuhashi M, Matsumoto M, Tanaka M, Moniwa N, Murase T, Nakamura Ohnishi T, H, MD, Saitoh D, Shimamoto K, Miura T	Plasma Xanthine Oxidoreductase Activity as a Novel Biomarker of Metabolic Disorders in a General Population.	<i>Circ J</i>	82	1892 – 1899	2018
33	Zhang S, Tomata Y, Newson RB, Sugawara Y, Tsuji I.	Combined healthy lifestyle behaviours and incident disability in an elderly population: the Ohsaki Cohort 2006 Study.	Journal of Epidemiology & Community Health	72(8)	679- 684	2018
34	Otsuka T, Tomata Y, Zhang S, Sugiyama K, Tanji F, Sugawara Y, Tsuji I.	Association between social participation and incident risk of functional disability in elderly Japanese: The Ohsaki Cohort 2006.	Journal of Psychosomati c Research	111	36-41	2018
35	Lu Y, Sugawara Y, Zhang S, Tomata Y, Tsuji I.	Changes in Sleep Duration and the Risk of Incident Dementia in the Elderly Japanese: the Ohsaki Cohort 2006 Study.	Sleep	41(3)	zsy143	2018
36	Tanji F, Tomata Y, Zhang S, Otsuka T, Tsuji I.	Psychological distress and completed suicide in Japan: A comparison of the impact of moderate and severe psychological distress.	Preventive Medicine	116	99-103	2018
37	Sone T, Nakaya N, Tomata Y, Tsuji I.	Risk of psychological distress in partners with functional disability among older Japanese adults.	Geriatrics & Gerontology International	18(5)	775- 782	2018

38	Sone T, Nakaya N, Tomata Y, Tsuji I.	Functional disability among partners and community activity in elderly Japanese: The Ohsaki Cohort 2006 Study.	Archives of Gerontology and Geriatrics	78	150-154	2018
39	Wakamatsu M, Sugawara Y, Zhang S, Tanji F, Tomata Y, Tsuji I.	Weight change since age 20 and incident risk of obesity-related cancer in Japan: A pooled analysis of the Miyagi Cohort Study and the Ohsaki Cohort Study.	International Journal of Cancer	144(5)	967-980	2019
40	Nakaya N, Sone T, Tomata Y, Nakaya K, Hoshi M, Shimizu K, Tsuji I.	All-cause mortality among Japanese whose cohabiting partners are diagnosed with cancer: the Ohsaki Cohort 2006 study.	Acta Oncologica	Epub ahead of print		
41	Tanaka K, Tanaka F, Onoda T, Tanno K, Ohsawa M, Sakata K, Omama S, Ogasawara K, Ishibashi Y, Itai K, Kuribayashi T, Okayama A, Nakamura M	Prognostic Value of Electrocardiographic Left Ventricular Hypertrophy on Cardiovascular Risk in a Non-Hypertensive Community-Based Population.	Am J Hypertens.	31(8)	895-901.	2018
42	Komi R, Tanaka F, Omama S, Ishibashi Y, Tanno K, Onoda T, Ohsawa M, Tanaka K, Okayama A, Nakamura M	Burden of high blood pressure as a contributing factor to stroke in the Japanese community-based diabetic population.	Hypertens Res.	41(7)	531-538	2018
43	Takahashi S, Tanaka F, Yonekura Y, Tanno K, Ohsawa M, Sakata K, Koshiyama M, Okayama A, Nakamura M.	The urine albumin-creatinine ratio is a predictor for incident long-term care in a general population.	PLoS One.	13(3)	e0195013	2018

44	Watanabe J, Kakehi E, Kotani K, Kayaba K, Nakamura Y, Ishikawa S.	Metabolic syndrome is a risk factor for cancer mortality in the general Japanese population: the Jichi Medical School Cohort Study.	Diabetology & Metabolic Syndrome	9-Jan	11:03	2019
45	Ishikawa J, Hirose H, Schwartz JE, Ishikawa S	Minor Electrocardiographic ST-T Change and Risk of Stroke in the General Japanese Population.	Circulation Journal	82	1797-1804	2018
46	Inker LA, Grams ME, Levey AS, Coresh J, Cirillo M, Collins JF, Gansevoort RT, Gutierrez OM, Hamano T, Heine GH, Ishikawa S, Jee SH, Kronenberg F, Landray MJ, Miura K, Nadkarni GN, Peralta CA, Rothenbacher D, Schaeffner E, Sedaghat S, Shlipak MG, Zhang L, van Zuilten AD, Hallan SI, Kovesdy CP, Woodward M, Levin A	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium.	American Journal of Kidney Disease	73	206-217	2018
47	○Tatsukawa Y, Misumi M, Kim YM, Yamada M, Ohishi W, Fujiwara S, Nakanishi S, Yoneda M.	Body composition and development of diabetes: A 15-year follow-up study in a Japanese population.	Eur J Clin Nutr	72(3)	374-380	2018
48	○Shimizu M, Misumi M, Yamada M, Ohishi W, Yamamoto H, Kihara Y.	Choice reaction time and grip strength as predictors of cardiovascular mortality in middle-aged and elderly Japanese: from the Radiation Effects Research Foundation Adult Health Study.	Intern Med J.	48(11)	1331-1336	2018

49	Kaneko K, Yatsuya H, Li Y, Uemura M, Chiang C, Hirakawa Y, Ota A, Tamakoshi K, Aoyama A.	Association of gamma-glutamyl transferase and alanine aminotransferase with type 2 diabetes mellitus incidence in middle-aged Japanese men: 12-year follow up.	Journal of Diabetes Investigation		DOI: 10.1111/jdi.12930	2018
50	Li Y, Yatsuya H, Hanibuchi T, Hirakawa Y, Ota A, Uemura M, Chiang C, Otsuka R, Murata C, Tamakoshi K, Toyoshima H, Aoyama A.	The association between objective measures of residence and worksite neighborhood environment, and self-reported leisure-time physical activities: The Aichi Workers' Cohort Study.	Preventive Medicine Reports	11	282-289	2018
51	Yatsuya H, Li Y, Hirakawa Y, Ota A, Matsunaga M, Haregot HE, Chiang C, Zhang Y, Tamakoshi K, Toyoshima H, Aoyama A.	A Point System for Predicting 10-Year Risk of Developing Type 2 Diabetes Mellitus in Japanese Men: Aichi Workers' Cohort Study.	Journal of Epidemiology	28(8)	347-352	2018
52	村上義孝	EPOCH-JAPAN	腎と透析	85	176-182	2018