

研究業績 目録

【研究開発分担者・大須賀穰】

(2018年)

1. Yoshida M, Taguchi A, Yoshida M, Taguchi A, Kawana K, Ogishima J, Adachi K, Kawata A, Nakamura H, Sato M, Fujimoto A, Inoue T, Tomio K, Mori M, Nagamatsu T, Arimoto T, Koga K, Hiraike OW, Oda K, Kiyono T, Osuga Y, Fujii T. Intraperitoneal neutrophils activated by KRAS-induced ovarian cancer exert antitumor effects by modulating adaptive immunity. *Int J Oncol*. 2018 Oct;53(4):1580-1590. doi: 10.3892/ijo.2018.4504.
2. Takahashi N, Harada M, Tanabe R, Takayanagi A, Izumi G, Oi N, Hirata T, Wada-Hiraike O, Fujii T, Osuga Y. Factors associated with successful pregnancy in women of late reproductive age with uterine fibroids who undergo embryo cryopreservation before surgery. *J Obstet Gynaecol Res*. 2018 Jul 13. doi: 10.1111/jog.13754. [Epub ahead of print]
3. Nagamatsu T, Fujii T, Schust DJ, Tsuchiya N, Tokita Y, Hoya M, Akiba N, Iriyama T, Kawana K, Osuga Y, Fujii T. Tokishakuyakusan, a traditional Japanese medicine (Kampo) mitigates iNKT cell-mediated pregnancy loss in mice. *Am J Reprod Immunol*. 2018 Jul 12:e13021. doi: 10.1111/aji.13021. [Epub ahead of print]
4. Katoh Y, Seyama T, Mimura N, Furuya H, Nakayama T, Iriyama T, Nagamatsu T, Osuga Y, Fujii T. Elevation of maternal serum sFlt-1 in pregnancy with mirror syndrome caused by fetal cardiac failure. *Oxf Med Case Reports*. 2018 Mar 28;2018(3):omx112. doi: 10.1093/omcr/omx112. eCollection 2018 Mar.
5. Matsumoto L, Hirota Y, Saito-Fujita T, Takeda N, Tanaka T, Hiraoka T, Akaeda S, Fujita H, Shimizu-Hirota R, Igaue S, Matsuo M, Haraguchi H, Saito-Kanatani M, Fujii T, Osuga Y. HIF2 α in the uterine stroma permits embryo invasion and luminal epithelium detachment. *J Clin Invest*. 2018 Jul 2;128(7):3186-3197. doi: 10.1172/JCI98931. Epub 2018 Jun 18.
6. Kanda R, Hiraike H, Wada-Hiraike O, Ichinose T, Nagasaka K, Sasajima Y, Ryo E, Fujii T, Osuga Y, Ayabe T. Expression of the glucagon-like peptide-1 receptor and its role in regulating autophagy in endometrial cancer. *BMC Cancer*. 2018 Jun 15;18(1):657. doi: 10.1186/s12885-018-4570-8.
7. Hirata T, Koga K, Johnson TA, Morino R, Nakazono K, Kamitsuji S, Akita M, Kawajiri M, Kami A, Hoshi Y, Tada A, Ishikawa K, Hine M, Kobayashi M, Kurume N, Fujii T, Kamatani N, Osuga Y. Japanese GWAS identifies variants for bust-size, dysmenorrhea, and menstrual fever that are eQTLs for relevant protein-coding or long non-coding RNAs. *Sci Rep*. 2018 May 31;8(1):8502. doi: 10.1038/s41598-018-25065-9.
8. Neriishi K, Hirata T, Fukuda S, Izumi G, Nakazawa A, Yamamoto N, Harada M, Hirota Y, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. Long-term dienogest administration in patients with symptomatic adenomyosis. *J Obstet Gynaecol Res*. 2018 Aug;44(8):1439-1444. doi: 10.1111/jog.13674. Epub 2018 May 29.
9. Ono Y, Nagai M, Yoshino O, Koga K, Nawaz A, Hatta H, Nishizono H, Izumi G, Nakashima A, Imura J, Tobe K, Fujii T, Osuga Y, Saito S. CD11c+ M1-like macrophages (M Φ s) but not CD206+ M2-like M Φ are involved in folliculogenesis in mice ovary. *Sci Rep*. 2018 May 25;8(1):8171. doi: 10.1038/s41598-018-25837-3.
10. Fukuda S, Hirata T, Neriishi K, Nakazawa A, Takamura M, Izumi G, Harada M, Hirota Y, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. Thoracic endometriosis syndrome: Comparison between catamenial pneumothorax or endometriosis-related pneumothorax and catamenial hemoptysis. *Eur J Obstet Gynecol Reprod Biol*. 2018 Jun;225:118-123. doi: 10.1016/j.ejogrb.2018.04.021. Epub 2018 Apr 20.
11. Sato M, Taguchi A, Fukui Y, Kawata A, Taguchi S, Kashiyama T, Eguchi S, Inoue T, Tomio K, Tanikawa M, Sone K, Mori M, Nagasaka K, Adachi K, Ikemura M, Domoto Y, Arimoto T, Oda K, Fukayama M, Osuga Y, Fujii T. Blood Vessel Invasion Is a Strong Predictor of Postoperative Recurrence in Endometrial Cancer. *Int J Gynecol Cancer*. 2018 Jun;28(5):875-881. doi: 10.1097/IGC.0000000000001262.
12. Toshimitsu M, Kamei Y, Ichinose M, Seyama T, Imada S, Iriyama T, Fujii T. Atomoxetine, a selective norepinephrine reuptake inhibitor, improves short-term histological outcomes after hypoxic-ischemic brain injury in the neonatal male rat. *Int J Dev Neurosci*. 2018 Mar 30. pii: S0736-5748(17)30328-3. doi: 10.1016/j.ijdevneu.2018.03.011. [Epub ahead of print]
13. Nose-Ogura S, Harada M, Hiraike O, Osuga Y, Fujii T. Management of the female athlete triad. *J Obstet Gynaecol Res*. 2018 Jun;44(6):1007-1014. doi: 10.1111/jog.13614. Epub 2018 Apr 2. PMID: 29607594
14. Nakamura H, Taguchi A, Kawana K, Baba S, Kawata A, Yoshida M, Fujimoto A, Ogishima J, Sato M, Inoue T, Nishida H, Furuya H, Yamashita A, Eguchi S, Tomio K, Mori-Uchino M, Adachi K, Arimoto T, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. Therapeutic significance of targeting survivin in cervical cancer and possibility of combination therapy with TRAIL. *Oncotarget*. 2018 Feb 5;9(17):13451-13461. doi: 10.18632/oncotarget.24413. eCollection 2018 Mar 2.
15. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Komatsu A, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. Detachment from the primary site and suspension in ascites as the initial step in metabolic reprogramming and metastasis to the omentum in ovarian cancer. *Oncol Lett*. 2018 Jan;15(1):1357-1361. doi: 10.3892/ol.2017.7388.
16. Hoya M, Nagamatsu T, Fujii T, Schust DJ, Oda H, Akiba N, Iriyama T, Kawana K, Osuga Y, Fujii T. Impact of Th1/Th2 cytokine polarity induced by invariant NKT cells on the incidence of pregnancy loss in mice. *Am J Reprod Immunol*. 2018 Mar;79(3). doi: 10.1111/aji.12813.

17. Seyama T, Kamei Y, Iriyama T, Imada S, Ichinose M, Toshimitsu M, Fujii T, Asou H. Pretreatment with magnesium sulfate attenuates white matter damage by preventing cell death of developing oligodendrocytes. *J Obstet Gynaecol Res.* 2018 Apr;44(4):601-607. doi: 10.1111/jog.
18. Izumi G, Koga K, Takamura M, Makabe T, Satake E, Takeuchi A, Taguchi A, Urata Y, Fujii T, Osuga Y. Involvement of immune cells in the pathogenesis of endometriosis. *J Obstet Gynaecol Res.* 2018 Feb;44(2):191-198. doi: 10.1111/jog.
(2017年)
19. Targeting glutamine metabolism and the focal adhesion kinase additively inhibits the mammalian target of the rapamycin pathway in spheroid cancer stem-like properties of ovarian clear cell carcinoma in vitro. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Int J Oncol.* 2017 Apr;50(4):1431-1438. doi: 10.3892/ijo.2017.3891.
20. PAI-1 in granulosa cells is suppressed directly by statin and indirectly by suppressing TGF- β and TNF- α in mononuclear cells by insulin-sensitizing drugs. Yamada-Nomoto K, Yoshino O, Akiyama I, Iwase A, Ono Y, Nakamura T, Harada M, Nakashima A, Shima T, Ushijima A, Osuga Y, Chang RJ, Shimasaki S, Saito S. *Am J Reprod Immunol.* 2017 Mar 24. doi: 10.1111/aji.12669.
21. Peripartum type B aortic dissection in patients with Marfan syndrome who underwent aortic root replacement: a case series study. Sayama S, Takeda N, Iriyama T, Inuzuka R, Maemura S, Fujita D, Yamauchi H, Nawata K, Bougaki M, Hyodo H, Shitara R, Nakayama T, Komatsu A, Nagamatsu T, Osuga Y, Fujii T. *BJOG.* 2017 Mar 11. doi: 10.1111/1471-0528.14635.
22. Low uptake of fluorodeoxyglucose in positron emission tomography/computed tomography in ovarian clear cell carcinoma may reflect glutaminolysis of its cancer stem cell-like properties. Sato M, Kawana K, Adachi K, Fujimoto A, Taguchi A, Fujikawa T, Yoshida M, Nakamura H, Nishida H, Inoue T, Ogishima J, Eguchi S, Yamashita A, Tomio K, Arimoto T, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Oncol Rep.* 2017 Mar;37(3):1883-1888. doi: 10.3892/or.2017.5398.
23. Preoperative assessment of factors associated with difficulty in performing total laparoscopic hysterectomy. Saito A, Hirata T, Koga K, Takamura M, Fukuda S, Neriishi K, Pastorfide G, Harada M, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y. *J Obstet Gynaecol Res.* 2017 Feb;43(2):320-329. doi: 10.1111/jog.13198.
24. Oral contraceptive therapy reduces serum relaxin-2 in elite female athletes. Nose-Ogura S, Yoshino O, Yamada-Nomoto K, Nakamura M, Harada M, Dohi M, Okuwaki T, Osuga Y, Kawahara T, Saito S. *J Obstet Gynaecol Res.* 2017 Mar;43(3):530-535. doi: 10.1111/jog.13226.
25. Adenomyosis and adverse perinatal outcomes: increased risk of second trimester miscarriage, preeclampsia, and placental malposition. Hashimoto A, Iriyama T, Sayama S, Nakayama T, Komatsu A, Miyauchi A, Nishii O, Nagamatsu T, Osuga Y, Fujii T. *J Matern Fetal Neonatal Med.* 2017 Feb 9:1-6. doi: 10.1080/14767058.2017.1285895.
26. Drospirenone reduces inflammatory cytokines, vascular endothelial growth factor (VEGF) and nerve growth factor (NGF) expression in human endometriotic stromal cells. Makabe T, Koga K, Miyashita M, Takeuchi A, Sue F, Taguchi A, Urata Y, Izumi G, Takamura M, Harada M, Hirata T, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y. *J Reprod Immunol.* 2017 Feb;119:44-48. doi: 10.1016/j.jri.2016.12.002.
27. A case of a surviving co-twin diagnosed with porencephaly and renal hypoplasia after a single intrauterine fetal death at 21 weeks of gestation in a monochorionic monoamniotic twin pregnancy. Machino H, Iriyama T, Nakayama T, Komatsu A, Nagamatsu T, Osuga Y, Fujii T. *Oxf Med Case Reports.* 2017 Jan 17;2017(1):omw096. doi: 10.1093/omcr/omw096.
28. A Potential Role for Endoplasmic Reticulum Stress in Progesterone Deficiency in Obese Women. Takahashi N, Harada M, Hirota Y, Zhao L, Azhary JM, Yoshino O, Izumi G, Hirata T, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. *Endocrinology.* 2017 Jan 1;158(1):84-97. doi: 10.1210/en.2016-1511.
29. Dienogest reduces proliferation, NGF expression and nerve fiber density in human adenomyosis. Takeuchi A, Koga K, Miyashita M, Makabe T, Sue F, Harada M, Hirata T, Hirota Y, Fujii T, Osuga Y. *Eur J Obstet Gynecol Reprod Biol.* 2016 Dec;207:157-161. doi: 10.1016/j.ejogrb.2016.10.053.
30. Mannose receptor is highly expressed by peritoneal dendritic cells in endometriosis. Izumi G, Koga K, Takamura M, Makabe T, Nagai M, Urata Y, Harada M, Hirata T, Hirota Y, Fujii T, Osuga Y. *Fertil Steril.* 2017 Jan;107(1):167-173.e2. doi: 10.1016/j.fertnstert.2016.09.036.

本提案に関連する学会発表、研究開発の実施を通じた政策提言(寄与した指針又はガイドライン)

1. 厚生労働科学研究費補助金 難治性疾患克服研究事業 「総排泄腔遺残存症における生殖機能の実態調査：生殖機能保持・向上のための治療方針の作成に向けて」
難病情報センター (<http://www.nanbyou.or.jp/entry/4588>) 総排泄腔遺残(指定難病293)のガイドライン作成に研究代表者として寄与
2. AMED 委託研究開発 革新的がん医療実用化研究事業 生殖機能温存がん治療法の革新的発展にむけた総合的プラットフォームの形成 「がん・生殖医療ハンドブック」(メディカ出版)刊行(平成28~30年)
3. 産婦人科内視鏡手術ガイドライン 2018(作成委員)日本産科婦人科内視鏡学会編集

【研究開発分担者・藤井知行】

(2018年)

1. Yoshida M, Taguchi A Yoshida M, Taguchi A, Kawana K, Ogishima J, Adachi K, Kawata A, Nakamura H, Sato M, Fujimoto A, Inoue T, Tomio K, Mori M, Nagamatsu T, Arimoto T, Koga K, Hiraike OW, Oda K, Kiyono T, Osuga Y, Fujii T. Intraperitoneal neutrophils activated by KRAS-induced ovarian cancer exert antitumor effects by modulating adaptive immunity. *Int J Oncol*. 2018 Oct;53(4):1580-1590. doi: 10.3892/ijo.2018.4504.
2. Takahashi N, Harada M, Tanabe R, Takayanagi A, Izumi G, Oi N, Hirata T, Wada-Hiraike O, Fujii T, Osuga Y. Factors associated with successful pregnancy in women of late reproductive age with uterine fibroids who undergo embryo cryopreservation before surgery. *J Obstet Gynaecol Res*. 2018 Jul 13. doi: 10.1111/jog.13754. [Epub ahead of print]
3. Nagamatsu T, Fujii T, Schust DJ, Tsuchiya N, Tokita Y, Hoya M, Akiba N, Iriyama T, Kawana K, Osuga Y, Fujii T. Tokishakuyakusan, a traditional Japanese medicine (Kampo) mitigates iNKT cell-mediated pregnancy loss in mice. *Am J Reprod Immunol*. 2018 Jul 12:e13021. doi: 10.1111/aji.13021. [Epub ahead of print]
4. Katoh Y, Seyama T, Mimura N, Furuya H, Nakayama T, Iriyama T, Nagamatsu T, Osuga Y, Fujii T. Elevation of maternal serum sFlt-1 in pregnancy with mirror syndrome caused by fetal cardiac failure. *Oxf Med Case Reports*. 2018 Mar 28;2018(3):omx112. doi: 10.1093/omcr/omx112. eCollection 2018 Mar.
5. Matsumoto L, Hirota Y, Saito-Fujita T, Takeda N, Tanaka T, Hiraoka T, Akaeda S, Fujita H, Shimizu-Hirota R, Igaue S, Matsuo M, Haraguchi H, Saito-Kanatani M, Fujii T, Osuga Y. HIF2 α in the uterine stroma permits embryo invasion and luminal epithelium detachment. *J Clin Invest*. 2018 Jul 2;128(7):3186-3197. doi: 10.1172/JCI98931. Epub 2018 Jun 18.
6. Kanda R, Hiraike H, Wada-Hiraike O, Ichinose T, Nagasaka K, Sasajima Y, Ryo E, Fujii T, Osuga Y, Ayabe T. Expression of the glucagon-like peptide-1 receptor and its role in regulating autophagy in endometrial cancer. *BMC Cancer*. 2018 Jun 15;18(1):657. doi: 10.1186/s12885-018-4570-8.
7. Hirata T, Koga K, Johnson TA, Morino R, Nakazono K, Kamitsuji S, Akita M, Kawajiri M, Kami A, Hoshi Y, Tada A, Ishikawa K, Hine M, Kobayashi M, Kurume N, Fujii T, Kamatani N, Osuga Y. Japanese GWAS identifies variants for bust-size, dysmenorrhea, and menstrual fever that are eQTLs for relevant protein-coding or long non-coding RNAs. *Sci Rep*. 2018 May 31;8(1):8502. doi: 10.1038/s41598-018-25065-9.
8. Neriishi K, Hirata T, Fukuda S, Izumi G, Nakazawa A, Yamamoto N, Harada M, Hirota Y, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. Long-term dienogest administration in patients with symptomatic adenomyosis. *J Obstet Gynaecol Res*. 2018 Aug;44(8):1439-1444. doi: 10.1111/jog.13674. Epub 2018 May 29.
9. Ono Y, Nagai M, Yoshino O, Koga K, Nawaz A, Hatta H, Nishizono H, Izumi G, Nakashima A, Imura J, Tobe K, Fujii T, Osuga Y, Saito S. CD11c+ M1-like macrophages (M Φ s) but not CD206+ M2-like M Φ are involved in folliculogenesis in mice ovary. *Sci Rep*. 2018 May 25;8(1):8171. doi: 10.1038/s41598-018-25837-3.
10. Fukuda S, Hirata T, Neriishi K, Nakazawa A, Takamura M, Izumi G, Harada M, Hirota Y, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. Thoracic endometriosis syndrome: Comparison between catamenial pneumothorax or endometriosis-related pneumothorax and catamenial hemoptysis. *Eur J Obstet Gynecol Reprod Biol*. 2018 Jun;225:118-123. doi: 10.1016/j.ejogrb.2018.04.021. Epub 2018 Apr 20.
11. Sato M, Taguchi A, Fukui Y, Kawata A, Taguchi S, Kashiyama T, Eguchi S, Inoue T, Tomio K, Tanikawa M, Sone K, Mori M, Nagasaka K, Adachi K, Ikemura M, Domoto Y, Arimoto T, Oda K, Fukayama M, Osuga Y, Fujii T. Blood Vessel Invasion Is a Strong Predictor of Postoperative Recurrence in Endometrial Cancer. *Int J Gynecol Cancer*. 2018 Jun;28(5):875-881. doi: 10.1097/IGC.0000000000001262.
12. Toshimitsu M, Kamei Y, Ichinose M, Seyama T, Imada S, Iriyama T, Fujii T. Atomoxetine, a selective norepinephrine reuptake inhibitor, improves short-term histological outcomes after hypoxic-ischemic brain injury in the neonatal male rat. *Int J Dev Neurosci*. 2018 Mar 30. pii: S0736-5748(17)30328-3. doi: 10.1016/j.ijdevneu.2018.03.011. [Epub ahead of print]
13. Nose-Ogura S, Harada M, Hiraike O, Osuga Y, Fujii T. Management of the female athlete triad. *J Obstet Gynaecol Res*. 2018 Jun;44(6):1007-1014. doi: 10.1111/jog.13614. Epub 2018 Apr 2. PMID: 29607594
14. Nakamura H, Taguchi A, Kawana K, Baba S, Kawata A, Yoshida M, Fujimoto A, Ogishima J, Sato M, Inoue T, Nishida H, Furuya H, Yamashita A, Eguchi S, Tomio K, Mori-Uchino M, Adachi K, Arimoto T, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. Therapeutic significance of targeting survivin in cervical cancer and possibility of combination therapy with TRAIL. *Oncotarget*. 2018 Feb 5;9(17):13451-13461. doi: 10.18632/oncotarget.24413. eCollection 2018 Mar 2.
15. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Komatsu A, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. Detachment from the primary site and suspension in ascites as the initial step in metabolic reprogramming and metastasis to the omentum in ovarian cancer. *Oncol Lett*. 2018 Jan;15(1):1357-1361. doi: 10.3892/ol.2017.7388.
16. Hoya M, Nagamatsu T, Fujii T, Schust DJ, Oda H, Akiba N, Iriyama T, Kawana K, Osuga Y, Fujii T. Impact of Th1/Th2 cytokine polarity induced by invariant NKT cells on the incidence of pregnancy loss in mice. *Am J Reprod Immunol*. 2018 Mar;79(3). doi: 10.1111/aji.12813.
17. Seyama T, Kamei Y, Iriyama T, Imada S, Ichinose M, Toshimitsu M, Fujii T, Asou H. Pretreatment with magnesium sulfate attenuates white matter damage by preventing cell death of developing oligodendrocytes. *J Obstet Gynaecol Res*. 2018 Apr;44(4):601-607. doi: 10.1111/jog.

18. Izumi G, Koga K, Takamura M, Makabe T, Satake E, Takeuchi A, Taguchi A, Urata Y, Fujii T, Osuga Y. Involvement of immune cells in the pathogenesis of endometriosis. *J Obstet Gynaecol Res.* 2018 Feb;44(2):191-198. doi: 10.1111/jog.
(2017年)
19. Targeting glutamine metabolism and the focal adhesion kinase additively inhibits the mammalian target of the rapamycin pathway in spheroid cancer stem-like properties of ovarian clear cell carcinoma in vitro. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Int J Oncol.* 2017 Apr;50(4):1431-1438. doi: 10.3892/ijo.2017.3891.
20. Prediction of sustained fetal toxicity induced by ketoprofen based on PK/PD analysis using human placental perfusion and rat toxicity data. Tanaka S, Kanagawa T, Momma K, Hori S, Satoh H, Nagamatsu T, Fujii T, Kimura T, Sawada Y. *Br J Clin Pharmacol.* 2017 Nov;83(11):2503-2516. doi: 10.1111/bcp.13352.
21. Japanese Congenital Cytomegalovirus Study Group. Newborn Congenital Cytomegalovirus Screening Based on Clinical Manifestations and Evaluation of DNA-based Assays for In Vitro Diagnostics. Fujii T, Oka A, Morioka I, Moriuchi H, Koyano S, Yamada H, Saito S, Sameshima H, Nagamatsu T, Tsuchida S, Inoue N. *Pediatr Infect Dis J.* 2017 Oct;36(10):942-946. doi: 10.1097/INF.0000000000001630.
22. Quantitative prediction of fetal plasma concentration of fluvoxamine during dosage-tapering to the mother. Matsuoka S, Hori S, Satoh H, Nagamatsu T, Fujii T, Sawada Y. *Placenta.* 2017 Oct;58:74-81. doi: 10.1016/j.placenta.2017.08.010. Epub 2017 Aug 24.
23. PAI-1 in granulosa cells is suppressed directly by statin and indirectly by suppressing TGF- β and TNF- α in mononuclear cells by insulin-sensitizing drugs. Yamada-Nomoto K, Yoshino O, Akiyama I, Iwase A, Ono Y, Nakamura T, Harada M, Nakashima A, Shima T, Ushijima A, Osuga Y, Chang RJ, Shimasaki S, Saito S. *Am J Reprod Immunol.* 2017 Mar 24. doi: 10.1111/aji.12669.
24. Peripartum type B aortic dissection in patients with Marfan syndrome who underwent aortic root replacement: a case series study. Sayama S, Takeda N, Iriyama T, Inuzuka R, Maemura S, Fujita D, Yamauchi H, Nawata K, Bougaki M, Hyodo H, Shitara R, Nakayama T, Komatsu A, Nagamatsu T, Osuga Y, Fujii T. *BJOG.* 2017 Mar 11. doi: 10.1111/1471-0528.14635.
25. Low uptake of fluorodeoxyglucose in positron emission tomography/computed tomography in ovarian clear cell carcinoma may reflect glutaminolysis of its cancer stem cell-like properties. Sato M, Kawana K, Adachi K, Fujimoto A, Taguchi A, Fujikawa T, Yoshida M, Nakamura H, Nishida H, Inoue T, Ogishima J, Eguchi S, Yamashita A, Tomio K, Arimoto T, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Oncol Rep.* 2017 Mar;37(3):1883-1888. doi: 10.3892/or.2017.5398.
26. Preoperative assessment of factors associated with difficulty in performing total laparoscopic hysterectomy. Saito A, Hirata T, Koga K, Takamura M, Fukuda S, Neriishi K, Pastorfide G, Harada M, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y. *J Obstet Gynaecol Res.* 2017 Feb;43(2):320-329. doi: 10.1111/jog.13198.
27. Oral contraceptive therapy reduces serum relaxin-2 in elite female athletes. Nose-Ogura S, Yoshino O, Yamada-Nomoto K, Nakamura M, Harada M, Dohi M, Okuwaki T, Osuga Y, Kawahara T, Saito S. *J Obstet Gynaecol Res.* 2017 Mar;43(3):530-535. doi: 10.1111/jog.13226.
28. Adenomyosis and adverse perinatal outcomes: increased risk of second trimester miscarriage, preeclampsia, and placental malposition. Hashimoto A, Iriyama T, Sayama S, Nakayama T, Komatsu A, Miyauchi A, Nishii O, Nagamatsu T, Osuga Y, Fujii T. *J Matern Fetal Neonatal Med.* 2017 Feb 9:1-6. doi: 10.1080/14767058.2017.1285895.
29. Drospirenone reduces inflammatory cytokines, vascular endothelial growth factor (VEGF) and nerve growth factor (NGF) expression in human endometriotic stromal cells. Makabe T, Koga K, Miyashita M, Takeuchi A, Sue F, Taguchi A, Urata Y, Izumi G, Takamura M, Harada M, Hirata T, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y. *J Reprod Immunol.* 2017 Feb;119:44-48. doi: 10.1016/j.jri.2016.12.002.
30. A case of a surviving co-twin diagnosed with porencephaly and renal hypoplasia after a single intrauterine fetal death at 21 weeks of gestation in a monochorionic monoamniotic twin pregnancy. Machino H, Iriyama T, Nakayama T, Komatsu A, Nagamatsu T, Osuga Y, Fujii T. *Oxf Med Case Reports.* 2017 Jan 17;2017(1):omw096. doi: 10.1093/omcr/omw096.
31. A Potential Role for Endoplasmic Reticulum Stress in Progesterone Deficiency in Obese Women. Takahashi N, Harada M, Hirota Y, Zhao L, Azhary JM, Yoshino O, Izumi G, Hirata T, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. *Endocrinology.* 2017 Jan 1;158(1):84-97. doi: 10.1210/en.2016-1511.

【研究開発分担者・五十嵐中】

Suwa K, Flores NM, Yoshikawa R, Goto R, Vietri J, Igarashi A. *J Med Econ.* 2017 Sep;20(9):938-944. doi: 10.1080/13696998.2017.1352507

1. Economic impact of adalimumab treatment in Japanese patients with rheumatoid arthritis from the adalimumab non-interventional trial for up-verified effects and utility (ANOUEAU) study. Tanaka Y, Yamazaki K, Nakajima R, Komatsu S, Igarashi A, Tango T, Takeuchi T. *Mod Rheumatol.* 2017 Jul 13:1-9. doi: 10.1080/14397595.2017.1341459
2. Impact of Adalimumab on Work Productivity and Activity Impairment in Japanese Patients with Rheumatoid Arthritis: Large-

Scale, Prospective, Single-Cohort ANOUVEAU Study.

Takeuchi T, Nakajima R, Komatsu S, Yamazaki K, Nakamura T, Agata N, Igarashi A, Tango T, Tanaka Y. *Adv Ther.* 2017 Mar;34(3):686-702. doi: 10.1007/s12325-017-0477-z.

3. Cost-utility analysis of ledipasvir/sofosbuvir for the treatment of genotype 1 chronic hepatitis C in Japan. Igarashi A, Tang W, Guerra I, Marié L, Cure S, Lopresti M. *Curr Med Res Opin.* 2017 Jan;33(1):11-21.
4. Cost-utility analysis of sofosbuvir for the treatment of genotype 2 chronic hepatitis C in Japan. Igarashi A, Tang W, Cure S, Guerra I, Marié L, Lopresti M, Tsutani K. *Curr Med Res Opin.* 2017 Jan;33(1):1-10
5. A cost-utility analysis for catheter ablation of atrial fibrillation in combination with warfarin and dabigatran based on the CHADS2 score in Japan. Kimura T, Igarashi A, Ikeda S, Nakajima K, Kashimura S, Kunitomi A, Katsumata Y, Nishiyama T, Nishiyama N, Fukumoto K, Tanimoto Y, Aizawa Y, Fukuda K, Takatsuki S. *J Cardiol.* 2017 Jan;69(1):89-97. doi: 10.1016/j.jjcc.2016.01.008
6. Attitudes towards passive smoking at restaurants and effects of the provision of information: A comparison between smokers and non-smokers via a web survey. Yoshikawa R, Igarashi A, Goto R, Suwa K. *Nihon Koshu Eisei Zasshi.* 2017;64(8):422-432. doi: 10.11236/jph.64.8_422.

【研究開発分担者・後藤励】

1. Cost analysis of leuprorelin acetate in Japanese pre-menopausal breast-cancer patients: comparison between 6-month and 3-month depot formulations. Goto R, Uda A, Hiroi S, Iwasaki K, Takashima K, Kurebayashi J. *J Med Econ.* 2017 Nov;20(11):1163-1169. doi: 10.1080/13696998.2017.1364647.
2. Cost analysis of leuprorelin acetate in Japanese prostate cancer patients: comparison between 6-month and 3-month depot formulations. Goto R, Uda A, Hiroi S, Iwasaki K, Takashima K, Oya M. *J Med Econ.* 2017 Nov;20(11):1155-1162. doi: 10.1080/13696998.2017.1362410.
3. Examining the association of smoking with work productivity and associated costs in Japan. Suwa K, Flores NM, Yoshikawa R, Goto R, Vietri J, Igarashi A. *J Med Econ.* 2017 Sep;20(9):938-944. doi: 10.1080/13696998.2017.1352507
4. Effect of reducing cost sharing for outpatient care on children's inpatient services in Japan. Kato H, Goto R. *Health Econ Rev.* 2017 Aug 15;7(1):28. doi: 10.1186/s13561-017-0165-3.
5. Does lack of resources impair access to breast and cervical cancer screening in Japan? Sano H, Goto R, Hamashima C. *PLoS One.* 2017 Jul 13;12(7):e0180819. doi: 10.1371/journal.pone.0180819.
6. Fukushima after the Great East Japan Earthquake: lessons for developing responsive and resilient health systems. Fukuma S, Ahmed S, Goto R, Inui TS, Atun R, Fukuhara S. *J Glob Health.* 2017 Jun;7(1):010501. doi: 10.7189/jogh.07.010501.
7. Attitudes towards passive smoking at restaurants and effects of the provision of information: A comparison between smokers and non-smokers via a web survey. Yoshikawa R, Igarashi A, Goto R, Suwa K. *Nihon Koshu Eisei Zasshi.* 2017;64(8):422-432. doi: 10.11236/jph.64.8_422.
8. 佐野洋史, 後藤励, 村上正泰, 柿原浩明 (2017) へき地の勤務条件に対する大都市の内科系勤務医の選好 日本労働研究雑誌 680, 86-101.

【研究開発分担者・杉森裕樹】

(2018年)

1. Ishibashi M, Soeda S, Sasaki M, Handa H, Imai Y, Tanaka N, Tanosaki S, Ito S, Odajima T, Sugimori H, Asayama T, Sunakawa M, Kaito Y, Kinoshita R, Kuribayashi Y, Onodera A, Moriya K, Tanaka J, Tsukune Y, Komatsu N, Inokuchi K, Tamura H. Clinical impact of serum soluble SLAMF7 in multiple myeloma. *Oncotarget.* 2018 Oct 5;9(78):34784-34793.

(2017年)

1. Tsukune Y, Sasaki M, Odajima T, Sunami K, Takei T, Moriuchi Y, Iino M, Isoda A, Nakaya A, Muta T, Miyake T, Miyazaki K, Shimizu T, Nakajima K, Igarashi A, Nagafuji K, Kurihara T, Aoyama T, Sugimori H, Komatsu N. Incidence and risk factors of hepatitis B virus reactivation in patients with multiple myeloma in an era with novel agents: a nationwide retrospective study in Japan. *Blood Cancer J.* 2017 Nov 23;7(12):631.

2. Yamamoto M, Doi H, Yamamoto K, Watanabe K, Sato T, Suka M, Nakayama T, Sugimori H. Adaptation of the European Commission-recommended user testing method to patient medication information leaflets in Japan. *Drug Healthc Patient Saf.* 2017 Jun 14;9:39-63.
3. Takura T, Yoshimatsu M, Sugimori H, Takizawa K, Furumatsu Y, Ikeda H, Kato H, Ogawa Y, Hamaguchi S, Fujikawa A, Satoh T, Nakajima Y. Cost-Effectiveness Analysis of Percutaneous Vertebroplasty for Osteoporotic Compression Fractures. *Clin Spine Surg.* 2017; 30(3): E205-E210.

【研究開発分担者・平池修】

(2018年)

1. Yoshida M, Taguchi A, Yoshida M, Taguchi A, Kawana K, Ogishima J, Adachi K, Kawata A, Nakamura H, Sato M, Fujimoto A, Inoue T, Tomio K, Mori M, Nagamatsu T, Arimoto T, Koga K, Hiraie OW, Oda K, Kiyono T, Osuga Y, Fujii T. Intraperitoneal neutrophils activated by KRAS-induced ovarian cancer exert antitumor effects by modulating adaptive immunity. *Int J Oncol.* 2018 Oct;53(4):1580-1590. doi: 10.3892/ijo.2018.4504.
2. Takahashi N, Harada M, Tanabe R, Takayanagi A, Izumi G, Oi N, Hirata T, Wada-Hiraie O, Fujii T, Osuga Y. Factors associated with successful pregnancy in women of late reproductive age with uterine fibroids who undergo embryo cryopreservation before surgery. *J Obstet Gynaecol Res.* 2018 Jul 13. doi: 10.1111/jog.13754. [Epub ahead of print]
3. Kanda R, Hiraie H, Wada-Hiraie O, Ichinose T, Nagasaka K, Sasajima Y, Ryo E, Fujii T, Osuga Y, Ayabe T. Expression of the glucagon-like peptide-1 receptor and its role in regulating autophagy in endometrial cancer. *BMC Cancer.* 2018 Jun 15;18(1):657. doi: 10.1186/s12885-018-4570-8.
4. Neriishi K, Hirata T, Fukuda S, Izumi G, Nakazawa A, Yamamoto N, Harada M, Hirota Y, Koga K, Wada-Hiraie O, Fujii T, Osuga Y. Long-term dienogest administration in patients with symptomatic adenomyosis. *J Obstet Gynaecol Res.* 2018 Aug;44(8):1439-1444. doi: 10.1111/jog.13674. Epub 2018 May 29.
5. Fukuda S, Hirata T, Neriishi K, Nakazawa A, Takamura M, Izumi G, Harada M, Hirota Y, Koga K, Wada-Hiraie O, Fujii T, Osuga Y. Thoracic endometriosis syndrome: Comparison between catamenial pneumothorax or endometriosis-related pneumothorax and catamenial hemoptysis. *Eur J Obstet Gynecol Reprod Biol.* 2018 Jun;225:118-123. doi: 10.1016/j.ejogrb.2018.04.021. Epub 2018 Apr 20.
6. Sato M, Taguchi A, Fukui Y, Kawata A, Taguchi S, Kashiyama T, Eguchi S, Inoue T, Tomio K, Tanikawa M, Sone K, Mori M, Nagasaka K, Adachi K, Ikemura M, Domoto Y, Arimoto T, Oda K, Fukayama M, Osuga Y, Fujii T. Blood Vessel Invasion Is a Strong Predictor of Postoperative Recurrence in Endometrial Cancer. *Int J Gynecol Cancer.* 2018 Jun;28(5):875-881. doi: 10.1097/IGC.0000000000001262.
7. Nose-Ogura S, Harada M, Hiraie O, Osuga Y, Fujii T. Management of the female athlete triad. *J Obstet Gynaecol Res.* 2018 Jun;44(6):1007-1014. doi: 10.1111/jog.13614. Epub 2018 Apr 2. PMID: 29607594
8. Nakamura H, Taguchi A, Kawana K, Baba S, Kawata A, Yoshida M, Fujimoto A, Ogishima J, Sato M, Inoue T, Nishida H, Furuya H, Yamashita A, Eguchi S, Tomio K, Mori-Uchino M, Adachi K, Arimoto T, Wada-Hiraie O, Oda K, Nagamatsu T, Osuga Y, Fujii T. Therapeutic significance of targeting survivin in cervical cancer and possibility of combination therapy with TRAIL. *Oncotarget.* 2018 Feb 5;9(17):13451-13461. doi: 10.18632/oncotarget.24413. eCollection 2018 Mar 2.
9. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Komatsu A, Wada-Hiraie O, Oda K, Nagamatsu T, Osuga Y, Fujii T. Detachment from the primary site and suspension in ascites as the initial step in metabolic reprogramming and metastasis to the omentum in ovarian cancer. *Oncol Lett.* 2018 Jan;15(1):1357-1361. doi: 10.3892/ol.2017.7388.

(2017年)

1. A Potential Role for Endoplasmic Reticulum Stress in Progesterone Deficiency in Obese Women. Takahashi N, Harada M, Hirota Y, Zhao L, Azhary JM, Yoshino O, Izumi G, Hirata T, Koga K, Wada-Hiraie O, Fujii T, Osuga Y. *Endocrinology.* 2017 Jan 1;158(1):84-97.
2. Drospirenone reduces inflammatory cytokines, vascular endothelial growth factor (VEGF) and nerve growth factor (NGF) expression in human endometriotic stromal cells. Makabe T, Koga K, Miyashita M, Takeuchi A, Sue F, Taguchi A, Urata Y, Izumi G, Takamura M, Harada M, Hirata T, Hirota Y, Wada-Hiraie O, Fujii T, Osuga Y. *J Reprod Immunol.* 2017 Feb;119:44-48.
3. Low uptake of fluorodeoxyglucose in positron emission tomography/computed tomography in ovarian clear cell carcinoma may reflect glutaminolysis of its cancer stem cell-like properties. Sato M, Kawana K, Adachi K, Fujimoto A, Taguchi A, Fujikawa T, Yoshida M, Nakamura H, Nishida H, Inoue T, Ogishima J, Eguchi S, Yamashita A, Tomio K, Arimoto T, Wada-Hiraie O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Oncol Rep.* 2017 Mar;37(3):1883-1888.
4. Preoperative assessment of factors associated with difficulty in performing total laparoscopic hysterectomy. Saito A, Hirata T, Koga K, Takamura M, Fukuda S, Neriishi K, Pastorfide G, Harada M, Hirota Y, Wada-Hiraie O, Fujii T, Osuga Y. *J Obstet Gynaecol Res.* 2017 Feb;43(2):320-329

5. Targeting glutamine metabolism and the focal adhesion kinase additively inhibits the mammalian target of the rapamycin pathway in spheroid cancer stem-like properties of ovarian clear cell carcinoma in vitro. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Int J Oncol*. 2017 Apr;50(4):1431-1438.
6. Regeneration of cervical reserve cell-like cells from human induced pluripotent stem cells (iPSCs): A new approach to finding targets for cervical cancer stem cell treatment. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Oncotarget*. 2017 Jun 20;8(25):40935-40945.
7. Activation of Nrf2 might reduce oxidative stress in human granulosa cells. Akino N, Wada-Hiraike O, Terao H, Honjoh H, Isono W, Fu H, Hirano M, Miyamoto Y, Tanikawa M, Harada M, Hirata T, Hirota Y, Koga K, Oda K, Kawana K, Fujii T, Osuga Y. *Mol Cell Endocrinol*. 2017 Oct 4. pii: S0303-7207(17)30522-1. doi: 10.1016/j.mce.2017.10.002.
8. Activation of Endoplasmic Reticulum Stress in Granulosa Cells from Patients with Polycystic Ovary Syndrome Contributes to Ovarian Fibrosis. Takahashi N, Harada M, Hirota Y, Nose E, Azhary JM, Koike H, Kunitomi C, Yoshino O, Izumi G, Hirata T, Koga K, Wada-Hiraike O, Chang RJ, Shimasaki S, Fujii T, Osuga Y. *Sci Rep*. 2017 Sep 7;7(1):10824.
9. Intracellular signaling entropy can be a biomarker for predicting the development of cervical intraepithelial neoplasia. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *PLoS One*. 2017 Apr 28;12(4):e0176353.
10. Oncogenic histone methyltransferase EZH2: A novel prognostic marker with therapeutic potential in endometrial cancer. Oki S, Sone K, Oda K, Hamamoto R, Ikemura M, Maeda D, Takeuchi M, Tanikawa M, Mori-Uchino M, Nagasaka K, Miyasaka A, Kashiwama T, Ikeda Y, Arimoto T, Kuramoto H, Wada-Hiraike O, Kawana K, Fukayama M, Osuga Y, Fujii T. *Oncotarget*. 2017 Jun 20;8(25):40402-40411.

本提案に関連する学会発表、研究開発の実施を通じた政策提言(寄与した指針又はガイドライン)

1. ホルモン補充療法ガイドライン 2017 (作成委員) 日本産科婦人科学会 女性ヘルスケア委員会内 HRT ガイドライン 2017 年度版改訂小委員会編集
2. 産婦人科内視鏡手術ガイドライン 2018 (作成委員) 日本産科婦人科内視鏡学会編集