

研究業績 目録

【研究開発代表者・藤井知行】

(2018年)

1. Yoshida M, Taguchi A, Yoshida M, Taguchi A, Kawana K, Ogishima J, Adachi K, Kawata A, Nakamura H, Sato M, Fujimoto A, Inoue T, Tomio K, Mori M, Nagamatsu T, Arimoto T, Koga K, Hiraike OW, Oda K, Kiyono T, Osuga Y, Fujii T. Intraperitoneal neutrophils activated by KRAS-induced ovarian cancer exert antitumor effects by modulating adaptive immunity. *Int J Oncol*. 2018 Oct;53(4):1580-1590. doi: 10.3892/ijo.2018.4504.
2. Takahashi N, Harada M, Tanabe R, Takayanagi A, Izumi G, Oi N, Hirata T, Wada-Hiraike O, Fujii T, Osuga Y. Factors associated with successful pregnancy in women of late reproductive age with uterine fibroids who undergo embryo cryopreservation before surgery. *J Obstet Gynaecol Res*. 2018 Jul 13. doi: 10.1111/jog.13754. [Epub ahead of print]
3. Nagamatsu T, Fujii T, Schust DJ, Tsuchiya N, Tokita Y, Hoya M, Akiba N, Iriyama T, Kawana K, Osuga Y, Fujii T. Tokishakuyakusan, a traditional Japanese medicine (Kampo) mitigates iNKT cell-mediated pregnancy loss in mice. *Am J Reprod Immunol*. 2018 Jul 12:e13021. doi: 10.1111/aji.13021. [Epub ahead of print]
4. Katoh Y, Seyama T, Mimura N, Furuya H, Nakayama T, Iriyama T, Nagamatsu T, Osuga Y, Fujii T. Elevation of maternal serum sFlt-1 in pregnancy with mirror syndrome caused by fetal cardiac failure. *Oxf Med Case Reports*. 2018 Mar 28;2018(3):omx112. doi: 10.1093/omcr/omx112. eCollection 2018 Mar.
5. Matsumoto L, Hirota Y, Saito-Fujita T, Takeda N, Tanaka T, Hiraoka T, Akaeda S, Fujita H, Shimizu-Hirota R, Igaue S, Matsuo M, Haraguchi H, Saito-Kanatani M, Fujii T, Osuga Y. HIF2 α in the uterine stroma permits embryo invasion and luminal epithelium detachment. *J Clin Invest*. 2018 Jul 2;128(7):3186-3197. doi: 10.1172/JCI98931. Epub 2018 Jun 18.
6. Kanda R, Hiraike H, Wada-Hiraike O, Ichinose T, Nagasaka K, Sasajima Y, Ryo E, Fujii T, Osuga Y, Ayabe T. Expression of the glucagon-like peptide-1 receptor and its role in regulating autophagy in endometrial cancer. *BMC Cancer*. 2018 Jun 15;18(1):657. doi: 10.1186/s12885-018-4570-8.
7. Hirata T, Koga K, Johnson TA, Morino R, Nakazono K, Kamitsuji S, Akita M, Kawajiri M, Kami A, Hoshi Y, Tada A, Ishikawa K, Hine M, Kobayashi M, Kurume N, Fujii T, Kamatani N, Osuga Y. Japanese GWAS identifies variants for bust-size, dysmenorrhea, and menstrual fever that are eQTLs for relevant protein-coding or long non-coding RNAs. *Sci Rep*. 2018 May 31;8(1):8502. doi: 10.1038/s41598-018-25065-9.
8. Neriishi K, Hirata T, Fukuda S, Izumi G, Nakazawa A, Yamamoto N, Harada M, Hirota Y, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. Long-term dienogest administration in patients with symptomatic adenomyosis. *J Obstet Gynaecol Res*. 2018 Aug;44(8):1439-1444. doi: 10.1111/jog.13674. Epub 2018 May 29.
9. Ono Y, Nagai M, Yoshino O, Koga K, Nawaz A, Hatta H, Nishizono H, Izumi G, Nakashima A, Imura J, Tobe K, Fujii T, Osuga Y, Saito S. CD11c⁺ M1-like macrophages (M Φ s) but not CD206⁺ M2-like M Φ are involved in folliculogenesis in mice ovary. *Sci Rep*. 2018 May 25;8(1):8171. doi: 10.1038/s41598-018-25837-3.
10. Fukuda S, Hirata T, Neriishi K, Nakazawa A, Takamura M, Izumi G, Harada M, Hirota Y, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. Thoracic endometriosis syndrome: Comparison between catamenial pneumothorax or endometriosis-related pneumothorax and catamenial hemoptysis. *Eur J Obstet Gynecol Reprod Biol*. 2018 Jun;225:118-123. doi: 10.1016/j.ejogrb.2018.04.021. Epub 2018 Apr 20.
11. Sato M, Taguchi A, Fukui Y, Kawata A, Taguchi S, Kashiyama T, Eguchi S, Inoue T, Tomio K, Tanikawa M, Sone K, Mori M, Nagasaka K, Adachi K, Ikemura M, Domoto Y, Arimoto T, Oda K, Fukayama M, Osuga Y, Fujii T. Blood Vessel Invasion Is a Strong Predictor of Postoperative Recurrence in Endometrial Cancer. *Int J Gynecol Cancer*. 2018 Jun;28(5):875-881. doi: 10.1097/IGC.0000000000001262.
12. Toshimitsu M, Kamei Y, Ichinose M, Seyama T, Imada S, Iriyama T, Fujii T. Atomoxetine, a selective norepinephrine reuptake inhibitor, improves short-term histological outcomes after hypoxic-ischemic brain injury in the neonatal male rat. *Int J Dev Neurosci*. 2018 Mar 30. pii: S0736-5748(17)30328-3. doi: 10.1016/j.ijdevneu.2018.03.011. [Epub ahead of print]
13. Nose-Ogura S, Harada M, Hiraike O, Osuga Y, Fujii T. Management of the female athlete triad. *J Obstet Gynaecol Res*. 2018 Jun;44(6):1007-1014. doi: 10.1111/jog.13614. Epub 2018 Apr 2. PMID: 29607594
14. Nakamura H, Taguchi A, Kawana K, Baba S, Kawata A, Yoshida M, Fujimoto A, Ogishima J, Sato M, Inoue T, Nishida H, Furuya H, Yamashita A, Eguchi S, Tomio K, Mori-Uchino M, Adachi K, Arimoto T, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. Therapeutic significance of targeting survivin in cervical cancer and possibility of combination therapy with TRAIL. *Oncotarget*. 2018 Feb 5;9(17):13451-13461. doi: 10.18632/oncotarget.24413. eCollection 2018 Mar 2.
15. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Komatsu A, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. Detachment from the primary site and suspension in ascites as the initial step in metabolic reprogramming and metastasis to the omentum in ovarian cancer. *Oncol Lett*. 2018 Jan;15(1):1357-1361. doi: 10.3892/ol.2017.7388.
16. Hoya M, Nagamatsu T, Fujii T, Schust DJ, Oda H, Akiba N, Iriyama T, Kawana K, Osuga Y, Fujii T. Impact of Th1/Th2 cytokine polarity induced by invariant NKT cells on the incidence of pregnancy loss in mice. *Am J Reprod Immunol*. 2018 Mar;79(3). doi: 10.1111/aji.12813.

17. Seyama T, Kamei Y, Iriyama T, Imada S, Ichinose M, Toshimitsu M, Fujii T, Asou H. Pretreatment with magnesium sulfate attenuates white matter damage by preventing cell death of developing oligodendrocytes. *J Obstet Gynaecol Res.* 2018 Apr;44(4):601-607. doi: 10.1111/jog.
18. Izumi G, Koga K, Takamura M, Makabe T, Satake E, Takeuchi A, Taguchi A, Urata Y, Fujii T, Osuga Y. Involvement of immune cells in the pathogenesis of endometriosis. *J Obstet Gynaecol Res.* 2018 Feb;44(2):191-198. doi: 10.1111/jog.
(2017年)
19. Targeting glutamine metabolism and the focal adhesion kinase additively inhibits the mammalian target of the rapamycin pathway in spheroid cancer stem-like properties of ovarian clear cell carcinoma in vitro. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Int J Oncol.* 2017 Apr;50(4):1431-1438. doi: 10.3892/ijo.2017.3891.
20. Prediction of sustained fetal toxicity induced by ketoprofen based on PK/PD analysis using human placental perfusion and rat toxicity data. Tanaka S, Kanagawa T, Momma K, Hori S, Satoh H, Nagamatsu T, Fujii T, Kimura T, Sawada Y. *Br J Clin Pharmacol.* 2017 Nov;83(11):2503-2516. doi: 10.1111/bcp.13352.
21. Japanese Congenital Cytomegalovirus Study Group. Newborn Congenital Cytomegalovirus Screening Based on Clinical Manifestations and Evaluation of DNA-based Assays for In Vitro Diagnostics. Fujii T, Oka A, Morioka I, Moriuchi H, Koyano S, Yamada H, Saito S, Sameshima H, Nagamatsu T, Tsuchida S, Inoue N. *Pediatr Infect Dis J.* 2017 Oct;36(10):942-946. doi: 10.1097/INF.0000000000001630.
22. Quantitative prediction of fetal plasma concentration of fluvoxamine during dosage-tapering to the mother. Matsuoka S, Hori S, Satoh H, Nagamatsu T, Fujii T, Sawada Y. *Placenta.* 2017 Oct;58:74-81. doi: 10.1016/j.placenta.2017.08.010. Epub 2017 Aug 24.
23. PAI-1 in granulosa cells is suppressed directly by statin and indirectly by suppressing TGF- β and TNF- α in mononuclear cells by insulin-sensitizing drugs. Yamada-Nomoto K, Yoshino O, Akiyama I, Iwase A, Ono Y, Nakamura T, Harada M, Nakashima A, Shima T, Ushijima A, Osuga Y, Chang RJ, Shimasaki S, Saito S. *Am J Reprod Immunol.* 2017 Mar 24. doi: 10.1111/aji.12669.
24. Peripartum type B aortic dissection in patients with Marfan syndrome who underwent aortic root replacement: a case series study. Sayama S, Takeda N, Iriyama T, Inuzuka R, Maemura S, Fujita D, Yamauchi H, Nawata K, Bougaki M, Hyodo H, Shitara R, Nakayama T, Komatsu A, Nagamatsu T, Osuga Y, Fujii T. *BJOG.* 2017 Mar 11. doi: 10.1111/1471-0528.14635.
25. Low uptake of fluorodeoxyglucose in positron emission tomography/computed tomography in ovarian clear cell carcinoma may reflect glutaminolysis of its cancer stem cell-like properties. Sato M, Kawana K, Adachi K, Fujimoto A, Taguchi A, Fujikawa T, Yoshida M, Nakamura H, Nishida H, Inoue T, Ogishima J, Eguchi S, Yamashita A, Tomio K, Arimoto T, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Oncol Rep.* 2017 Mar;37(3):1883-1888. doi: 10.3892/or.2017.5398.
26. Preoperative assessment of factors associated with difficulty in performing total laparoscopic hysterectomy. Saito A, Hirata T, Koga K, Takamura M, Fukuda S, Neriishi K, Pastorfide G, Harada M, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y. *J Obstet Gynaecol Res.* 2017 Feb;43(2):320-329. doi: 10.1111/jog.13198.
27. Oral contraceptive therapy reduces serum relaxin-2 in elite female athletes. Nose-Ogura S, Yoshino O, Yamada-Nomoto K, Nakamura M, Harada M, Dohi M, Okuwaki T, Osuga Y, Kawahara T, Saito S. *J Obstet Gynaecol Res.* 2017 Mar;43(3):530-535. doi: 10.1111/jog.13226.
28. Adenomyosis and adverse perinatal outcomes: increased risk of second trimester miscarriage, preeclampsia, and placental malposition. Hashimoto A, Iriyama T, Sayama S, Nakayama T, Komatsu A, Miyauchi A, Nishii O, Nagamatsu T, Osuga Y, Fujii T. *J Matern Fetal Neonatal Med.* 2017 Feb 9:1-6. doi: 10.1080/14767058.2017.1285895.
29. Drospirenone reduces inflammatory cytokines, vascular endothelial growth factor (VEGF) and nerve growth factor (NGF) expression in human endometriotic stromal cells. Makabe T, Koga K, Miyashita M, Takeuchi A, Sue F, Taguchi A, Urata Y, Izumi G, Takamura M, Harada M, Hirata T, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y. *J Reprod Immunol.* 2017 Feb;119:44-48. doi: 10.1016/j.jri.2016.12.002.
30. A case of a surviving co-twin diagnosed with pencephaly and renal hypoplasia after a single intrauterine fetal death at 21 weeks of gestation in a monochorionic monoamniotic twin pregnancy. Machino H, Iriyama T, Nakayama T, Komatsu A, Nagamatsu T, Osuga Y, Fujii T. *Oxf Med Case Reports.* 2017 Jan 17;2017(1):omw096. doi: 10.1093/omcr/omw096.
31. A Potential Role for Endoplasmic Reticulum Stress in Progesterone Deficiency in Obese Women. Takahashi N, Harada M, Hirota Y, Zhao L, Azhary JM, Yoshino O, Izumi G, Hirata T, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. *Endocrinology.* 2017 Jan 1;158(1):84-97. doi: 10.1210/en.2016-1511.

【研究開発分担者・大須賀穰】

(2018年)

1. Yoshida M, Taguchi A, Yoshida M, Taguchi A, Kawana K, Ogishima J, Adachi K, Kawata A, Nakamura H, Sato M, Fujimoto A, Inoue T, Tomio K, Mori M, Nagamatsu T, Arimoto T, Koga K, Hiraike OW, Oda K, Kiyono T, Osuga Y, Fujii T. Intraperitoneal neutrophils activated by KRAS-induced ovarian cancer exert antitumor effects by modulating adaptive immunity. *Int J Oncol.* 2018 Oct;53(4):1580-1590. doi: 10.3892/ijo.2018.4504.

2. Takahashi N, Harada M, Tanabe R, Takayanagi A, Izumi G, Oi N, Hirata T, Wada-Hiraike O, Fujii T, Osuga Y. Factors associated with successful pregnancy in women of late reproductive age with uterine fibroids who undergo embryo cryopreservation before surgery. *J Obstet Gynaecol Res.* 2018 Jul 13. doi: 10.1111/jog.13754. [Epub ahead of print]
3. Nagamatsu T, Fujii T, Schust DJ, Tsuchiya N, Tokita Y, Hoya M, Akiba N, Iriyama T, Kawana K, Osuga Y, Fujii T. Tokishakuyakusan, a traditional Japanese medicine (Kampo) mitigates iNKT cell-mediated pregnancy loss in mice. *Am J Reprod Immunol.* 2018 Jul 12:e13021. doi: 10.1111/aji.13021. [Epub ahead of print]
4. Katoh Y, Seyama T, Mimura N, Furuya H, Nakayama T, Iriyama T, Nagamatsu T, Osuga Y, Fujii T. Elevation of maternal serum sFlt-1 in pregnancy with mirror syndrome caused by fetal cardiac failure. *Oxf Med Case Reports.* 2018 Mar 28;2018(3):omx112. doi: 10.1093/omcr/omx112. eCollection 2018 Mar.
5. Matsumoto L, Hirota Y, Saito-Fujita T, Takeda N, Tanaka T, Hiraoka T, Akaeda S, Fujita H, Shimizu-Hirota R, Igaue S, Matsuo M, Haraguchi H, Saito-Kanatani M, Fujii T, Osuga Y. HIF2 α in the uterine stroma permits embryo invasion and luminal epithelium detachment. *J Clin Invest.* 2018 Jul 2;128(7):3186-3197. doi: 10.1172/JCI98931. Epub 2018 Jun 18.
6. Kanda R, Hiraike H, Wada-Hiraike O, Ichinose T, Nagasaka K, Sasajima Y, Ryo E, Fujii T, Osuga Y, Ayabe T. Expression of the glucagon-like peptide-1 receptor and its role in regulating autophagy in endometrial cancer. *BMC Cancer.* 2018 Jun 15;18(1):657. doi: 10.1186/s12885-018-4570-8.
7. Hirata T, Koga K, Johnson TA, Morino R, Nakazono K, Kamitsuji S, Akita M, Kawajiri M, Kami A, Hoshi Y, Tada A, Ishikawa K, Hine M, Kobayashi M, Kurume N, Fujii T, Kamatani N, Osuga Y. Japanese GWAS identifies variants for bust-size, dysmenorrhea, and menstrual fever that are eQTLs for relevant protein-coding or long non-coding RNAs. *Sci Rep.* 2018 May 31;8(1):8502. doi: 10.1038/s41598-018-25065-9.
8. Neriishi K, Hirata T, Fukuda S, Izumi G, Nakazawa A, Yamamoto N, Harada M, Hirota Y, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. Long-term dienogest administration in patients with symptomatic adenomyosis. *J Obstet Gynaecol Res.* 2018 Aug;44(8):1439-1444. doi: 10.1111/jog.13674. Epub 2018 May 29.
9. Ono Y, Nagai M, Yoshino O, Koga K, Nawaz A, Hatta H, Nishizono H, Izumi G, Nakashima A, Imura J, Tobe K, Fujii T, Osuga Y, Saito S. CD11c⁺ M1-like macrophages (M Φ s) but not CD206⁺ M2-like M Φ are involved in folliculogenesis in mice ovary. *Sci Rep.* 2018 May 25;8(1):8171. doi: 10.1038/s41598-018-25837-3.
10. Fukuda S, Hirata T, Neriishi K, Nakazawa A, Takamura M, Izumi G, Harada M, Hirota Y, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. Thoracic endometriosis syndrome: Comparison between catamenial pneumothorax or endometriosis-related pneumothorax and catamenial hemoptysis. *Eur J Obstet Gynecol Reprod Biol.* 2018 Jun;225:118-123. doi: 10.1016/j.ejogrb.2018.04.021. Epub 2018 Apr 20.
11. Sato M, Taguchi A, Fukui Y, Kawata A, Taguchi S, Kashiyama T, Eguchi S, Inoue T, Tomio K, Tanikawa M, Sone K, Mori M, Nagasaka K, Adachi K, Ikemura M, Domoto Y, Arimoto T, Oda K, Fukayama M, Osuga Y, Fujii T. Blood Vessel Invasion Is a Strong Predictor of Postoperative Recurrence in Endometrial Cancer. *Int J Gynecol Cancer.* 2018 Jun;28(5):875-881. doi: 10.1097/IGC.0000000000001262.
12. Toshimitsu M, Kamei Y, Ichinose M, Seyama T, Imada S, Iriyama T, Fujii T. Atomoxetine, a selective norepinephrine reuptake inhibitor, improves short-term histological outcomes after hypoxic-ischemic brain injury in the neonatal male rat. *Int J Dev Neurosci.* 2018 Mar 30. pii: S0736-5748(17)30328-3. doi: 10.1016/j.ijdevneu.2018.03.011. [Epub ahead of print]
13. Nose-Ogura S, Harada M, Hiraike O, Osuga Y, Fujii T. Management of the female athlete triad. *J Obstet Gynaecol Res.* 2018 Jun;44(6):1007-1014. doi: 10.1111/jog.13614. Epub 2018 Apr 2. PMID: 29607594
14. Nakamura H, Taguchi A, Kawana K, Baba S, Kawata A, Yoshida M, Fujimoto A, Ogishima J, Sato M, Inoue T, Nishida H, Furuya H, Yamashita A, Eguchi S, Tomio K, Mori-Uchino M, Adachi K, Arimoto T, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. Therapeutic significance of targeting survivin in cervical cancer and possibility of combination therapy with TRAIL. *Oncotarget.* 2018 Feb 5;9(17):13451-13461. doi: 10.18632/oncotarget.24413. eCollection 2018 Mar 2.
15. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Komatsu A, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. Detachment from the primary site and suspension in ascites as the initial step in metabolic reprogramming and metastasis to the omentum in ovarian cancer. *Oncol Lett.* 2018 Jan;15(1):1357-1361. doi: 10.3892/ol.2017.7388.
16. Hoya M, Nagamatsu T, Fujii T, Schust DJ, Oda H, Akiba N, Iriyama T, Kawana K, Osuga Y, Fujii T. Impact of Th1/Th2 cytokine polarity induced by invariant NKT cells on the incidence of pregnancy loss in mice. *Am J Reprod Immunol.* 2018 Mar;79(3). doi: 10.1111/aji.12813.
17. Seyama T, Kamei Y, Iriyama T, Imada S, Ichinose M, Toshimitsu M, Fujii T, Asou H. Pretreatment with magnesium sulfate attenuates white matter damage by preventing cell death of developing oligodendrocytes. *J Obstet Gynaecol Res.* 2018 Apr;44(4):601-607. doi: 10.1111/jog.
18. Izumi G, Koga K, Takamura M, Makabe T, Satake E, Takeuchi A, Taguchi A, Urata Y, Fujii T, Osuga Y. Involvement of immune cells in the pathogenesis of endometriosis. *J Obstet Gynaecol Res.* 2018 Feb;44(2):191-198. doi: 10.1111/jog.
(2017 年)
19. Targeting glutamine metabolism and the focal adhesion kinase additively inhibits the mammalian target of the rapamycin pathway in spheroid cancer stem-like properties of ovarian clear cell carcinoma in vitro. Sato M, Kawana K, Adachi K,

- Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Int J Oncol.* 2017 Apr;50(4):1431-1438. doi: 10.3892/ijo.2017.3891.
20. PAI-1 in granulosa cells is suppressed directly by statin and indirectly by suppressing TGF- β and TNF- α in mononuclear cells by insulin-sensitizing drugs. Yamada-Nomoto K, Yoshino O, Akiyama I, Iwase A, Ono Y, Nakamura T, Harada M, Nakashima A, Shima T, Ushijima A, Osuga Y, Chang RJ, Shimasaki S, Saito S. *Am J Reprod Immunol.* 2017 Mar 24. doi: 10.1111/aji.12669.
 21. Peripartum type B aortic dissection in patients with Marfan syndrome who underwent aortic root replacement: a case series study. Sayama S, Takeda N, Iriyama T, Inuzuka R, Maemura S, Fujita D, Yamauchi H, Nawata K, Bougaki M, Hyodo H, Shitara R, Nakayama T, Komatsu A, Nagamatsu T, Osuga Y, Fujii T. *BJOG.* 2017 Mar 11. doi: 10.1111/1471-0528.14635.
 22. Low uptake of fluorodeoxyglucose in positron emission tomography/computed tomography in ovarian clear cell carcinoma may reflect glutaminolysis of its cancer stem cell-like properties. Sato M, Kawana K, Adachi K, Fujimoto A, Taguchi A, Fujikawa T, Yoshida M, Nakamura H, Nishida H, Inoue T, Ogishima J, Eguchi S, Yamashita A, Tomio K, Arimoto T, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Oncol Rep.* 2017 Mar;37(3):1883-1888. doi: 10.3892/or.2017.5398.
 23. Preoperative assessment of factors associated with difficulty in performing total laparoscopic hysterectomy. Saito A, Hirata T, Koga K, Takamura M, Fukuda S, Neriishi K, Pastorfid G, Harada M, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y. *J Obstet Gynaecol Res.* 2017 Feb;43(2):320-329. doi: 10.1111/jog.13198.
 24. Oral contraceptive therapy reduces serum relaxin-2 in elite female athletes. Nose-Ogura S, Yoshino O, Yamada-Nomoto K, Nakamura M, Harada M, Dohi M, Okuwaki T, Osuga Y, Kawahara T, Saito S. *J Obstet Gynaecol Res.* 2017 Mar;43(3):530-535. doi: 10.1111/jog.13226.
 25. Adenomyosis and adverse perinatal outcomes: increased risk of second trimester miscarriage, preeclampsia, and placental malposition. Hashimoto A, Iriyama T, Sayama S, Nakayama T, Komatsu A, Miyauchi A, Nishii O, Nagamatsu T, Osuga Y, Fujii T. *J Matern Fetal Neonatal Med.* 2017 Feb 9:1-6. doi: 10.1080/14767058.2017.1285895.
 26. Drospirenone reduces inflammatory cytokines, vascular endothelial growth factor (VEGF) and nerve growth factor (NGF) expression in human endometriotic stromal cells. Makabe T, Koga K, Miyashita M, Takeuchi A, Sue F, Taguchi A, Urata Y, Izumi G, Takamura M, Harada M, Hirata T, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y. *J Reprod Immunol.* 2017 Feb;119:44-48. doi: 10.1016/j.jri.2016.12.002.
 27. A case of a surviving co-twin diagnosed with pencephaly and renal hypoplasia after a single intrauterine fetal death at 21 weeks of gestation in a monochorionic monoamniotic twin pregnancy. Machino H, Iriyama T, Nakayama T, Komatsu A, Nagamatsu T, Osuga Y, Fujii T. *Oxf Med Case Reports.* 2017 Jan 17;2017(1):omw096. doi: 10.1093/omcr/omw096.
 28. A Potential Role for Endoplasmic Reticulum Stress in Progesterone Deficiency in Obese Women. Takahashi N, Harada M, Hirota Y, Zhao L, Azhary JM, Yoshino O, Izumi G, Hirata T, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. *Endocrinology.* 2017 Jan 1;158(1):84-97. doi: 10.1210/en.2016-1511.
 29. Dienogest reduces proliferation, NGF expression and nerve fiber density in human adenomyosis. Takeuchi A, Koga K, Miyashita M, Makabe T, Sue F, Harada M, Hirata T, Hirota Y, Fujii T, Osuga Y. *Eur J Obstet Gynecol Reprod Biol.* 2016 Dec;207:157-161. doi: 10.1016/j.ejogrb.2016.10.053.
 30. Mannose receptor is highly expressed by peritoneal dendritic cells in endometriosis. Izumi G, Koga K, Takamura M, Makabe T, Nagai M, Urata Y, Harada M, Hirata T, Hirota Y, Fujii T, Osuga Y. *Fertil Steril.* 2017 Jan;107(1):167-173.e2. doi: 10.1016/j.fertnstert.2016.09.036.

本提案に関連する学会発表、研究開発の実施を通じた政策提言(寄与した指針又はガイドライン)

1. 厚生労働科学研究費補助金 難治性疾患克服研究事業 「総排泄腔遺残症における生殖機能の実態調査：生殖機能保持・向上のための治療方針の作成に向けて」
難病情報センター (<http://www.nanbyou.or.jp/entry/4588>) 総排泄腔遺残(指定難病293)のガイドライン作成に研究代表者として寄与
2. AMED 委託研究開発 革新的がん医療実用化研究事業 生殖機能温存がん治療法の革新的発展にむけた総合的プラットフォームの形成 「がん・生殖医療ハンドブック」(メディカ出版)刊行(平成28~30年)
3. 産婦人科内視鏡手術ガイドライン2018(作成委員)日本産科婦人科内視鏡学会編集

【研究開発分担者・秋下雅弘】

[2018]

1. Toyoshima K, Araki A, Tamura Y, Iritani O, Ogawa S, Kozaki K, Ebihara S, Hanyu H, Arai H, Kuzuya M, Iijima K, Sakurai T, Suzuki T, Toba K, Arai H, Akishita M, Rakugi H, Yokote K, Ito H, Awata S. Development of the Dementia Assessment Sheet for Community-based Integrated Care System 8-items, a short version of the Dementia Assessment Sheet for Community-based Integrated Care System 21-items, for the assessment of cognitive and daily functions. *Geriatr Gerontol Int.* 2018;18:1458-1462. doi: 10.1111/ggi.13512.
2. Shibasaki K, Yamada S, Akishita M, Ogawa S. Plasma Leptin Concentration and Sympathetic Nervous Activity in Older Adults With Physical Dysfunction. *J Endocr Soc.* 2018;2:1040-1049. doi: 10.1210/js.2018-00104.
3. Hashizume T, Son BK, Kojima T, Nanao-Hamai M, Asari Y, Umeda-Kameyama Y, Ogawa S, Akishita M. Sex difference in

- the association of androgens with aortic calcification. *Geriatr Gerontol Int.* 2018;18:1137-1138. doi: 10.1111/ggi.13306.
4. Shibasaki K, Asahi T, Mizobuchi K, Akishita M, Ogawa S. Rehabilitation strategy for hip fracture, focused on behavioral psychological symptoms of dementia for older people with cognitive impairment: A nationwide Japan rehabilitation database. *PLoS One.* 2018;13:e0200143. doi: 10.1371/journal.pone.0200143.
 5. Nomura K, Kojima T, Ishii S, Yonekawa T, Akishita M, Akazawa M. Identifying drug substances of screening tool for older persons' appropriate prescriptions for Japanese. *BMC Geriatr.* 2018;18:154. doi: 10.1186/s12877-018-0835-y.
 6. Shimada H, Lee S, Akishita M, Kozaki K, Iijima K, Nagai K, Ishii S, Tanaka M, Koshiba H, Tanaka T, Toba K. Effects of golf training on cognition in older adults: a randomised controlled trial. *J Epidemiol Community Health.* 2018;72:944-950. doi: 10.1136/jech-2017-210052.
 7. Akishita M, Kozaki K, Iijima K, Tanaka T, Shibasaki K, Ogawa S, Arai H. Chapter 1 Definitions and diagnosis of sarcopenia. *Geriatr Gerontol Int.* 2018;18 Suppl 1:7-12. doi: 10.1111/ggi.13311.
 8. Mori T, Kikuchi T, Umeda-Kameyama Y, Wada-Isoe K, Kojima S, Kagimura T, Kudoh C, Uchikado H, Ueki A, Yamashita M, Watabe T, Nishimura C, Tsuno N, Ueda T, Akishita M, Nakamura Y; ABC Dementia Scale Study Group. ABC Dementia Scale: A Quick Assessment Tool for Determining Alzheimer's Disease Severity. *Dement Geriatr Cogn Dis Extra.* 2018;8:85-97. doi: 10.1159/000486956.
 9. Shibasaki K, Ogawa S, Yamada S, Ouchi Y, Akishita M. Role of autonomic nervous activity, as measured by heart rate variability, on the effect of mortality in disabled older adults with low blood pressure in long-term care. *Geriatr Gerontol Int.* 2018;18:1153-1158. doi: 10.1111/ggi.13328.
 10. Yamanaka T, Hirota Y, Noguchi-Watanabe M, Tamai A, Eto M, Iijima K, Akishita M. Changes in attitude of medical students toward home care during a required 2-week home care clinical clerkship program. *Geriatr Gerontol Int.* 2018;18:655-656. doi: 10.1111/ggi.13268.
 11. Inoue H, Yamashita T, Akao M, Atarashi H, Ikeda T, Okumura K, Koretsune Y, Shimizu W, Tsutsui H, Toyoda K, Hirayama A, Yasaka M, Yamaguchi T, Akishita M, Hasebe N, Kario K, Mizokami Y, Nagata K, Nakamura M, Terauchi Y, Yamamoto T, Teramukai S, Kimura T, Kaburagi J, Takita A. Prospective observational study in elderly patients with non-valvular atrial fibrillation: Rationale and design of the All Nippon AF In the Elderly (ANAFIE) Registry. *J Cardiol.* 2018;72:300-306. doi: 10.1016/j.jjcc.2018.02.018.
 12. Suzuki Y, Sakakibara M, Shiraishi N, Hirose T, Akishita M, Kuzuya M. Prescription of potentially inappropriate medications to older adults. A nationwide survey at dispensing pharmacies in Japan. *Arch Gerontol Geriatr.* 2018;77:8-12. doi: 10.1016/j.archger.2017.12.010.
 13. Kidana K, Tatebe T, Ito K, Hara N, Kakita A, Saito T, Takatori S, Ouchi Y, Ikeuchi T, Makino M, Saido TC, Akishita M, Iwatsubo T, Hori Y, Tomita T. Loss of kallikrein-related peptidase 7 exacerbates amyloid pathology in Alzheimer's disease model mice. *EMBO Mol Med.* 2018;10. pii: e8184. doi: 10.15252/emmm.201708184.
 14. Tanaka T, Takahashi K, Hirano H, Kikutani T, Watanabe Y, Ohara Y, Furuya H, Tsuji T, Akishita M, Iijima K. Oral Frailty as a Risk Factor for Physical Frailty and Mortality in Community-Dwelling Elderly. *J Gerontol A Biol Sci Med Sci.* 2018;73:1661-1667. doi: 10.1093/gerona/glx225.
 15. Tanaka T, Takahashi K, Akishita M, Tsuji T, Iijima K. "Yubi-wakka" (finger-ring) test: A practical self-screening method for sarcopenia, and a predictor of disability and mortality among Japanese community-dwelling older adults. *Geriatr Gerontol Int.* 2018;18:224-232. doi: 10.1111/ggi.13163.
 16. Yakabe M, Ogawa S, Ota H, Iijima K, Eto M, Ouchi Y, Akishita M. Inhibition of interleukin-6 decreases atrogene expression and ameliorates tail suspension-induced skeletal muscle atrophy. *PLoS One.* 2018;13:e0191318. doi: 10.1371/journal.pone.0191318.

[2017]

1. Tanaka T, Takahashi K, Hirano H, Kikutani T, Watanabe Y, Ohara Y, Furuya H, Tsuji T, Akishita M, Iijima K. Oral Frailty as a Risk Factor for Physical Frailty and Mortality in Community-Dwelling Elderly. *J Gerontol A Biol Sci Med Sci.* 2017 Nov 17. doi: 10.1093/gerona/glx225. [Epub ahead of print]
2. Tanaka T, Takahashi K, Akishita M, Tsuji T, Iijima K. "Yubi-wakka" (finger-ring) test: A practical self-screening method for sarcopenia, and a predictor of disability and mortality among Japanese community-dwelling older adults. *Geriatr Gerontol Int.* 2017 Sep 12. doi: 10.1111/ggi.13163. [Epub ahead of print]
3. Ishii M, Yamaguchi Y, Isumi K, Ogawa S, Akishita M. Transgenic Mice Overexpressing Vitamin D Receptor (VDR) Show Anti-Inflammatory Effects in Lung Tissues. *Inflammation.* 2017;40:2012-2019. doi: 10.1007/s10753-017-0641-2.
4. Yamaguchi Y, Mori H, Ishii M, Yamaguchi K, Iijima S, Ogawa S, Akishita M. Longitudinal changes of elderly patients' wishes about artificial nutrition and hydration during end-of-life care: A pilot study in a single hospital. *Geriatr Gerontol Int.* 2017;17:2635-2637. doi: 10.1111/ggi.13140.
5. Okumura K, Lip GYH, Akao M, Tanizawa K, Fukuzawa M, Abe K, Akishita M, Yamashita T. Edoxaban for the management of elderly Japanese patients with atrial fibrillation ineligible for standard oral anticoagulant therapies: Rationale and design of the ELDERCARE-AF study. *Am Heart J.* 2017;194:99-106. doi: 10.1016/j.ahj.2017.08.017.

6. Mizokami F, Mizuno T, Mori T, Nagamatsu T, Endo H, Hirashita T, Ichino T, Akishita M, Furuta K. Clinical medication review tool for polypharmacy: Mapping approach for pharmacotherapeutic classifications. *Geriatr Gerontol Int.* 2017;17:2025-2033. doi: 10.1111/ggi.13014.
7. Ouchi Y, Rakugi H, Arai H, Akishita M, Ito H, Toba K, Kai I; Joint Committee of Japan Gerontological Society (JGLS) and Japan Geriatrics Society (JGS) on the definition and classification of the elderly. Redefining the elderly as aged 75 years and older: Proposal from the Joint Committee of Japan Gerontological Society and the Japan Geriatrics Society. *Geriatr Gerontol Int.* 2017;17:1045-1047. doi: 10.1111/ggi.13118.
8. Umeda-Kameyama Y, Ishii S, Kameyama M, Kondo K, Ochi A, Yamasoba T, Ogawa S, Akishita M. Heterogeneity of odorant identification impairment in patients with Alzheimer's Disease. *Sci Rep.* 2017;7:4798. doi: 10.1038/s41598-017-05201-7.
9. Ishii S, Kojima T, Ezawa K, Higashi K, Ikebata Y, Takehisa Y, Akishita M. The association of change in medication regimen and use of inappropriate medication based on beers criteria with adverse outcomes in Japanese long-term care facilities. *Geriatr Gerontol Int.* 2017;17:591-597. doi: 10.1111/ggi.12761 [2016].
10. Hanaoka Y, Yamaguchi Y, Yamamoto H, Ishii M, Nagase T, Kurihara H, Akishita M, Ouchi Y. In Vitro and In Vivo Anticancer Activity of Human β -Defensin-3 and Its Mouse Homolog. *Anticancer Res.* 2016;36:5999-6004.
11. Nanao-Hamai M, Son BK, Hashizume T, Ogawa S, Akishita M. Protective effects of estrogen against vascular calcification via estrogen receptor α -dependent growth arrest-specific gene 6 transactivation. *Biochem Biophys Res Commun.* 2016;480:429-435. doi: 10.1016/j.bbrc.2016.10.066.
12. Ishii S, Chang C, Tanaka T, Kuroda A, Tsuji T, Akishita M, Iijima K. The Association between Sarcopenic Obesity and Depressive Symptoms in Older Japanese Adults. *PLoS One.* 2016;11:e0162898. doi: 10.1371/journal.pone.0162898.
13. Tamiya H, Ogawa S, Ouchi Y, Akishita M. Rigid Cooperation of Per1 and Per2 proteins. *Sci Rep.* 2016;6:32769. doi: 10.1038/srep32769.
14. Kojima T, Mizukami K, Tomita N, Arai H, Ohru T, Eto M, Takeya Y, Isaka Y, Rakugi H, Sudo N, Arai H, Aoki H, Horie S, Ishii S, Iwasaki K, Takayama S, Suzuki Y, Matsui T, Mizokami F, Furuta K, Toba K, Akishita M; Working Group on Guidelines for Medical Treatment and its Safety in the Elderly. Screening Tool for Older Persons' Appropriate Prescriptions in Japanese: Report of the Japan Geriatrics Society Working Group on "Guidelines for medical treatment and its safety in the elderly". *Geriatr Gerontol Int.* 2016;16:983-1001. doi: 10.1111/ggi.12890.
15. Shibasaki K, Yamada S, Ouchi Y, Akishita M, Ogawa S. Effect of Rehabilitation on Recovery of Sympathetic Nervous Activity Measured According to Heart Rate Variability in Frail Elderly Adults. *J Am Geriatr Soc.* 2016;64:e15-6. doi: 10.1111/jgs.14214.
16. Yamaguchi Y, Mori H, Ishii M, Okamoto S, Yamaguchi K, Iijima S, Ogawa S, Ouchi Y, Akishita M. Interview- and questionnaire-based surveys on elderly patients' wishes about artificial nutrition and hydration during end-of-life care. *Geriatr Gerontol Int.* 2016;16:1204-1210. doi: 10.1111/ggi.12615.
17. Niimi A, Suzuki M, Yamaguchi Y, Ishii M, Fujimura T, Nakagawa T, Fukuhara H, Kume H, Igawa Y, Akishita M, Homma Y. Sleep Apnea and Circadian Extracellular Fluid Change as an Independent Factor for Nocturnal Polyuria. *J Urol.* 2016;196:1183-9. doi: 10.1016/j.juro.2016.04.060.
18. Kojima T, Shimada K, Terada A, Nishizawa K, Matsumoto K, Yoshimatsu Y, Akishita M. Association between polypharmacy and multiple uses of medical facilities in nursing home residents. *Geriatr Gerontol Int.* 2016;16:770-1. doi: 10.1111/ggi.12591.
19. Akiyoshi T, Ota H, Iijima K, Son BK, Kahyo T, Setou M, Ogawa S, Ouchi Y, Akishita M. A novel organ culture model of aorta for vascular calcification. *Atherosclerosis.* 2016;244:51-8. doi: 10.1016/j.atherosclerosis.2015.11.005.

【研究開発分担者・市橋香代】

本提案に関連する学会発表、研究開発の実施を通じた政策提言(寄与した指針又はガイドライン)

1. 精神科医療の普及と教育に関するガイドラインの効果に関する研究 (EGUIDEプロジェクト) 2016年より実施にコアメンバーとして寄与
2. 日本神経精神薬理学会『統合失調症薬物治療ガイド—患者さん・ご家族・支援者のために—』2018年2月公開 作成メンバー (日本神経精神薬理学会、当事者・患者家族担当/精神科医) として寄与

【研究開発分担者・菊池昭彦】

(2018年)

1. Kanasugi T, Kikuchi A, Uesugi N, Fukagawa D, Chida H, Sasaki Y, Haba G, Isurugi C, Oyama R, Sugai T, Sugiyama T: Pentalogy of Cantrell in a monozygotic twin with a giant omphalocele firmly attached to the amniotic membrane: successful prenatal diagnosis and cesarean delivery. *Congenital Anomalies* 58; 73-74, 2018

2. Chida H, Kikuchi A, Kagabu T, Obara G: Primary rectal abdominal pregnancy treated by low anterior resection. *J Reprod Med* 63; 165-167, 2018
(2017年)
3. Kanasugi T, ○Kikuchi A, Uesugi N, Fukagawa D, Chida H, Sasaki Y, Haba G, Isurugi C, Oyama R, Sugai T, Sugiyama T: Pentalogy of Cantrell in a monozygotic twin with a giant omphalocele firmly attached to the amniotic membrane: successful prenatal diagnosis and cesarean delivery. *Congenital Anomalies* (in press)
4. Chida H, Kikuchi A, Kagabu T, Obara G: Primary rectal abdominal pregnancy treated by low anterior resection. *J Reprod Med* (in press)
5. Chiba T, Maeda T, Tairabune T, Tomita T, Sanbe A, Takeda R, Kikuchi A, Kudo K: Analysis of serotonin concentrations in human milk by high-performance liquid chromatography with fluorescence detection. *Biochem Biophys Res Comm* 485:102-106, 2017
6. ○Kikuchi A: Cardiotocograms of cerebral palsy cases: important signs from the reports of The Japan Obstetric Compensation System. *Neurosonology* 30:59, 2017
7. Chida H, Kikuchi A, Kanasugi T, Isurugi C, Oyama Y, Sugiyama T: Facial expressions of fetal growth restriction and appropriate-for-gestational age fetuses assessed by four-dimensional high-definition live ultrasound. *Gynecol Obstet* 7;455, 2017
8. Sasaki Y, Kikuchi A, Murai M, Kanasugi T, Isurugi C, Oyama R, Sugiyama T: Fetal goiter associated with preconception hysterosalpingography using an oil-soluble iodinated contrast medium. *Ultrasound Obstet Gynecol* 49;275-276, 2017
9. Sasaki Y, Kikuchi A, Suga Y, Haba G, Kanasugi T, Isurugi C, Oyama R, Sugiyama T: Progressive fetal subdural hematoma associated with maternal vitamin K deficiency: prenatal diagnosis and neurologically favorable prognosis. *J Ultrasound Med* 36;1961-1963, 2017

【研究開発分担者・北中幸子】

(2017年)

1. Ohta S, Isojima T, Mizuno Y, Kato M, Mimaki M, Seki M, Sato Y, Ogawa S, Takita J, Kitanaka S, Oka A: Partial monosomy of 10p and duplication of another chromosome in two patients. *Pediatr Int.* 2017 Jan;59(1):99-102.
2. Tamura M, Isojima T, Kasama T, Mafune R, Shimoda K, Yasudo H, Tanaka H, Takahashi C, Oka A, Kitanaka S. Novel DHCR7 mutation in a case of Smith-Lemli-Opitz syndrome, showing 46,XY disorder of sex development. *Hum Genome Var.* 2017 May 11;4:17015.
3. Nakata T, Ishida R, Mihara Y, Fujii A, Inoue Y, Kusaba T, Isojima T, Harita Y, Kanda C, Kitanaka S, Tamagaki K. Steroid-resistant nephrotic syndrome as the initial presentation of nail-patella syndrome: a case of a de novo LMX1B mutation. *BMC Nephrol.* 2017 Mar 23;18(1):100.
4. Itoh M, Tomio J, Toyokawa S, Tamura M, Isojima T, Kitanaka S, Kobayashi Y. Vitamin D-deficient rickets in Japan. *Glob Pediatr Health.* 2017 Jun 1;4:2333794X17711342.
5. Tamura M, Ishizawa M, Isojima T, Özen S, Makishima M, Oka A, Kitanaka S. Functional analyses of a novel missense and other mutations of the vitamin D receptor in association with alopecia. *Sci Rep.* 2017 Jul 11;7(1):5102.

【研究開発分担者・田中栄】

主論文

1. Kobayashi H, Chang SH, Mori D, Itoh S, Hirata M, Hosaka Y, Taniguchi Y, Okada K, Mori Y, Yano F, Chung UI, Akiyama H, Kawaguchi H, Tanaka S, Saito T. Biphasic regulation of chondrocytes by RelA through induction of anti-apoptotic and catabolic target genes. *Nat Commun.* 2016 Nov 10;7:13336. doi: 10.1038/ncomms13336.

Original Articles

1. Yoshimura N, Muraki S, Oka H, Iidaka T, Kodama R, Kawaguchi H, Nakamura K, ○Tanaka S, Akune T. Is osteoporosis a predictor for future sarcopenia or vice versa? Four-year observations between the second and third ROAD study surveys. *Osteoporos Int.* 2017 Jan;28(1):189-99.
2. Yoshimura N, Muraki S, Nakamura K, ○Tanaka S. Epidemiology of the locomotive syndrome: The research on osteoarthritis/osteoporosis against disability study 2005-2015. *Mod Rheumatol.* 2017 Jan;27(1):1-7.
3. Yoshimoto T, Oka H, Katsuhira J, Fujii T, Masuda K, ○Tanaka S, Matsudaira K. Prognostic psychosocial factors for disabling low back pain in Japanese hospital workers. *PLoS One.* 2017;12(5):e0177908.
4. Yasui T, Oka H, Omata Y, Kadono Y, ○Tanaka S. Relationship between roentgenographic joint destruction in the hands and functional disorders among patients with rheumatoid arthritis. *Mod Rheumatol.* 2017 Sep;27(5):828-32.
5. Yamane S, Kyomoto M, Moro T, Hashimoto M, Takatori Y, Tanaka S, Ishihara K. Wear resistance of poly(2-methacryloyloxyethyl

- phosphorylcholine)-grafted carbon fiber reinforced poly(ether ether ketone) liners against metal and ceramic femoral heads. *J Biomed Mater Res B Appl Biomater*. 2017 May 09.
6. Yamagami R, Taketomi S, Inui H, Tahara K, Tanaka S. The role of medial meniscus posterior root tear and proximal tibial morphology in the development of spontaneous osteonecrosis and osteoarthritis of the knee. *Knee*. 2017 Mar;24(2):390-5.
 7. Watanabe K, Moro T, Kyomoto M, Saiga K, Taketomi S, Kadono Y, Takatori Y, Tanaka S, Ishihara K. The effects of presence of a backside screw hole on biotribological behavior of phospholipid polymer-grafted crosslinked polyethylene. *J Biomed Mater Res B Appl Biomater*. 2017 Mar 06.
 8. Watanabe H, Nagase Y, Tamai K, Tanaka S. Pulmonary embolism associated with upper extremity deep venous thrombosis after shoulder arthroscopy: A case report. *J Orthop Sci*. 2017 Feb 13.
 9. Tsuda Y, Tanikawa C, Miyamoto T, Hirata M, Yodsurang V, Zhang YZ, Imoto S, Yamaguchi R, Miyano S, Takayanagi H, Kawano H, Nakagawa H, Tanaka S, Matsuda K. Identification of a p53 target, CD137L, that mediates growth suppression and immune response of osteosarcoma cells. *Sci Rep*. 2017 Sep 06;7(1):10739.
 10. Tsuda Y, Nakagawa T, Shinoda Y, Kanatani A, Kawai T, Taguchi S, Yamada Y, Sawada R, Kume H, Homma Y, Tanaka S, Kawano H. Skeletal-related events and prognosis in urothelial cancer patients with bone metastasis. *Int J Clin Oncol*. 2017 Jun;22(3):548-53.
 11. Tonosu J, Oka H, Matsudaira K, Higashikawa A, Okazaki H, [Tanaka S](#). The relationship between findings on magnetic resonance imaging and previous history of low back pain. *J Pain Res*. 2017;10:47-52.
 12. Teraguchi M, Yoshimura N, Hashizume H, Yamada H, Oka H, Minamide A, Nagata K, Ishimoto Y, Kagotani R, Kawaguchi H, [Tanaka S](#), Akune T, Nakamura K, Muraki S, Yoshida M. Progression, incidence, and risk factors for intervertebral disc degeneration in a longitudinal population-based cohort: the Wakayama Spine Study. *Osteoarthritis Cartilage*. 2017 Jul;25(7):1122-31.
 13. Taniguchi Y, Chikuda H, Oshima Y, Ohya J, Matsubayashi Y, Morikawa T, Shirai H, Sasaki O, Shibuya M, Fujio K, Yamamoto K, [Tanaka S](#). Thoracic intradural extramedullary lesions causing progressive myelopathy as an initial manifestation of granulomatosis with polyangiitis: a case report and review of literature. *J Spinal Cord Med*. 2017 Jan;40(1):122-5.
 14. Tanaka Y, Oka H, Nakayama S, Ueno T, Matsudaira K, Miura T, Tanaka K, [Tanaka S](#). Improvement of walking ability during postoperative rehabilitation with the hybrid assistive limb after total knee arthroplasty: A randomized controlled study. *SAGE Open Med*. 2017;5:2050312117712888.
 15. [Tanaka S](#), Miyazaki T, Uemura Y, Miyakawa N, Gorai I, Nakamura T, Fukunaga M, Ohashi Y, Ohta H, Mori S, Hagino H, Hosoi T, Sugimoto T, Itoi E, Orimo H, Shiraki M. Comparison of concurrent treatment with vitamin K2 and risedronate compared with treatment with risedronate alone in patients with osteoporosis: Japanese Osteoporosis Intervention Trial-03. *J Bone Miner Metab*. 2017 Jul;35(4):385-95.
 16. Taketomi S, Inui H, Tahara K, Shirakawa N, Tanaka S, Nakagawa T. Effects of initial graft tension on femoral tunnel widening after anatomic anterior cruciate ligament reconstruction using a bone-patellar tendon-bone graft. *Arch Orthop Trauma Surg*. 2017 Jun 14.
 17. Sawada R, Shinoda Y, Niimi A, Nakagawa T, Ikegami M, Kobayashi H, Tanaka S, Homma Y, Haga N. Multiple Acrometastases in a Patient with Renal Pelvic Urothelial Cancer. *Case Rep Urol*. 2017;2017:7830207.
 18. Omiya T, Hirose J, Hasegawa T, Amizuka N, Omata Y, Izawa N, Yasuda H, Kadono Y, Matsumoto M, Nakamura M, Miyamoto T, [Tanaka S](#). The effect of switching from teriparatide to anti-RANKL antibody on cancellous and cortical bone in ovariectomized mice. *Bone*. 2017 Nov 02;107:18-26.
 19. Oka H, Matsudaira K, Fujii T, [Tanaka S](#), Kitagawa T. Epidemiology and psychological factors of whiplash associated disorders in Japanese population. *J Phys Ther Sci*. 2017 Sep;29(9):1510-3.
 20. Oka H, Matsudaira K, Fujii T, Kikuchi N, Haga Y, Sawada T, Katsuhira J, Yoshimoto T, Kawamata K, Tonosu J, Sumitani M, Kasahara S, [Tanaka S](#). Estimated risk for chronic pain determined using the generic STarT Back 5-item screening tool. *J Pain Res*. 2017;10:461-7.
 21. Oka H, Kadono Y, Ohashi S, Yasui T, Ono K, Matsudaira K, Nishino J, [Tanaka S](#). Assessing joint destruction in the knees of patients with rheumatoid arthritis by using a semi-automated software for magnetic resonance imaging: therapeutic effect of methotrexate plus etanercept compared with methotrexate monotherapy. *Mod Rheumatol*. 2017 Aug 02:1-7.
 22. Oichi T, Oshima Y, Oka H, Taniguchi Y, Chikuda H, Matsubayashi Y, Takeshita K, [Tanaka S](#). Is high T-1 slope a significant risk factor for developing interlaminar bony fusion after cervical laminoplasty? A retrospective cohort study. *J Neurosurg Spine*. 2017 Sep 15:1-6.
 23. Oichi T, Chikuda H, Ohya J, Ohtomo R, Morita K, Matsui H, Fushimi K, Tanaka S, Yasunaga H. Mortality and morbidity after spinal surgery in patients with Parkinson's disease: a retrospective matched-pair cohort study. *Spine J*. 2017 Apr;17(4):531-7.
 24. Ohya J, Chikuda H, Oichi T, Kato S, Matsui H, Horiguchi H, Tanaka S, Yasunaga H. Seasonal Variations in the Risk of Reoperation for Surgical Site Infection Following Elective Spinal Fusion Surgery: A Retrospective Study Using the Japanese Diagnosis Procedure Combination Database. *Spine (Phila Pa 1976)*. 2017 Jul 15;42(14):1068-79.
 25. Ogura K, Hosoda F, Nakamura H, Hama N, Totoki Y, Yoshida A, Ohashi S, Rokutan H, Takai E, Yachida S, Kawai A, Tanaka S, Shibata T. Highly recurrent H3F3A mutations with additional epigenetic regulator alterations in giant cell tumor of bone. *Genes Chromosomes Cancer*. 2017 Oct;56(10):711-8.

26. Nakamura S, Koyama T, Izawa N, Nomura S, Fujita T, Omata Y, Minami T, Matsumoto M, Nakamura M, Fujita-Jimbo E, Momoi T, Miyamoto T, Aburatani H, [Tanaka S](#). Negative feedback loop of bone resorption by NFATc1-dependent induction of Cadm1. *PLoS One*. 2017;12(4):e0175632.
27. Naito M, Matsumoto T, Chang SH, Ikegami M, Hirose J, Tanaka S. Recalcitrant Lateral Premalleolar Bursitis of the Ankle Associated with Lateral Ankle Instability. *Case Rep Orthop*. 2017;2017:4854812.
28. Nagata K, Yoshimura N, Hashizume H, Ishimoto Y, Muraki S, Yamada H, Oka H, Kawaguchi H, Akune T, Tanaka S, Nakamura K, Yoshida M. The prevalence of tandem spinal stenosis and its characteristics in a population-based MRI study: The Wakayama Spine Study. *Eur Spine J*. 2017 Apr 03.
29. Murase S, Oshima Y, Takeshita Y, Miyoshi K, Soma K, Kawamura N, Kunogi J, Yamazaki T, Ariyoshi D, Sano S, Inanami H, Takeshita K, [Tanaka S](#). Anterior cage dislodgement in posterior lumbar interbody fusion: a review of 12 patients. *J Neurosurg Spine*. 2017 Jul;27(1):48-55.
30. Mukasa A, Yanagisawa S, Saito K, Tanaka S, Takai K, Shibahara J, Ikegami M, Nakao Y, Takeshita K, Matsutani M, Saito N. Successful treatment of mixed yolk sac tumor and mature teratoma in the spinal cord: case report. *J Neurosurg Spine*. 2017 Mar;26(3):319-24.
31. Moro T, Takatori Y, Tanaka S, Ishihara K, Oda H, Kim YT, Umeyama T, Fukatani E, Ito H, Kyomoto M, Oshima H, Tanaka T, Kawaguchi H, Nakamura K. Clinical safety and wear resistance of the phospholipid polymer-grafted highly cross-linked polyethylene liner. *J Orthop Res*. 2017 Sep;35(9):2007-16.
32. Matsumoto T, Nishino J, Izawa N, Naito M, Hirose J, Tanaka S, Yasui T, Saisho K, Tohma S. Trends in Treatment, Outcomes, and Incidence of Orthopedic Surgery in Patients with Rheumatoid Arthritis: An Observational Cohort Study Using the Japanese National Database of Rheumatic Diseases. *J Rheumatol*. 2017 Nov;44(11):1575-82.
33. Matsudaira K, Oka H, Kikuchi N, Haga Y, Sawada T, Tanaka S. The Japanese version of the sTARt Back Tool predicts 6-month clinical outcomes of low back pain. *J Orthop Sci*. 2017 Mar;22(2):224-9.
34. Matsubayashi Y, Chikuda H, Oshima Y, Taniguchi Y, Fujimoto Y, Shimizu T, [Tanaka S](#). C7 sagittal vertical axis is the determinant of the C5-C7 angle in cervical sagittal alignment. *Spine J*. 2017 May;17(5):622-6.
35. Kyomoto M, Moro T, Yamane S, Takatori Y, Tanaka S, Ishihara K. A hydrated phospholipid polymer-grafted layer prevents lipid-related oxidative degradation of cross-linked polyethylene. *Biomaterials*. 2017 Jan;112:122-32.
36. Kojima T, Ishikawa H, Tanaka S, Haga N, Nishida K, Yukioka M, Hashimoto J, Miyahara H, Niki Y, Kimura T, Oda H, Asai S, Funahashi K, Kojima M, Ishiguro N. Characteristics of functional impairment in patients with long-standing rheumatoid arthritis based on range of motion of joints: Baseline data from a multicenter prospective observational cohort study to evaluate the effectiveness of joint surgery in the treat-to-target era. *Mod Rheumatol*. 2017 Jul 25:1-8.
37. Kodama R, Muraki S, Iidaka T, Oka H, Teraguchi M, Kagotani R, Asai Y, Hashizume H, Yoshida M, Kawaguchi H, Nakamura K, Akune T, [Tanaka S](#), Yoshimura N. Serum levels of matrix metalloproteinase-3 and autoantibodies related to rheumatoid arthritis in the general Japanese population and their association with osteoporosis and osteoarthritis: the ROAD study. *J Bone Miner Metab*. 2017 Apr 01.
38. Kobayashi H, Okuma T, Oka H, Hirai T, Ohki T, Ikegami M, Sawada R, Shinoda Y, Akiyama T, Sato K, Abe S, Kawano H, Goto T, [Tanaka S](#). Neutrophil-to-lymphocyte ratio after pazopanib treatment predicts response in patients with advanced soft-tissue sarcoma. *Int J Clin Oncol*. 2017 Oct 31.
39. Kobayashi H, Ito N, Akiyama T, Okuma T, Kinoshita Y, Ikegami M, Shinoda Y, Fukumoto S, Tanaka S, Kawano H. Prevalence and clinical outcomes of hip fractures and subchondral insufficiency fractures of the femoral head in patients with tumour-induced osteomalacia. *Int Orthop*. 2017 Aug 23.
40. Kobayashi H, Akiyama T, Okuma T, Shinoda Y, Oka H, Ito N, Fukumoto S, Tanaka S, Kawano H. Three-dimensional fluoroscopic navigation-assisted surgery for tumors in patients with tumor-induced osteomalacia in the bones. *Comput Assist Surg (Abingdon)*. 2017 Dec;22(1):14-9.
41. Kim YK, Kameo Y, Tanaka S, Adachi T. Capturing microscopic features of bone remodeling into a macroscopic model based on biological rationales of bone adaptation. *Biomech Model Mechanobiol*. 2017 May 18.
42. Kawata M, Sasabuchi Y, Inui H, Taketomi S, Matsui H, Fushimi K, Chikuda H, Yasunaga H, [Tanaka S](#). Annual trends in knee arthroplasty and tibial osteotomy: Analysis of a national database in Japan. *Knee*. 2017 Oct;24(5):1198-205.
43. Ishimoto Y, Yoshimura N, Muraki S, Yamada H, Nagata K, Hashizume H, Takiguchi N, Minamide A, Oka H, Tanaka S, Kawaguchi H, Nakamura K, Akune T, Yoshida M. Association of Lumbar Spondylolisthesis With Low Back Pain and Symptomatic Lumbar Spinal Stenosis in a Population-based Cohort: The Wakayama Spine Study. *Spine (Phila Pa 1976)*. 2017 Jun 01;42(11):E666-E71.
44. Inui H, Taketomi S, Tahara K, Yamagami R, Sanada T, [Tanaka S](#). A modified technique to reduce tibial keel cutting errors during an Oxford unicompartmental knee arthroplasty. *Knee Surg Sports Traumatol Arthrosc*. 2017 Mar;25(3):710-6.
45. Ikegami M, Matsumoto T, Chang SH, Kobayashi H, Shinoda Y, [Tanaka S](#). Anterior Impingement Syndrome of the Ankle Caused by Osteoid Osteoma in the Talar Neck Treated with Arthroscopy and 3D C-Arm-Based Imaging. *Case Rep Orthop*. 2017;2017:2171627.
46. Iidaka T, Muraki S, Oka H, Kodama R, Tanaka S, Kawaguchi H, Nakamura K, Akune T, Yoshimura N. Radiographic measurements of the hip joint and their associations with hip pain in Japanese men and women: the Research on Osteoarthritis/osteoporosis

Against Disability (ROAD) study. Osteoarthritis Cartilage. 2017 Aug 24.

47. Huang KC, Yano F, Murahashi Y, Takano S, Kitaura Y, Chang SH, Soma K, Ueng SWN, Tanaka S, Ishihara K, Okamura Y, Moro T, Saito T. Sandwich-type PLLA-nanosheets loaded with BMP-2 induce bone regeneration in critical-sized mouse calvarial defects. Acta Biomater. 2017 Sep 01;59:12-20.
48. Fukushima M, Oka H, Hara N, Oshima Y, Chikuda H, Tanaka S, Takeshita K, Matsudaira K. Prognostic factors associated with the surgical indication for lumbar spinal stenosis patients less responsive to conservative treatments: An investigator-initiated observational cohort study. J Orthop Sci. 2017 May;22(3):411-4.
49. Doi T, Ogata T, Yamauchi J, Sawada Y, Tanaka S, Nagao M. Chd7 Collaborates with Sox2 to Regulate Activation of Oligodendrocyte Precursor Cells after Spinal Cord Injury. J Neurosci. 2017 Oct 25;37(43):10290-309.
50. Chang SH, Matsumoto T, Naito M, Tanaka S. Stenosing Tenosynovitis of the Flexor Hallucis Longus Tendon Associated with the Plantar Capsular Accessory Ossicle at the Interphalangeal Joint of the Great Toe. Case Rep Orthop. 2017; 2017:2146762.
51. Asai Y, Tsutsui S, Oka H, Yoshimura N, Hashizume H, Yamada H, Akune T, Muraki S, Matsudaira K, Kawaguchi H, Nakamura K, Tanaka S, Yoshida M. Sagittal spino-pelvic alignment in adults: The Wakayama Spine Study. PLoS One. 2017;12(6):e0178697.

Review Articles

1. Tanaka S, Tanaka Y, Ishiguro N, Yamanaka H, Takeuchi T. RANKL: A therapeutic target for bone destruction in rheumatoid arthritis. Mod Rheumatol. 2017 Sep 18;1-8. doi: 10.1080/14397595.2017.1369491. [Epub ahead of print]
2. Tanaka S. RANKL-Independent Osteoclastogenesis: A Long-Standing Controversy. J Bone Miner Res. 2017 Mar;32(3):431-3.
3. Miyamoto H, Morizaki Y, Kashiyama T, Tanaka S. Grey-scale sonography and sonoelastography for diagnosing carpal tunnel syndrome. World J Radiol. 2016 Mar 28;8(3):281-7. doi: 10.4329/wjr.v8.i3.281. Review. PubMed PMID: 27027498; PubMed Central PMCID: PMC4807337.

【研究開発分担者・対馬ルリ子】

1. 対馬ルリ子 「女性とホルモン」(ENTONI No. 207) 全日本病院出版会 2017/6/15, 11-18
2. 対馬ルリ子 「CSW61 (国連女性の地位ウィーク) 参加報告」(東京思春期保健研究会 News Letter 144号) 東京思春期保健研究会, 2017/4/21, 1
3. 対馬ルリ子 「母子の健康」(ロータリーの友 4月号) ロータリーの友事務所, 2017/4/1, 4-8
4. 対馬ルリ子 「コンドーム法のメリット・デメリット」(産婦人科の実際 第66巻 第1号) 金原出版(株), 2017/1/1, 45-48
5. 対馬ルリ子 「女性の生涯の健康支援と妊娠・出産」(母子保健 第704号) 公益財団法人母子衛生研究会, 2017/12/1, 1-3
6. 対馬ルリ子 「十代の性感染症 (HIV/AIDS, 梅毒) の予防から考える」(思春期学 VOL. 36 NO. 1) 日本思春期学会, 2018/3/25, 87-94
7. 対馬ルリ子 「トラウマ後の成長とは」(東京思春期保健研究会 News Letter 147号) 東京思春期保健研究会, 2018/4/20, 4-5
8. 対馬ルリ子 「人生100年時代の女性の生涯健康～女性の健康特性を大切にしよう～」(アンチエイジング医学 2018 Vol. 14 No. 3) 日本抗加齢医学会雑誌(株)メディカルビュー社 2018/6/1, 18-25
9. 対馬ルリ子 「診療科と職種を超えた女性医学医療の振興のための連携」(東京都医師会雑誌 第71巻第6号) 東京都医師会 2018/7/15, 13-17

【研究開発分担者・鈴木 眞理】

(2018年)

1. 鈴木(堀田) 眞理 神経性やせ症 内分泌代謝科専門医研修ガイドブック日本内分泌学会編集 p267-270 診断と治療社 2018年4月
2. 鈴木(堀田) 眞理 神経性やせ症と骨・カルシウム代謝 Clinical Calcium 28巻7号979-986 2018年7月
3. 鈴木眞理 思春期における摂食障害とその対応 産科と婦人科 85巻12号 1485-1489 2018年12月
4. 名越澄子、梶波康二、西川典子、檜山桂子、別役智子、正木崇生、山内高弘、白鳥敬子、橋本悦子、瀧原圭子、鈴木眞理、成瀬桂子、内田啓子、金子 猛、三谷絹子、村田美穂、相良博典、駒瀬裕子、村島温子、吉田正樹、安藤富士子 「日本内科学会及び内科系13学会における男女共同参画に関する調査結果報告」 日本内科学会雑誌 107巻5号 894-899 2018年4月
5. 橋本聖子、宮岡佳子、鈴木眞理、加茂登志子 「ソーシャルネットワーキングサービス (SNS) と食行動およびボディ

(2017年)

1. 鈴木真理「摂食障害(成人)」 福井次矢、高木誠、小室一成(編)今日の治療指針 1008-1009 医学書院 東京 2017年1月
2. 鈴木(堀田)真理「摂食障害の当事者自助グループと家族会」 日本医師会雑誌 2017年 146巻8号 1577-1581
3. 鈴木真理 「若い女性のやせに伴う骨代謝異常」 内分泌・糖尿病・代謝内科 2017年 45巻1号 51-57
4. 鈴木(堀田)真理「思春期のやせと肥満 Update」 日本臨床栄養学会雑誌 2017年 39巻2号 129-139
5. 鈴木(堀田)真理「神経性やせ症における骨粗鬆症の実態と対応」 産科と婦人科 2017年84巻4号 452-458

【研究開発分担者・平池修】

(2018年)

1. Yoshida M, Taguchi A Yoshida M, Taguchi A, Kawana K, Ogishima J, Adachi K, Kawata A, Nakamura H, Sato M, Fujimoto A, Inoue T, Tomio K, Mori M, Nagamatsu T, Arimoto T, Koga K, Hiraike OW, Oda K, Kiyono T, Osuga Y, Fujii T. Intraperitoneal neutrophils activated by KRAS-induced ovarian cancer exert antitumor effects by modulating adaptive immunity. *Int J Oncol.* 2018 Oct;53(4):1580-1590. doi: 10.3892/ijo.2018.4504.
2. Takahashi N, Harada M, Tanabe R, Takayanagi A, Izumi G, Oi N, Hirata T, Wada-Hiraike O, Fujii T, Osuga Y. Factors associated with successful pregnancy in women of late reproductive age with uterine fibroids who undergo embryo cryopreservation before surgery. *J Obstet Gynaecol Res.* 2018 Jul 13. doi: 10.1111/jog.13754. [Epub ahead of print]
3. Kanda R, Hiraike H, Wada-Hiraike O, Ichinose T, Nagasaka K, Sasajima Y, Ryo E, Fujii T, Osuga Y, Ayabe T. Expression of the glucagon-like peptide-1 receptor and its role in regulating autophagy in endometrial cancer. *BMC Cancer.* 2018 Jun 15;18(1):657. doi: 10.1186/s12885-018-4570-8.
4. Neriishi K, Hirata T, Fukuda S, Izumi G, Nakazawa A, Yamamoto N, Harada M, Hirota Y, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. Long-term dienogest administration in patients with symptomatic adenomyosis. *J Obstet Gynaecol Res.* 2018 Aug;44(8):1439-1444. doi: 10.1111/jog.13674. Epub 2018 May 29.
5. Fukuda S, Hirata T, Neriishi K, Nakazawa A, Takamura M, Izumi G, Harada M, Hirota Y, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. Thoracic endometriosis syndrome: Comparison between catamenial pneumothorax or endometriosis-related pneumothorax and catamenial hemoptysis. *Eur J Obstet Gynecol Reprod Biol.* 2018 Jun;225:118-123. doi: 10.1016/j.ejogrb.2018.04.021. Epub 2018 Apr 20.
6. Sato M, Taguchi A, Fukui Y, Kawata A, Taguchi S, Kashiyama T, Eguchi S, Inoue T, Tomio K, Tanikawa M, Sone K, Mori M, Nagasaka K, Adachi K, Ikemura M, Domoto Y, Arimoto T, Oda K, Fukayama M, Osuga Y, Fujii T. Blood Vessel Invasion Is a Strong Predictor of Postoperative Recurrence in Endometrial Cancer. *Int J Gynecol Cancer.* 2018 Jun;28(5):875-881. doi: 10.1097/IGC.0000000000001262.
7. Nose-Ogura S, Harada M, Hiraike O, Osuga Y, Fujii T. Management of the female athlete triad. *J Obstet Gynaecol Res.* 2018 Jun;44(6):1007-1014. doi: 10.1111/jog.13614. Epub 2018 Apr 2. PMID: 29607594
8. Nakamura H, Taguchi A, Kawana K, Baba S, Kawata A, Yoshida M, Fujimoto A, Ogishima J, Sato M, Inoue T, Nishida H, Furuya H, Yamashita A, Eguchi S, Tomio K, Mori-Uchino M, Adachi K, Arimoto T, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. Therapeutic significance of targeting survivin in cervical cancer and possibility of combination therapy with TRAIL. *Oncotarget.* 2018 Feb 5;9(17):13451-13461. doi: 10.18632/oncotarget.24413. eCollection 2018 Mar 2.
9. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Komatsu A, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. Detachment from the primary site and suspension in ascites as the initial step in metabolic reprogramming and metastasis to the omentum in ovarian cancer. *Oncol Lett.* 2018 Jan;15(1):1357-1361. doi: 10.3892/ol.2017.7388.

(2017年)

1. A Potential Role for Endoplasmic Reticulum Stress in Progesterone Deficiency in Obese Women. Takahashi N, Harada M, Hirota Y, Zhao L, Azhary JM, Yoshino O, Izumi G, Hirata T, Koga K, Wada-Hiraike O, Fujii T, Osuga Y. *Endocrinology.* 2017 Jan 1;158(1):84-97.
2. Drospirenone reduces inflammatory cytokines, vascular endothelial growth factor (VEGF) and nerve growth factor (NGF) expression in human endometriotic stromal cells. Makabe T, Koga K, Miyashita M, Takeuchi A, Sue F, Taguchi A, Urata Y, Izumi G, Takamura M, Harada M, Hirata T, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y. *J Reprod Immunol.* 2017 Feb;119:44-48.
3. Low uptake of fluorodeoxyglucose in positron emission tomography/computed tomography in ovarian clear cell carcinoma may reflect glutaminolysis of its cancer stem cell-like properties.

- Sato M, Kawana K, Adachi K, Fujimoto A, Taguchi A, Fujikawa T, Yoshida M, Nakamura H, Nishida H, Inoue T, Ogishima J, Eguchi S, Yamashita A, Tomio K, Arimoto T, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Oncol Rep.* 2017 Mar;37(3):1883-1888.
4. Preoperative assessment of factors associated with difficulty in performing total laparoscopic hysterectomy. Saito A, Hirata T, Koga K, Takamura M, Fukuda S, Neriishi K, Pastorfide G, Harada M, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y. *J Obstet Gynaecol Res.* 2017 Feb;43(2):320-329
 5. Targeting glutamine metabolism and the focal adhesion kinase additively inhibits the mammalian target of the rapamycin pathway in spheroid cancer stem-like properties of ovarian clear cell carcinoma in vitro. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Int J Oncol.* 2017 Apr;50(4):1431-1438.
 6. Regeneration of cervical reserve cell-like cells from human induced pluripotent stem cells (iPSCs): A new approach to finding targets for cervical cancer stem cell treatment. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *Oncotarget.* 2017 Jun 20;8(25):40935-40945.
 7. Activation of Nrf2 might reduce oxidative stress in human granulosa cells. Akino N, Wada-Hiraike O, Terao H, Honjoh H, Isono W, Fu H, Hirano M, Miyamoto Y, Tanikawa M, Harada M, Hirata T, Hirota Y, Koga K, Oda K, Kawana K, Fujii T, Osuga Y. *Mol Cell Endocrinol.* 2017 Oct 4. pii: S0303-7207(17)30522-1. doi: 10.1016/j.mce.2017.10.002.
 8. Activation of Endoplasmic Reticulum Stress in Granulosa Cells from Patients with Polycystic Ovary Syndrome Contributes to Ovarian Fibrosis. Takahashi N, Harada M, Hirota Y, Nose E, Azhary JM, Koike H, Kunitomi C, Yoshino O, Izumi G, Hirata T, Koga K, Wada-Hiraike O, Chang RJ, Shimasaki S, Fujii T, Osuga Y. *Sci Rep.* 2017 Sep 7;7(1):10824.
 9. Intracellular signaling entropy can be a biomarker for predicting the development of cervical intraepithelial neoplasia. Sato M, Kawana K, Adachi K, Fujimoto A, Yoshida M, Nakamura H, Nishida H, Inoue T, Taguchi A, Ogishima J, Eguchi S, Yamashita A, Tomio K, Wada-Hiraike O, Oda K, Nagamatsu T, Osuga Y, Fujii T. *PLoS One.* 2017 Apr 28;12(4):e0176353.
 10. Oncogenic histone methyltransferase EZH2: A novel prognostic marker with therapeutic potential in endometrial cancer. Oki S, Sone K, Oda K, Hamamoto R, Ikemura M, Maeda D, Takeuchi M, Tanikawa M, Mori-Uchino M, Nagasaka K, Miyasaka A, Kashiwama T, Ikeda Y, Arimoto T, Kuramoto H, Wada-Hiraike O, Kawana K, Fukayama M, Osuga Y, Fujii T. *Oncotarget.* 2017 Jun 20;8(25):40402-40411.

本提案に関連する学会発表、研究開発の実施を通じた政策提言(寄与した指針又はガイドライン)

1. ホルモン補充療法ガイドライン 2017 (作成委員) 日本産科婦人科学会 女性ヘルスケア委員会内 HRT ガイドライン 2017 年度版改訂小委員会編集
2. 産婦人科内視鏡手術ガイドライン 2018 (作成委員) 日本産科婦人科内視鏡学会編集

【研究開発分担者・若尾文彦】

1. 若尾文彦 わが国のがん診療体制一常に活用を考える。M. P. 34 : 2-7, 2017
2. 若尾文彦 第3期がん対策推進基本計画(案)のポイント。保健師ジャーナル 73 : 978-984, 2017
3. 若尾文彦 がん対策による生存率向上とがん登録。東京都小児科医会報 36 (2) : 11-15, 2017