

研究成果の刊行に関する一覧表

[書籍]

金澤 伸雄

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|-----------------------------|-------------------------|-----------------------------|------------|-----|------|-------|
| 金澤伸雄 | 壞疽性膿皮症 | 古川福実、佐伯秀久 | 皮膚疾患最新の治療2019-2020 | 南江堂 | 東京 | 2019 | 94-5 |
| 金澤伸雄 | 皮膚外用ステロイド薬 | 稻毛康司 | 小児科ステロイドの使い方・止め方・続け方 | 文光堂 | 東京 | 2019 | 39-41 |
| 金澤伸雄 | アトピー性皮膚炎 | 稻毛康司 | 小児科ステロイドの使い方・止め方・続け方 | 文光堂 | 東京 | 2019 | 200-2 |
| 金澤伸雄 | Stevens-Johnson症候群・中毒性表皮壊死症 | 稻毛康司 | 小児科ステロイドの使い方・止め方・続け方 | 文光堂 | 東京 | 2019 | 203-5 |
| 金澤伸雄 | 薬剤性過敏症症候群と急性汎発性癰瘍性膿疱症 | 稻毛康司 | 小児科ステロイドの使い方・止め方・続け方 | 文光堂 | 東京 | 2019 | 206-8 |
| 金澤伸雄 | 尋麻疹様皮疹(Schnitzler症候群など) | 出光俊郎、神部芳則 | 口腔粘膜所見・皮膚症状から「見抜く」全身疾患 | 南江堂 | 東京 | 印刷中 | — |
| 金澤伸雄 | 中條・西村症候群 | 水澤英洋、五十嵐隆、北川泰久、高橋和久、弓倉整 | 指定難病ペディア2019 | 診断と治療社 | 東京 | 印刷中 | — |
| 金澤伸雄 | 自己炎症症候群/PAPA | 宮地良樹 | ～最新キーワードで読み解く～All About皮膚科学 | メディカルレビュー社 | 東京 | 印刷中 | — |

川上 民裕

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|-----------------|-----------|----------------|------|-----|------|---------|
| 川上民裕 | Sturge-Weber症候群 | 大原國章、神人正寿 | 血管腫・血管奇形臨床アトラス | 南江堂 | 東京 | 2018 | 158-161 |

中野 創

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|--------------|-----------|-----------------------|-------|-----|------|---------|
| 中野 創 | 2. その他の代謝異常症 | 宮地良樹 | 皮膚科外来グリーンノート | 中外医薬社 | 東京 | 2018 | 224-232 |
| 中野 創 | ポルフィリン症 | 古川福実、佐伯秀久 | 皮膚疾患最新の治療 | 南江堂 | 東京 | 2019 | 154 |
| 中野 創 | 眼瞼黄色腫 | 宮地良樹、安部正敏 | ジェネラリスト必携 この皮膚疾患のこの発疹 | 医学書院 | 東京 | 2019 | 121 |
| 中野 創 | 亜鉛欠乏症 | 宮地良樹、安部正敏 | ジェネラリスト必携 この皮膚疾患のこの発疹 | 医学書院 | 東京 | 2019 | 122 |

[雑誌]

(英文)

橋本 隆

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|-------------------|-------|---------|------|
| Aizawa N, Asahina A, Ishii N, Hashimoto T, Nakagawa H | The nose as a predilection site of pemphigus. | Clin Exp Dermatol | 43(1) | 71-72 | 2018 |
| Yasumizu M, Imanishi H, Morita S, Fukuda A, Tateishi C, Koga H, Hashimoto T, Tsuruta D | A case of mucous membrane pemphigoid with IgG antibodies against the β 3 and γ 2 subunits of laminin-332, and the C-terminal domain of BP180. | Int J Dermatol | 57(1) | 86-88 | 2018 |
| Kuwatsuka Y, Iwanaga A, Kuwatsuka S, Okubo Y, Murayama N, Ishii N, Hashimoto T, Utani A | Bullous pemphigoid induced by ipilimumab in a patient with metastatic malignant melanoma after unsuccessful treatment with nivolumab. | J Dermatol | 45(1) | e21-e22 | 2018 |

| | | | | | |
|---|---|----------------|--------|---------|------|
| Yamaguchi Y, Shinkuma S, Ishii N, Takashima S, Natsuga K, Ujiie H, Iwata H, Nomura T, Fujita Y, Hamasaka A, Hamasaka K, Hashimoto T, Shimizu H | Appearance of anti-desmocollin 1 autoantibodies leading to a vegetative lesion in a pemphigus vulgaris patient. | Br J Dermatol | 178(1) | 294-295 | 2018 |
| Hertl M, Hashimoto T | Response to 'Serological diagnostics in the detection of IgG autoantibodies against human collagen VII in epidermolysis bullosa acquisita: a multicentre analysis': reply from authors. | Br J Dermatol | 178(2) | 573-574 | 2018 |
| Kato M, Nitta K, Kano Y, Yamada M, Ishii N, Hashimoto T, Ohyama M | Case of phenylephrine hydrochloride-induced periorbital contact dermatitis with fulminant keratoconjunctivitis causing pseudomembrane formation. | J Dermatol | 45(2) | e27-e28 | 2018 |
| Shimada H, Takeo N, Saito-Shono T, Ishikawa K, Sakai T, Goto M, Hatano Y, Fujiwara S, Matsuda M, Hamada T, Nakama T, Hashimoto T, Kono M, Akiyama M, Kitajima Y | Superficial epidermolytic ichthyosis concomitant with atopic dermatitis. | Eur J Dermatol | 28(1) | 94-96 | 2018 |
| Nakama K, Koga H, Ishii N, Ohata C, Hashimoto T, Nakama T | Clinical and immunological profiles of 14 bullous pemphigoid patients without IgG antibodies to BP180 NC16A domain. | JAMA Dermatol | 154(3) | 347-350 | 2018 |
| Nishida E, Nishio E, Murashima H, Ishii N, Hashimoto T, Morita A | A case of epidermolysis bullosa acquisita with concomitant anti-laminin-332 antibodies. | J Dermatol | 45(4) | 472-474 | 2018 |

| | | | | | |
|--|--|-------------------------|-------|-----------|------|
| Yatsuzuka K, Tohyama M, Oda F, Hashimoto T, Sayama K | A case of thymoma-associated cutaneous graft-versus-host disease-like disease successfully improved by narrow-band UVB phototherapy. | J Dermatol | 45(4) | 479-482 | 2018 |
| Yan Y, Qian H, Jiang H, Yu H, Sun L, Wei X, Sun Y, Ge H, Zhou H, Li X, Hashimoto T, Tang X, Liu P | Laminins in an in vitro anterior lens capsule model established using HLE B-3 cells. | Mol Med Rep | 17(4) | 5726-5733 | 2018 |
| Giacaman A, Bauzá A, Olea JM, Escudero-Góngora MDM, Escalas J, Martín-Santiago A, Ishii N, Hashimoto T | Annular paraneoplastic bullous pemphigoid mimicking linear IgA bullous dermatosis in a 40 year- old patient with cancer. (Anuläres paraneoplastisches bullöses Pemphigoid imitiert lineare IgA-Dermatose bei einem 40-jährigen Patienten.) | J Dtsch Dermatol Ges | 16(4) | 481-483 | 2018 |
| Yoneda K, Ishii N, Nakai K, Kubota Y, Hashimoto T | Localized nodular pemphigoid. | Int J Dermatol | 57(5) | 587-589 | 2018 |
| Tani N, Sugita K, Yamada N, Ishii N, Hashimoto T, Yamamoto O | Reduced IgG anti-desmocollin autoantibody titre and concomitant improvement in a patient with pemphigus vegetans. | Eur J Dermatol | 28(2) | 232-233 | 2018 |
| Miyashita K, Iioka H, Miyagawa F, Ishii N, Hashimoto T, Asada H | A case of bullous pemphigoid with IgG antibodies against LAD-1, but not against BP180 NC16a domain and BP230. | Eur J Dermatol | 28(2) | 248-250 | 2018 |
| Kage Y, Yamaguchi Y, Uchida T, Izumi K, Nishie W, Shimizu H, Ishii N, Hashimoto T, Aihara M | Case of bullous pemphigoid associated with teneligliptin accompanied by severe mucous membrane involvement. | J Dermatol | 45(7) | e205-e206 | 2018 |

| | | | | | |
|---|---|---------------------|--------|---------------------------------------|------|
| Yamagami J, Nakamura Y, Nagao K, Funakoshi T, Takahashi H, Tanikawa A, Hachiya T, Yamamoto T, Ishida-Yamamoto A, Tanaka T, Fujimoto N, Nishigori C, Yoshida T, Ishii N, Hashimoto T, Amagai M | Vancomycin mediates IgA autoreactivity in drug-induced linear IgA bullous dermatosis. | J Invest Dermatol | 138(7) | 1473-1480 | 2018 |
| Hashimoto T, Teye K, Hashimoto K, Wozniak K, Ueo D, Fujiwara S, Inafuku K, Kotobuki Y, Jukic IL, Marinović B, Bruckner A, Tsuruta D, Kawakami T, Ishii N | Clinical and Immunological Study of 30 Cases With Both IgG and IgA Anti-Keratinocyte Cell Surface Autoantibodies Toward the Definition of Intercellular IgG/IgA Dermatoses. | Front Immunol | 9 | 994 doi: 10.3389/fimmu.2018.00994. | 2018 |
| Chiorean R, Danescu S, Virtic O, Mustafa MB, Baican A, Lischka A, Hashimoto T, Kariya Y, Koch M, Sitaru C | Molecular diagnosis of anti-laminin 332 (epiligrin) mucous membrane pemphigoid. | Orphanet J Rare Dis | 13(1) | 111 | 2018 |
| Chijiwa C, Kamata M, Fukuyasu A, Shono Y, Takeoka S, Tateishi M, Fukaya S, Hayashi K, Tanaka T, Ishikawa T, Ohnishi T, Saito K, Ishii N, Hashimoto T, Tada Y | A case of acquired haemophilia A in a patient with bullous pemphigoid and review of the Japanese literature. | Eur J Dermatol | 28(3) | 422-423 | 2018 |
| Waki Y, Kamiya K, Komine M, Maekawa T, Murata S, Ishii N, Hashimoto T, Ohtsuki M | A case of anti-laminin γ 1 (p200) pemphigoid with psoriasis vulgaris successfully treated with apremilast. | Eur J Dermatol | 28(3) | 413-414 | 2018 |

| | | | | | |
|---|---|---------------------------|--------|-----------|------|
| Kurosaki Y, Suga Y, Negi O, Takamori K, Ishii N, Makino T, Shimizu T, Hashimoto T | Monitoring of IgA antibodies to epidermal and tissue transglutaminases over an 18-month period in a Japanese patient with dermatitis herpetiformis. | J Dermatol | 45(8) | e211-e212 | 2018 |
| Vernal S, Julio T, Cruz F, Turatti A, Ishii N, Hashimoto T, Roselino AM | Bullous Pemphigoid Associated with Ischemic Cerebrovascular Accident and Dementia: Exclusive Blistering Lesions on the Upper Hemiparetic Limb. | Acta Dermatovenerol Croat | 26(2) | 179-182 | 2018 |
| García-Díez I, Ivars-Lleó M, López-Aventín D, Ishii N, Hashimoto T, Iranzo P, Pujol RM, España A, Herrero-Gonzalez JE | Bullous pemphigoid induced by dipeptidyl peptidase-4 inhibitors. Eight cases with clinical and immunological characterization. | Int J Dermatol | 57(7) | 810-816 | 2018 |
| Iwata H, Vorobyev A, Koga H, Recke A, Zillikens D, Prost-Squarciioni C, Ishii N, Hashimoto T, Ludwig RJ | Meta-analysis of the clinical and immunopathological characteristics and treatment outcomes in epidermolysis bullosa acquisita patients. | Orphanet J Rare Dis | 13(1) | 153 | 2018 |
| Matsuyama K, Tokuzumi M, Takahashi T, Shu E, Takagi H, Hashimoto T, Seishima M | Elevated serum eosinophil cationic protein and transforming growth factor- α levels in a patient with pemphigus vegetans. | Clin Exp Dermatol | 43(8) | 917-920 | 2018 |
| Oka T, Miyagaki T, Isomura S, Ichimura Y, Kamata M, Mitsui H, Ishii N, Hashimoto T, Sato S | Linear immunoglobulin A bullous dermatosis limited to oral mucosa associated with ulcerative colitis. | J Dermatol | 45(10) | e281-e282 | 2018 |
| Hashimoto T, Tsuruta D | Relationships between clinical data and autoantibodies in bullous pemphigoid. | Br J Dermatol | 179(4) | 820-821 | 2018 |

| | | | | | |
|---|--|--------------------|--|---------|------|
| Jakubowska B, Kowalewski C, Ishii N, Hashimoto T, Wozniak K | Vegetating erosive cutaneous lesions and pyogenic granuloma in the course of mucous membrane pemphigoid: a case report and review of literature. | Int Wound J | 15(6) | 909-913 | 2018 |
| Murrell DF, Peña S, Joly P, Marinovic B, Hashimoto T, Diaz LA, Sinha AA, Payne AS, Daneshpazhooh M, Eming R, Jonkman MF, Mimouni D, Borradori L, Kim SC, Yamagami J, Lehman JS, Saleh MA, Culton DA, Czernik A, Zone JJ, Fivenson D, Ujiie H, Wozniak K, Akman-Karakas A, Bernard P, Korman NJ, Caux F, Drenovska K, Prost-Squarcioni C, Vassileva S, Feldman RJ, Cardones AR, Bauer J, Ioannides D, Jedlickova H, Palisson F, Patsatsi A, Uzun S, Yayli S, Zillikens D, Amagai M, Hertl M, Schmidt E, Aoki V, Grando SA, Shimizu H, Baum S, Cianchini G, Feliciani C, Iranzo P, Mascaró JM Jr., Kowalewski C, Hall R, Groves R, Harman KE, Marinkovich MP, Maverakis E, Werth VP | Diagnosis and Management of Pemphigus: recommendations by an International Panel of Experts. | J Am Acad Dermatol | — pii: S0190-9622(18)30207-X. doi: 10.1016/j.jaad.2018.02.021. | 2018 | |

| | | | | | |
|--|--|------------------------------|--------|--|------|
| Ishikawa K, Furuhashi M, Sasaki T, Kudoh J, Tsuchisaka A, Hashimoto T, <u>Sasaki T, Yoshioka H, Eshima N, Matsuda-Hirose H, Sakai T, Hatano Y, Fujiwara S</u> | Intragenic copy number variation within human epiplakin 1 (EPPK1) generates variation of molecular size of epiplakin. | J Dermatol Sci | — | pii: S0923-1811(18)30234-2. doi: 10.1016/j.jdermisci.2018.05.008. | 2018 |
| Solimani F, Pollmann R, Ishii N, Eming R, Hashimoto T, Schmidt T, Hertl M | Diagnosis of anti-laminin γ -1 pemphigoid by immunoblot analysis. | J Eur Acad Dermatol Venereol | — | doi: 10.1111/jdv.15170. | 2018 |
| Okahashi K, Oiso N, Ishii N, Uchida S, Yanagihara S, Sano A, Tohda Y, Hashimoto T, Tsuruta D, Kawada A | Paraneoplastic pemphigus presenting lichen planus-like lesions. | J Dermatol. | — | doi: 10.1111/1346-8138.14639. | 2018 |
| Hashimoto T, Takahashi H, Sakaguchi S | Regulatory T cell deficiency and autoimmune skin disease: beyond scurfy mouse and immune dysregulation, polyendocrinopathy, enteropathy, X-linked syndrome. | J Allergy Clin Immunol | 142(6) | 1754-1756 | 2018 |
| Tani N, Sugita K, Ishii N, Wakumoto K, Hashimoto T, Yamamoto O | Juvenile pemphigus vulgaris showing vegetating skin lesions. | Clin Exp Dermatol | — | doi: 10.1111/ced.13796. | 2018 |
| Lim IM, Kim IH, Hashimoto T, Kim S-C | Lichenoid paraneoplastic pemphigus associated with follicular lymphoma without detectable autoantibodies. | Clin Exp Dermatol | 3(5) | 613-615 | 2018 |
| Ishiura N, Tamura-Nakano M, Okochi H, Tateishi C, Maki M, Shimoda Y, Ishii N, Hashimoto T, Tamaki T | Herpetiform Pemphigus with Characteristic Transmission Electron Microscopic Findings of Various-sized Ballooning Vacuoles in Keratinocytes without Acantholysis. | Br J Dermatol | 180(1) | 187-192 | 2019 |

| | | | | | |
|---|---|---------------------------------|--------|--------------------------------|------|
| Ito M, Hoashi T, Endo Y, Kimura G, Kondo Y, Ishii N, Hashimoto T, Funasaka Y, Saeki H | Atypical pemphigus developed in a patient with urothelial carcinoma treated with nivolumab. | J Dermatol | 46(3) | e90-e92 | 2019 |
| Goletz S, Probst C, Komorowski L, Schlumberger W, Fechner K, van Beek N, Holtsche MM, Recke A, Yancey KB, Hashimoto T, Antonicelli F, Di Zenzo G, Zillikens D, Stöcker W, Schmidt E | Sensitive and specific assay for the serological diagnosis of anti-laminin 332 mucous membrane pemphigoid. | Br J Dermatol | 180(1) | 149-156 | 2019 |
| Kurihara Y, Yamagami J, Funakoshi T, Ishii M, Miyamoto J, Yumi Fujio Y, Kakuta R, Tanikawa A, Aoyama Y, Iwatsuki K, Ishii N, Hashimoto T, Nishie W, Shimizu H, Kouyama K, Amagai M | Rituximab therapy for refractory autoimmune bullous diseases: a multicenter, open-label, single-arm, phase 1/2 study on 10 Japanese patients. | J Dermatol | 46(2) | 124-130 | 2019 |
| Iranzo P, Ishii N, Hashimoto T, Alsina-Gibert M | Nonclassical pemphigus with exclusively IgG anti-desmocollin 3-specific antibodies. | Australas J Dermatol | — | doi: 10.1111/ajd. 12991. | 2019 |
| Matsumoto T, Nakamura S, Ishii N, Umemoto N, Kawase M, Demitsu T, Hashimoto T | Erythrodermic linear IgA/IgG bullous dermatosis: report of a case. | Eur J Dermatol, in press | — | — | — |
| Hashimoto T, Nakahara H | Immunological diagnostic methods in oral mucosal diseases. | Br J Dermatol, in press | — | — | — |
| Miyagawa F, Nakajima A, Ohyama S, Aoki Y, Nishikawa M, Nishimura Y, Hashimoto T, Asada H | Mucosal lichen planus mimicking mucosal lesions in Stevens-Johnson syndrome after nivolumab therapy. | Acta Dermatol-Venerol, in press | — | — | — |

金澤 伸雄

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|-------------------------|--------|---------|------|
| Inaba Y, Kanazawa N, Yoshimasu T, Shimokawa T, Nosaka M, Kondo T, Furukawa F | Severer lupus erythematosus-like skin lesions in MRL/lpr mice with homozygous Kit ^{wsh/wsh} mutation | Modern Rheumatology | 28(2) | 319-26 | 2018 |
| Yoshimasu T, Mikita N, Ikeda T, Kanazawa N, Furukawa F, Jinnin M | Combination use of triamcinolone acetonide and immunotherapy as a new therapeutic option in alopecia totalis | Trends in immunotherapy | 2(1) | 149 | 2018 |
| Saito N, Minami-Hori M, Nagahata H, Nozaki H, Iinuma S, Igawa S, Kanno K, Kishibe M, Kanazawa N, Ishida-Yamamoto A | Novel PSTPIP1 gene mutation in pyoderma gangrenosum, acne and suppurative hidradenitis syndrome | Journal of Dermatology | 45(8) | e213-4 | 2018 |
| Shima T, Yamamoto Y, Kanazawa N, Murata KY, Ito H, Kondo T, Yuan J, Hashiguchi A, Takashima H, Furukawa F | Repeated hyperhidrosis and chilblain-like swelling with ulceration of the fingers and toes in hereditary sensory and autonomic neuropathy type II | Journal of Dermatology | 45(11) | e308-9 | 2018 |
| Honda-Ozaki F, Terashima M, Niwa A, Saiki N, Kawasaki Y, Ito H, Hotta A, Nagahashi A, Igura K, Asaka I, Li HL, Yanagimachi M, Furukawa F, Kanazawa N, Nakahata T, Saito MK | Pluripotent Stem Cell Model of Nakajo-Nishimura Syndrome Untangles Proinflammatory Pathways Mediated by Oxidative Stress | Stem Cell Reports | 10(6) | 1835-50 | 2018 |
| Okuhira H, Yamamoto Y, Inaba Y, Kunimoto K, Mikita N, Ikeda T, Kaminaka C, Minami Y, Kanazawa N, Furukawa F, Jinnin M | Prognostic factors of daily blood examination for advanced melanoma patients treated with nivolumab | Bioscience Trends | 12(4) | 412-8 | 2018 |

| | | | | | |
|--|---|-------------------------------------|----------|-------|------|
| Inaba Y, Kunimoto K, Kanazawa N, Furukawa F | Effects of a humanized anti-human IL-6 receptor monoclonal antibody on Nakajo-Nishimura syndrome | Trends in immunotherapy | 2(3) | 1051 | 2018 |
| Inaba Y, Kanazawa N, Kunimoto K, Furukawa F | Antinuclear antibodies in Nakajo-Nishimura syndrome. A bridge with research on refractory autoimmune diseases | Trends in immunotherapy | 2(3) | 1078 | 2018 |
| Kanazawa N, Hara M, Hara T, Mikita N, Furukawa F | CO ₂ narcosis as a notable cause of premature death in Nakajo-Nishimura syndrome | Modern Rheumatology Case Reports | 3(1) | 74-8 | 2019 |
| Hara T, Ikeda T, Inaba Y, Kunimoto K, Mikita N, Kaminaka C, Kanazawa N, Yamamoto Y, Tabata K, Fujii T, Jinnin M | Peripheral blood eosinophilia is associated with the presence of skin ulcers in patients with systemic sclerosis | Journal of Dermatology | 46(4) | 334-7 | 2019 |
| Yamashita Y, Nishikawa A, Iwahashi Y, Fujimoto M, Sasaki I, Mishima H, Kinoshita A, Hemmi H, Kanazawa N, Ohshima K, Imadome KI, Murata SI, Yoshiura KI, Kaisho T, Sonoki T, Tamura S | Identification of a novel CCDC22 mutation in a patient with severe Epstein-Barr virus-associated hemophagocytic lymphohistiocytosis and aggressive natural killer cell leukemia | International Journal of Hematology | In press | — | — |
| Kunimoto K, Honda-Ozaki F, Saito MK, Furukawa F, Kanazawa N | Beneficial effect of methotrexate on a child case of Nakajo-Nishimura syndrome | Journal of Dermatology | In press | — | — |

森脇 真一

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|-------------------------|----|-----------|------|
| Calmels N, Botta E, Jia N, Fawcett H, Nardo T, Nakazawa Y, Moriwaki S, Sugita K, Kubota M, Obringer C, Spits MA, Stefanini M, Lauge V, Orioli D, Ogi T, Lehmann AR | Functional and clinical relevance of novel mutations in a large cohort of patients with Cockayne syndrome. | J Med Genet | 55 | 329-343 | 2018 |
| Nakao A, Tanizaki H, Yu A, Araki A, Yoshioka A, Moriwaki S | A case of xeroderma pigmentosum group A with West syndrome. | J Dermatol | 45 | e334-e336 | 2018 |
| Terada A, Aoshima M, Tanizaki H, Nakazawa Y, Ogi T, Tokura Y, Moriwaki S | An adolescent case of a xeroderma pigmentosum variant confirmed by the onset of sun exposure-related skin cancer during Crohn's disease treatment. | J Cutan Immunol Allergy | 1 | 23-26 | 2018 |
| Hirai Y, Noda A, Kodama Y, Cordova KA, Cullings HM, Yonehara S, Fujihara M, Moriwaki S, Nishigori C, Mabuchi K, Kraemer KH, Nakamura N | Increased risk of skin cancer in Japanese heterozygotes of xeroderma pigmentosum group A. | J Hum Genet | 63 | 1181-1184 | 2018 |

米田 耕造

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|---------|--|-------|------|
| Nakai K, He Y-Y, Nishiyama F, Haba R, Kushida Y, Katsuki N, Morie T, Yoneda K and Kubota Y | IL-17A induces heterogenous macrophages activation in the skin of mice. | Sci Rep | Sep 29; 7(1):12473. doi: 10.1038/s41598-017-12756-y. | 12473 | 2017 |

| | | | | | |
|--|--|-------------------|-----|---------|-----------|
| Yoneda K, Ishii N, Nakai K, Kubota Y and Hashimoto T | Localized nodular pemphigoid. | Int J Dermatol | 57 | 587-589 | 2018 |
| Simokawa T, Tsutsui H, Miura T, Takama M, Hayashi K, Nishinaka T, Terada T, <u>Yoneda K</u> , Yamagata M, Yukimura T | Post-treatment with JP-1302 protects against renal ischemia/reperfusion-induced acute kidney injury in rats. | J Pharmacol Sci | 139 | 137-142 | 2019 |
| Shimokawa T, Yoneda K, Yamagata M, Hayashi K, Miura K, Tomita S | Yohimbine ameliorates lipopolysaccharide-induced acute kidney injury in rats. | J Pharmacol Sci | — | — | in press |
| Yoneda K, Nakai K, Demitsu T and Kubota Y | The sign of Leser-Trélat in a case of Waldenström macroglobulinemia. | Indian J Dermatol | — | — | in press |
| Maki N, Demitsu T, Nagato H, Okada O, <u>Yoneda K</u> , Hashimoto T, Hasunuma N, Osada S-I and Manabe M | Anti-laminin-332-type mucous membrane pemphigoid (anti-epiligrin cicatrical pemphigoid) in a patient with gastric cancer and liver metastasis. | Eur J Dermatol | — | — | submitted |

大畑 千佳

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|--------------------------|----|---------|------|
| Koga H, Teye K, Ishii N, <u>Ohata C</u> , et al. | High Index Values of Enzyme-Linked Immunosorbent Assay for BP180 at Baseline Predict Relapse in Patients With Bullous Pemphigoid | Front Med (Lausanne) | 5 | 139 | 2018 |
| Muto I, Kuwahara F, Shintani T, <u>Ohata C</u> , et al. | Adenodermatofibroma possessing dilated glandular structures with eccrine features: A case study. | J Cutan Pathol | 45 | 623-628 | 2018 |
| <u>Ohata C</u> . | Hyaline Cell-Rich Apocrine Mixed Tumor with Cytologic Atypia | Dermatopathology (Basel) | 5 | 108-112 | 2018 |

| | | | | | |
|--|---|----------------------------|------|---------|------|
| Ohata C, Koga H, Saruta H, et al. | Bacteremia in autoimmune bullous disease patients undergoing double-filtration plasmapheresis. | <i>J Dermatolog Treat</i> | Oct8 | 1-3 | 2018 |
| Ohata C, Ohyama B, Kuwahara F, et al. | Real-world data on the efficacy and safety of apremilast in Japanese patients with plaque psoriasis | <i>J Dermatolog Treat</i> | Oct8 | 1-4 | 2018 |
| Ohata C, Ohyama B, Nanri A, et al. | A retrospective observational study on biological drug treatment in a daily practice serving patients with psoriasis in Japan | <i>J Dermatolog Treat.</i> | 30 | 45-48 | 2019 |
| Tsuruta N, Narisawa Y, Imafuku S, et al. | Cross-sectional multicenter observational study of psoriatic arthritis in Japanese patients: Relationship between skin and joint symptoms and results of treatment with tumor necrosis factor-alpha inhibitors. | <i>J Dermatol.</i> | 46 | 193-198 | 2019 |

下村 裕

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|------------------------|-------|----------|------|
| Asano N, Okita T, Yasuno S, Yamaguchi M, Kashiwagi K, Kanekura T, Shimomura Y | Identification of a novel splice site mutation in the LIPH gene in a Japanese family with autosomal recessive woolly hair | Journal of Dermatology | 46巻1号 | e19-e20 | 2019 |
| Okita T, Yamaguchi M, Asano N, Yasuno S, Kashiwagi K, Shimomura Y | Two Japanese families with hypohidrotic ectodermal dysplasia: Phenotypic differences between affected individuals | Journal of Dermatology | 46巻3号 | e99-e101 | 2019 |

中野 創

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|------------|-------|-----------|------|
| Kuriyama Y, Hattori M, Mitsui T, Nakano H, Oikawa D, Tokunaga F, Ishikawa O, Shimizu A | Generalized verrucosis caused by various human papillomaviruses in a patient with GATA2 deficiency | J Dermatol | 45(5) | e108-e109 | 2018 |

| | | | | | |
|--|---|----------------|---------|-----------|------|
| Nishikawa Y, Matsuzaki Y, Kimura K, Rokunohe A, Nakano H, Sawamura D | Modulation of Stimulator of Interferon Genes (STING) Expression by Interferon- γ in Human Keratinocytes | Biochem Genet | 56(1-2) | 93-102 | 2018 |
| Hattori M, Ishikawa O, Oikawa D, Amano H, Yasuda M, Kaira K, Ishida- Yamamoto A, <u>Nakano H,</u> Sawamura D, Terawaki SI, Wakamatsu K, Tokunaga F, Shimizu A | In-frame Val216-Ser217 deletion of KIT in mild piebaldism causes aberrant secretion and SCF response | J Dermatol Sci | 91(1) | 35-42 | 2018 |
| Korekawa A, Kaneko T, Nakano <u>H,</u> Sawamura D | Pyogenic granuloma-like Kaposi's sarcoma on the first toe | J Dermatol | 45(7) | e177-e178 | 2018 |
| Hattori M, Shimizu A, Nakano H, <u>Ishikawa O.</u> | Mild phenotype of junctional epidermolysis bullosa with pyloric atresia due to a novel mutation of the ITGB4 gene | J Dermatol | 45(7) | e203-e204 | 2018 |
| Jin K, Matsuzaki Y, Akasaka E, Fukui T, Sagara C, Nakano H, Sawamura D | Irreversible bilateral cyanosis of the hands caused by hypothenar hammer syndrome with systemic sclerosis | Eur J Dermatol | 28(4) | 525-526 | 2018 |
| Komori T, Dainichi T, Masuno Y, Otsuka A, Nakano H, Sawamura D, Ishida-Yamamoto A, Kabashima K | p.Glu477Lys mutation in keratin 5 is not necessarily mortal in generalized severe epidermolysis bullosa simplex | J Dermatol | 45(8) | e209-e210 | 2018 |
| Motegi SI, Sekiguchi A, Fujiwara C, Yamazaki S, <u>Nakano H,</u> Sawamura D, Ishikawa O | A case of Birt-Hogg-Dubé syndrome accompanied by colon polyposis and oral papillomatosis | Eur J Dermatol | 28(5) | 720-721 | 2018 |
| Matsuzaki Y, Minakawa S, Sagara C, Takiyoshi N, <u>Nakano H,</u> Sawamura D | Spontaneous remission of methotrexate-associated lymphoproliferative disorder with Epstein-Barr virus type II latency | Eur J Dermatol | 28(5) | 693-694 | 2018 |

| | | | | | |
|---|---|-------------------|--------|----------------------------------|------|
| Namiki T, Hashimoto T, Omigawa C, Fujimoto T, Ugajin T, Miura K, Satoh T, Nakano H, Yokozeki H | Case of generalized anhidrosis associated with diffuse reticular hyperpigmentation and syndactyly | J Dermatol | — | doi: 10.1111/1346-8138.14697. | 2018 |
| Komori T, Dainichi T, Otsuka A, Nakano H, Sawamura D, Ishida-Yamamoto A, Kabashima K | Mild dystrophic epidermolysis bullosa associated with homozygous gene mutation c.6216+5G>T in type VII collagen ultrastructurally suggestive of the decreased number of anchoring fibrils | J Dermatol | 45(11) | e305-e306 | 2018 |
| Matsuzaki Y, Takahashi M, Minakawa S, Jin K, Nakano H, Sawamura D | Cutaneous collagenous vasculopathy induced by the vascular endothelial growth factor receptor inhibitor axitinib | Int J Dermatol | 57(12) | e167-e169 | 2018 |
| Matsui A, Akasaka E, Rokunohe D, Matsuzaki Y, Sawamura D, Nakano H | The first Japanese case of familial porphyria cutanea tarda diagnosed by a UROD mutation | J Dermatol Sci | 93(1) | 65-67 | 2019 |
| Ohyama A, Nakano H, Imanishi Y, Seto T, Tsuruta D, Fukai K | A novel missense mutation of the STS gene in two siblings with X-linked ichthyosis, complicated by short stature, bone density reduction, epilepsy, and cryptorchidism | Clin Exp Dermatol | 44(1) | 78-79 | 2019 |
| Nakamura E, Majima Y, Hashizume H, Tokura Y, Nakano H | Dominant dystrophic epidermolysis bullosa pruriginosa with a COL7A1 exon 87 c.6898C>T mutation | Clin Exp Dermatol | 44(1) | 82-84 | 2019 |
| Yaginuma A, Itoh M, Akasaka E, Nakano H, Sawamura D, Nakagawa H, Asahina A | Novel mutation c.263A>G in the ACVRL1 gene in a Japanese patient with hereditary hemorrhagic telangiectasia 2 | J Dermatol | 46(1) | e22-e24 | 2019 |
| Li M, Higashi N, Nakano H, Saeki H | Incontinentia pigmenti in a Japanese female infant with a novel frame-shift mutation in the IKBKG gene | J Dermatol | 46(1) | e26-e28 | 2019 |

| | | | | | |
|---|---|----------------------|--------|-----------|------|
| Korekawa A, Akasaka E, Rokunohe D, Fukui T, Kaneko T, Sawamura D, Ishikawa M, Yamamoto T, Nakano H | Nagashima-type palmoplantar keratoderma and malignant melanoma in Japanese patients | Br J Dermatol | 180(2) | 415-416 | 2019 |
| Morimoto N, Shimizu A, Hattori M, Kuriyama Y, Nakano H, Ohnishi K | Dystrophic epidermolysis bullosa pruriginosa presenting with flagellate scarring lesions | Clin Exp Dermatol | 44(2) | e5-e6 | 2019 |
| Jin K, Matsuzaki Y, Akasaka E, Nakano H, Sawamura D | Pyoderma gangrenosum triggered by switching from adalimumab to secukinumab | J Dermatol | 46(3) | e108-e109 | 2019 |

(和文)

橋本 隆

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|-------------------|--------|-----------|------|
| 藤本裕子、斎藤まり、妹尾明美、牧原亜矢子、眞部恵子、青山裕美、西江渉、石井文人、 <u>橋本隆</u> 、村田晶子 | 涙道閉塞をきたした抗ラミニン332型粘膜類天疱瘡の1例 | 皮膚科の臨床 | 60(13) | 2023-2028 | 2018 |
| 江原大輔、小池雄太、大久保佑美、松尾真穂、石井文人、 <u>橋本隆</u> 、宇谷厚志 | 治療抵抗性腫瘍隨伴性天疱瘡の1例 | 西日本皮膚科 | 80(5) | 436-441 | 2018 |
| 佐藤文子、角田孝彦、矢口順子、五十嵐雅彦、泉健太郎、西江渉、石井文人、 <u>橋本隆</u> | DPP-4阻害薬によると思われる類天疱瘡6例の免疫プロット所見 | 山形市立病院済生館 医学雑誌 | 43(1) | 75-81 | 2018 |
| 濱端明海、天野博雄、赤坂俊英、 <u>橋本隆</u> 、石井文人 | 下腿へのシェーバーによる物理刺激が誘因と考えられた若年成人の落葉状天疱瘡の1例 | 皮膚科の臨床 | 60(11) | 1753-1756 | 2018 |
| <u>橋本隆</u> 、石井文人 | 【心に残る症例-40周年記念特別号】<臨床例>血漿交換療法直後の大量免疫グロブリン静注療法が著効した重症尋常性天疱瘡 | 皮膚病診療 | 40(1) | 67-70 | 2018 |

金澤 伸雄

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|--------------------|--------|---------|------|
| 濱本千晶、国本佳代、早田敦志、石本淳也、古川福実、神人正寿、 <u>金澤伸雄</u> | 肺炎・呼吸不全の加療中にテオドール（テオフィリン）によるスティープンス・ジョンソン症候群を発症し死亡した1例 | 和歌山医学 | 69(1) | 61-5 | 2018 |
| 金澤伸雄 | 中條-西村症候群 | リウマチ科 | 59(4) | 463-9 | 2018 |
| 原知之、 <u>金澤伸雄</u> | 凍瘡様皮疹を呈する自己炎症性疾患 | 西日本皮膚科 | 80(4) | 323-6 | 2018 |
| 川口亜美、国本佳代、三木田直哉、神人正寿、 <u>金澤伸雄</u> | 尋常性乾癬に対するプロダルマブ治験中に肺化膿症を生じた1例 | 臨床皮膚科 | 72(10) | 763-9 | 2018 |
| <u>金澤伸雄</u> （日本サルコイドーシス/肉芽腫性疾患学会サルコイドーシス診療の手引き2018作成委員会） | Blau症候群 | サルコイドーシス診療の手引き2018 | — | — | 2018 |
| <u>金澤伸雄</u> | プロテアゾーム関連自己炎症性症候群（中條-西村症候群を中心） | 日本臨牀 | 76(10) | 1777-84 | 2018 |
| <u>金澤伸雄</u> | プロテアゾーム関連自己炎症性症候群一中條-西村症候群と関連疾患 | 医学のあゆみ | 267(9) | 689-95 | 2018 |
| <u>金澤伸雄</u> | クリオピリン関連周期熱症候群(CAPS)と自己炎症性疾患 | 日本臨床皮膚科医会雑誌 | 35(6) | 848-53 | 2018 |
| 濱本千晶、古川福実、神人正寿、有本けい子、石井文人、橋本隆、鶴田大輔、 <u>金澤伸雄</u> | 線状皮膚炎様臨床像を呈し顆粒状C3皮膚症と診断した表皮下水疱症の1例 | 日本皮膚科学会雑誌 | 印刷中 | — | — |

森脇 真一

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|-------------|--------------------------------|--------------------|-----|---------|------|
| <u>森脇真一</u> | 光線過敏 | Monthly Book Derma | 268 | 66-74 | 2018 |
| <u>森脇真一</u> | 日常診療における遮光指導～光線過敏症患者の患者ケアを中心に～ | 日臨皮会誌 | 35 | 898-900 | 2018 |

| | | | | | |
|-------------|-------------|-----------------|----|---------|------|
| <u>森脇真一</u> | 光老化対策とビタミンD | 皮膚科の臨床 | 60 | 918-919 | 2018 |
| <u>森脇真一</u> | コケイン症候群 | BRAIN and NERVE | 71 | 390-393 | 2019 |

古村 南夫

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|-------------|--------------------|-------|--------|---------|------|
| <u>古村南夫</u> | 指定難病最前線：家族性良性慢性天疱瘡 | 新薬と臨床 | 68 (1) | 120-126 | 2019 |

照井 正

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|-----------|-----|--------|------|
| <u>葉山惟大</u> | 皮膚疾患治療のポイント 化膿性汗腺炎の新しい概念と治療 | 臨床皮膚科 | 72 | 132-7 | 2018 |
| <u>照井 正</u> , 鳥居 秀嗣, 黒川 一郎, 大田 三代, 栗本 沙里奈, 山崎 清貴, 木村 淳子, 林 伸和 | 臨床研究 化膿性汗腺炎の実態調査 JMDC Claims Databaseの解析結果より | 皮膚科の臨床 | 60 | 653-60 | 2018 |
| <u>照井 正</u> , 大槻マミ太郎, 黒川一郎, 佐藤伸一, 高橋健造, 鳥居秀嗣, 林 伸和, 森田明理 | 化膿性汗腺炎におけるアダリムマブの使用上の注意/ 化膿性汗腺炎の診療の手引き. | 日本皮膚科学会雑誌 | 129 | 325-9 | 2019 |

川上 民裕

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|-------------------------------------|----------------------------------|--------|-------|-----------|------|
| 黒田瑛里、門野岳史、竹内そら、松岡摩耶、川上民裕、相馬良直、久保佳多里 | 下着の当たる部分に一致したケブネル現象を示した環状扁平苔癬の1例 | 皮膚科の臨床 | 60巻8号 | 1259-1261 | 2018 |

下村 裕

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|-------------|-------------|--------|-------|---------|------|
| <u>下村 裕</u> | 遺伝性毛髪疾患（前編） | 西日本皮膚科 | 80巻2号 | 141-146 | 2018 |
| <u>下村 裕</u> | 遺伝性毛髪疾患（後編） | 西日本皮膚科 | 80巻3号 | 239-243 | 2018 |

中野 創

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|-------------------------------|---------|-----------|------|
| 中野 創 | 【これが皮膚科診療スペシャリストの目線!診断・検査マニュアル-不变の知識と最新の情報-】遺伝性皮膚疾患 | Derma | 268号 | 295-302 | 2018 |
| 中村 華子(昭和大学藤が丘病院 皮膚科), 辻 香織, 石井 賢太郎, 足立 真, 中野 創, 澤村 大輔 | ATP2C1遺伝子に変異を同定したHailey-Hailey病 | 皮膚病診療 | 40巻5号 | 485-488 | 2018 |
| 神崎 美玲, 赤坂 英二郎, 中野 創, 澤村 大輔 | 遺伝子検査により家族内発症を確認できたHailey-Hailey病の1家系 | 皮膚科の臨床 | 60巻8号 | 1254-1258 | 2018 |
| 浦野 聖子, 宇佐 神 治子, 中野 創, 戸倉 新樹 | 遺伝子解析により診断した多様性ポルフィリン症の1例 | 皮膚科の臨床 | 60巻9号 | 1345-1348 | 2018 |
| 福井 智久, 金子 高英, 六戸 大樹, 中野 創, 澤村 大輔 | さまざまな組織像を呈し悪性化の徵候がみられたらせん腺腫の1例 | 臨床皮膚科 | 72巻11号 | 869-874 | 2018 |
| 川村 美保, 高橋 智子, 水谷 陽子, 中野 創, 清島 真理子 | Wet wrap法が有効であったHailey-Hailey病の1例 | 臨床皮膚科 | 73巻1号 | 23-27 | 2019 |
| 赤坂 英二郎, 馬場 由香, 中野 創, 澤村 大輔 | 天性爪甲硬厚症 ケラチン6a遺伝子変異による孤発例 | 皮膚病診療 | 41巻1号 | 53-56 | 2019 |
| 丸田 志野, 宮下 桂, 中野 創, 尹 浩信 | 骨髓性プロトポルフィリン症の家族例 | 皮膚病診療 | 41巻1号 | 17-20 | 2019 |
| 中野 創 | ポルフィリン症. 内科医のための皮膚疾患アトラス | 内科医のための皮膚疾患アトラス. 藤本 学編. 診断と治療 | 107巻増刊号 | 67 | 2019 |