

研究成果の刊行に関する一覧表

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|---|---|--|---|----------------|-----|------|---------|
| Tohru Ohama, Ryota Kawase, Yasushi Soh, akata, Shin izuya Yamashita | Chapter 21 Methods for studying the function of progranulin in atherosclerosis using both knockout mice models and in vitro studies | Andrew Bateman, Hugh P.J. Bennett, Siu im Cheung | Methods in Molecular Biology 1806 Springer Protocols: Progranulin Methods and Protocols | Humanana Press | USA | 2018 | 315-328 |
| Shizuya Yamashita, Yuji Matsuzawa | Low HDL and high HDL syndromes | Luciano Martini | Encyclopedia of Endocrine Diseases, Second Edition | Elsevier | USA | 2018 | 327-339 |
| 川尻剛照、山岸正和 | 脂質異常症の治療薬 | 小室一成、中村正人 | 循環器内科専門医バイブルシリーズ「虚血性心疾患」虚血性心疾患の二次予防 | 中山書店 | 東京 | 2018 | 300-305 |
| 川尻剛照、山岸正和 | 安定狭心症 | 伊藤浩、山下武志 | 循環器疾患最新の治療2018-2019 | 南江堂 | 東京 | 2018 | 83-86 |
| 三井田孝 | TGの測定法と標準化 | 倉林正彦 | 高TG血症 | 最新医学社 | 大阪 | 2018 | 94-100 |
| 三井田孝 | 鑑別診断手順 | 日本動脈硬化学会 | 脂質異常症診療ガイド | 日本動脈硬化学会 | 東京 | 2018 | 26-28 |
| 三井田孝 | LDL-C測定法に計算式と直接法がありますがどう使い分ければよいですか？違いと使い方を教えてください | 日本動脈硬化学会 | 脂質異常症診療ガイド | 日本動脈硬化学会 | 東京 | 2018 | 142 |
| 三井田孝 | LDL-C直接法は不正確だと聞きましたが本当ですか？ | 日本動脈硬化学会 | 脂質異常症診療ガイド | 日本動脈硬化学会 | 東京 | 2018 | 142 |
| 三井田孝 | 中性脂肪 | 日本衛生検査所協会 | 50人の専門医が教える検査と検査値の話 | 日本衛生検査所協会 | 東京 | 2018 | 86-87 |

| | | | | | | | |
|-----------------------------|------------------------------|---------------|----------------------------------|-------------------|----|------|---------|
| 三井田孝 値 | 食事時間と検査 値 | 日本衛生検 査所協会 | 50人の専門医 が教える検査 と検査値の話 会 | 日本衛生 検査所協 会 | 東京 | 2018 | 128-129 |
| 小倉正恒、 和田郁人、 斯波真理 子 | 原発性高TG血症 治療の現状と新 薬開発状況 | 倉林正彦 | 高TG血症 | 最新医学 社 | 大阪 | 2018 | 184-191 |
| 佐々木誠、 池脇克則 | 高TG血症とHDL代 謝 | 倉林正彦 | 高TG血症 | 最新医学 社 | 東京 | 2018 | 60-6 |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|------------------------------------|----|-----------|------|
| Hori M, Miyauchi E, Son C, Harada-Shiba M | Detection of the benign c.2579C>T (p.A860V) variant of the LDLR gene in a pedigree-based genetic analysis of familial hypercholesterolemia. | J Clin Lipidol | | in press | 2019 |
| Harada-Shiba M | How much further do we need to decrease LDL cholesterol levels in heterozygous familial hypercholesterolemia? | Atherosclerosis | | in press | 2019 |
| Shirahama R, Ono T, Nagamatsu S, Sueta D, Takiody and Rosuvastain in Dosashio S, Chitosuble-heterozygous Familye T, Fujisue K, Sakamoto K, Yamamoto E, Izumiya Y, Kaikita K, Hokimoto S, Hori M, Harada-Shiba M, Kajiwara I, Ogawa H, Tsujita K | Coronary Artery Plaque Regression by a PCSK9 Antibody and Rosuvastatin in Dosashio S, Chitosuble-heterozygous Familye T, Fujisue K, Sakamoto K, Yamamoto E, Izumiya Y, Kaikita K, Hokimoto S, Hori M, Harada-Shiba M, Kajiwara I, Ogawa H, Tsujita K | Intern Med | 57 | 3551-3557 | 2018 |
| Nose D, Hori M, Miyamoto Y, Imamura S, Harada-Shiba M, Sakai K, Miura S | Discontinuation of LDL apheresis with evolocumab in an FH patient with a duplication of exon 2-6 in the LDLR gene | Journal of Cardiology Case Reports | | in press | 2019 |
| Nohara A, Otsubo Y, Yanagi K, Yoshida M, Ikewaki K, Harada-Shiba M, Jurecka A | Safety and Efficacy of Lovastatin with Homozygous Familial Hypercholesterolemia (HoFH): Results from the AEGR-733-301 Long-Term Extension Study | J Atheroscler Thromb | | in press | 2019 |

| | | | | | |
|---|--|----------------------|--------|-----------|------|
| Vallejo-Vaz AJ, Harada-Shiba M,, Yamashita S, Catapano AL, Ray KK et al; On behalf of the EAS Familial Hypercholesterolemia Studies Collaboration (FHSC) Investigators | Overview of the current status of familial hypercholesterolemia care in over 60 countries - The EAS Familial Hypercholesterolemia Studies Collaboration (FHSC) | Atherosclerosis | 277 | 234-255 | 2018 |
| Harada-Shiba M, Ako J, Arai H, Hirayama A, Murakami Y, Nohara A, Ozaki A, Utsuno K, Nakamura M | Prevalence of familial hypercholesterolemia in patients with acute coronary syndrome in Japan: results of the EXPLORE-J study | Atherosclerosis | 277 | 362-368 | 2018 |
| Kakuta T, Fujita T, Fukushima S, Kawamoto N, Matsumoto Y, Yamashita K, Shimahara Y, Ishibashi-Ueda H, Harada-Shiba M, Kobayashi J | Two Cases of Surgical Management of Supravalvular Aortic Stenosis in Familial Hypercholesterolemia | Ann Thorac Surg | 105(4) | e171-e174 | 2018 |
| Harada-Shiba M, Arai H, Ishigaki Y, Ishibashi S, Okamura T, Ogura M, Dobashi K, Nohara A, Bujo H, Miyazuchi K, Yamashita S, Yokote K, Working Group by Japan Atherosclerosis Society for Making Guidance of Familial Hypercholesterolemia | Guidelines for Diagnosis and Treatment of Familial Hypercholesterolemia. 2017 | J Atheroscler Thromb | 25 | 751-770 | 2018 |

| | | | | | |
|--|--|---|----|----------|------|
| Kameyama N, Maruyama C, Kitagawa F, Nishii K, Uenomachi K, Kanayama Y, Koga H, Chikamoto N, Kuwata Y, Torigoe J, Arimoto M, Tokumaru T, Ikewaki K, Nohara A, Otsubo Y, Yanagi K, Yoshida M, Harada-Shiba M | Dietary intake during 56 weeks of a low-fat diet for lomitapide treatment in Japanese patients with homozygous familial hypercholesterolemia | J Atheroscler Thromb | 26 | 72-83 | 2019 |
| Harada-Shiba M, Ohta T, Ohtake A, Ogura M, Doi K, Nohara A, Yamashita S, Yokote K, Joint Working Group by Japan Pediatric Society and Japan Atherosclerosis Society for Making Guidance of Pediatric Familial Hypercholesterolemia | Guidance for Pediatric Familial Hypercholesterolemia 2017 | J Atherosclerosis Thromb | 25 | 539-553 | 2018 |
| Harada-Shiba M, Kastelein JP, Hovingh GK, Kaudisik R, Ohtake A, Arisaka O, Ohta T, Okada T, Suganami H, Wiegman A | Efficacy and safety of pitavastatin in children and adolescents with familial hypercholesterolemia in Japan and Europe | J Atheroscler Thromb | 25 | 422-429 | 2018 |
| Cesare R Sirtori, Shizuya Yamashita, Maria Francesca Greco, Alberto Corsini, Gerald Watts, Massimiliano Ruscica | Recent advances in synthetic pharmacotherapies for dyslipidemias. | European Journal of Preventive Cardiology | | in press | |
| Yamashita S, Matsuda D, Matsuzawa Y | Clinical applications of a novel selective PPAR modulator, pemetrexate, in dyslipidemia and metabolic diseases. | J Atherosclerosis Thromb | | in press | |

| | | | | | |
|--|---|----------------------------|----|----------|------|
| Sairyo M, Kobayashi T, Masuda D, Kanno K, Zhu Y, Okada T, Koseki M, Ohama T, Nishida M, Sakata Y, Yamashita S | A novel selective PPAR modulator (SPPARM), K-877 (pemafibrate), attenuates postprandial hypertriglyceridemia in mice | J Atherosclerosis & Thromb | 25 | 142-152 | 2018 |
| Okada T, Ohama T, Okazaki M, Kofuji H, Sairyo M, Zn H, Saito Y, Saga A, Kyobashi T, Matsuda M, Nishida M, Sakata Y, Yamashita S | Particle number analysis of lipoprotein subclasses by gel permeation HPLC in patients with cholesterol ester transfer protein deficiency. | PLoS One | 13 | e0190875 | 2018 |
| Teramoto T, Kai T, Ozaki A, Crawford B, Arai H, Yamashita S | Treatment patterns and lipid profile in patients with familial hypercholesterolemia in Japan. | J Atherosclerosis & Thromb | 25 | 580-592 | 2018 |
| Yamashita S, Masuda D, Arai H, Matsuzawa Y | Cultural barriers in the treatment of dyslipidemia: a survey of Japanese physician attitudes. | J Atherosclerosis & Thromb | 26 | 154-169 | 2019 |
| Sturm CA, Knowles WJ, Gidding S, Ahmad S, med DC, Ballantyne MC, Baum S, Bourbon M, uchel M, Hovingh K, Kastelein PJ, Lane RS, Nordestgaard GB, Santos RD, Harada-Shiba M, Si jbrands E, Yamashita S, Wilemon KA, Rader DJ | Convened by the Familial Hypercholesterolemia Foundation: Clinical genetic testing for familial hypercholesterolemia: JACC Scientific Expert Panel. | J Am Coll Cardiol | 72 | 662-680 | 2018 |

| | | | | | |
|--|---|----------------------|-----|----------|------|
| EAS Familial Hypercholesterolemia Studies Collaboration; Vallejo-Vaza AJ, Harada-Shiba M, Yamashita S, et al; On behalf of the EAS Familial Hypercholesterolaemia Studies Collaboration (FHSC) investigators | Overview of the current status of and initiatives related familial hypercholesterolaemia in over 60 countries participating in the EAS familial hypercholesterolaemia studies collaboration (FHSC). | Atherosclerosis | 277 | 234-255 | 2018 |
| Committee for Epidemiology and Clinical Management of Atherosclerosis; Kino M, Yokote K, Arai H, Iida M, Ishigaki Y, Ishibashi S, Umemoto S, Egusa G, Ohmura H, Okamura T, Kihara S, Koba S, Saito I, Shoji T, Daida H, Tsukamoto K, Deguchi J, Dohi S, Dobashi K, Hamaguchi H, Hara M, Hiro T, Biro S, Fujioka Y, Maruyama C, Miyamoto Y, Murakami Y, Yokode M, Yoshida H, Rakugi H, Wakatsuki A, Yamashita S | Japan Atherosclerosis Society Guidelines for Prevention of Atherosclerotic Cardiovascular Diseases 2017. | J Atheroscler Thromb | 25 | 846-984 | 2018 |
| Pang J, Chan DC, Hu M, Muir C, Kwok S, Chang A, Truong M-J, Florkowksi CM, George P, Lin J, Marais AD, Nawawi H, Gonzalez-Santos LE, Su T-C, Truong TH, Santos RD, Soran H, Tomlinson B, Yamashita S, Ademi Z, Watts GF | Comparative aspects of the care of familial hypercholesterolaemia in the “Ten Countries Study.” | J Clin Lipidol | | in press | |

| | | | | | |
|---|--|--------------------------------|----|-----------|------|
| Nishino T, Horie T, Baba O, Soeda T, Hanada R, Kuwabara Y, Nakao T, Nishigami M, Nishi H, Nakashima Y, Nakazeki F, Ide Y, Koyama S, Kimura M, Nagata M, Yoshida K, Takagi Y, Nakamura T, Hasegawa K, Miyamoto S, Kimura T, and *Ono K | SREBF1/MicroRNA-33b axis exhibits potent effect on unstable atherosclerotic plaque formation in vivo. | Arterioscler Thromb Vasc Biol. | 38 | 2460-2473 | 2018 |
| Baba O, Horie T, Nakao T, Hakuno D, Nakashima Y, Nishi H, Kuwabara Y, Nishigami M, Nishino T, Ide Y, Nakazeki F, Koyama S, Kimura M, Hanada R, Kawahara M, Kimura T, and *Ono K | MicroRNA-33 regulates the population of peripheral inflammatory Ly6Chigh monocytes through dual pathways | Mol Cell Biol. | 38 | e00604-17 | 2018 |
| Ono K, Kuwabara Y, Horie T, Kiyama T, Kawashima T. | Long Non-Coding RNAs as Key Regulators of Cardiovascular Diseases | Circulation J. | 82 | 1231-1236 | 2018 |
| Tada H, Inaba S, Pozharitskaya D, Kawashiri MA. | Prominent Tendon Xanthomas and Abdominal Aortic Aneurysm Associated with Cerebrotendinous Xanthomatosis Identified Using Whole Exome Sequencing. | Intern Med. | 57 | 1119-1122 | 2018 |
| Nakahashi T, Tada H, Sakata K, Yakuta Y, Tanaka Y, Nomura A, Gamou T, Terai H, Horita Y, Ikeda M, Namura M, Takamura M, Hayashi K, Yamagishi M, Kawashiri MA. | Paradoxical impact of decreased low-density lipoprotein cholesterol level at baseline on the long-term prognosis in patients with acute coronary syndrome. | Heart Vessel | 33 | 695-705 | 2018 |
| Tada H, Kawashiri MA, Nohara A, Inazu A, Mabuchi H, Yamagishi M. | Assessment of arterial stiffness in patients with familial hypercholesterolemia. | J Clin Lipidol. | 12 | 397-402 | 2018 |

| | | | | | |
|--|---|---------------------------|-----|-----------|------|
| Okada H, Tada H, Hayashi K, Kawashima H, Takata T, Sakata K, Nohara A, Mabuchi H, Yamagishi M, Kawashiri MA. | Aortic Root Calcification Score as an Independent Factor for Predicting Major Adverse Cardiac Events in Familial Hypercholesterolemia. | J Atherosclerosis Thromb. | 25 | 634-642 | 2018 |
| Nomura A, Tada H, Nohara A, Kawashiri MA, Yamagishi M. | Oral Fat Tolerance Test for Sitosterolemia and Familial Hypercholesterolemia: A Study Protocol. | J Atherosclerosis Thromb. | 25 | 741-746 | 2018 |
| Nakahashi T, Tada H, Sakata K, Nomura A, Ohirto M, Mori M, Tainine, Kamura M, Hayashi K, Yamagishi M, Kawashiri A. | Additive Prognostic Value of Carotid Plaque Score to Enhance the Age, Creatinine, and Ejection Fraction Score in Patients with Acute Coronary Syndrome. | J Atherosclerosis Thromb. | 25 | 709-719 | 2018 |
| Tada H, Kawashiri MA, Nohara A, Sakata K, Inazu A, Mabuchi H, Yamagishi M, Hayashi K. | Remnant-like particles and coronary artery disease in familial hypercholesterolemia. | Clin Chim Acta | 482 | 120-123 | 2018 |
| Kawashiri MA, Tada H, Nomura A, Yamagishi M. | Mendelian randomization: Its impact on cardiovascular disease. | J Cardiol. | 72 | 307-313 | 2018 |
| Tada H, Nomura A, Nohara A, Inazu A, Mabuchi H, Yamagishi M, Kawashiri MA. | Post-prandial Remnant Lipoprotein Metabolism in Sitosterolemia. | J Atherosclerosis Thromb. | 25 | 1188-1195 | 2018 |
| Tada H, Nomura A, Yamagishi M, Kawashiri MA. | First case of sitosterolemia caused by double heterozygous mutations in ABCG5 and ABCG8 genes. | Clin Lipidol. | 12 | 1164-1168 | 2018 |
| Tada H, Nohara A, Inazu A, Sakuma N, Mabuchi H, Kawashiri M. | Sitosterolemia, Hypercholesterolemia, and Coronary Artery Disease. | J Atherosclerosis Thromb. | 25 | 783-789 | 2018 |
| Tada H, Kawashiri MA, Nomura A, Yoshimura K, Itoh H, Komuro I, Yamagishi M. | Serum triglycerides predict first cardiovascular events in diabetic patients with hypercholesterolemia and retinopathy. | Eur J Prev Cardiol. | 25 | 1852-1860 | 2018 |

| | | | | | |
|--|--|-----------------------|-----|-----------|------|
| Tada H, Kawashiri MA, Nomura A, Teramoto R, Hosomichi K, Nohara A, Inazu A, Mabuchi H, Tajima A, Yamagishi M. | Oligogenic familial hypercholesterolemia, LDL cholesterol, and coronary artery disease. | J Clin Lipidol. | 12 | 1436-1444 | 2018 |
| Tada H, Nohara A, Kawashiri A. | Serum Triglycerides and Atherosclerotic Cardiovascular Disease: Insights from Clinical and Genetic Studies. | Nutrients. | 10 | | 2018 |
| Nomura A, Tada H, Okada H, Nohara A, Ishikawa H, Yoshimura K, Kawashiri A. | Impact of genetic testing on low-density lipoprotein cholesterol in patients with familial hypercholesterolemia (GenTLe-FH): a randomised waiting list controlled open-label study protocol. | BMJ Open. | 8 | E023636 | 2018 |
| Tada H, Kawashiri MA. | Genetic Variations, Triglycerides, and Atherosclerotic Disease. | J Atheroscler Thromb. | 26 | 128-131 | 2019 |
| Tada H, Nomura A, Okada H, Nakajima T, Hayashi K, Nohara A, Yagi K, Inazu A, Michishita I, Mabuchi H, Yamagishi M, Kawashiri MA. | Clinical whole exome sequencing in severe hypertriglyceridemia. | Clin Chim Acta. | 488 | 31-39 | 2019 |
| Tada H, Nohara A, Inazu A, Mabuchi H, Kawashiri MA. | Remnant lipoproteins and atherosclerotic cardiovascular disease. | Clin Chim Acta. | 490 | 1-5 | 2019 |

| | | | | | |
|---|---|-------------------------------|-------|---------|------|
| Okada H, Nakani shi C, Yoshida S, Shimojima M, Yokawa J, Mori M, Tada H, Yos himuta T, Hayas hi K, Yamano T, Hanayama R, Ya magishi M, Kawa shiri MA. | Function and Immunogenicity of Gene-corrected iPSC-derived Hepatocyte-Like Cells in Restoring Low Density Lipoprotein Uptake in Homozygous Familial Hypercholesterolemia. | Sci Rep. | 9 | 4965 | 2019 |
| Nagahara K, Hachiya R, Tada H, Okada H, Yamagishi M, Mizuno K, Hasegawa Y. | A Japanese case of familial hypercholesterolemia with a novel mutation in the LDLR gene. | Clin Ped Endocrinol | 29 | 19-22 | 2018 |
| Takanashi M, Kimura T, Li C, Tanaka M, Matsuhashi A, Yoshida H, Xu P, Take S, Okazaki S, Iizuka Y, Kumagai H, Ikeda Y, Gotoda T, Takahashi M, Yagyu H, Ishibashi S, Yamachi T, Kadokami T, Liang G, Okazaki H | Critical Role of SREBP-1c Large-VLDL Pathway in Environment-Induced Hypertriglyceridemia of Apo AV Deficiency. | Arterioscler Thromb Vasc Biol | 39(3) | 373-386 | 2019 |
| Eguchi J, Miyashita K, Fukamachi I, Nakajima K, Murakami M, Kawahara Y, Yamashita T, Ohta Y, Abe K, Nakatsuka A, Mino M, Take S, Okazaki H, Hegele RA, Ploug M, Hu X, Wada J, Young SG, Beigneux AP | GPIHBP1 autoantibody syndrome during interferon 1a treatment. | J Clin Lipidol. | 13(1) | 62-69 | 2019 |

| | | | | | |
|--|---|-------------------------|--------|-----------|------|
| Nohara A, Ohmura H, Okazaki H, Ogura M, Kihigawa K, Koseki M, Sato K, Tsukamoto K, Yamashita S; Japan Atherosclerosis Society Working Group on Statement for Appropriate Use of PCSK9 Inhibitors | Statement for Appropriate Clinical Use of PCSK9 Inhibitors. | J Atheroscler Thromb | 25(8) | 747-750 | 2018 |
| Nagasaki H, Hirano K, Yorifuji T, Komatsu H, Takatani T, Morioka I, Hirayama S, Miida T. | Treatment with medium chain fatty acids milk of CD36-deficient preschool children. | Nutrition | 50 | 45-48 | 2018 |
| Isshiki M, Hirayama S, Ueno T, Ito M, Furuta A, Yano K, Yamatani K, Sugihara M, Idei M, Miida T. | Apolipoproteins C-II and C-III as nutritional markers unaffected by inflammation. | Clin Chim Acta | 481 | 225-230 | 2018 |
| Hirayama S, Nagasaki H, Honda A, Komatsu H, Kodama T, Inui A, Morioka I, Kaji S, Ueno T, Ihara K, Yagi M, Kizaki Z, Bessho K, Kondou H, Yorifuji T, Tsukahara H, Iizima K, Miida T. | Cholesterol metabolism is enhanced in the liver and brain of children with citrin deficiency. | J Clin Endocrinol Metab | 103(7) | 2488-2497 | 2018 |
| Yamashita Y, Nakada S, Yoshihara T, Nara T, Furuya N, Miida T, Hattori N, Arikawa-Hirasawa E. | Perlecan, a heparan sulfate proteoglycan, regulates systemic metabolism with dynamic changes in adipose tissue and skeletal muscle. | Sci Rep | 8(1) | 7766 | 2018 |

| | | | | | |
|---|--|-------------------|-------|---------|------|
| Ishibashi R, Takemoto M, Tsurutani Y, Kuroda M, Ogawa M, Wakabayashi H, Uesugi N, Nagata M, Imai N, Hattori A, Sakamoto K, Kitamoto T, Maezawa Y, Narita I, Hiroi S, Furuta A, Miida T, Yokote K. | Immune-mediated acquired lecithin-cholesterol acyl trans-ferase deficiency: A case report and literature review. | J Clin Lipidol | 12(4) | 888-897 | 2018 |
| Yano K, Hirayama S, Misawa N, Furuta A, Ueno T, Motoi Y, Seino U, Ebinuma H, Ikeuchi T, Schneider WJ, Bujo H, Miida T | Soluble LR11 competes with amyloid in binding to cerebrospinal- fluid-high-density lipoprotein. | Clin Chim Acta | 489 | 29-34 | 2019 |
| Sekijima Y, Koyama S, Yoshinaga Y, Koinuma M, Inaba Y. | Nationwide survey on cerebrotendinous xanthomatosis in Japan | J Hum Genet | 63 | 271-280 | 2018 |

| | | | | |
|--|---|------------|-----------------------------------|--------------|
| Sharma R, Matsuzaka T, Kaushik MK, Sugasawa T, Ohno H, Wang Y, Motomura K, Shimura T, Okajima Y, Mizunoe Y, Ma Y, Saber ZM, Iwasaki H, Yatoh S, Suzuki H, Aita Y, Han SI, Takeuchi Y, Yahagi N, Miyamoto T, Sekiya M, Nakagawa Y, Shimano H. | Octacosanol and policosanol prevent high-fat diet-induced obesity in mice via PPAR- γ activation. Sci Rep. | 26;9(1) | 5169. | 2019 Mar |
| Shichino S, Uehara S, Hashimoto S, Otsuji M, Abe J, Tsukui T, Deshimaru S, Narukawa T, Kosugi i-Kanaya M, Shand FH, Inagaki Y, Shimano H, Matsushima K. | Transcriptome network analysis identifies protective role of the LXR/SREBP-1c axis in murine pulmonary fibrosis. JCI Insight. | 10 ; 4(1). | [Epub ahead of print] | 2019 Jan |
| Kodama S, Horikawa C, Fujihara K, Ishii D, Hasetta M, Takeda Y, Kitazawa M, Matsubayashi Y, Shimano H, Kataoka K, Tanaka S, Sone H: | Relationship between intake of fruit separately from vegetables and triglycerides - A meta-analysis. Clin Nutr ESPEN. | 27 PEN. | :53-58. | 2018 Oct; |
| Araki M, Nakagawa Y, Oishi A, Han SI, Wang Y, Kumagai K, Ohno H, Mizunoe Y, Iwasaki H, Sekiya M, Matsuzaka T, Shimano H. | The Peroxisome Proliferator-Activated Receptor (PPAR) Agonist Pemafibrate Protects against Diet-Induced Obesity in Mice. Int J Mol Sci. | 19(7). | pii: E2148. [Epub ahead of print] | 2018 Jul 23; |

| | | | | | |
|--|--|-------------------------------------|---------|-----------|-------------|
| Furukawa S, Suzuki H, Fujihara K, Kobayashi K, Iwasaki H, Sugano Y, Yatod h S, Sekiya M, Yahagi N, Shima no H. | Malondialdehyde-modified LDL-related variables are associated with diabetic kidney disease in type 2 diabetes. | Diabetes Res Clin Pract. | 141 | :237-243. | 2018 July |
| Yamamoto Y, Takei K, Arulmozhi raja S, Sladek V, Matsuo N, Ha n SI, Matsuzaka T, Sekiya M, T okiwa T, Shoji M, Shigeta Y, Nakagawa Y , Tok iwa H, Shimano H. | Molecular association model of PPAR and its new specific and efficient ligand, pemetrexed: Structural basis for SPPARM . | Biochem Biophys Res Commun. | 499(2): | 239-245 | 2018 May; |
| Karasawa T, Kawashima A, Usui-Kawanishi F, Watanabe S, Kimura H, Kamata R, Shirasuna K, Kobayashi Y, Sato-Tokumitsu M | Saturated Fatty Acids Undergo Intracellular Crystallization and Activate the NLRP3 Inflammasome in Macrophages. | Arterioscler Thromb Vasc Biol. | 38(4): | 744-756. | 2018 April; |
| Cho KI, Sakuma I, Sohn IS, Hayashi T, Shimada K, Koh KK | Best Treatment Strategies with Statins to Maximize Cardiometabolic Benefits | CIRCULATION JOURNAL | 82 | 937-943 | 2019 |
| Umegaki H, Makino T, Hayashi T, Cheng XWu, Kuzuya M. | Cognitive Dysfunction in Urban-Community Dwelling Prefrail Older Subjects | JOURNAL OF NUTRITION HEALTH & AGING | 22 | 549-555 | 2019 |
| Nakayama N, Hayashi T, Miyachi M, Negi K, Watanabe K, Hirai M | Napping Improves HRV in Older Patients with Cardiovascular Risk Factors. | Western journal of nursing research | 1949 | 9180925 | 2019 |

| | | | | | |
|--|--|--------------------------------|----|---------|------|
| Komatsu T, Sakurai T, Amar A, BL, Demosky D, Ryor K, Remaley AT | Apolipoprotein C-II Mimetic Peptide Promotes the Plasma Clearance of Triglyceride-Rich Lipid Emulsion and the Incorporation of Fatty Acids into Peripheral Tissues of Mice | J Nutr Metabol In press | | | 2019 |
| Kameyama N, Maruyama C, Kitagawa F, Nishii Uenomachi K, Atayama Y, Koga H, Chikamoto N, Kuwata Y, Torigoe J, Arimoto M, Tokumaru T, Ikewaki K, Nohara A, Otsubo Y, Yanagi K, Yoshida M, Harada-a-Shiba M | Dietary Intake during 56 Weeks of a Low-Fat Diet for Lomitapide Treatment in Japanese Patients with Homozygous Familial Hypercholesterolemia. | J Atheroscler Thromb. | 26 | 72-83 | 2019 |
| Ito M, Ikewaki K. | Postprandial Hyperlipemia is an Indication for Additional Risk in Sitosterolemia | J Atheroscler Thromb | 25 | 1183-4 | 2018 |
| Nohara A, Otsubo Y, Yanagi K, Yoshida M, Ikewaki K, Harada-Shibata M, Jurecka A | Safety and Efficacy of Lomitapide in Japanese Patients with Homozygous Familial Hypercholesterolemia (HoFH): Results from the AEGR-733-301 Long-Term Extension Study | J Atheroscler Thromb | 26 | 368-77 | 2019 |
| Takiguchi S, Ayatori M, Yakushiji E, Nakaya K, Sasaki M, Iizuka M, Uto-Kondo H, Terao Y, Yogo M, Komatsu T, Ogura M, Ikewaki K | Hepatic Overexpression of Endothelial Lipase Induces a Markedly Low HDL-Cholesterol but Maintains Macrophage Reverse Cholesterol Transport in Mice: Role of SR-BI/ABCA1-dependent pathways | Arterioscler Thromb Vasc Biol. | 38 | 1454-67 | 2018 |
| Sakuma I, Ikewaki K | Should Measures of High-Density Lipoprotein Function Be Added to the Low-Density Lipoprotein Cholesterol Target Level-Based Guidelines for Prevention of Atherosclerotic Disease? | Circ J | 82 | 1251-2 | 2018 |

| | | | | | |
|--|--|-----------------------|---------|------------|------|
| Mune M, Uto-Kondo H, Iteya I, Fujii Y, Ikeda S, Ikewaki K. | Vitamin E supplementation improves high-density lipoprotein and endothelial functions in end-stage kidney disease patients undergoing hemodialysis | Clin Nephrol | 90 | 212-21 | 2018 |
| Watanabe T, Nema T, Hiruta N, Murano T, Schneider WJ, Brueckner H. | Lp8 is potentially associated with partial lecithin:cholesterol acyltransferase deficiency in a patient with primary biliary cirrhosis. | J Clin Lipidol. | 12(5) | 1157-1163 | 2018 |
| Muratsu J, Koseki M, Masuda D, Yasuga Y, Tomoyama S, Ataka K, Yagi Y, Nakagawa A, Hamada H, Fujita S, Hattori H, Ohama T, Nishida M, Hiraoka H, Matsuzawa Y, Yamashita S | Accelerated Atherogenicity in Tangier Disease | J Atheroscler Thromb. | 25 | 1076-1085 | 2018 |
| Nohara A, Ohmura H, Okazaki H, Ogura M, Kazuhiko Kitagawa, Koseki M, Sato K, Tsukamoto K, Yamashita S | Statement for Appropriate Clinical Use of PCSK9 Inhibitors | J Atheroscler Thromb. | 25 | 747-750 | 2018 |
| Liu J, Nishida M, Inui H, Chang J, Zhu Y, Kang J, Matsuda H, Sairyo M, Okada T, Nakaoaka H, Ohama T, Masuda D, Koseki M, Yamashita S, Sakata Y. | Rivaroxaban Suppresses the Progression of Ischemic Cardiomyopathy in a Murine Model of Diet-Induced Myocardial Infarction. | J Atheroscler Thromb. | | March 14th | 2019 |
| Kurano M, Ikeda H, Iso-O N, Harara M, Tsukamoto K, Yatomi Y. | Regulation of the metabolism of apolipoprotein M and sphingosine 1-phosphate by hepatic PPAR activity. | Biochem J. | 475(12) | 2009-2024 | 2018 |

| | | | | | |
|--|--|--|-------------|-----------|-----------|
| Nohara A. Ohmura H. Okazaki H. Ogura M. Kitahara K. Koseki M. Sato K. Tsukamoto K. Yamashita S. | Statement for Appropriate Clinical Use of PCSK9 Inhibitors. | Journal of Atherosclerosis and Thrombosis | 25(8) | 747-750 | 2018 |
| Sakamoto M. Edo N. Takahashi S. Okamura E. no K. Morita K. Ishikawa T. ahi K. Iseki K. Moriyama T. Yamada K. Tsuruva K. Fujimoto S. Narita I. Konta T. Kondo M. Kimura K. Ohashi Y. Watanabe T. Tsukamoto K. | Association between prescription and control status of dyslipidemia and hypertension among Japanese diabetic patients. | Journal of Atherosclerosis and Thrombosis | in press | in press | in press |
| Kurano M. Hasedawa K. Kunimi M. Hara M. Yamamoto Y. Teramoto T. Tsukamoto K. | Sitosterol prevents obesity-related chronic inflammation. | BBA - Molecular and Cell Biology of Lipids | 1863(2) | 191-198 | 2018 |
| 小山信吾，関島良樹 | 脳膜黄色腫症の過去・現在・未来 | The Lipid | 30 | 52-57 | 2019 |
| 黒田正幸、横手幸太郎 | 家族性LCAT欠損症の過去・現在・未来 | The Lipid | Vol.30 No.1 | 71-78 | 2019 |
| 三井田孝 | LDLコレステロール(直接法)とnon-HDLコレステロール。 | 臨床病理 | 66(10) | 1102-1109 | 2018 |
| 三井田孝 | LDL-C 値の測定法 には計算式と直接法がありますが、使い分けや注意点はありますか？ | 検査と技術 | 46(7) | 794-798 | 2018 |
| 三井田孝 | LDLコレステロール直接法の実際。 | 日医雑誌 | 147(5) | 980 | 2018 |
| 中川 嘉， 島野仁 | 【脂質異常症の最前線】脂質代謝におけるPPAR とFGF21 の役割 | Medical Science Digest | 44巻14号 | 768-771 | (2018.12) |
| 塚本和久 | 薬物の併用療法・副作用・アドヒアランス 動脈硬化性疾患予防ガイドライン2017 | The Lipid | 29(1) | 76-81 | 2018 |
| 塚本和久 | 薬物療法 動脈硬化性疾患のリスク評価と管理 | 日本冠疾患学会雑誌 | 24(1) | 32-37 | 2018 |

| | | | | | |
|-----------|---|------------------------|--------|-----------|-------|
| 塚本和久 | 糖尿病を含めた高リスク病態における脂質管理 | 板橋区医師会通報 | 494 | 84-87 | 2018 |
| 塚本和久 | 治療抵抗性高コレステロール血症のくすり | スズケンファーマ | 21(1) | 7 | 2018 |
| 塚本和久 | 治療抵抗性高コレステロール血症とは | スズケンメディカル | 21(1) | 15 | 2018 |
| 塚本和久 | 動脈硬化性疾患予防ガイドライン2017年版のポイント | プラクティス | 35(3) | 250-256 | 2018 |
| 塚本和久 | 動脈硬化危険因子の評価 | 日本医師会雑誌 | 147(5) | 965-969 | 2018 |
| 塚本和久 | 脂質異常症治療の最近の話題 | 帝京大学医師会報告 | 38 | 4 | 2018 |
| 塚本和久 | マイクロソームトリグリセリド転送蛋白(MTP)：機能そして治療標的として | Pharma Medic a | 36(10) | 35-38 | 2018 |
| 塚本和久 | MTPの生理的役割と脂質異常症 脂質異常症の最前線 | Medical Science Digest | 44(14) | 32-35 | 2018 |
| 土橋一重 | 動脈硬化予防のための脂質異常症治療最前線 小児の脂質異常症治療 | 日本医師会雑誌 | 147 | 1008-1012 | 2018 |
| 土橋一重 | 生涯教育問題 「脂質異常症」に関する問題 小児(15歳未満)の動脈硬化予防について正しいのはどれか。1つ選べ。 | 日本医師会雑誌 | 147 | 1015 | 2018 |
| 土橋一重 | 私の処方2018 内分泌・代謝疾患の処方 家族性高コレステロール血症 | 小児科臨床 | 71 | 947-952 | 2018 |
| 土橋一重 | 動脈硬化性疾患予防ガイドライン2017 12.小児 | The Lipid | 29 | 98-102 | 2018 |
| 土橋一重 | スタチンを誰にどのように使うのか？ 1. 小児の家族性高コレステロール血症患者にスタチン処方を考慮すべきですか？ | Modern Physician | 39 | 159-161 | 2019 |
| 土橋一重 | 【小児疾患の診断治療基準】脂質異常症 | 小児内科 | 50 | 190-191 | 2018 |
| 男澤悠貴、塚本和久 | 各脂質異常症の病態と治療 低HDLコレステロール血症 | 臨床と研究 | 96(1) | 33-37 | 2019 |
| 高橋学,石橋俊 | 【原発性高脂血症研究の過去・現在・未来】無リポ蛋白血症の過去・現在・未来 | The Lipid | 30巻1号 | 87-93 | 2019年 |

| | | | | | |
|---------------|---|---|--------|-----------|------|
| 岡崎啓明 | 高トリグリセリド血症 動脈硬化ハイリスク遺伝子と新たな制御手段への期待 | 東京都医師会雑誌 | 71(4) | 293-298 | 2018 |
| 岡崎啓明 | 高中性脂肪血症 成因、診断、治療 | Medical Practice | 36(1) | 55-63 | 2019 |
| 岡崎啓明 | 原発性高カイロミクロン血症の過去・現在・未来 | The Lipid | 30(1) | 58-70 | 2019 |
| 岡崎啓明 | 高中性脂肪血症の遺伝子-環境連関 apoA-V欠損症からの新知見 | 医学のあゆみ | 268(5) | 403-408 | 2019 |
| 小関正博 | コレステロールの基礎と臨床的意義 | 日本栄養士会雑誌 | | 14-17 | 2018 |
| 小関正博 | 脂質異常症のHot Topics-動脈硬化性疾患ガイドライン2017の改訂をふまえて- | 西宮市医師会医学雑誌 | | 167-173 | 2018 |
| 小関正博 | 心血管・動脈硬化性疾患～肝が心血管を征服する～ | 臨床雑誌「内科」 | | 1315-1317 | 2018 |
| 小関正博 | オキシステロールと動脈硬化 | Heart View | | 65-70 | 2018 |
| 小関正博 | LDL-C, HDL-C, TG, Non-HDL-C、TC | 臨床精神医学 | | 427-437 | 2018 |
| 小関正博 | 小腸におけるコレステロール吸収と動脈硬化 | Pharma Medica | | 57-60 | 2018 |
| 村津淳、小関正博、山下静也 | タンザール病の過去・現在・未来 | The Lipid | | 79-86 | 2019 |
| 小関正博 | 重症家族性高コレステロール血症に対する根治的療法の開発 - 同種脂肪組織由来多系統前駆細胞移植療法 - | Medical Practice | | 105-108 | 2019 |
| 小関正博 | NAFLD/NASHと動脈硬化をつなぐ分子メカニズム | 医学のあゆみ 動脈硬化 <small>update</small> | | 369-373 | 2019 |
| 小関正博 | NAFLD/NASHを合併した心血管疾患 | Heart View | | 30-35 | 2019 |
| 小倉正恒 | 私の処方：家族性高コレステロール血症ヘテロ接合体 | Modern Physician | 38(11) | 1183 | 2018 |
| 小倉正恒、斯波真理子 | PCSK9阻害薬を用いた脂質低下治療の展望と課題 | 最新医学 | 73(6) | 837-842 | 2018 |
| 小倉正恒、斯波真理子 | 疾患レビュー・治療抵抗性高コレステロール血症 | スズケンメディカル | 21(1) | 4-6 | 2018 |

| | | | | | |
|------------|---------------------------------|--------------------------------|--------|---------|------|
| 小倉正恒、斯波真理子 | 疾患SUMMARY・治療抵抗性高コレステロール血症 | スズケンファーマ | 21(1) | 6 | 2018 |
| 小倉正恒、斯波真理子 | 家族性高コレステロール血症のリスク評価と管理 | 日本冠疾患学会雑誌 | 24(1) | 42-45 | 2018 |
| 小倉正恒 | 家族性高コレステロール血症の診断と治療に新ガイドラインを生かす | Mebio | 35(3) | 76-83 | 2018 |
| 小倉正恒、斯波真理子 | 家族性高コレステロール血症の診断と治療のコツ | CLINIC magazine | 590 | 21-27 | 2018 |
| 小倉正恒、斯波真理子 | 家族性高コレステロール血症の分子標的 | 循環器専門医 | 27 | 64-71 | 2018 |
| 小倉正恒 | <企画・編集>スタチンを使いこなす！18のクリニカル・パールズ | Modern Physician | 39(2) | 147-215 | 2019 |
| 小倉正恒 | 家族性高コレステロール血症ホモ接合体研究の過去・現在・未来 | The Lipid | 30(1) | 38-43 | 2019 |
| 小倉正恒、斯波真理子 | 抗PCSK9核酸医薬の登場が意味するもの | 医学のあゆみ 「第1土曜特集 動脈硬化 UPDATE」 | 268(5) | 438-442 | 2019 |