

## 別添 7

## 研究成果の刊行に関する一覧表

## 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
川人 豊	NSAIDs による胃腸障害と腎障害	宮坂信之	リウマチ科	科学評論社	東京	2018	457-462
川人 豊、 河野 正孝	ステロイド性骨粗鬆症に対するteriparatideの有用性.	宮坂信之	リウマチ科	科学評論社	東京	2018	609-616
和田 誠、 川人 豊	関節リウマチにおけるアダリムマブ	宮坂信之	リウマチ科	科学評論社	東京	2019	33-40
川人 豊	非ステロイド性抗炎症薬	川畑仁人	リウマチ・膠原病治療薬ハンドブック	文光堂	東京	2018	208-214
岸本 暢将、 岡田 正人	関節リウマチの診かた, 考えかたver.3	なし	関節リウマチの診かた, 考えかたver.3	中外医学社	東京	2018	単行本
中山 健夫	診療ガイドラインに関する基本知識	門脇 孝, 小室 一成, 宮地 良樹 (監修)	日常診療に活かす診療ガイドラインUP-TO-DATE 2018-2019 -	株式会社 メディカル レビュー社	東京	2018	10-15
西田圭一郎	Q58. 関節リウマチの手術についてどのようなものがあるか教えてください.	松野博明, 松原 司	ズバッと答える関節リウマチ~患者さんからの85通の挑戦状~	日本医学出版	東京	2018	139-140
西田圭一郎	Q59. 関節リウマチ手術のメリット、デメリットについて教えてください.	松野博明, 松原 司	ズバッと答える関節リウマチ~患者さんからの85通の挑戦状~	日本医学出版	東京	2018	141-142
西田圭一郎	Q67. 関節リウマチの足関節障害の種類と手術方法について教えてください.	松野博明, 松原 司	ズバッと答える関節リウマチ~患者さんからの85通の挑戦状~	日本医学出版	東京	2018	165-167

西田圭一郎	Q68. 関節リウマチの足指関節障害の種類と手術方法について教えてください.	松野博明、 松原 司	ズバッと答える 関節リウマチ～ 患者さんからの 85通の挑戦状～	日本医学出 版	東京	2018	168-171
藤井 隆夫	第1章関節リウマチとは 第5章 生物学的製剤	松野 博明、 松原 司	【最新版】ズバッと答える関節リウマチ～患者さんからの85通の挑戦状～	日本医学出 版	東京	2018	pp.20-21, pp.25-26, pp.110-112
藤井 隆夫	専門医の管理・治療が必要な疾患のガイドライン. 全身性疾患/膠原病 .17 関節リウマチ	泉 孝英	今日の診療のために ガイドライン 外来診療2018	日経メディカル開発	東京	2018	pp.479-484
藤井 隆夫	章 各論 .A 合成抗リウマチ薬 (sDMARDs) .1) 従来型抗リウマチ薬 (csDMARDs) .1 メトトレキサート	川畑 仁人	リウマチ・膠原病治療薬ハンドブック - エキスパートが教える極意 -	文光堂	東京	2018	pp.24-29
松下 功	リハビリ	松野博明、 松原 司	ずばッと答える 関節リウマチ	日本医学出 版	東京	2018	174-183
田中栄一、 山中寿	バイオシミラーとその使い分け	田中良哉	Modern Physician	新興医学出 版社	東京	2018	992-993
田中栄一	関節リウマチ治療バイオシミラーの経済効果		リウマチ科	科学評論社	東京	2019	48-52
田中栄一	関節リウマチにおける費用対効果評価		Pharma Medica	メディカル レビュー社	東京	2019	91-94

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Harigai M.	Growing evidence of the safety of JAK inhibitors in patients with rheumatoid arthritis	Rheumatology (Oxford)	Feb 1	doi: 10.1093/rheumatology/key287	2019
Harigai M, Takeuchi T, Smolen JS, Winthrop KL, Nishikawa A, Rooney TP, Saifan CG, Issa M, Isaka Y, Akashi N, Ishii T, Tanaka Y.	Safety profile of baricitinib in Japanese patients with active rheumatoid arthritis with over 1.6 years median time in treatment: an integrated analysis of Phase 2 and 3 trials.	Mod Rheumatol.	Feb 20	doi: 10.1080/14397595.2019.1583711	2019
Kasai S, Sakai R, Koike R, Kohsaka H, Miyasaka N, Harigai M.	Higher risk of hospitalized infection, cardiovascular disease, and fracture in patients with rheumatoid arthritis determined using the Japanese health insurance database.	Mod Rheumatol.	Nov 28	doi: 10.1080/14397595.2018.1519889.	2018
Harigai M, Ishiguro N, Inokuma S, Mimori T, Ranyu J, Takei S, Takeuchi T, Tanaka Y, Takasaki Y, Yamanaka H, Yoshizawa Y, Chinen I, Nakao T, Koike T.	Safety and effectiveness of abatacept in Japanese non-elderly and elderly patients with rheumatoid arthritis in an all-cases post-marketing surveillance.	Mod Rheumatol.	Oct 25	doi: 10.1080/14397595.2018.1524998.	2018

Kameda H, Fujii T, Nakajima A, Koike R, Sagawa A, Kanbe K, Tomita T, Harigai M, Suzuki Y	Japan College of Rheumatology subcommittee on the guideline for the use of methotrexate in patients with rheumatoid arthritis. Japan College of Rheumatology guideline for the use of methotrexate in patients with rheumatoid arthritis.	Mod Rheumatol.	29(1)	31-40	2018
Sakai R, Kasai S, Hirano F, Harada S, Kihara M, Yokoyama W, Tsutsumino M, Nagasaka K, Koike R, Yamanaka H, Miyasaka N, Harigai M.	No increased risk of herpes zoster in TNF inhibitor and non-TNF inhibitor users with rheumatoid arthritis: epidemiological study using the Japanese health insurance database.	Int J Rheum Dis.	21(9)	1670-1677	2018
Mimori T, Harigai M, Atsumi T, Fujii T, Kuwana M, Matsuno H, Momohara S, Takei S, Tamura N, Takasaki Y, Yamamoto K, Ikeuchi S, Kushimoto S, Koike T.	Safety and effectiveness of iguratimod in patients with rheumatoid arthritis: Final report of a 52-week, multicenter postmarketing surveillance study.	Mod Rheumatol.	Apr 27	doi: 10.1080/14397595.2018.1460230.	2018
Tanaka Y, Takeuchi T, Harigai M, Yamanaka H, Nakano T, Akagi K, Ukyo Y, Hsu B.	Efficacy and safety of sirukumab in Japanese patients with active rheumatoid arthritis who were refractory or intolerant to anti-tumor necrosis factor therapy: Subgroup analysis of a randomized, double-blind, multicenter, phase 3 study (SIRROUND-T).	Mod Rheumatol.	Apr 13	doi: 10.1080/14397595.2018.1452345.	2018

Takeuchi T, Tanaka Y, Yamanaka H, Harigai M, Nakano T, Akagi K, Ukyo Y, Hsu B.	Efficacy and safety of sirukumab in Japanese patients with moderate to severe rheumatoid arthritis inadequately controlled by disease modifying anti-rheumatic drugs: Subgroup analysis of a phase 3 study.	Mod Rheumatol.	28(6)	941-949	2018
Takeuchi T, Harigai M, Tanaka Y, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Ukyo Y, Ishii Y, Yoshinari T, Baker D	GO-MONO study group. Clinical efficacy, radiographic, and safety results of golimumab monotherapy in Japanese patients with active rheumatoid arthritis despite prior therapy with disease-modifying antirheumatic drugs: Final results of the GO-MONO trial through week 120.	Mod Rheumatol.	28(5)	770-779	2018
Tanaka Y, Atsumi T, Amano K, Harigai M, Ishii T, Kawaguchi O, Rooney TP, Akashi N, Takeuchi T.	Efficacy and safety of baricitinib in Japanese patients with rheumatoid arthritis: Subgroup analyses of four multinational phase 3 randomized trials.	Mod Rheumatol.	28(4)	583-591	2018
Hakamata J, Kaneko Y, Shimizu M, Yamaoka K, Maruyama J, Takeuchi T, Mochizuki M, Hashiguchi M.	Factors Predicting the Therapeutic Response to Methotrexate in Japanese Patients with Rheumatoid Arthritis: A Hospital-Based Cohort Study.	Biol Pharm Bull.	41(9)	1414-1422	2018
Inamo J, Kaneko Y, Sakata K, Takeuchi T.	Impact of subclinical synovitis in ankles and feet detected by ultrasonography in patients with rheumatoid arthritis.	Int J Rheum Dis.	22(1)	62-67	2019

Kondo Y, Suzuki K, Inoue Y, Sakata K, Takahashi C, Takeshita M, Kassai Y, Miyazaki T, Morita R, Niki Y, Kaneko Y, Yasuoka H, Yamaoka K, Yoshimura A, Takeuchi T.	Significant association between joint ultrasonographic parameters and synovial inflammatory factors in rheumatoid arthritis.	Arthritis Res Ther.	21(1)	14	2019
Kukida Y, Kasahara A, Seno T, Inoue T, Sagawa R, Kida T, Nakabayashi A, Nagahara H, Murakami K, Sugitani T, Morita S, Ito H, Oda R, Fujiwara H, Kohno M, Kawahito Y.	Efficacy of abatacept in patients with rheumatoid arthritis, as assessed by magnetic resonance imaging of bilateral hands.	Int J Rheum Dis.	21(9)	1678-1685	2018
Kida T, Seno T, Nagahara H, Inoue T, Nakabayashi A, Kukida Y, Fujioka K, Fujii W, Wada M, Kohno M, Kawahito Y.	Roles of high-mobility group box 1 and thrombin in murine pulmonary fibrosis and the therapeutic potential of thrombomodulin.	Am J Physiol Lung Cell Mol Physio.	314(3)	L473-L483	2018
Gottlieb AB, Strand V, Kishimoto M, Mease P, Thaçi D, Birt J, Lee CH, Shuler CL, Lin CY, Gladman DD.	Ixekizumab improves patient-reported outcomes up to 52 weeks in bDMARD-naïve patients with active psoriatic arthritis (SPIRIT-P1).	Rheumatology (Oxford)	57(10)	1777-1788	2018
Sawada H, Suda M, Rokutanda R, Kobayashi D, Kishimoto M, Okada M.	Concomitant use of intravenous methylprednisolone to increase retention rate of abatacept in rheumatoid arthritis.	Rheumatol Int	38(10)	1825-1831	2018
Yamanaka H, Kishimoto M, Pappas DA, Greenberg JD, Kremer JM, Tanaka Y	Design characteristics of the CORRONA Japan rheumatoid arthritis registry.	Mod Rheumatol	28(1)	95-100	2018

Shiraishi K, Suda M, Rokutanda R, Kishimoto M, Okada M.	Mizoribine is as effective as methotrexate for the treatment of polymyalgia rheumatica: a retrospective case series analysis.	Arch Rheumatol	33(3)	302-308	2018
Kishimoto M, Yoshida K, Ichikawa N, Inoue H, Kaneko Y, Kawasaki T, Matsui K, Morita M, Suda M, Tada K, Takizawa N, Tamura N, Taniguchi A, Taniguchi Y, Tsuji S, Haji Y, Rokutanda R, Yanaoka H, Cheung PP, Gu J, Kim TH, Luo SF, Okada M, Medina CL, Molto A, Dougados M, Kobayashi S, van der Heijde D, Tomita T.	Clinical characteristics of spondyloarthritis patients in Japan in comparison to other regions of the world.	J Rheumatol			2019 Feb 22 (E-pub)
Asai S et al.	Influence of methotrexate on gastrointestinal symptoms in patients with rheumatoid arthritis.	Int J Rheum Dis	22(2)	207-13	2019
Takahashi N et al	Clinical effectiveness and long-term retention of abatacept in elderly rheumatoid arthritis patients: Results from a multicenter registry system.	Mod Rheumatol	Epub ahead of print	doi: 10.1080/14397595.2018.1525019	2018
Matsumoto T et al.	Association between chest computed tomography findings and respiratory adverse events in rheumatoid arthritis patients undergoing long-term biological therapy.	Int J Rheum Dis	Epub ahead of print	doi: 10.1111/1756-185X.13434	2018

Kojima T, Ishikawa H, Tanaka S, Haga N, Nishida K, Yukioka M, Hashimoto J, Miyahara H, Niki Y, Kimura T, Oda H, Asai S, Funahashi K, Kojima M, Ishiguro N.	Target setting for lower limb joint surgery using the Timed Up and Go test in patients with rheumatoid arthritis: A prospective cohort study.	Int J Rheum Dis.	21(10)	1801-1808	2018
Kojima T, Ishikawa H, Tanaka S, Haga N, Nishida K, Yukioka M, Hashimoto J, Miyahara H, Niki Y, Kimura T, Oda H, Asai S, Funahashi K, Kojima M, Ishiguro N.	Validation and reliability of the Timed Up and Go test for measuring objective functional impairment in patients with long-standing rheumatoid arthritis: a cross-sectional study.	Int J Rheum Dis.	21(10)	1793-1800	2018
Kojima T, Ishikawa H, Tanaka S, Haga N, Nishida K, Yukioka M, Hashimoto J, Miyahara H, Niki Y, Kimura T, Oda H, Asai S, Funahashi K, Kojima M, Ishiguro N.	Characteristics of functional impairment in patients with long-standing rheumatoid arthritis based on range of motion of joints: Baseline data from a multicenter prospective observational cohort study to evaluate the effectiveness of joint surgery in the treat-to-target era.	Mod Rheumatol.	28(3):	474-481	2018
Kubo S, Todoroki Y, Nakayamada S, Nakano K, Satoh M, Nawata A, Satoh Y, Miyagawa I, Saito K, Smith V, Cutolo M, Tanaka Y.	Significance of nailfold videocapillaroscopy in patients with idiopathic inflammatory myopathies.	Rheumatology	58(1)	120-130	2019

Yoshikawa M, Nakayamada S, Kubo S, Nawata A, Kitanaga Y, Iwata S, Sakata K, Ma X, Wang SP, Nakano K, Saito K, Tanaka Y.	Type I and II interferons commit to abnormal expression of chemokine receptor on B cells in patients with systemic lupus erythematosus.	Clin Immunol	200	1-9	2018
Tanaka Y, Kameda H, Saito K, Kaneko Y, Tanaka E, Yasuda S, Tamura N, Fujio K, Fujii T, Kojima T, Anzai T, Hamada C, Fujino Y, Matsuda S, Kohsaka H.	Effect of subcutaneous tocilizumab treatment on work/housework status in biologic-naïve rheumatoid arthritis patients using inverse probability of treatment weighting: FIRST ACT-SC study.	Arthritis Res Ther.	20(1)	151	2018
Kubo S, Nakayamada S, Nakano K, Sawamukai N, Hirata S, Hanami K, Saito K, Tanaka Y.	Comparison of efficacy of TNF inhibitors and abatacept in patients with rheumatoid arthritis; Adjusted with propensity score matching.	Clin Immunol	191	67-74	2018
Kakugawa T, Sakamoto N, Ishimoto H, Shimizu T, Nakamura H, Nawata A, Ito C, Sato S, Hanaka T, Oda K, Kido T, Miyamura T, Nakashima S, Aoki T, Nakamichi S, Obase Y, Saito K, Yatera K, Ishimatsu Y, Nakayama T, Korogi Y, Kawakami A, Tanaka Y, Mukae H.	Lymphocytic focus score is positively related to airway and interstitial lung diseases in primary Sjögren's syndrome	Respir Med	137	95-102	2018

Nagayasu A, Kubo S, Nakano K, Nakayamada S, Iwata S, Miyagawa I, Fukuyo S, Saito K, Tanaka Y.	IgG4-related Pleuritis with Elevated Adenosine Deaminase in Pleural Effusion.	Intern Med.	57(15)	2251-2257	2018
Sato Y, Nakano K, Yoshinari H, Nakayamada S, Iwata S, Kubo S, Miyagawa I, Yoshikawa M, Miyazaki Y, Saito K, Tanaka Y.	A case of refractory lupus nephritis complicated by psoriasis vulgaris that was controlled with secukinumab.	Lupus	27(7)	1202-1206	2018
Ishii T, Tanaka Y, Kawakami A, Saito K, Ichinose K, Fujii H, Shirata Y, Shirai T, Fujita Y, Watanabe R, Chiu SW, Yamaguchi T, Harigae H.	Multicenter double-blind randomized controlled trial to evaluate the effectiveness and safety of bortezomib as a treatment for refractory systemic lupus erythematosus	Mod Rheumatol	28(6)	986-992	2018
Iwata S, Saito K, Hirata S, Ohkubo N, Nakayamada S, Nakano K, Hanami K, Kubo S, Miyagawa I, Yoshikawa M, Miyazaki Y, Yoshinari H, Tanaka Y.	Efficacy and safety of anti-CD20 antibody rituximab for patients with refractory systemic lupus erythematosus.	Lupus	27(5)	802-811	2018
Miyazaki Y, Nakayamada S, Kubo S, Nakano K, Iwata S, Miyagawa I, Ma X, Trimova G, Sakata K, Tanaka Y.	Th22 Cells Promote Osteoclast Differentiation <i>via</i> Production of IL-22 in Rheumatoid Arthritis.	Front Immunol.	9	2901	2018

Ueno M, Nakano K, Yoshinari H, Nakayamada S, Iwata S, Kubo S, Miyagawa I, Tanaka Y.	An Autopsy Case with Cerebral Hemorrhaging Due to Disseminated Aspergillosis During Glucocorticoid Therapy for Overlap Syndrome of Systemic Lupus Erythematosus and Systemic Sclerosis.	Intern Med.		1226-18	2018
Ishikawa Y, Iwata S, Hanami K, Nawata A, Zhang M, Yamagata K, Hirata S, Sakata K, Todoroki Y, Nakano K, Nakayamada S, Satoh M, Tanaka Y.	Relevance of interferon-gamma in pathogenesis of life-threatening rapidly progressive interstitial lung disease in patients with dermatomyositis.	Arthritis Res Ther.	20(1)	240	2018
Miyagawa I, Nakano K, Nakayamada S, Iwata S, Hanami K, Fukuyo S, Kubo S, Inoue Y, Ueno M, Tanaka Y.	Effectiveness and safety of hydroxychloroquine therapy with or without corticosteroid in patients with systemic lupus erythematosus.	Int J Rheum Dis.		doi: 10.1111/1756-185X.13387	2018
Sakata K, Nakayamada S, Miyazaki Y, Kubo S, Ishii A, Nakano K, Tanaka Y.	Up-Regulation of TLR7-Mediated IFN-Production by Plasmacytoid Dendritic Cells in Patients With Systemic Lupus Erythematosus.	Front Immunol.	28;9	1957	2018
Kawabe A, Nakano K, Miyata H, Shibuya R, Matsuyama A, Ogoshi T, Tanaka Y.	Fatal Chronic Active Epstein-Barr Virus Infection in a Rheumatoid Arthritis Patient Treated with Abatacept.	Intern Med.		doi: 10.2169/internalmedicine.1280-18	2018

Aritomi T, Kido T, Nakano K, Satoh Y, Noguchi S, Jotatsu T, Hanaka T, Satoh M, Tanaka Y, Yatera K.	A Case of a Small Cell Lung Cancer Patient with Anti-transcriptional Intermediary Factor 1 Antibody Who Developed Dermatomyositis after Successful Chemoradiotherapy.	Intern Med.		doi : 10.2169/internalmedicine.1007-18	2018
Kubo S, Nakayamada S, Sakata K, Kitanaga Y, Ma X, Lee S, Ishii A, Yamagata K, Nakano K, Tanaka Y.	Janus Kinase Inhibitor Baricitinib Modulates Human Innate and Adaptive Immune System.	Front Immunol	28;9	1510	2018
Miyagawa I, Nakayamada S, Nakano K, Kubo S, Iwata S, Miyazaki Y, Yoshikawa M, Yoshinari H, Tanaka Y.	Precision medicine using different biological DMARDs based on characteristic phenotypes of peripheral T helper cells in psoriatic arthritis.	Rheumatology (Oxford)		doi : 10.1093/rheumatology/key069.	2018
Kawabe A, Nakano K, Aiko Y, Aramaki S, Onoue T, Okura D, Tanaka Y.	Successful Management of Pregnancy in a Patient with Systemic Lupus Erythematosus-associated Pulmonary Arterial Hypertension.	Intern Med.	57(11)	1655-1659	2018

<p>Oku K, Atsumi T, Akiyama Y, Amanohara H, Azuma N, Bohgaki T, Asanuma YF, Horita T, Hosoya T, Ichinose K, Kato M, Katsumata Y, Kawaguchi Y, Kawakami A, Koga T, Kohsaka H, Kondo Y, Kubo K, Kuwana M, Mimori A, Mimori T, Mimura T, Murakami K, Nakano K, Nakayamada S, Ogishima H, Ohmura K, Saito K, Sano H, Shibuya M, Takahashi Y, Takasaki Y, Takeuchi T, Tamura N, Tanaka Y, Tsuboi H, Tsunoda S, Yukawa N, Yamakawa N, Yamamoto K, Sumida T.</p>	<p>Evaluation of the alternative classification criteria of systemic lupus erythematosus established by Systemic Lupus International Collaborating Clinics (SLICC).</p>	<p>Mod Rheumatol.</p>	<p>28(4)</p>	<p>642-648</p>	<p>2018</p>
<p>Suzuki Y. Sugiyama N. Fukuma Y. Sugiyama N. Kokuho T.</p>	<p>Safety and effectiveness of high-dose methotrexate (over 8 mg/week) in 2838 Japanese patients with rheumatoid arthritis: A postmarketing surveillance report</p>	<p>Mod Rheumatol.</p>	<p>Oct 4</p>	<p>doi: 10.1080/14397595.2018.1532483</p>	<p>2018</p>

Nogi S, Sato S, Sasaki S, Tomoatsu K, Narayama C, Ikeda M, Nakamura N, Suzuki Y.	Iatrogenic immunodeficiency-associated latent Epstein-Barr virus-related lymphomatoid granulomatosis initial presenting as unusual gynecocological manifestations in a case of rheumatoid arthritis- a case report and review.	Mod Rheumatol Case Reports	3	5-9	2019
Carreras J, Kikuti YY, Miyaoka M, Hiraiwa S, Tomita S, Ikoma H, Kondo Y, Shiraiwa S, Ando K, Sato S, Suzuki Y, Miura I, Roncador G, Nakamura.	Genomic profile and pathologic features of diffuse large B-cell lymphoma subtype of methotrexate-associated lymphoproliferative disorder in rheumatoid arthritis patients.	Am J Surg Pathol	42	936-50	2018
Hasegawa M, Sakai F, Konda N, Okabayashi A, Katsura H, Seto Y	CT assessment of axillary lymphadenopathy in patients with rheumatoid arthritis: association with disease activity and severity.	Rheumatol Int	38	1017-1022	2018
Ishikawa Y, Hashimoto M, Ito H, Tanaka M, Yukawa N, Fujii T, Yamamoto W, Mimori T, Terao C.	Anti-nuclear antibody development is associated with poor treatment response to biological disease-modifying antirheumatic drugs in patients with rheumatoid arthritis.	Semin Arthritis Rheum.	in press		2019
Takeuchi Y, Hashimoto M, Nakashima R, Tanaka M, Kuramoto N, Murakami K, Yoshifuji H, Ohmura K, Mimori T.	Anti-EJ, anti-MDA5 double-positive chronic clinically amyopathic dermatomyositis: a case report.	Rheumatol Adv Pract.	2(2)	rky022	2018
Yoshida T, Hashimoto M, Kawahara R, Yamamoto H, Tanaka M, Ito H, Masuda I, Hosoda K, Yamamoto W, Uozumi R, Morita S, Fujii Y, Mimori T, Nin K	Non-obese visceral adiposity is associated with the risk of atherosclerosis in Japanese patients with rheumatoid arthritis: a cross-sectional study	Rheumatol Int.	38(9)	1679-1689	2018

Sumida T, Azuma N, Moriyama M, Takahashi H, Asahima H, Honda F, Abe S, Ono Y, Hirota T, Hirata S, Tanaka Y, Shimizu T, Nakamura H, Kawakami A, Sano H, Ogawa Y, Tsubota K, Ryo K, Saito I, Tanaka A, Nakamura S, Takamura E, Tanaka M, Suzuki K, Takeuchi T, Yamakawa N, Mimori T, Ohta A, Nishiyama S, Yoshihara T, Suzuki Y, Kawano M, Tomiita M, Tsuboi H.	Clinical practice guideline for Sjogren's syndrome 2017.	Mod Rheumatol.	28(3)	383-408	2018
Okabe N, Ohmura K, Katayama M, Akizuki S, Carpino N, Murakami K, Nakashima R, Hashimoto M, Imura Y, Yoshifuji H, Tanaka M, Mimori T.	Suppressor of TCR signaling-2 (STS-2) suppresses arthritis development in mice.	Mod Rheumatol.	28(4)	626-636	2018
Nakagawa S, Nakaiishi M, Hashimoto M, Ito H, Yamamoto W, Nakashima R, Tanaka M, Fujii T, Omura T, Imai S, Nakagawa T, Yonezawa A, Imai H, Mimori T, Matsubara K.	Effect of medication adherence on disease activity among Japanese patients with rheumatoid arthritis.	PLoS One.	13(11)	e0206943	2018
Murata K, Ito H, Hashimoto M, Nishitani K, Murakami K, Tanaka M, Yamamoto W, Mimori T, Matsuda S.	Elderly onset of early rheumatoid arthritis is a risk factor for bone erosions, refractory to treatment: KURAMA cohort.	Int J Rheum Dis			2018

Morita Y, Ito H, Torii M, Hanai A, Furu M, Hashimoto M, Tanaka M, Azukizawa M, Arai H, Mimori T, Matsuda S.	Factors affecting walking ability in female patients with rheumatoid arthritis.	PLoS One.	13(3)	e0195059	2018
Matsuo T, Hashimoto M, Ito I, Kubo T, Uozumi R, Furu M, Ito H, Fujii T, Tanaka M, Terao C, Kono H, Mori M, Hamaguchi M, Yamamoto W, Ohmura K, Morita S, Mimori T.	Interleukin-18 is associated with the presence of interstitial lung disease in rheumatoid arthritis: a cross-sectional study.	Scand J Rheumatol.		1-8	2018
Masamoto K, Otsuki B, Fujibayashi S, Shima K, Ito H, Furu M, Hashimoto M, Tanaka M, Lyman S, Yoshitomi H, Tanida S, Mimori T, Matsuda S.	Factors influencing spinal sagittal balance, bone mineral density, and Oswestry Disability Index outcome measures in patients with rheumatoid arthritis.	Eur Spine J.	27(2)	406-415	2018
Hashimoto M, Furu M, Yamamoto W, Fujimura T, Harada R, Katayama M, Ohnishi A, Akashi K, Yoshida S, Nagai K, Son Y, Amuro H, Hiranoyama T, Ebina K, Uozumi R, Ito H, Tanaka M, Ohmura K, Fujii T, Mimori T.	Factors associated with the achievement of biological disease-modifying antirheumatic drug-free remission in rheumatoid arthritis: the ANSWER cohort study.	Arthritis Res Ther.	20(1)	165	2018
田中 真生	米国における関節炎の頻度は既報よりも多い。	リウマチ科	61(1)	69-72	2018
中山健夫	診療ガイドラインの今・これから	東京女子医科大学雑誌	88(Extra1)	E2-E9	2018
上田佳代、五十嵐稔子、中山健夫	根拠に基づく医療(EBM)や診療ガイドラインとの上手な付き合い方	助産雑誌	72(12)	916-922	2018

中山健夫	エビデンスに基づくリスク・ベネフィットのコミュニケーション：SDM 共有意思決定に向けて	薬学雑誌	138(3)	331-334	2018
Horita M, Nishida K, Hashizume K, Nasu Y, Saigak K, Nakahara R, Machida T, Ohashi H, Ozaki T	Resection versus joint-preserving arthroplasty for forefoot deformities in patients with rheumatoid arthritis	Foot & Ankle Int	39(3)	292-299	2018
Nishida K, Hashizume K, Nasu Y, Ozawa M, Fujiwara K, Inoue H, Ozaki T	Mid-term results of alumina ceramic unlinked total elbow arthroplasty with cement fixation for patients with rheumatoid arthritis	Bone Joint J	100-B	1066-73	2018
Hirose T, Fukae Y, Takeshita A, Nishida K	The role of lymphotoxin- in rheumatoid arthritis	Inflammation Res	67(6)	495-501	2018
Nishida K, Harada R, Nasu Y, Takeshita A, Nakahara R, Natsumeda M, Ozaki T	The clinical course of patients with rheumatoid arthritis who underwent orthopaedic surgeries under disease control by tofacitinib	Modern Rheumatol	30	1-3	2018
Nishie H, Tetsunaga T, Kanzaki H, Oda K, Inoue S, Ryuo Y, Ota H, Miyawaki T, Aikawa K, Kitamura Y, Sendo T, Morimatsu H, Ozaki T, Nishida K	A multidisciplinary approach to the management of chronic pain using a self-managed behavioral exercise program: A pilot study in Japan	Acta Med Okayama	72(4)	343-350	2018
Tetsunaga T, Nishida K, Kanzaki H, Misawa H, Takigawa T, Shiozaki Y, Ozaki T	Drug dependence in patients with chronic pain: A retrospective study	Medicine	97(40)	e12748	2018
Okita S, Nishida K, Ohtsuka A, Ozaki T	A high incidence of extensor pollicis brevis insertion into the distal phalanx in rheumatoid arthritis patients who required the surgical reconstruction for thumb boutonniere deformity	Modern Rheumatol	Oct 4	doi: 10.1080/14397595.2018.1532484.	2018

<p>Kaneko Y, Kato M, Tanaka Y, Inoo M, Kobayashi-Haraoka H, Amano K, Miyata M, Murakawa Y, Yasuoka H, Hirata S, Tanaka E, Miyasaka N, Yamana H, Yamamoto K, Takeuchi T; SURPRISE study group.</p>	<p>Tocilizumab discontinuation after attaining remission in patients with rheumatoid arthritis who were treated with tocilizumab alone or in combination with methotrexate: results from a prospective randomised controlled study (the second year of the SURPRISE study)</p>	<p>Ann Rheum Dis</p>	<p>77(9)</p>	<p>1268-1275</p>	<p>2018</p>
<p>Shirakashi M, Yoshifuji H, Kodama Y, Chiba T, Yamamoto M, Takahashi H, Uchida K, Okazaki K, Ito T, Kawa S, Yamada K, Kawano M, Hirata S, Tanaka Y, Moriyama M, Nakamura S, Kamisawa T, Matsui S, Tsuboi H, Sumida T, Shibata M, Goto H, Sato Y, Yoshino T, Mimori T.</p>	<p>Factors in glucocorticoid regimens associated with treatment response and relapses of IgG4-related disease: a multicentre study.</p>	<p>Sci Rep</p>	<p>8(1)</p>	<p>10262</p>	<p>2018</p>
<p>Murakami K, Sekiguchi M, Hirata S, Fujii T, Matsui K, Morita S, Ohmura K, Kawahito Y, Nishimoto N, Mimori T, Sano H; ABROAD study investigators.</p>	<p>Predictive factors for structural remission using abatacept: Results from the ABROAD study.</p>	<p>Mod Rheumatol</p>	<p>Jun 27</p>	<p>doi: 10.1080/14397595</p>	<p>2018</p>
<p>Gudmann NS, Hirata S, Karsdal MA, Kubo S, Bay-Jensen AC, Tanaka Y</p>	<p>Increased remodelling of interstitial collagens and basement membrane is suppressed by treatment in patients with rheumatoid arthritis: serological evaluation of a one-year prospective study of 149 Japanese patients</p>	<p>Clin Exp Rheumatol</p>	<p>36(3)</p>	<p>462-470</p>	<p>2018</p>

Sumida T, Azuma N, Moriyama M, Takahashi H, Asashima H, Honda F, Abe S, Ono Y, Hirota T, Hirata S, Tanaka Y, Shimizu T, Nakamura H, Kawakami A, Sano H, Ogawa Y, Tsubota K, Ryo K, Saito I, Tanaka A, Nakamura S, Takamura E, Tanaka M, Suzuki K, Takeuchi T, Yamakawa N, Mimori T, Ohta A, Nishiyama S, Yoshihara T, Suzuki Y, Kawano M, Tomiita M, Tsuboi H	Clinical practice guideline for Sjögren's syndrome 2017	Mod Rheumatol	28(3)	383-408	2018
Kubo S, Nakayamada S, Zhao J, Yoshikawa M, Miyazaki Y, Nawata A, Hirata S, Nakano K, Saito K, Tanaka Y	Correlation of T follicular helper cells and plasmablasts with the development of organ involvement in patients with IgG4-related disease	Rheumatology (Oxford)	57(3)	514-524	2018
Nakayamada S, Kubo S, Yoshikawa M, Miyazaki Y, Yunoue N, Iwata S, Miyagawa I, Hirata S, Nakano K, Saito K, Tanaka Y	Differential effects of biological DMARDs on peripheral immune cell phenotypes in patients with rheumatoid arthritis	Rheumatology (Oxford)	57(1)	164-174	2018
Tsuji H, Ikari K, Ohmura K, Yano K, Furu M, Hashimoto M, Ito H, Fujii T, Yamamoto W, Taniguchi A, Yamanaka H, Mimori T, Terao C	Significant joint-destructive association of HLA-DRB1*04:05 independent of DAS28 in rheumatoid arthritis	Ann Rheum Dis	78	284-286	2019
藤井 隆夫	リウマチ性疾患の診療ガイドライン・推奨のupdate . 関節リウマチEULAR recommendations-2016 update	リウマチ科	59	345-350	2018

藤井 隆夫	メトトレキサート診療ガイドライン2016改訂版の要点について	臨床リウマチ	30	5-11	2018
Seki S, Hirano N, Matsushita I, Kawaguchi Y, Nakano M, Yasuda T, Motomura H, Sesuzuki K, Yahara Y, Watanabe K, Makino H, Kimura	Lumbar spine surgery in patients with rheumatoid arthritis (RA): what affects the outcomes?	Spine J.	18	99-106	2018
Kojima M, Nakayama T, Otani T, Hasegawa M, Kawahito Y, Kaneko Y, Kishimoto M, Hirata S, Seto Y, Endo H, Ito H, Kojima T, Nishida K, Matsushita I, Tsutani K, Igarashi A, Kamatani N, Miyasaka N, Yamanaka H.	Integrating patients' perceptions into clinical practice guidelines for the management of rheumatoid arthritis in Japan.	Mod Rheumatol.	17	924-929	2017
松下 功、新井聖子、元村 拓、平岩利仁、木村友厚	リウマチ外来における医療クラークの重要性。	臨床リウマチ	29	261-268	2017
松下 功	関節リウマチの画像評価	整形外科	69	161-167	2018
松下 功	関節リウマチの関節病変 - 大関節の単純X線写真 -	画像診断	38	9-15	2018
元村 拓、松下功、下条 竜一、野上 真紀子、平岩利仁、峯 隼人、木村 友厚	メタローシスに伴う脛骨巨大骨欠損に対して impacted allograftを用いて人工膝関節再置換術を施行した関節リウマチ患者の1例。	整形外科	69	1021-1024	2018
Shirai T, Okano T, Morinobu A.	Rupture of Multiple Hepatic Artery Microaneurysms in Microscopic Polyangiitis.	J Rheumatol.	45(12)	1705	2018

Shirai T, Onishi A, Waki D, Saegusa J, Morinobu A.	Successful treatment with tacrolimus in TAFRO syndrome: two case reports and literature review.	Medicine (Baltimore)	97(23)	e11045	2018
Onishi A, Otsuka Y, Morita N, Morinobu A.	Focal myositis diffusely involving multiple masticatory muscles.	Scand J Rheumatol.	47	513-4	2018
Nishida M, Saegusa J, Tanaka S, Morinobu A.	S100A12 facilitates osteoclast differentiation from human monocytes.	PLoS One.	13	e0204140	2018
Onishi A, Tanaka Y, Morinobu A.	Spontaneous remission in large-vessel vasculitis: Takayasu arteritis and paraneoplastic disorder associated with thymic carcinoma.	Scand J Rheumatol.	48	79-81	2018
Takaichi Okano, Jun Saegusa, Soshi Takahashi, Yoda Ueda, Akio Morinobu	Immunometabolism in rheumatoid arthritis.	Immunological Medicine	41	89-97	2018
Sendo S, Saegusa J, Morinobu A.	Myeloid-derived suppressor cells in non-neoplastic inflamed organs.	Inflamm Regen.	17	epub	2018
森信 暁雄	炎症性サイトカインは転写因子SXOCを安定させることにより線維芽細胞様滑膜細胞のトランスフォーメーションに働く。	リウマチ科	61	59-63	2019
Nakayama M, Furuya T, Inoue E, Tanaka E, Ikari K, Nakajima A, Taniguchi A, Yamakawa H.	Factors associated with decreasing serum 25(OH)D among Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study.	Mod Rheumatol	Jul 11	doi: 10.1080/14397595	2018

<p>Yano K, Ikari K, Inoue E, Sakuma Y, Mochizuki T, Koenuma N, Tobimatsu H, Tanaka E, Taniguchi A, Okazaki K, Yamataka H.</p>	<p>Features of patients with rheumatoid arthritis whose debut joint is a foot or ankle joint: A 5,479-case study from the IORRA cohort.</p>	<p>PLoS One</p>	<p>Sep 6; 13(9)</p>	<p>e0202427. doi: 10.1371/journal.pone.0202427</p>	<p>2018</p>
---	---	-----------------	---------------------	--	-------------