

研究成果の刊行に関する一覧表レイアウト（参考）

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|---------|-----------|-----|------|-----|-----|-----|
| | | | | | | | |
| | | | | | | | |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------------|---|--------------------------------|-----------|--------|------|
| Shiozawa H | Evaluation of muscle activity just after straight leg raising exercise by using 18FDG-PET. | J Orthop Sci. | Mar;23(2) | 328-33 | 2018 |
| Iizuka Y | Prevalence of Chronic Nonspecific Low Back Pain and Its Associated Factors among Middle-Aged and Elderly People: An Analysis Based on Data from a Musculoskeletal Examination in Japan. | Asian Spine J. | Dec;11(6) | 989-97 | 2017 |
| Warita T | Radiographic parameters of acetabular dysplasia in a healthy Japanese population – Data from the Katashina study – | The Kitakanto Medical Journal. | Nov;67(4) | 307-12 | 2017 |
| Kitagawa T | Assessment of the Relationship between Pelvic Tilt and the Sacro-Femoral-Pubic Angle in Middle-Aged and Elderly Asian Individuals. Asian Spine J. | Asian Spine J. | Dec;11(6) | 975-80 | 2017 |
| Uchida S | Osteopenia and the physical function in Japanese patients with schizophrenia. | Arch Osteoporos. | Oct;12(1) | 93 | 2017 |
| Nagai A | Relations between quantitative ultrasound assessment of calcaneus and grip and key pinch power in Japanese mountain village residents. | J Orthop Surg (Hong Kong). | Jan;25(1) | 1-6 | 2017 |
| Tajika T | Association between dysfunction of upper extremity and locomotive syndrome in general population. | J Orthop Sci. | Jan;22(1) | 144-8 | 2017 |

| | | | | | |
|-------------|--|---------------------------|------------|----------|------|
| Fujii T | Association between somatic symptom burden and health-related quality of life in people with chronic low back pain. | PLoS One. | Feb;13(2) | e0193208 | 2018 |
| Yamada K | Age independency of mobility decrease assessed using the Locomotive Syndrome Risk Test in elderly with disability: a cross-sectional study. | BMC Geriatr. | Jan;18(1) | 28 | 2018 |
| Yoshimura N | Is osteoporosis a predictor for future sarcopenia or vice versa? Four-year observations between the second and third ROAD study surveys. | Osteoporos Int. | Jan;28(1) | 189-99 | 2017 |
| Yoshimura N | Epidemiology of the locomotive syndrome: The research on osteoarthritis/osteoporosis against disability study 2005-2015. | Mod Rheumatol. | Jan;27(1) | 1-7 | 2017 |
| Teraguchi M | Progression, incidence, and risk factors for intervertebral disc degeneration in a longitudinal population-based cohort: the Wakayama Spine Study. | Osteoarthritis Cartilage. | Jul;25(7) | 1122-31 | 2017 |
| Tanaka S | Comparison of concurrent treatment with vitamin K2 and risedronate compared with treatment with risedronate alone in patients with osteoporosis: Japanese Osteoporosis Intervention Trial-03. | J Bone Miner Metab. | Jul;35(4) | 385-95 | 2017 |
| Omiya T | The effect of switching from teriparatide to anti-RANKL antibody on cancellous and cortical bone in ovariectomized mice. | Bone. | Nov;107 | 18-26 | 2017 |
| Matsumoto T | Trends in Treatment, Outcomes, and Incidence of Orthopedic Surgery in Patients with Rheumatoid Arthritis: An Observational Cohort Study Using the Japanese National Database of Rheumatic Diseases. | J Rheumatol. | Nov;44(11) | 1575-82 | 2017 |
| Kodama R | Serum levels of matrix metalloproteinase-3 and autoantibodies related to rheumatoid arthritis in the general Japanese population and their association with osteoporosis and osteoarthritis: the ROAD study. | J Bone Miner Metab. | Mar;36(2) | 246-53 | 2018 |

| | | | | | |
|---------------------------------|---|----------------------------|------------|----------|------|
| Kim YK | Capturing microscopic features of bone remodeling into a macroscopic model based on biological rationales of bone adaptation. | Biomech Model Mechanobiol. | Oct;16(5) | 1697-708 | 2017 |
| Iidaka T | Radiographic measurements of the hip joint and their associations with hip pain in Japanese men and women: the Research on Osteoarthritis/osteoporosis Against Disability (ROAD) study. | Osteoarthritis Cartilage. | Dec;25(12) | 2072-9 | 2017 |
| Tanaka S | RANKL: A therapeutic target for bone destruction in rheumatoid arthritis. | Mod Rheumatol. | Jan;28(1) | 9-16 | 2018 |
| 田中 栄 | 【ビスホスホネート治療 Update】日本人骨粗鬆症患者におけるゾレドロン酸の効果 | Clinical Calcium | 27 | 257-61 | 2017 |
| 大野 久美子, 田中 栄 | 【骨代謝マーカーupdate 2017】(Part2)臨床 PTH 日・週投与での骨代謝マーカーの違い | Bone Joint Nerve | 7 | 283-7 | 2017 |
| 池上 政周, 小林 寛, 大隈 知威, 五嶋 孝博, 田中 栄 | 【骨軟部腫瘍の診断と治療】(Part3)臨床<治療> 骨軟部腫瘍診療の医療経済学 | Bone Joint Nerve | 7 | 515-20 | 2017 |
| 大野 久美子, 田中 栄 | よく使う日常治療薬の正しい使い方 骨粗鬆症治療薬の正しい使い方 | レジデントノート | 18 | 2933-7 | 2017 |
| 中村 耕三, 田中 栄, 吉村 典子 | ロコモからみたサルコペニアの現状、治療、予防 ロコモティブシンドロームとサルコペニア その異同 | 日本整形外科学会雑誌 | 91 | 757-63 | 2017 |
| 田中 栄 | 新薬紹介(No.83) 骨粗鬆症治療薬 ゾレドロン酸水和物 | 日本医師会雑誌 | 146 | 1404-5 | 2017 |
| 田中 栄 | 変形性関節症 | 最新医学別冊 診断と治療のABC122 | | | 2017 |
| Ishikura H | Risk factors for incidental durotomy during posterior open spine surgery for degenerative diseases in adults: A multicenter observational study. | PLoS One. | Nov;12(11) | e0188038 | 2017 |

| | | | | | |
|--------------|---|--------------------------------------|-----------|-----------|------|
| Nagata K | Direct Damage to a Vertebral Artery Better Predicts a Vertebral Artery Injury than an Elongation in Cervical Spine Dislocation. | Acta Med Okayama. | Oct;71(5) | 427-32 | 2017 |
| Oichi T | Is high T-1 slope a significant risk factor for developing interlaminar bony fusion after cervical laminoplasty? A retrospective cohort study. | J Neurosurg Spine. | Dec;27(6) | 627-32 | 2017 |
| Yanagisawa S | The remnant preservation technique reduces the amount of bone tunnel enlargement following anterior cruciate ligament reconstruction. | Knee Surg Sports Traumatol Arthrosc. | Feb;26(2) | 491-9 | 2018 |
| Kaneko T | Short-term daily teriparatide in patients with rheumatoid arthritis. | Mod Rheumatol. | May;28(3) | 468-73 | 2018 |
| Kawata M | Annual trends in knee arthroplasty and tibial osteotomy: Analysis of a national database in Japan. | Knee. | Oct;24(5) | 1198-205 | 2017 |
| Inoue R | Direct evidence of central nervous system axonal damage in patients with postoperative delirium: A preliminary study of pNF-H as a promising serum biomarker. | Neurosci Lett. | Jul;653 | 39-44 | 2017 |
| Nagata K | Early versus delayed reduction of cervical spine dislocation with complete motor paralysis: a multicenter study. | Eur Spine J. | Apr;26(4) | 1272-6 | 2017 |
| Fukushima M | Prognostic factors associated with the surgical indication for lumbar spinal stenosis in patients less responsive to conservative treatments: An investigator-initiated observational cohort study. | J Orthop Sci. | May;22(3) | 411-4 | 2017 |
| Oya N | The prevalence of elbow osteoarthritis in Japanese middle-aged and elderly populations: the relationship between risk factors and function. | J Shoulder Elbow Surg. | Jun;27(6) | 1086-1091 | 2018 |
| Tajika T | Toe Gap Force is Related to Ultrasonic Parameter of Calcaneus Bone Status in General Population. | Open Orthop J. | Jan;12 | 24-32 | 2018 |

| | | | | | |
|--|--|---------------------|-----------|-----------|------|
| Yamamoto A | Shear wave velocity measurement of upper trapezius muscle by color Doppler shear wave imaging. | J Med Ultrason | Jan;45(1) | 129-136 | 2018 |
| Sasaki T | What Is the Appropriate Reference for Evaluating the Recovery of Supraspinatus Muscle Atrophy After Arthroscopic Rotator Cuff Repair? The Occupation Ratio of the Supraspinatus May Change After Rotator Cuff Repair Without Volumetric Improvement. | Am J Sports Med. | May;46(6) | 1416-1423 | 2018 |
| Shiozawa H | Evaluation of muscle activity just after straight leg raising exercise by using ¹⁸ F-DG-PET. | J Orthop Sci. | Mar;23(2) | 328-333 | 2018 |
| 大島 淳文, 内田 訓, 下山 大輔, 高岸 憲二, 喜多川 孝欽, 筑田 博隆 | 大腿骨頸部骨折に対するハンソンピンを使用した骨接合術の術後成績 X-p評価による成績不良因子の検討 | 骨折 | 40巻4号 | 1149-1153 | 2018 |
| Horii C | Differences in prevalence and associated factors between mild and severe vertebral fractures in Japanese men and women: the third survey of the ROAD study. | J Bone Miner Metab. | Jan 3 | | 2019 |
| Izawa N | The utility of 25-question Geriatric Locomotive Function Scale for evaluating functional ability and disease activity in Japanese rheumatoid arthritis patients: A cross-sectional study using NinJa database. | Mod Rheumatol. | Mar;29(2) | 328-334 | 2019 |
| Yamada K | Age independency of mobility decrease assessed using the Locomotive Syndrome Risk Test in elderly with disability: a cross-sectional study. | BMC Geriatr. | Jan;18(1) | 28 | 2018 |
| Kodama R | Serum levels of matrix metalloproteinase-3 and autoantibodies related to rheumatoid arthritis in the general Japanese population and their association with osteoporosis and osteoarthritis: the ROAD study. | J Bone Miner Metab. | Mar;36(2) | 246-253 | 2018 |

| | | | | | |
|------------|--|---------------------|------------|-----------|------|
| Tanaka S | Real-world evidence of raloxifene versus alendronate in preventing non-vertebral fractures in Japanese women with osteoporosis: retrospective analysis of a hospital claims database. | J Bone Miner Metab. | Jan;36(1) | 87-94 | 2018 |
| Fujimoto Y | The association between neck and shoulder discomfort -Katakori-and high somatizing tendency. | Mod Rheumatol. | Nov 28 | 1-14 | 2018 |
| Oka H | The effect of the "One Stretch" exercise on the improvement of low back pain in Japanese nurses: a large-scale, randomized, controlled trial. | Mod Rheumatol. | Aug 22 | 1-17 | 2018 |
| Maeda T | Factors associated with lumbar spinal stenosis in a large-scale, population-based cohort: The Wakayama Spine Study. | PLoS One. | Jul;13(7) | e0200208 | 2018 |
| Izawa N | The utility of 25-question Geriatric Locomotive Function Scale for evaluating functional ability and disease activity in Japanese rheumatoid arthritis patients: A cross-sectional study using NinJa database. | Mod Rheumatol. | Mar;29(2) | 328-334 | 2019 |
| Tanaka S | RANKL: A therapeutic target for bone destruction in rheumatoid arthritis. | Mod Rheumatol. | Jan;28(1) | 9-16 | 2018 |
| Kojima T | Validation and reliability of the Timed Up and Go test for measuring objective functional impairment in patients with long-standing rheumatoid arthritis: a cross-sectional study. | Int J Rheum Dis. | Oct;21(10) | 1793-1800 | 2018 |
| Kojima T | Target setting for lower limb joint surgery using the Timed Up and Go test in patients with rheumatoid arthritis: A prospective cohort study. | Int J Rheum Dis. | Oct;21(10) | 1801-1808 | 2018 |
| Kaneko T | Short-term daily teriparatide in patients with rheumatoid arthritis. | Mod Rheumatol. | May;28(3) | 468-473 | 2018 |
| Okura C | Long-term patient reported outcomes of elbow, wrist and hand surgery for rheumatoid arthritis. | Int J Rheum Dis. | Sep;21(9) | 1701-1708 | 2018 |
| Suto T | The three-year efficacy of iguratimod in clinical daily practice in patients with rheumatoid arthritis. | Mod Rheumatol. | Aug 10 | 1-20 | 2018 |

| | | | | | |
|--|--|---------------------------------------|------------|-----------|------|
| Matsudaira K | Development of the Japanese Core Outcome Measures Index (COMI): cross-cultural adaptation and psychometric validation. | Mannion AF. BMC Musculoskelet Disord. | Mar;19(1) | 71 | 2018 |
| 友松 佑介, 金子哲也, 坂根 英夫, 勝見 賢, 岡邨 興一, 米本 由木夫, 大倉 千幸, 須藤 貴仁, 橘 昌宏, 筑田 博隆 | 骨吸収抑制薬と関連のない両側大腿骨骨幹部非定型骨折の1例 | 日本骨粗鬆症学会雑誌 | 4巻3号 | 307-313 | 2018 |
| 高瀬 亮太, 畑山 和久, 寺内 正紀, 橋本 章吾, 筑田 博隆 | 高度屈曲拘縮膝に対する人工膝関節置換術後に残存する屈曲拘縮に関する因子の検討 | 日本人工関節学会誌 | 48巻 | 637-638 | 2018 |
| 本田 哲, 澁澤 一行, 大沢 朝翔, 浅見 和義, 筑田 博隆 | 開放性距骨周囲脱臼の1例 | 骨折 | 40巻4号 | 1084-1088 | 2018 |
| 坂根 英夫, 須藤 貴仁, 勝見 賢, 友松 佑介, 金子哲也, 米本 由木夫, 岡邨 興一, 大倉 千幸, 橘 昌宏, 筑田 博隆 | トシリズマブ投与中に下腿 MRSA 膿瘍を発症した関節リウマチの一例 | 臨床リウマチ | 30巻2号 | 120-125 | 2018 |
| Mitsuya R | Analysis of body pressure distribution on car seats by using deep learning. | Appl Ergon. | Feb;75 | 283-287 | 2019 |
| Kojima D | Head-out immersion in hot water increases serum BDNF in healthy males. | Int J Hyperthermia. | Sep;34(6) | 834-839 | 2018 |
| Kinoshita T | Effects of physiatrist and registered therapist operating acute rehabilitation (P ROr) in patients with stroke. | PLoS One. | Oct;12(10) | e0187099 | 2017 |
| 岡山裕美, 大工谷 新一 | Body composition and physical fitness of members of a hospital-affiliated fitness center. | 日本公衆衛生理学療法雑誌 | 第6巻2号 | 1-6 | 2019 |