

研究成果の刊行に関する一覧表

書籍：著者氏名，論文タイトル名，書籍全体の編集者名，書籍名，出版社名，出版地，出版年，ページ

なし

雑誌：発表者氏名，論文タイトル名，発表誌名，巻号，ページ，出版年，

太田千穂, 山本健太, 徳富美沙紀, 加藤善久, 古賀信幸, 3,7,3',4'-Tetramethoxy-flavone (FTM)のラット、モルモットおよびヒト肝ミクロゾームによる代謝. 中村学園研究紀要, **50**, in press.

山本健太, 太田千穂, 徳富美沙紀, 古賀信幸, 「柑橘果皮成分 3,5,7,8,3',4'-Hexa-methoxyflavoneのラット肝ミクロゾームによる代謝. 中村学園研究紀要, **50**, in press.

Sakatani, K., Takahashi, K., Takenaka, S., Kajiwara, J., Katsuki, S., Mitoma, C., Furu,e M. Ionic liquid extraction for the determination of polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans, and dioxin-like polychlorinated biphenyls in soil and sediment. *Organohalogen Compounds*. 2018. 80. In press.

Hatabe Y, Shibata M, Ohara T, Oishi E, Yoshida D, Honda T, Hata J, Kanba S, Kitazono T, Ninomiya T. Decline in handgrip strength from midlife to late-life is associated with dementia in a Japanese community: the Hisayama Study. *J Epidemiol*. 2018 (in press)

Ohara T, Hata J, Tanaka M, Honda T, Yamakage H, Yoshida D, Inoue T, Hirakawa Y, Kusakabe T, Shibata M, Teraoka T, Kitazono T, Kanba S, Satoh-Asahara N, Ninomiya T. Serum soluble triggering receptor expressed on myeloid cells 2 as a biomarker for incident dementia: the Hisayama Study. *Ann Neurol*. 2018 (in press)

Mukai N, Hata J, Hirakawa Y, Ohara T, Yoshida D, Nakamura U, Kitazono T, Ninomiya T. Trends in the prevalence of type 2 diabetes and prediabetes in a Japanese community, 1988-2012: the Hisayama Study. *Diabetol Int* 2018 (in press)

Honda T, Kishimoto H, Mukai N, Hata J, Yoshida D, Hirakawa Y, Shibata M, Ohara T, Kumagai S, Ninomiya T. Objectively measured sedentary time and diabetes mellitus in a general Japanese population: the Hisayama Study. *J Diabetes Investig* (in press)

Akahane M, Matsumoto S, Kanagawa Y, Mitoma C, Uchi H, Yoshimura T, Furue M, Imamura T. Long-Term Health Effects of PCBs and Related Compounds: A Comparative Analysis of Patients Suffering from Yusho and the General Population. *Arch Environ Contam Toxicol*. 2018 Feb;74(2):203-217.

Furue M, Uchi H, Mitoma C, Hashimoto-Hachiya A, Tanaka Y, Ito T, Tsuji G. Implications of tryptophan photoproduct FICZ in oxidative stress and terminal differentiation of keratinocytes. *G Ital Dermatol Venereol*. 2018 Jul 20. doi: 10.23736/S0392-0488.18.06132-1. [Epub ahead of print]

Furue M, Fuyuno Y, Mitoma C, Uchi H, Tsuji G. Therapeutic Agents with AHR Inhibiting and NRF2 Activating Activity for Managing Chloracne. *Antioxidants (Basel)*. 2018 Jul 13;7(7). pii: E90.

Furue M, Hashimoto-Hachiya A, Tsuji G. Antioxidative Phytochemicals Accelerate Epidermal Terminal Differentiation via the AHR-OVOL1 Pathway: Implications for Atopic Dermatitis. *Acta Derm Venereol*. 2018 Nov 5;98(10):918-923.

Fuyuno Y, Uchi H, Yasumatsu M, Morino-Koga S, Tanaka Y, Mitoma C, Furue M. Perillaldehyde Inhibits AHR Signaling and Activates NRF2 Antioxidant Pathway in Human Keratinocytes. *Oxid Med Cell Longev*. 2018 Feb 14;2018:9524657.

Hashimoto-Hachiya A, Tsuji G, Murai M, Yan X, Furue M. Upregulation of FLG, LOR, and IVL Expression by *Rhodiola crenulata* Root Extract via Aryl Hydrocarbon Receptor: Differential Involvement of OVOL1. *Int J Mol Sci*. 2018 Jun 4;19(6). pii: E1654.

Hirakawa S, Miyawaki T, Hori T, Kajiwara J, Katsuki S, Hirano M, Yoshinouchi Y, Iwata H, Mitoma C, Furue M. Accumulation properties of polychlorinated biphenyl congeners in Yusho patients and prediction of their cytochrome P450-dependent metabolism by in silico analysis. *Environ Sci Pollut Res Int*. 2018 Jun;25(17):16455-16463.

Kiyomatsu-Oda M, Uchi H, Morino-Koga S, Furue M. Protective role of 6-formylindolo[3,2-b]carbazole (FICZ), an endogenous ligand for arylhydrocarbon receptor, in chronic mite-induced dermatitis. *J Dermatol Sci*. 2018 Jun;90(3):284-294.

Kondo H, Tanio K, Nagaura Y, Nagayoshi M, Mitoma C, Furue M, Maeda T. Sleep disorders among Yusho patients highly intoxicated with dioxin-related compounds: A 140-case series. *Environ Res*. 2018 Oct;166:261-268.

Mitamura Y, Murai M, Mitoma C, Furue M. NRF2 Activation Inhibits Both TGF- $\beta$ 1- and IL-13-Mediated Periostin Expression in Fibroblasts: Benefit of Cinnamaldehyde for Antifibrotic Treatment. *Oxid Med Cell Longev*. 2018 Aug 7;2018:2475047.

Mitoma C, Uchi H, Tsukimori K, Todaka T, Kajiwara J, Shimose T, Akahane M, Imamura T, Furue M. Current state of yusho and prospects for therapeutic strategies. *Environ Sci Pollut Res Int*. 2018 Jun;25(17):16472-16480.

Miyawaki T, Sugihara M, Hirakawa S, Hori T, Kajiwara J, Katsuki S, Mitoma C, Furue M. Compound-specific isotopic and congener-specific analyses of polychlorinated biphenyl in the heat medium and rice oil of the Yusho incident. *Environ Sci Pollut Res Int*. 2018 Jun;25(17):16464-16471.

Murai M, Yamamura K, Hashimoto-Hachiya A, Tsuji G, Furue M, Mitoma C. Tryptophan photo-product FICZ upregulates AHR/MEK/ERK-mediated MMP1 expression: Implications in anti-fibrotic phototherapy. *J Dermatol Sci*. 2018 Jul;91(1):97-103.

Murai M, Tsuji G, Hashimoto-Hachiya A, Kawakami Y, Furue M, Mitoma C. An endogenous tryptophan photo-product, FICZ, is potentially involved in photo-aging by reducing TGF- $\beta$ -regulated collagen homeostasis. *J Dermatol Sci*. 2018 Jan;89(1):19-26.

Takemura M, Nakahara T, Hashimoto-Hachiya A, Furue M, Tsuji G. Glyteer, Soybean Tar, Impairs IL-4/Stat6 Signaling in Murine Bone Marrow-Derived Dendritic Cells: The Basis of Its Therapeutic Effect on Atopic Dermatitis. *Int J Mol Sci*. 2018 Apr 12;19(4). pii: E1169.

Yukiko Hattori\*, Tomoki Takeda\*, Arisa Nakamura, Kyoko Nishida, Yuko Shioji, Haruki Fukumitsu, Hideyuki Yamada, Yuji Ishii, The aryl hydrocarbon receptor is indispensable for dioxin-induced defects in sexually-dimorphic behaviors due to the reduction in fetal steroidogenesis of the pituitary-gonadal axis in rats. \*Equally contributed to this work. *Biochemical Pharmacology*, 154: 213-221 (2018).

Honda T, Yoshida D, Hata J, Hirakawa Y, Ishida Y, Shibata M, Sakata S, Kitazono T, Ninomiya T. Development and validation of modified risk prediction models for cardiovascular disease and its subtypes: the Hisayama Study. *Atherosclerosis*. 2018;279:38-44.

Tanaka M, Honda T, Yamakage H, Hata J, Yoshida D, Hirakawa Y, Shibata M, Inoue T, Kusakabe T, Satoh-Asahara N, Ninomiya T. A potential novel pathological implication of serum soluble triggering receptor expressed on myeloid cell 2 in insulin resistance in a general Japanese population: the Hisayama study. *Diabetes Res Clin Pract*. 2018;146:225-232.

Yubi T, Hata J, Ohara T, Mukai N, Hirakawa Y, Yoshida D, Gotoh S, Hirabayashi N, Furuta Y, Ago T, Kitazono T, Kiyohara Y, Ninomiya T. Prevalence of and risk factors for cerebral microbleeds in a general Japanese elderly community. *Neurol Clin Pract*. 2018;8:223-231.

Fujiwara K, Yasuda M, Hata J, Oshima Y, Hashimoto S, Yoshitomi T, Kiyohara Y, Ishibashi T, Ninomiya T, Sonoda KH. Prevalence and risk factors for polypoidal choroidal vasculopathy in a general Japanese population: the Hisayama Study. *Semin Ophthalmol*. 2018;33:813-819.

Ohara T, Honda T, Hata J, Yoshida D, Mukai N, Hirakawa Y, Shibata M, Kishimoto H, Kitazono T, Kanba S, Ninomiya T. Association between daily sleep duration and risk of dementia and mortality in a Japanese community. *J Am Geriatr Soc*. 2018;66:1911-1918.

Shibata M, Ohara T, Yoshida D, Hata J, Mukai N, Kawano H, Kanba S, Kitazono T, Ninomiya T. Association between the ratio of serum arachidonic acid to eicosapentaenoic acid and the presence of depressive symptoms in a general Japanese population: the Hisayama Study. *J Affect Disord*. 2018;237:73-79.

Furuta Y, Hata J, Mukai N, Hirakawa Y, Ago T, Kitazono T, Kiyohara Y, Ninomiya T. Secular trends in the incidence, risk factors, and prognosis of transient ischemic attack in Japan: the Hisayama Study. *Atherosclerosis*. 2018;273:84-90.

Takae K, Hata J, Ohara T, Yoshida D, Shibata M, Mukai N, Hirakawa Y, Kishimoto H, Tsuruya K, Kitazono T, Kiyohara Y, Ninomiya T. Albuminuria increases the risks for both Alzheimer disease and vascular dementia in community-dwelling Japanese elderly: the Hisayama Study. *J Am Heart Assoc*. 2018;7:pii: e006693.

Iida M, Ikeda F, Hata J, Hirakawa Y, Ohara T, Mukai N, Yoshida D, Yonemoto K, Esaki M, Kitazono T, Kiyohara Y, Ninomiya T. Development and validation of a risk assessment tool for gastric cancer in a general Japanese population. *Gastric Cancer*. 2018;21:383-390.

Tsuji G, Ito T, Chiba T, Mitoma C, Nakahara T, Uchi H, Furue M. The role of the OVOL1-OVOL2 axis in normal and diseased human skin. *J Dermatol Sci*. 2018 Jun;90(3):227-231.