

別添資料8 死亡票テーブル・死亡個票テーブルの結合方法 (SQL)

```
CREATE TABLE [dbo].[h27to30_shibo_join](
[sub_area] [nvarchar](8) NOT NULL,
[jiken_nm] [nvarchar](4) NOT NULL,
[shori_ym] [nvarchar](6) NOT NULL,
[bikou_yn] [nvarchar](1) NOT NULL,
[death_kbn] [nvarchar](1) NOT NULL,
[d_tdfk] [nvarchar](8) NOT NULL,
[d_city] [nvarchar](12) NOT NULL,
[d_town] [nvarchar](18) NOT NULL,
[d_add] [nvarchar](7) NOT NULL,
[Ia_c] [nvarchar](38) NOT NULL,
[Ia_p] [nvarchar](16) NOT NULL,
[Ib_c] [nvarchar](38) NOT NULL,
[Ib_p] [nvarchar](16) NOT NULL,
[Ic_c] [nvarchar](38) NOT NULL,
[Ic_p] [nvarchar](16) NOT NULL,
[Id_c] [nvarchar](76) NOT NULL,
[Id_p] [nvarchar](32) NOT NULL,
[II_c] [nvarchar](76) NOT NULL,
[II_p] [nvarchar](32) NOT NULL,
[ope_flg] [nvarchar](1) NOT NULL,
[ope_detail] [nvarchar](116) NOT NULL,
[ope_bk_flg] [nvarchar](1) NOT NULL,
[ope_ymd] [nvarchar](8) NOT NULL,
[ap_flg] [nvarchar](1) NOT NULL,
[ap_detail] [nvarchar](116) NOT NULL,
[ap_bk_flg] [nvarchar](1) NOT NULL,
[dc_type] [nvarchar](2) NOT NULL,
[inj_ymd] [nvarchar](8) NOT NULL,
[inj_hm] [nvarchar](5) NOT NULL,
[inj_p_type] [nvarchar](1) NOT NULL,
[inj_detail] [nvarchar](40) NOT NULL,
[inj_tdfk] [nvarchar](8) NOT NULL,
```

```
[inj_city] [nvarchar](12) NOT NULL,  
[inj_town] [nvarchar](18) NOT NULL,  
[inj_method] [nvarchar](120) NOT NULL,  
[inj_biko] [nvarchar](1) NOT NULL,  
[inf_detail] [nvarchar](84) NOT NULL,  
[inf_biko_yn] [nvarchar](1) NOT NULL,  
[sonota] [nvarchar](60) NOT NULL,  
[biko_yn] [nvarchar](1) NOT NULL,  
[biko_detail] [nvarchar](1024) NOT NULL,  
[ym] [nvarchar](2) NOT NULL,  
[sub_ym] [nvarchar](4) NOT NULL,  
[jiken_sb] [nvarchar](1) NOT NULL,  
[sex] [nvarchar](1) NOT NULL,  
[birth_yn] [nvarchar](1) NOT NULL,  
[birth_ymd] [nvarchar](7) NOT NULL,  
[birth_hm] [nvarchar](4) NOT NULL,  
[death_yn] [nvarchar](1) NOT NULL,  
[death_ymd] [nvarchar](7) NOT NULL,  
[death_hm] [nvarchar](4) NOT NULL,  
[ori_dc] [nvarchar](5) NOT NULL,  
[gaiin] [nvarchar](4) NOT NULL,  
[mom_sy] [nvarchar](5) NOT NULL,  
[twin_yn] [nvarchar](2) NOT NULL,  
[preg_yn] [nvarchar](1) NOT NULL,  
[preg_w] [nvarchar](2) NOT NULL,  
[mon_b_ymd] [nvarchar](7) NOT NULL,  
[p_preg_bir] [nvarchar](2) NOT NULL,  
[p_preg_dea] [nvarchar](2) NOT NULL,  
[child_1] [nvarchar](2) NOT NULL,  
[child_2] [nvarchar](2) NOT NULL  
) ON [PRIMARY]  
GO
```

```
SELECT o.[sub_area]
      ,o.[jiken_nm]
      ,o.[shori_ym]
      ,o.[bikou_yn]
      ,o.[death_kbn]
      ,o.[d_tdfk]
      ,o.[d_city]
      ,o.[d_town]
      ,o.[d_add]
      ,o.[Ia_c]
      ,o.[Ia_p]
      ,o.[Ib_c]
      ,o.[Ib_p]
      ,o.[Ic_c]
      ,o.[Ic_p]
      ,o.[Id_c]
      ,o.[Id_p]
      ,o.[II_c]
      ,o.[II_p]
      ,o.[ope_flg]
      ,o.[ope_detail]
      ,o.[ope_bk_flg]
      ,o.[ope_ymd]
      ,o.[ap_flg]
      ,o.[ap_detail]
      ,o.[ap_bk_flg]
      ,o.[dc_type]
      ,o.[inj_ymd]
      ,o.[inj_hm]
      ,o.[inj_p_type]
      ,o.[inj_detail]
      ,o.[inj_tdfk]
      ,o.[inj_city]
      ,o.[inj_town]
      ,o.[inj_method]
      ,o.[inj_biko]
```

```

,o.[inf_detail]
,o.[inf_biko_yn]
,o.[sonota]
,o.[biko_yn]
,o.[biko_detail]
,s.[ym]
,s.[sub_ym]
,s.[jiken_sb]
,s.[sex]
,s.[birth_yn]
,s.[birth_ymd]
,s.[birth_hm]
,s.[death_yn]
,s.[death_ymd]
,s.[death_hm]
,s.[ori_dc]
,s.[gaiin]
,s.[mom_sy]
,s.[twin_yn]
,s.[preg_yn]
,s.[preg_w]
,s.[mon_b_ymd]
,s.[p_preg_bir]
,s.[p_preg_dea]
,s.[child_1]
,s.[child_2]
into ##tmp_join
FROM [sibou].[dbo].[h27to30_shibo_online] as o
inner join [sibou].[dbo].[h27to30_shibo] as s on o.sub_area=s.sub_area and
o.jiken_nm=s.jiken_nm and left(o.shori_ym,4)='2015' and s.ym='15'

insert into ##tmp_join
SELECT o.[sub_area]
,o.[jiken_nm]
,o.[shori_ym]

```

,o.[bikou_yn]
,o.[death_kbn]
,o.[d_tdfk]
,o.[d_city]
,o.[d_town]
,o.[d_add]
,o.[Ia_c]
,o.[Ia_p]
,o.[Ib_c]
,o.[Ib_p]
,o.[Ic_c]
,o.[Ic_p]
,o.[Id_c]
,o.[Id_p]
,o.[II_c]
,o.[II_p]
,o.[ope_flg]
,o.[ope_detail]
,o.[ope_bk_flg]
,o.[ope_ymd]
,o.[ap_flg]
,o.[ap_detail]
,o.[ap_bk_flg]
,o.[dc_type]
,o.[inj_ymd]
,o.[inj_hm]
,o.[inj_p_type]
,o.[inj_detail]
,o.[inj_tdfk]
,o.[inj_city]
,o.[inj_town]
,o.[inj_method]
,o.[inj_biko]
,o.[inf_detail]
,o.[inf_biko_yn]
,o.[sonota]

```

,o.[biko_yn]
,o.[biko_detail]
,s.[ym]
,s.[sub_ym]
,s.[jiken_sb]
,s.[sex]
,s.[birth_yn]
,s.[birth_ymd]
,s.[birth_hm]
,s.[death_yn]
,s.[death_ymd]
,s.[death_hm]
,s.[ori_dc]
,s.[gaiin]
,s.[mom_sy]
,s.[twin_yn]
,s.[preg_yn]
,s.[preg_w]
,s.[mon_b_ymd]
,s.[p_preg_bir]
,s.[p_preg_dea]
,s.[child_1]
,s.[child_2]
FROM [sibou].[dbo].[h27to30_shibo_online] as o
inner join [sibou].[dbo].[h27to30_shibo] as s on o.sub_area=s.sub_area and
o.jiken_nm=s.jiken_nm and left(o.shori_ym,4)='2016' and s.ym='16'

```

```

insert into ##tmp_join
SELECT o.[sub_area]
,o.[jiken_nm]
,o.[shori_ym]
,o.[bikou_yn]
,o.[death_kbn]
,o.[d_tdfk]
,o.[d_city]

```

,o.[d_town]
,o.[d_add]
,o.[Ia_c]
,o.[Ia_p]
,o.[Ib_c]
,o.[Ib_p]
,o.[Ic_c]
,o.[Ic_p]
,o.[Id_c]
,o.[Id_p]
,o.[II_c]
,o.[II_p]
,o.[ope_flg]
,o.[ope_detail]
,o.[ope_bk_flg]
,o.[ope_ymd]
,o.[ap_flg]
,o.[ap_detail]
,o.[ap_bk_flg]
,o.[dc_type]
,o.[inj_ymd]
,o.[inj_hm]
,o.[inj_p_type]
,o.[inj_detail]
,o.[inj_tdfk]
,o.[inj_city]
,o.[inj_town]
,o.[inj_method]
,o.[inj_biko]
,o.[inf_detail]
,o.[inf_biko_yn]
,o.[sonota]
,o.[biko_yn]
,o.[biko_detail]
 ,s.[ym]
,s.[sub_ym]

```

,s.[jiken_sb]
,s.[sex]
,s.[birth_yn]
,s.[birth_ymd]
,s.[birth_hm]
,s.[death_yn]
,s.[death_ymd]
,s.[death_hm]
,s.[ori_dc]
,s.[gaiin]
,s.[mom_sy]
,s.[twin_yn]
,s.[preg_yn]
,s.[preg_w]
,s.[mon_b_ymd]
,s.[p_preg_bir]
,s.[p_preg_dea]
,s.[child_1]
,s.[child_2]
FROM [sibou].[dbo].[h27to30_shibo_online] as o
inner join [sibou].[dbo].[h27to30_shibo] as s on o.sub_area=s.sub_area and
o.jiken_nm=s.jiken_nm and left(o.shori_ym,4)='2017' and s.ym='17'

```

```

insert into ##tmp_join

```

```

SELECT o.[sub_area]
,o.[jiken_nm]
,o.[shori_ym]
,o.[bikou_yn]
,o.[death_kbn]
,o.[d_tdfk]
,o.[d_city]
,o.[d_town]
,o.[d_add]
,o.[Ia_c]
,o.[Ia_p]
,o.[Ib_c]

```


,o.[Ib_p]
,o.[Ic_c]
,o.[Ic_p]
,o.[Id_c]
,o.[Id_p]
,o.[II_c]
,o.[II_p]
,o.[ope_flg]
,o.[ope_detail]
,o.[ope_bk_flg]
,o.[ope_ymd]
,o.[ap_flg]
,o.[ap_detail]
,o.[ap_bk_flg]
,o.[dc_type]
,o.[inj_ymd]
,o.[inj_hm]
,o.[inj_p_type]
,o.[inj_detail]
,o.[inj_tdfk]
,o.[inj_city]
,o.[inj_town]
,o.[inj_method]
,o.[inj_biko]
,o.[inf_detail]
,o.[inf_biko_yn]
,o.[sonota]
,o.[biko_yn]
,o.[biko_detail]
 ,s.[ym]
,s.[sub_ym]
,s.[jiken_sb]
,s.[sex]
,s.[birth_yn]
,s.[birth_ymd]
,s.[birth_hm]

```

,s.[death_yn]
,s.[death_ymd]
,s.[death_hm]
,s.[ori_dc]
,s.[gaiin]
,s.[mom_sy]
,s.[twin_yn]
,s.[preg_yn]
,s.[preg_w]
,s.[mon_b_ymd]
,s.[p_preg_bir]
,s.[p_preg_dea]
,s.[child_1]
,s.[child_2]
FROM [sibou].[dbo].[h27to30_shibo_online] as o
inner join [sibou].[dbo].[h27to30_shibo] as s on o.sub_area=s.sub_area and
o.jiken_nm=s.jiken_nm and left(o.shori_ym,4)='2018' and s.ym='18'

```

```

insert into [dbo].[h27to30_shibo_join]
select * from ##tmp_join

```