

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
該当なし							

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Koike H, <u>Kawai A</u> , <i>et al.</i>	Is immunohistochemical staining for β -catenin the definitive pathological diagnostic tool for desmoid-type fibromatosis?: a multi-institutional study.	Hum Pathol.	84	155-163	2019
Makise N, <u>Kawai A</u> , <i>et al.</i>	H3K27me3 deficiency defines a subset of dedifferentiated chondrosarcomas with characteristic clinicopathological features.	Mod Pathol	32(3)	435-445	2019
Hirata M, <u>Kawai A</u> , <i>et al.</i>	Integrated exome and RNA sequencing of dedifferentiated liposarcoma.	Nat Commun	10(1)	5683	2019
Nakagawa M, <u>Kawai A</u> , <i>et al.</i>	Selective inhibition of mutant IDH1 by DS-1001b ameliorates aberrant histone modifications and impairs tumor activity in chondrosarcoma.	Oncogene	38(42)	6835-6849	2019
Kobayashi E, <u>Kawai A</u> , <i>et al.</i>	Interim results of a real-world observational study of eribulin in soft tissue sarcoma including rare subtypes.	Jpn J Clin Oncol	49(10)	938-946	2019
Sanada Y, <u>Kawai A</u> , <i>et al.</i>	A Japanese nationwide survey on the cryopreservation of embryos, oocytes and ovarian tissue for cancer patients.	J Obstet Gynaecol Res	45(10)	2021-2028	2019
Nishida Y, <u>Kawai A</u> , <i>et al.</i>	Clinical features and treatment outcome of desmoid-type fibromatosis: based on a bone and soft tissue tumor registry in Japan.	Int J Clin Oncol	24(11)	1498-1505	2019

Yoshida A, <u>Kawai A, et al.</u>	Expanding the Phenotypic Spectrum of Mesenchymal Tumors Harboring the EWSR1-CREM Fusion.	Am J Surg Pathol	43(12)	1622-1630	2019
Yoshida A, <u>Kawai A, et al.</u>	Absence of H3F3A mutation in a subset of malignant giant cell tumor of bone.	Mod Pathol	32(12)	1751-1761	2019
Sekimizu M, <u>Kawai A, et al.</u>	Development of nomograms for prognostication of patients with primary soft tissue sarcomas of the trunk and extremity: report from the Bone and Soft Tissue Tumor Registry in Japan.	BMC Cancer	19(1)	657	2019
Toki S, <u>Kawai A, et al.</u>	A clinical comparison between dedifferentiated low-grade osteosarcoma and conventional osteosarcoma.	Bone Joint J	101-B(6)	745-752	2019
Yoshida A, <u>Kawai A, et al.</u>	KMT2A (MLL) fusions in aggressive sarcomas in young adults.	Histopathology	75(4)	508-516	2019
Asano N, <u>Kawai A, et al.</u>	A serum microRNA classifier for the diagnosis of sarcomas of various histological subtypes.	Nat Commun	10(1)	1299	2019
Yamazaki F, <u>Kawai A, et al.</u>	Novel NTRK3 Fusions in Fibrosarcomas of Adults.	Am J Surg Pathol	43(4)	523-530	2019
Ogura K, <u>Kawai A, et al.</u>	Development of a patient-oriented disease specific outcome measure of health-related quality of life (HRQOL) for musculoskeletal oncology patients.	J Orthop Sci	24(3)	539-547	2019
Heng M, <u>Kawai A, et al.</u>	The role of chemotherapy and radiotherapy in localized extraskeletal osteosarcoma.	Eur J Cancer	125	130-141	2020
Frezza AM, <u>Kawai A, et al.</u>	Systemic treatments in MDM2 positive intimal sarcoma: A multicentre experience with anthracycline, gemcitabine, and pazopanib within the World Sarcoma Network.	Cancer	126(1)	98-104	2020
Ogura K, <u>Kawai A, et al.</u>	Minimal clinically important differences in Toronto Extremity Salvage Score for patients with lower extremity sarcoma.	J Orthop Sci	25(2)	315-318	2020

Okuma HS, Yonemori K, <u>Kawai A</u> , Yamamoto N, Nakamura K, <u>Nishida T</u> , Fujiwara Y, et al	MASTER KEY Project: Powering Clinical Development for Rare Cancers through a Platform Trial.	Clinical Pharmacology & Therapeutics	2020; Feb 29. doi: 10.1002/c pt.1817. Epub		2020
Saito Y, Takahashi T, Obata Y, <u>Nishida</u> <u>T</u> , Ohkubo S, et al.	TAS-116 inhibits oncogenic KIT signalling on the Golgi in both imatinib-naïve and imatinib-resistant gastrointestinal stromal tumours.	Br J Cancer	122(5)	658-667	2020
Doi T, Kurokawa Y, Sawaki A, Komatsu Y, Ozaka M, Takahashi T, Naito Y, Ohkubo S, <u>Nishida T</u> .	Efficacy and safety of TAS-116, an oral inhibitor of heat shock protein 90, in patients with metastatic or unresectable gastrointestinal stromal tumour refractory to imatinib, sunitinib and regorafenib: a phase II, single-arm trial.	Eur J Cancer.	121	29-39.	2019
<u>Nishida T</u> , Sakai Y, Takagi M, Ozaka M, Kitagawa Y, et al.	Adherence to the guidelines and the pathological diagnosis of high-risk gastrointestinal stromal tumors in the real world.	Gastric Cancer.	23(1)	118-125	2019
<u>Nishida T</u> , Cho H, Hirota S, Masuzawa T, Chiguchi G, Tsujiinaka T, et al	Clinicopathological features and prognosis of primary GISTs with tumor rupture in the real world.	Ann Surg Oncol	26(3)	829-835	2019
<u>Nishida T</u> , Hølmekbakk T, Raut CP, Rutkowski P.	Defining Tumor Rupture in Gastrointestinal Stromal Tumor.	Ann Surg Oncol	26(6)	1669-1675	2019
<u>Nishida T</u> , and Rutkowski P.	The Importance of Defining Tumor Rupture in GIST Prior to Research	Ann Surg Oncol	26(Suppl 3)	684-685	2019
<u>Yamada Y</u> , <u>Oda</u> <u>Y</u> , et al.	Clinicopathological review of solitary fibrous tumors: dedifferentiation is a major cause of patient death.	Virchows Arch.	475(4):	467-477	2019
Yamamoto H, Nozaki Y, Kohashi K, Kinoshita I, <u>Oda</u> <u>Y</u> .	Diagnostic utility of pan-Trk immunohistochemistry for inflammatory myofibroblastic tumors.	Histopathology	76(5)	774-778	2020

Tsuda Y, <u>Oda Y</u> , <u>Kawai A</u> , et al.	Massively parallel sequencing of tenosynovial giant cell tumors reveals novel CSF1 fusion transcripts and novel somatic CBL mutations.	Int J Cancer.	145(12)	3276-3284.	2019
Yoshimoto M, <u>Yamada Y</u> , <u>Oda Y</u> . et al.	Comparative Study of Myxofibrosarcoma With Undifferentiated Pleomorphic Sarcoma: Histopathologic and Clinicopathologic Review,	Am J Surg Pathol.	44(1)	87-97	2020
Nagumo Y, <u>Kojima T</u> , <u>Kawai K</u> , <u>Okuyama A</u> , <u>Higashi T</u> , <u>Nishiyama H</u> , et al.	Clinicopathological features of malignant urachal tumor: A hospital-based cancer registry data in Japan.	International Journal of Urology	27(2)	157-162.	2020
<u>Okuyama A</u> , <u>Higashi T</u> .	Usability of clinical information in discharge summary data in the diagnosis procedure combination survey for cancer patients.	International Journal of Environmental Research and Public Health	17(2)	pii: E521	2020
Tanaka K, <u>Kandori S</u> , <u>Kojima T</u> , <u>Kawai K</u> , <u>Okuyama A</u> , <u>Higashi T</u> , <u>Nishiyama H</u> , et al.	Characteristics of penile cancer in Japan: An analysis of nationwide hospital-based cancer registry data.	Int J Urol.	Epub ahead of print		2020