

IV. 研究成果の刊行に関する一覧表

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|----------------------|---|------------------------|---|----------|-----------|------|---------|
| Ohonishi H, Saitoh S | Obesity and diabetes mellitus as risk factors for cardiovascular disease in the elderly | Washio M Kiyohara C | Health Issues and Care System for the Elderly | Springer | Singapore | 2019 | 97-106 |
| 斎藤重幸 | 高血圧 | 門脇孝他 | 糖尿病最新の治療 2019-2021 | 南江堂 | 東京 | 2019 | 229-233 |
| 斎藤重幸 | 他疾患を合併した高血圧の治療 | 高血圧学会 | 高血圧のステップアップ | 診断と治療や | 東京 | 2019 | 176-200 |
| 斎藤重幸 | メタボリックシンドローム | 福井次矢他 | 今日の治療指針 | 医学書院 | 東京 | 2019 | 755-756 |

雑誌

| | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|--|----------------------------------|----|---------|------|
| 1 | Kubo S, Nishida Y, Kubota Y, Higashiyama A, Sugiyama S, Hirata T, Miyamastu N, Tanabe A, Hirata A, Tatsumi Y, Kadota A, Kuwabara K, Nishikawa T, Miyamoto Y, Okamura T. | Higher serum uric acid level is inversely associated with renal function assessed by cystatin C in a Japanese general population without chronic kidney disease: the KOBE study. | BMC Nephrology. | 20 | 117 | 2019 |
| 2 | Nishikawa T, Miyamatsu N, Higashiyama A, Hojo M, Nishida Y, Fukuda S, Hirata T, Ichiura K, Kubota Y, Kubo S, Ueba T, Kadota A, Sugiyama D, Okamura T. | Daily Habit of Water Intake in Patients with Cerebral Infarction before its Onset: Comparison with a Healthy Population: A Cross-sectional Study. | Cerebrovascular Dis. | 47 | 143-150 | 2019 |
| 3 | Nishikawa T, Miyamatsu N, Higashiyama A, Kubota Y, Nishida Y, Hirata T, Sugiyama D, Kuwabara K, Kubo S, Miyamoto Y and Okamura T. | Being Conscious of Water Intake Positively Associated with Sufficient Non-Alcohol Drink Intake Regardless of Seasons and Reasons in Healthy Japanese: the KOBE Study: A Cross Sectional Study. | Int J Environ Res Public Health. | 16 | 4151 | 2019 |

| | | | | | | |
|----|--|---|-------------------------|--------|-----------|------|
| 4 | Asada M, Oishi E, Sakata S, Hata J, Yoshida D, Honda T, Furuta Y, Shibata M, Suzuki K, Watanabe H, Maruyama N, Kitazono T, Yamaura K, Ninomiya T | ○Serum lipopolysaccharide - binding protein levels and the incidence of cardiovascular disease in a general Japanese population: the Hisayama Study | J Am Heart Assoc | 8 | e013628 | 2019 |
| 5 | Nagata T, Ohara T, Hata J, Sakata S, Furuta Y, Yoshida D, Honda T, Hirakawa Y, Ide T, Kanba S, Kitazono T, Tsutsui H, Ninomiya T | ○NT-proBNP and risk of dementia in a general Japanese elderly population: the Hisayama Study | J Am Heart Assoc | 8 | e011652 | 2019 |
| 6 | Hata J, Ohara T, Katakura Y, Shimizu K, Yamashita S, Yoshida D, Honda T, Hirakawa Y, Shibata M, Sakata S, Kitazono T, Kuhara S, Ninomiya T | ○Association between serum beta-alanine and risk of dementia | Am J Epidemiol | 188 | 1637-1645 | 2019 |
| 7 | Ninomiya T, Kanzaki N, Hirakawa Y, Yoshinari M, Higashioka M, Honda T, Shibata M, Sakata S, Yoshida D, Teramoto T, Takemoto S, Nishimoto S, Hata J, Kitazono T | ○Serum ethylamine lLevels as an indicator of l-theanine consumption and the risk of type 2 dDiabetes in a general Japanese population: the Hisayama Study | Diabetes Care | 42(7) | 1234-1240 | 2019 |
| 8 | Yoshida D, Ohara T, Hata J, Shibata M, Hirakawa Y, Honda T, Uchida K, Takasugi S, Kiyohara Y, Ninomiya T | ○Dairy consumption and risk of functional disability in an elderly Japanese population: the Hisayama Study | Am J Clin Nutr | 109(6) | 1664-1671 | 2019 |
| 9 | Inaishi J, Hirakawa Y, Horikoshi M, Higashioka M, Yoshinari M, Hata J, Muai N, Kamatani Y, Momozawa Y, Kubo M, Ninomiya T | ○Association between genetic risk and development of type 2 diabetes in a general Japanese population: the Hisayama Study | J Clin Endocrinol Metab | 104(8) | 3213-3222 | 2019 |
| 10 | Ohara T, Hata J, Tanaka M, Honda T, Yamakage H, Yoshida D, Inoue T, Hirakawa Y, Kusakabe T, Shibata M, Taraoka T, Kitazono T, Kanba S, Satoh-Asahara N, Ninomiya T | ○Serum soluble triggering receptor expressed on myeloid cells 2 as a biomarker for incident dementia: the Hisayama Study | Ann Neurol | 85(1) | 47-58 | 2019 |

| | | | | | | |
|----|---|---|--|--------|-----------|------|
| 11 | Satoh M, Metoki H, Asayama K, Murakami T, Inoue R, Tsubota-Utsugi M, Matsuda A, Hirose T, Hara A, Obara T, Kikuya M, Nomura K, Hozawa A, Imai Y, Ohkubo T | ○ Age - Related Trends in Home Blood Pressure, Home Pulse Rate, and Day - to - Day Blood Pressure and Pulse Rate Variability Based on Longitudinal Cohort Data: The Ohasama Study | Journal of the American Heart Association. | 8(15) | e012121 | 2019 |
| 12 | Head GA, Sata Y, Imai Y, Kikuya M, Ohkubo T, Reid CM, McGrath BM, Lukoshkova EV | Moderate morning rise in blood pressure has lowest risk of stroke but only in women. | Journal of Hypertens. | 37(7) | 1437-1447 | 2019 |
| 13 | Yang WY, Melgarejo JD, Thijs L, Zhang ZY, Boggia J, Wei FF, Hansen TW, Asayama K, Ohkubo T, Jeppesen J, Dolan E, Stolarz-Skrzpek K, Malyutina S, Casiglia E, Lind L, Filipovsky J, Maestre GE, Li Y, Wang JG, Imai Y, Kawecka-Jaszcz K, Sandoya E, Narkiewicz K, O'brien E, Verhamme P, Staessen JA | ○ Association of Office and Ambulatory Blood Pressure With Mortality and Cardiovascular Outcomes. | JAMA. | 322(5) | 409-420 | 2019 |
| 14 | Ukawa S, Zhao W, Yatsuya H, Yamagishi K, Tanabe N, Iso H, Tamakoshi A. | Associations of Daily Walking Time With Pneumonia Mortality Among Elderly Individuals With or Without a Medical History of Myocardial Infarction or Stroke: Findings From the Japan Collaborative Cohort Study. | J Epidemiol | 29(6) | 233-237 | 2019 |
| 15 | Nishida Y, Kubota Y, Iso H, Tamakoshi A: JACC Study Group.. | ○Self-Reported Eczema in Relation with Mortality from Cardiovascular Disease in Japanese: the Japan Collaborative Cohort Study. | J Atheroscler Thromb | 26(9) | 775-782 | 2019 |

| | | | | | | |
|----|---|--|-----------------------|---------|--|------|
| 16 | Yamagishi K, Sawachi S, Tamakoshi A, Iso H; JACC Study Group.. | ○Blood pressure levels and risk of cardiovascular disease mortality among Japanese men and women: the Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC Study). | J Hypertens | 37(7) | 1366-1371 | 2019 |
| 17 | Eshak ES, Iso H, Muraki I, Tamakoshi A. | Among the water-soluble vitamins, dietary intakes of vitamins C, B2 and folate are associated with the reduced risk of diabetes in Japanese women but not men. | Br J Nutr | 121(12) | 1357-1364 | 2019 |
| 18 | Cao J, Eshak ES, Liu K, Muraki I, Cui R, Iso H, Tamakoshi A; JACC Study Group.. | ○Television Viewing Time and Breast Cancer Incidence for Japanese Premenopausal and Postmenopausal Women: The JACC Study. | Cancer Res Treat | 51(4) | 1509-1517 | 2019 |
| 19 | Okada E, Shirakawa T, Shivappa N, Wakai K, Suzuki K, Date C, Iso H, Hébert JR, Tamakoshi A. | ○Dietary Inflammatory Index Is Associated with Risk of All-Cause and Cardiovascular Disease Mortality but Not with Cancer Mortality in Middle-Aged and Older Japanese Adults. | J Nutr | 149(8) | 1451-1459 | 2019 |
| 20 | Takada M, Yamagishi K, Iso H, Tamakoshi A. | Green tea consumption and risk of hematologic neoplasms: the Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC Study). | Cancer Causes Control | 30(11) | 1223-1230 | 2019 |
| 21 | Tanigawa K, Ikehara S, Kimura T, Imano H, Muraki I, Shirai K, Tamakoshi A, Iso H. | ○Relationships between reproductive history and mortality from cardiovascular diseases among Japanese women: the Japan Collaborative Cohort (JACC) Study. | J Epidemiol | | [Epub ahead of print] https://doi.org/10.2188/jea.JE20190020 | 2019 |

| | | | | | | |
|----|--|---|-----------------------|-------|--|------|
| 22 | Wang M, Muraki I, Liu K, Shirai K, Tamakoshi A, Hu Y, Iso H. | ○Diabetes and mortality from respiratory diseases: the Japan Collaborative Cohort Study. | J Epidemiol | | [Epub ahead of print] https://doi.org/10.2188/jea.JE20190091 | 2019 |
| 23 | Li Y, Eshak ES, Kokoro S, Liu K, Jy D, Iso H, Tamakoshi A: JACC Study Group.. | ○Alcohol consumption and risk of gastric cancer: The Japan Collaborative Cohort study. | J Epidemiol | | [Epub ahead of print] https://doi.org/10.2188/jea.JE20190304 | 2019 |
| 24 | Higashiyama A, Kokubo Y, Watanabe M, Nakao YM, Okamura T, Okayama A, <u>Miyamoto Y.</u> | Echocardiographic Parameters and the Risk of Incident Atrial Fibrillation: The Suita Study. | J Epidemiol | 30(4) | 183-187 | 2020 |
| 25 | Katsuragi S, Okamura T, Kokubo Y, Watanabe M, Higashiyama A, Ikeda T, and <u>Miyamoto Y.</u> | The Perinatal Condition around Birth and Cardiovascular Risk Factors in the Japanese General Population: The Suita Study. | J Atheroscler Thromb. | 27(3) | 204-214 | 2019 |
| 26 | Sugiyama D, Turin TC, Yeasmin F, Rumana N, Watanabe M, Higashiyama A, Takegami M, Kokubo Y, Okamura T, <u>Miyamoto Y.</u> | ○ Hypercholesterolemia and Lifetime Risk of Coronary Heart Disease in the General Japanese Population: Results from the Suita Cohort Study. | J Atheroscler Thromb. | 27(1) | 60-70 | 2020 |
| 27 | Seko T, Akasaka H, Koyama M, Himuro N, Saitoh S, Miura T, Mori M, Ohnishi H | Lower limb muscle mass is associated with insulin resistance more than lower limb muscle strength in non-diabetic older adults | Geriatr Gerontol Int | 19 | 1254-1295 | 2019 |
| 28 | Furuhashi M, Koyama M, Matsumoto M, Murase T, Nakamura T, Higashiura Y, Tanaka M, Norihito Moniwa, Ohnishi H, Saitoh S, Shimamoto K, Miura T | Annual change in plasma xanthine oxidoreductase activity is associated with changes in liver enzymes and body weight | Endocrine Journal | 66 | 777-786 | 2019 |

| | | | | | | |
|----|---|---|---|---------|--|------|
| 29 | Zhang S, Tomata Y, Tanji F, Sugawara Y, Tsuji I. | The relationship between body mass index and disability-free survival in elderly Japanese: the Ohsaki Cohort 2006 Study. | International Journal of Obesity (Lond) | 43(11) | 2254-2263 | 2019 |
| 30 | Manabe K, Tanji F, Tomata Y, Zhang S, Tsuji I. | Preventive Effect of Oral Self-Care on Pneumonia Death among the Elderly with Tooth Loss: The Ohsaki Cohort 2006 Study. | Tohoku Journal of Experimental Medicine | 247(4) | 251-257 | 2019 |
| 31 | Zhang S, Tomata Y, Sugawara Y, Tsuduki T, Tsuji I. | The Japanese Dietary Pattern Is Associated with Longer Disability-Free Survival Time in the General Elderly Population in the Ohsaki Cohort 2006 Study. | Journal of Nutrition | 149(7) | 1245-1251 | 2019 |
| 32 | Otsuka T, Tomata Y, Zhang S, Tanji F, Sugawara Y, Tsuji I. | Spouse's functional disability and mortality: The Ohsaki Cohort 2006 Study. | Geriatrics & Gerontology International | 19(8) | 774-779 | 2019 |
| 33 | Zhang S, Tomata Y, Discacciati A, Otsuka T, Sugawara Y, Tanji F, Tsuji I. | Combined Healthy Lifestyle Behaviors and Disability-Free Survival: the Ohsaki Cohort 2006 Study. | Journal of General Internal Medicine | 34(9) | 1724-1729 | 2019 |
| 34 | Zhang S, Sugawara Y, Chen S, Beelman RB, Tsuduki T, Tomata Y, Matsuyama S, Tsuji I. | Mushroom consumption and incident risk of prostate cancer in Japan: A pooled analysis of the Miyagi Cohort Study and the Ohsaki Cohort Study. | International Journal of Cancer | 146(10) | 2712-2720 | 2020 |
| 35 | Tsurumaki N, Zhang S, Tomata Y, Abe S, Sugawara Y, Matsuyama S, Tsuji I. | Fish consumption and risk of incident dementia in elderly Japanese: The Ohsaki Cohort 2006 Study. | British Journal of Nutrition | 122(10) | 1182-1191 | 2019 |
| 36 | Matsuyama S, Zhang S, Tomata Y, Abe S, Tanji F, Sugawara Y, Tsuji I. | Association between improved adherence to the Japanese diet and incident functional disability in older people: The Ohsaki Cohort 2006 Study. | Clinical Nutrition | 16-Oct | [Epub ahead of print] https://doi.org/10.1016/j.clnu.2019.10.008 | 2019 |

| | | | | | | |
|----|---|---|--|-------------------|--|------|
| 37 | Liu Y, Zhang S, Tomata Y, Otsuka T, Nurrika D, Sugawara Y, Tsuji I. | ○ Emotional support (giving or receiving) and risk of incident dementia: The Ohsaki Cohort 2006 Study. | Archives of Gerontology and Geriatrics | 86 Jan- Feb | 103964 | 2020 |
| 38 | Lu Y, Sugawara Y, Zhang S, Tomata Y, Tsuji I. | ○ Smoking Cessation and Incident Dementia in Elderly Japanese: the Ohsaki Cohort 2006 Study | European Journal of Epidemiology | 15-Feb | [Epub ahead of print] https://doi.org/10.1007/s10654-020-00612-9 | 2020 |
| 39 | Izumida T, Nakamura Y, Nino Y, Ishikawa S. | Combined Effect of Small Dense Low-Density Lipoprotein Cholesterol (sdLDL-C) and Remnant-Like Particle Cholesterol (RLP-C) on Low-Grade Inflammation. | J Atheroscler Thromb. | 27(4) | 319-330 | 2020 |
| 40 | Watanabe J, Kakehi E, Kotani K, Kayaba K, Nakamura Y, Ishikawa S. | Isolated low levels of high-density lipoprotein cholesterol and stroke incidence: JMS Cohort Study. | J Clin Lab Anal. | 34(3) | e23087 | 2020 |
| 41 | Kakehi E, Kotani K, Gotoh T, Kayaba K, Ishikawa S. | The ratio of fasting plasma glucose to hemoglobin A1c as a predictor of all-cause mortality in individuals with normal glucose levels: The Jichi Medical School cohort study. | SAGE Open Med | 7 | 1-6 | 2019 |
| 42 | Ishikawa J, Hirose H, Ishikawa S. | Tissue Inhibitor of Matrix Metalloproteinase 1 Increases with Ageing and can be Associated with Stroke: A Nested Case-control Study. | Circulation Reports | 11 | 502-507 | 2019 |
| 43 | Izumida T, Nakamura Y, Ishikawa S. | Impact of body mass index and metabolically unhealthy status on mortality in the Japanese general population: The JMS cohort study. | PLoS One. | 14(11) | e0224802 | 2019 |

| | | | | | | |
|----|---|---|---|-------|---|------|
| 44 | Watanabe J, Kakehi E, Kotani K, Kayaba K, Nakamura Y, Ishikawa S. | High-Density Lipoprotein Cholesterol and Risk of Stroke Subtypes: Jichi Medical School Cohort Study. | Asia Pacific Journal of Public Health | 32(1) | 27-34 | 2020 |
| 45 | Yamada M, Landes RD, Hida A, Ishihara K, Krull KR | ○Effects of demographic variables on subjective neurocognitive complaints using the Neurocognitive Questionnaire (NCQ) in an aged Japanese population | Int J Environ Res Public Health | 16(3) | 421-430 | 2019 |
| 46 | Sakurai M, Ishizaki M, Miura K, Nakashima M, Morikawa Y, Kido T, Naruse Y, Nogawa K, Suwazono Y, Nogawa K, Nakagawa H | ○ Health status of workers approximately 60 years of age and the risk of early death after compulsory retirement: a cohort study. | J Occup Health | 62(1) | e12088 | 2020 |
| 47 | Kato A, Li Y, Ota A, Naito H, Yamada H, Nihashi T, Hotta Y, Chiang C, Hirakawa Y, Aoyama A, Tamakoshi K, Yatsuya H. | ○Smoking results in accumulation of ectopic fat in the liver | Diabetes Metab Syndr Obes. eCollection 2019. | 9;12 | 1075-1080 | 2019 |
| 48 | Kaneko K, Yatsuya H, Li Y, Uemura M, Chiang C, Hirakawa Y, Ota A, Tamakoshi K, Aoyama A. | ○Risk and population attributable fraction of metabolic syndrome and impaired fasting glucose for the incidence of type 2 diabetes mellitus among middle-aged Japanese individuals: Aichi Worker's Cohort Study. | J Diabetes Investig. | | [Epub ahead of print] DOI: 10.1111/jdi.13230 | 2020 |