

V. 研究成果の刊行に関する一覧表

書籍（2017-2019年度）

	著者氏名	論文タイトル名	書籍全体の編集者名	書 籍 名	出版社名	出版地	出版年	ページ
1	Ohonishi H, Saitoh S	Obesity and diabetes mellitus as risk factors for cardiovascular disease in the elderly	Washio M Kiyohara C	Health Issues and Care System for the Elderly	Springer	Singapore	2019	97-106
2	斎藤重幸	高血圧	門脇孝他	糖尿病最新の治療2019-2021	南江堂	東京	2019	229-233
3	斎藤重幸	他疾患を合併した高血圧の治療	高血圧学会	高血圧のステップアップ	診断と治療	東京	2019	176-200
4	斎藤重幸	メタボリックシンドローム	福井次矢他	今日の治療指針	医学書院	東京	2019	755-756
5	斎藤重幸	高血圧	門脇孝他	糖尿病の最新の治療	南江堂	東京	2018	229-233
6	Ohonishi H, Saitoh S	Obesity and Diabetes as risk factors for Cardiovascular disease in the Elderly	Washio M, Kiyohara C	Health Issues and Care system for the elderly	Springer	Tokyo	2018	97-106

雑誌 (2017-2019年)

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Asayama K, Ohkubo T, Satoh A, Tanaka S, Higashiyama A, Murakami Y, Yamada M, Saitoh S, Okayama A, Miura K, Ueshima H, Miyamoto Y, Okamura T, Evidence for Cardiovascular Prevention From Observational Cohorts in Japan (EPOCH-JAPAN)	Cardiovascular risk and blood pressure lowering treatment among elderly individuals: Evidence for Cardiovascular Prevention from Observational Cohorts in Japan.	J Hypertens	36(2)	410-418	2017
2	Hirata T, Sugiyama D, Nagasawa SY, Murakami Y, Saitoh S, Okayama A, Iso H, Irie F, Sairenchi T, Miyamoto Y, Yamada M, Ishikawa S, Miura K, Ueshima H, Okamura T; EPOCH-JAPAN Research Group.	A pooled analysis of the association of isolated low levels of high-density lipoprotein cholesterol with cardiovascular mortality in Japan.	Eur J Epidemiol	32(7)	547-557	2017
3	Nagai M, Murakami Y, Tamakoshi A, Kiyohara Y, Yamada M, Ukawa S, Hirata T, Tanaka S, Miura K, Ueshima H, Okamura T; Evidence for Cardiovascular Prevention from Observational Cohorts in Japan (EPOCH-JAPAN) Research Group.	Fasting but not casual blood glucose is associated with pancreatic cancer mortality in Japanese: EPOCH-JAPAN.	Cancer Causes Control	28(6)	625-633	2017
4	Oishi E, Ohara T, Sakata S, Fukuhara M, Hata J, Yoshida D, Shibata M, Ohtsubo T, Kitazono T, Kiyohara Y, Ninomiya T	Day-to-day blood pressure variability and risk of dementia in a general Japanese elderly population: the Hisayama Study	Circulation	136	516-525	2017
5	Takae K, Hata J, Ohara T, Yoshida D, Shibata M, Mukai N, Hirakawa Y, Kishimoto H, Tsuruya K, Kitazono T, Kiyohara Y, Ninomiya T	Albuminuria increases the risks for both Alzheimer disease and vascular dementia in community - dwelling Japanese elderly: the Hisayama Study	J Am Heart Assoc	7	e006693	2018
6	Mukai N, Ohara T, Hata J, Hirakawa Y, Yoshida D, Kishimoto H, Koga M, Nakamura U, Kitazono T, Kiyohara Y, Ninomiya T	Alternative measures of hyperglycemia and risk of Alzheimer's disease in the community: the Hisayama Study	J Clin Endocrinol Metab	102	3002-3010	2017
7	Umehara K, Mukai N, Hata J, Hirakawa Y, Ohara T, Yoshida D, Kishimoto H, Kitazono T, Hoka S, Kiyohara Y, Ninomiya T	Association between serum vitamin D and all-cause and cause-specific death in a general Japanese population - the Hisayama Study	Circ J	81	1315-1321	2017
8	Hata J, Fukuhara M, Sakata S, Arima H, Hirakawa Y, Yonemoto K, Mukai N, Kitazono T, Kiyohara Y, Ninomiya T	White-coat and masked hypertension are associated with albuminuria in a general population: the Hisayama Study	Hypertens Res	40	937-943	2017
9	Usui T, Nagata M, Hata J, Mukai N, Hirakawa Y, Yoshida D, Kishimoto H, Kitazono T, Kiyohara Y, Ninomiya T	Serum non-high-density lipoprotein cholesterol and risk of cardiovascular disease in community dwellers with chronic kidney disease: the Hisayama Study	J Atheroscler Thromb	24	706-715	2017
10	Ozawa M, Yoshida D, Hata J, Ohara T, Mukai N, Shibata M, Uchida K, Nagata M, Kitazono T, Kiyohara Y, Ninomiya T	Dietary protein intake and stroke risk in a general Japanese population: the Hisayama Study	Stroke	48	1478-1486	2017

11	Sakata S, Hata J, Fukuhara M, Yonemoto K, Mukai N, Yoshida D, Kishimoto H, Ohtsubo T, Kitazono T, Kiyohara Y, Ninomiya T	Morning and evening blood pressures are associated with intima-media thickness in a general population - the Hisayama Study	Circ J	81	1647-1653	2017
12	Nagata M, Hata J, Hirakawa Y, Mukai N, Yoshida D, Ohara T, Kishimoto H, Kawano H, Kitazono T, Kiyohara Y, Ninomiya T	The ratio of serum eicosapentaenoic acid to arachidonic acid and risk of cancer death in a Japanese community: the Hisayama Study	J Epidemiol	27	578-583	2017
13	Ohara T, Hata J, Yoshida D, Mukai N, Nagata M, Iwaki T, Kitazono T, Kanba S, Kiyohara Y, Ninomiya T	Trends in dementia prevalence, incidence, and survival rate in a Japanese community	Neurology	88	1925-1932	2017
14	Kudo K, Hata J, Matsumoto K, Shundo Y, Fukuyama S, Inoue H, Kitazono T, Kiyohara Y, Ninomiya T, Nakanishi Y	Association of airflow limitation with carotid atherosclerosis in a Japanese community - the Hisayama Study	Circ J	81	1846-1853	2017
15	Murakami K, Asayama K, Satoh M, Inoue R, Tsubota-Utsugi M, Hosaka M, Matsuda A, Nomura K, Murakami T, Kikuya M, Metoki H, Imai Y, Ohkubo T	Risk Factors for Stroke among Young-Old and Old-Old Community-Dwelling Adults in Japan: the Ohasama Study.	J Atheroscler Thromb	24	290-300	2017
16	Melgarejo JD, Maestre GE, Thijs L, Asayama K, Boggia J, Casiglia E, Hansen TW, Imai Y, Jacobs L, Jeppesen J, Kawecka-Jaszcz K, Kuznetsova T, Li Y, Malyutina S, Nikitin Y, Ohkubo T, Stolarz-Skrzypek K, Wang JG, Staessen JA; International Database on Ambulatory Blood Pressure in Relation to Cardiovascular Outcomes (IDACO) Investigators	Prevalence, Treatment, and Control Rates of Conventional and Ambulatory Hypertension Across 10 Populations in 3 Continents.	Hypertension	70	50-58	2017
17	Murakami K, Asayama K, Satoh M, Hosaka M, Matsuda A, Inoue R, Tsubota-Utsugi M, Murakami T, Nomura K, Kikuya M, Metoki H, Imai Y, Ohkubo T.	Home blood pressure predicts stroke incidence among older adults with impaired physical function: the Ohasama study.	J Hypertens	35	2395-2401	2017
18	Matsunaga M, Yatsuya H, Iso H, Yamashita K, Li Y, Yamagishi K, Tanabe N, Wada Y, Wang C, Ota A, Tamakoshi K, Tamakoshi A: JACC Study Group.	Similarities and differences between coronary heart disease and stroke in the associations with cardiovascular risk factors: The Japan Collaborative Cohort Study	Atherosclerosis	26	124-30	2017
19	Kihara T, Yamagishi K, Iso H, Tamakoshi A: JACC Study Group.	Passive smoking and mortality from aortic dissection or aneurysm.	Atherosclerosis	263	145-50	2017
20	Shirakawa T, Yamagishi K, Yatsuya H, Tanabe N, Tamakoshi A, Iso H: JACC Study Group.	Alcohol consumption and mortality from aortic disease among Japanese men: The Japan Collaborative Cohort study.	Atherosclerosis	266	64-68	2017
21	Kokubo Y, Watanabe M, Higashiyama A, Nakao YM, Kusano K, Miyamoto Y.	Development of a Basic Risk Score for Incident Atrial Fibrillation in a Japanese General Population - The Suita Study.	Circ J	81(11)	1580-1588	2017

22	Turin TC, Okamura T, Rumana N, Afzal AR, Watanabe M, Higashiyama A, Nakao YM, Nakai M, Takegami M, Nishimura K, Kokubo Y, Okayama A, Miyamoto Y	Diabetes and lifetime risk of coronary heart disease.	Prim Care Diabetes	11(5)	461-466	2017
23	Turin TC, Okamura T, Rumana N, Afzal AR, Watanabe M, Higashiyama A, Nakao YM, Nakai M, Takegami M, Nishimura K, Kokubo Y, Okayama A, Miyamoto Y	Diabetes and lifetime risk of stroke and subtypes in an urban middle-aged population.	Diabetes Complications	31(5)	831-835	2017
24	Kikui M, Kokubo Y, Ono T, Kida M, Kosaka T, Yamamoto M, Watanabe M, Maeda Y, Miyamoto Y.	Relationship between Metabolic Syndrome Components and Periodontal Disease in a Japanese General Population: the Suita Study.	J Atheroscler Thromb.	24(5)	495-507	2017
25	齋藤重幸	収縮期血圧140/mmHgは薬剤を追加して下げるべきか	循環器ジャーナル	66	48-57	2017
26	Furuhashi M, Yuda S, MD, Muranaka A, Kawamukai M, Matsumoto M, Tanaka M, Moniwa N, Ohnishi H, Saitoh S, Miura T	Circulating Fatty Acid-Binding Protein 4 Concentration Predicts the Progression of Carotid Atherosclerosis in a General Population Without Medication.	Circ J.	doi: 10.1253/circ.j.CJ-17-1295	1-6	2017
27	Akasaka H, rofumi Ohnishi H, Narita Y, Kameda M, Miki T, Takahashi H, Wari Yamamoto Y, Sohma H, SPRUCE project investigators.	The Serum Level of KL-6 is Associated with the Risk of Insulin Resistance and New-onset Diabetes Mellitus: The Tanno-Sobetsu Study.	Intern Med.	doi: 10.2169/internalmedicine.8716-16	1-10	2017
28	Tomata Y, Zhang S, Sugiyama K, Kaiho Y, Sugawara Y, Tsuji I.	Changes in time spent walking and the risk of incident dementia in older Japanese people: the Ohsaki Cohort 2006 Study.	Age and Ageing	46(5)	857-860	2017
29	Bando S, Tomata Y, Aida J, Sugiyama K, Sugawara Y, Tsuji I.	Impact of oral self-care on incident functional disability in elderly Japanese: the Ohsaki Cohort 2006 study.	BMJ Open	7(9)	e017946	2017
30	Zhang S, Tomata Y, Sugiyama K, Sugawara Y, Tsuji I.	Citrus consumption and incident dementia in elderly Japanese: the Ohsaki Cohort 2006 Study.	British Journal of Nutrition	117(8)	1174-1180	2017
31	Sakai T, Sugawara Y, Watanabe I, Watanabe T, Tomata Y, Nakaya N, Tsuji I.	Age at first birth and long-term mortality for mothers: the Ohsaki cohort study.	Environmental Health and Preventive Medicine	22(1)	24	2017
32	Sakurai M, Yoshita K, Nakamura K, Miura K, Takamura T, Nagasawa S-Y, Morikawa Y, Kido T, Naruse Y, Nogawa K, Suwazono Y, Sasaki S, Ishizaki M, Nakagawa H.	Skipping breakfast and 5-year changes in body mass index and waist circumference in Japanese men and women.	Obes Sci Pract	3	162-170	2017
33	Tatsukawa Y, Misumi M, Kim YM, Yamada M, Ohishi W, Fujiwara S, Nakanishi S, Yoneda M.	Body composition and development of diabetes: A 15-year follow-up study in a Japanese population.	Eur J Clin Nutr	72(3)	374-380	2018
34	Nakamura M, Ishibashi Y, Tanaka F, Omama S, Onoda T, Takahashi T, Takahashi S, Tanno K, Ohsawa M, Sakata K, Koshiyama M, Ogasawara K, Okayama A; Iwate-KENCO Study Group.	Ability of B-Type Natriuretic Peptide Testing to Predict Cardioembolic Stroke in the General Population - Comparisons With C-Reactive Protein and Urinary Albumin.	Circ J.	84(4)	1017-1025	2018

35	Ohsawa M, Okamura T, Tanno K, Ogasawara K, Itai K, Yonekura Y, Konishi K, Omama S, Miyamatsu N, Turin TC, Morino Y, Itoh T, Onoda T, Sakata K, Ishibashi Y, Makita S, Nakamura M, Tanaka F, Kuribayashi T, Ohta M, Okayama A.	Risk of stroke and heart failure attributable to atrial fibrillation in middle-aged and elderly people: Results from a five-year prospective cohort study of Japanese community dwellers.	J Epidemiol.	27	360-367	2017
36	Liu K, Cui R, Eshak ES, Cui M, Dong JY, Kiyama M, Okada T, Kitamura A, Umesawa M, Yamagishi K, Imano H, Ohira T, Iso H.	Associations of central aortic pressure and brachial blood pressure with flow mediated dilatation in apparently healthy Japanese men: The Circulatory Risk in Communities Study (CIRCS).	Atherosclerosis	259	46-50	2017
37	Kitamura A, Yamagishi K, Imano H, Kiyama M, Cui R, Ohira T, Umesawa M, Muraki I, Sankai T, Saito I, Iso H	CIRCS Investigators. Impact of Hypertension and Subclinical Organ Damage on the Incidence of Cardiovascular Disease Among Japanese Residents at the Population and Individual Levels - The Circulatory Risk in Communities Study (CIRCS).	Circ J	81 (7)	1022-1023	2017
38	Cui R, Yamagishi K, Muraki I, Hayama-Terada M, Umesawa M, Imano H, Li Y, Eshak ES, Ohira T, Kiyama M, Okada T, Kitamura A, Tanigawa T, Iso H	CIRCS investigators. Association between markers of arterial stiffness and atrial fibrillation in the Circulatory Risk in Communities Study (CIRCS).	Atherosclerosis.	263	244-248	2017
39	Cui M, Cui R, Liu K, Dong JY, Imano H, Hayama-Terada M, Muraki I, Kiyama M, Okada T, Kitamura A, Umesawa M, Yamagishi K, Ohira T, Iso H	CIRCS investigators. Associations of Tobacco Smoking with Impaired Endothelial Function: The Circulatory Risk in Communities Study (CIRCS)	J Atheroscler Thromb	25(9)	836-845	2018
40	Imano H, Iso H, Kitamura A, Yamagishi K, Hayama-Terada M, Muraki I, Okada T, Umesawa M, Ohira T, Sankai T, Cui R, Tanigawa T, Kiyama M	CIRCS Investigators. Nonfasting Glucose and Incident Stroke and Its Types - The Circulatory Risk in Communities Study (CIRCS).	Circ J	82(6)	1598-1604	2018
41	Sakamaki T., Hara M., Kayaba K., Kotani K., Ishikawa S.	Coffee Consumption and Incidence of Subarachnoid Hemorrhage: The Jichi Medical School Cohort Study.	J Epidemiol	26	71-75	2016
42	Mieno M. N., Tanaka N., Arai T., Kawahara T., Kuchiba A., Ishikawa S., Sawabe M.	Accuracy of Death Certificates and Assessment of Factors for Misclassification of Underlying Cause of Death.	J Epidemiol	26	191-198	2016
43	Tadenuma S, Kanda H, Ishikawa S, Kayaba K, Gotoh T, Nakamura Y, Kajii E.	Salt Preference and the Incidence of Cardiovascular Disease in a Japanese General Population: The Jichi Medical School Cohort Study.	Health	8	105-115	2016
44	Sugiyama T, Ishikawa S, Kotani K, Gotoh T, Itoh Y, Kayaba K, Kajii E.	Relationship Between Serum High-Sensitivity C-Reactive Protein and Myocardial Infarction in a General Japanese Population.	J Clin Lab Anal	30	999-1002	2016
45	Ishikawa Y, Ishikawa J, Ishikawa S, Kario K, Kajii E.	Jichi Medical School Cohort Investigators Group. Progression from prehypertension to hypertension and risk of cardiovascular disease.	J Epidemiol	27(1)	8-13	2017
46	Kawate N, Kayaba K, Hara M, Kotani K, Ishikawa S.	Body mass index and stroke incidence in Japanese community residents: The Jichi Medical School (JMS) Cohort Study.	J Epidemiol	27(7)	325-330	2017
47	Shiraishi T, Ishikawa S, Kario K, Kayaba K, Kajii E.	Factor VII and incidence of myocardial infarction in a Japanese population: The Jichi Medical School Cohort Study.	J Clin Lab Anal	31(6)	doi: 10.1002/jcla.22133	2017

48	Tsuda T, Takefuji M, Wetschreck N, Kotani K, Morimoto R, Okumura T, Kaur H, Eguchi S, Sakaguchi T, Ishihama S, Kikuchi R, Unno K, Matsushita K, Ishikawa S, Offermanns S, Murohara T.	Corticotropin releasing hormone receptor 2 exacerbates chronic cardiac dysfunction.	J Exp Med	214(7)	1877-1888	2017
49	Katoh Y, Ota A, Yatsuya H, Li Y, Naito H, Fujisawa A, Matsunaga M, Hirakawa Y, Chiang C, Toyoshima H, Tamakoshi K, Aoyama A.	Functional capacity, self-rated health status, and psychosocial characteristics of employed cancer survivors in Japan.	Fujita Medical Journal	3卷3号	55-61	2017
50	Yatsuya H, Li Y, Hirakawa Y, Ota A, Matsunaga M, Hilawe EH, Chiang C, Zhang Y, Tamakoshi K, Toyoshima H, Aoyama A.	A point system for predicting 10-year risk of developing type 2 diabetes mellitus in Japanese men: Aichi Workers' Cohort Study.	Journal of Epidemiology	28(8)	347-352	2018
51	Satoh M, Ohkubo T, Asayama K, Murakami Y, Sugiyama D, Yamada M, Saitoh S, Sakata K, Irie F, Sairenchi T, Ishikawa S, Kiyama M, Ohnishi H, Miura K, Imai Y, Ueshima H, Okamura T	Lifetime Risk of Stroke and Coronary Heart Disease Deaths According to Blood Pressure Level: EPOCH-JAPAN (Evidence for Cardiovascular Prevention From Observational Cohorts in Japan)	Hypertension	73	52-59	2019
52	Ukawa S, Tamakoshi A, Murakami Y, Kiyohara Y, Yamada M, Nagai M, Satoh A, Miura K, Ueshima H, Okamura T	Analysis of the Associations between Body Mass Index, Total Cholesterol, and Liver Cancer-related Mortality in Japan	Asian Pac J Cancer	19	2089-2095	2018
53	Hozawa A, Hirata T, Yatsuya H, Murakami Y, Kuriyama S, Tsuji I, Sugiyama D, Satoh A, Tanaka-Mizuno S, Miura K, Ueshima H, Okamura T	Association between body mass index and all-cause death in Japanese population: pooled individual participant	J Epidemiol.	29(12)	457-463	2019
54	Honda T, Yoshida D, Hata J, Hirakawa Y, Ishida Y, Shibata M, Sakata S, Kitazono T, Ninomiya T	Development and validation of modified risk prediction models for cardiovascular disease and its subtypes: the Hisayama Study	Atherosclerosis	279	38-44	2018
55	Tanaka M, Honda T, Yamakage H, Hata J, Yoshida D, Hirakawa Y, Shibata M, Inoue T, Kusakabe T, Satoh-Asahara N, Ninomiya T	A potential novel pathological implication of serum soluble triggering receptor expressed on myeloid cell 2 in insulin resistance in a general Japanese population: the Hisayama study	Diabetes Res Clin Pract	146	225-232	2018
56	Yubi T, Hata J, Ohara T, Mukai N, Hirakawa Y, Yoshida D, Gotoh S, Hirabayashi N, Furuta Y, Ago T, Kitazono T, Kiyohara Y, Ninomiya T	Prevalence of and risk factors for cerebral microbleeds in a general Japanese elderly community	Neurol Clin Pract	8	223-231	2018
57	Fujiwara K, Yasuda M, Hata J, Oshima Y, Hashimoto S, Yoshitomi T, Kiyohara Y, Ishibashi T, Ninomiya T, Sonoda KH	Prevalence and risk Factors for polypoidal choroidal vasculopathy in a general Japanese population: the Hisayama Study	Semin Ophthalmol	33	813-819	2018
58	Ohara T, Honda T, Hata J, Yoshida D, Mukai N, Hirakawa Y, Shibata M, Kishimoto H, Kitazono T, Kanba S ¹ , Ninomiya T	Association between daily sleep duration and risk of dementia and mortality in a Japanese community	J Am Geriatr Soc	66	1911-1918	2018

59	Shibata M, Ohara T, Yoshida D, Hata J, Mukai N, Kawano H, Kanba S, Kitazono T, Ninomiya T	○Association between the ratio of serum arachidonic acid to eicosapentaenoic acid and the presence of depressive symptoms in a general Japanese population: the Hisayama Study	J Affect Disord	237	73-79	2018
60	Furuta Y, Hata J, Mukai N, Hirakawa Y, Ago T, Kitazono T, Kiyohara Y, Ninomiya T	○Secular trends in the incidence, risk factors, and prognosis of transient ischemic attack in Japan: the Hisayama Study	Atherosclerosis	273	84-90	2018
61	Iida M, Ikeda F, Hata J, Hirakawa Y, Ohara T, Mukai N, Yoshida D, Yonemoto K, Esaki M, Kitazono T, Kiyohara Y, Ninomiya T	○Development and validation of a risk assessment tool for gastric cancer in a general Japanese population	Gastric Cancer	21	383-390	2018
62	Satoh M, Murakami T, Asayama K, Hirose T, Kikuya M, Inoue R, Tsubota-Utsugi M, Murakami K, Matsuda A, Hara A, Obara T, Kawasaki R, Nomura K, Metoki H, Node K, Imai Y, Ohkubo T	○N-Terminal pro-B-Type natriuretic peptide is not a significant predictor of stroke incidence after 5 years -the Ohasama study-	Circ J	82	2055-2062	2018
63	Satoh M, Asayama K, Kikuya M, Inoue R, Tsubota-Utsugi M, Obara T, Murakami K, Matsuda A, Murakami T, Nomura K, Metoki H, Imai Y, Ohkubo T	○Nocturnal blood pressure decline based on different time intervals and long-term cardiovascular risk: the Ohasama Study.	Clin Exp Hypertens	40	1-7	2018
64	Saito S, Ohi T, Murakami T, Komiyama T, Miyoshi Y, Endo K, Satoh M, Asayama K, Inoue R, Kikuya M, Metoki H, Imai Y, Ohkubo T, Hattori Y	○Association between tooth loss and cognitive impairment in community-dwelling older Japanese adults: a 4-year prospective cohort study from the Ohasama study.	BMC Oral Health	18	142	2018
65	Yang WY, Thijs L, Zhang ZY, Asayama K, Boggia J, Hansen TW, Ohkubo T, Jeppesen J, Stolarz-Skrzypek K, Malyutina S, Casiglia E, Nikitin Y, Li Y, Wang JG, Imai Y, Kawecka-Jaszcz K, O'Brien E, Staessen JA	○Evidence-based proposal for the number of ambulatory readings required for assessing blood pressure level in research settings: an analysis of the IDACO database.	Blood Pressure.	27	341-350	2018
66	Ikehara S, Iso H, Maruyama K, Ukawa S, Tamakoshi A	Television viewing time, walking time, and risk of type 2 diabetes in Japanese men and women: The Japan Collaborative Cohort Study.	Prev Med	118	220-225	2019
67	Cui R, Iso H, Eshak ES, Maruyama K, Tamakoshi A	Water intake from foods and beverages and risk of mortality from CVD: the Japan Collaborative Cohort (JACC) Study.	Public Health Nut	21(16)	3011-3017	2018
68	Gero K, Iso H, Kitamura A, Yamagishi K, Yatsuya H, Tamakoshi A.	Cardiovascular disease mortality in relation to physical activity during adolescence and adulthood in Japan: Does school-based sport club participation matter?	Prev Med	113	102-108	2018
69	Ohira T, Iso H, Yamagishi K, Tamakoshi A	Fish Intake and Death From Pulmonary Embolisms Among Japanese Men and Women - The Japan Collaborative Cohort (JACC) Study.	Circ J	82(8)	2063-2070	2018
70	Eshak ES, Iso H, Yamagishi K, Maruyama K, Umesawa M, Tamakoshi A.	Associations between copper and zinc intakes from diet and mortality from cardiovascular disease in a large population-based prospective cohort study.	J Nutr Biochem	56	126-132	2018

71	Yasukawa S, Eguchi E, Ogino K, Tamakoshi A, Iso H.	"Ikigai", Subjective Wellbeing, as a Modifier of the Parity-Cardiovascular Mortality Association - The Japan Collaborative Cohort Study.	Circ J	82(5)	1302-1308	2018
72	Eshak ES, Iso H, Yamagishi K, Cui R, Tamakoshi A.	Dietary intakes of fat soluble vitamins as predictors of mortality from heart failure in a large prospective cohort study.	Nutrition	47	50-55	2018
73	Sheerah HA, Eshak ES, Cui R, Imano H, Iso H, Tamakoshi A	Relationship Between Dietary Vitamin D and Deaths From Stroke and Coronary Heart Disease: The Japan Collaborative Cohort Study.	Stroke	49(2)	454-457	2018
74	Ma E, Iso H, Yamagishi K, Ando M, Wakai K, Tamakoshi A.	Dietary Antioxidant Micronutrients and All-Cause Mortality: The Japan Collaborative Cohort Study for Evaluation of Cancer Risk.	J Epidemiol	28(9)	388-396	2018
75	Okada E, Nakamura K, Ukawa S, Wakai K, Date C, Iso H, Tamakoshi A.	The Japanese food score and risk of all-cause, CVD and cancer mortality: the Japan Collaborative Cohort Study.	Br J Nutr	120(4)	464-471	2018
76	Kokubo Y, Watanabe M, Higashiyama A, Nakao YM, Nakamura F, Miyamoto Y.	Impact of Intima-Media Thickness Progression in the Common Carotid Arteries on the Risk of Incident Cardiovascular Disease in the Suita Study	J Am Heart Assoc.	7(11)	e007720	2018
77	Ogata S, Watanabe M, Kokubo Y, Higashiyama A, Nakao YM, Takegami M, Nishimura K, Nakai M, Kiyoshige E, Hosoda K, Okamura T, Miyamoto .	Longitudinal Trajectories of Fasting Plasma Glucose and Risks of Cardiovascular Diseases in Middle Age to Elderly People Within the General Japanese Population: The Suita Study	J Am Heart Assoc.	8(3)	e010628	2019
78	斎藤重幸	わが国の糖尿病のトレンド	日本循環器病予防学会誌	53	211-219	2018
79	斎藤重幸	糖尿病	腎と透析	85	228-233	2018
80	Furuhashi M, Yuda S, Muranaka A, Kawamukai M, Matsumoto M, Tanaka M, Moniwa N, Ohnishi H, MD, Saitoh D, Shimamoto K, Miura T.	Circulating Fatty Acid-Binding Protein 4 Concentration Predicts the Progression of Carotid Atherosclerosis in a General Population Without Medication	Circ J	82(4)	1121 – 1129	2018
81	Furuhashi M, Matsumoto M, Tanaka M, Moniwa N, Murase T, Nakamura Ohnishi T, H, MD, Saitoh D, Shimamoto K, Miura T	Plasma Xanthine Oxidoreductase Activity as a Novel Biomarker of Metabolic Disorders in a General Population.	Circ J	82(7)	1892 – 1899	2018
82	Zhang S, Tomata Y, Newson RB, Sugawara Y, Tsuji I.	Combined healthy lifestyle behaviours and incident disability in an elderly population: the Ohsaki Cohort 2006 Study.	Journal of Epidemiology & Community Health	72(8)	679-684	2018
83	Otsuka T, Tomata Y, Zhang S, Sugiyama K, Tanji F, Sugawara Y, Tsuji I.	○Association between social participation and incident risk of functional disability in elderly Japanese: The Ohsaki Cohort 2006.	Journal of Psychosomatic Research	111	36-41	2018
84	Lu Y, Sugawara Y, Zhang S, Tomata Y, Tsuji I.	○Changes in Sleep Duration and the Risk of Incident Dementia in the Elderly Japanese: the Ohsaki Cohort 2006 Study.	Sleep	41(10)	doi: 10.1093/sleep/zsy143.	2018
85	Tanji F, Tomata Y, Zhang S, Otsuka T, Tsuji I.	○Psychological distress and completed suicide in Japan: A comparison of the impact of moderate and severe psychological distress.	Preventive Medicine	116	99-103	2018
86	Sone T, Nakaya N, Tomata Y, Tsuji I.	Risk of psychological distress in partners with functional disability among older Japanese adults.	Geriatrics & Gerontology International	18(5)	775-782	2018
87	Sone T, Nakaya N, Tomata Y, Tsuji I.	Functional disability among partners and community activity in elderly Japanese: The Ohsaki Cohort 2006 Study.	Archives of Gerontology and Geriatrics	78	150-154	2018
88	Wakamatsu M, Sugawara Y, Zhang S, Tanji F, Tomata Y, Tsuji I.	Weight change since age 20 and incident risk of obesity-related cancer in Japan: A pooled analysis of the Miyagi Cohort Study and the Ohsaki Cohort Study.	International Journal of Cancer	144(5)	967-980	2019

89	Nakaya N, Sone T, Tomata Y, Nakaya K, Hoshi M, Shimizu K, Tsuji I.	All-cause mortality among Japanese whose cohabiting partners are diagnosed with cancer: the Ohsaki Cohort 2006 study.	Acta Oncologica	58(4)	425-431	2019
90	Tanaka K, Tanaka F, Onoda T, Tanno K, Ohsawa M, Sakata K, Omama S, Ogasawara K, Ishibashi Y, Itai K, Kuribayashi T, Okayama A, Nakamura M	Prognostic Value of Electrocardiographic Left Ventricular Hypertrophy on Cardiovascular Risk in a Non-Hypertensive Community-Based Population.	Am J Hypertens.	31(8)	895-901.	2018
91	Komi R, Tanaka F, Omama S, Ishibashi Y, Tanno K, Onoda T, Ohsawa M, Tanaka K, Okayama A, Nakamura M	Burden of high blood pressure as a contributing factor to stroke in the Japanese community-based diabetic population.	Hypertens Res.	41(7)	531-538	2018
92	Takahashi S, Tanaka F, Yonekura Y, Tanno K, Ohsawa M, Sakata K, Koshiyama M, Okayama A, Nakamura M.	The urine albumin-creatinine ratio is a predictor for incident long-term care in a general population.	PLoS One.	13(3)	e0195013	2018
93	Watanabe J, Kakehi E, Kotani I	Metabolic syndrome is a risk factor for cancer mortality in the general Japanese population: the Jichi Medical School Cohort Study.	Diabetology & Metabolic Syndrome	9-Jan	doi: 10.1186/s13098-018-0398-2	2019
94	Ishikawa J, Hirose H, Schwartz	Minor Electrocardiographic ST-T Change and Risk of Stroke in the General Japanese Population.	Circulation Journal	82	1797-1804	2018
95	Inker LA, Grams ME, Levey AS, Coresh J, Cirillo M, Collins JF, Gansevoort RT, Gutierrez OM, Hamano T, Heine GH, Ishikawa S, Jee SH, Kronenberg F, Landray MJ, Miura K, Nadkarni GN, Peralta CA, Rothenbacher D, Schaeffner E, Sedaghat S, Shlipak MG, Zhang L, van Zuilen AD, Hallan SI, Kovesdy CP, Woodward M, Levin A	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium.	American Journal	73	206-217	2018
96	○Tatsukawa Y, Misumi M, Kim YM, Yamada M, Ohishi W, Fujiwara S, Nakanishi S, Yoneda M.	Body composition and development of diabetes: A 15-year follow-up study in a Japanese population.	Eur J Clin Nutr	72(3)	374-380	2018
97	○Shimizu M, Misumi M, Yamada M, Ohishi W, Yamamoto H, Kihara Y.	Choice reaction time and grip strength as predictors of cardiovascular mortality in middle-aged and elderly Japanese: from the Radiation Effects Research Foundation Adult Health Study.	Intern Med J.	48(11)	1331-1336	2018
98	Kaneko K, Yatsuya H, Li Y, Uemura M, Chiang C, Hirakawa Y, Ota A, Tamakoshi K, Aoyama A.	○Association of gamma-glutamyl transferase and alanine aminotransferase with type 2 diabetes mellitus incidence in middle-aged Japanese men: 12-year follow up.	Journal of Diabetes Investigation	10(3)	837-845	2019
99	Li Y, Yatsuya H, Hanibuchi T, Hirakawa Y, Ota A, Uemura M, Chiang C, Otsuka R, Murata C, Tamakoshi K, Toyoshima H, Aoyama A.	○The association between objective measures of residence and worksite neighborhood environment, and self-reported leisure-time physical activities: The Aichi Workers' Cohort Study.	Preventive Medicine Reports	11	282-289	2018
100	村上義孝	EPOCH-JAPAN	腎と透析	85	176-182	2018

101	Kubo S, Nishida Y, Kubota Y, Higashiyama A, Sugiyama S, Hirata T, Miyamastu N, Tanabe A, Hirata A, Tatsumi Y, Kadota A, Kuwabara K, Nishikawa T, Miyamoto Y, Okamura T.	Higher serum uric acid level is inversely associated with renal function assessed by cystatin C in a Japanese general population without chronic kidney disease: the KOBE study.	BMC Nephrology.	20	117	2019
102	Nishikawa T, Miyamatsu N, Higashiyama A, Hojo M, Nishida Y, Fukuda S, Hirata T, Ichiura K, Kubota Y, Kubo S, Ueba T, Kadota A, Sugiyama D, Okamura T.	Daily Habit of Water Intake in Patients with Cerebral Infarction before its Onset: Comparison with a Healthy Population: A Cross-sectional Study.	Cerebrovascular Dis.	47	143-150	2019
103	Nishikawa T, Miyamatsu N, Higashiyama A, Kubota Y, Nishida Y, Hirata T, Sugiyama D, Kuwabara K, Kubo S, Miyamoto Y and Okamura T.	Being Conscious of Water Intake Positively Associated with Sufficient Non-Alcohol Drink Intake Regardless of Seasons and Reasons in Healthy Japanese: the KOBE Study: A Cross Sectional Study.	Int J Environ Res Public Health.	16	4151	2019
104	Asada M, Oishi E, Sakata S, Hata J, Yoshida D, Honda T, Furuta Y, Shibata M, Suzuki K, Watanabe H, Maruyama N, Kitazono T, Yamaura K, Ninomiya T	○Serum lipopolysaccharide-binding protein levels and the incidence of cardiovascular disease in a general Japanese population: the Hisayama Study	J Am Heart Assoc	8	e013628	2019
105	Nagata T, Ohara T, Hata J, Sakata S, Furuta Y, Yoshida D, Honda T, Hirakawa Y, Ide T, Kanba S, Kitazono T, Tsutsui H, Ninomiya T	○NT-proBNP and risk of dementia in a general Japanese elderly population: the Hisayama Study	J Am Heart Assoc	8	e011652	2019
106	Hata J, Ohara T, Katakura Y, Shimizu K, Yamashita S, Yoshida D, Honda T, Hirakawa Y, Shibata M, Sakata S, Kitazono T, Kuhara S, Ninomiya T	○Association between serum beta-alanine and risk of dementia	Am J Epidemiol	188	1637-1645	2019
107	Ninomiya T, Kanzaki N, Hirakawa Y, Yoshinari M, Higashioka M, Honda T, Shibata M, Sakata S, Yoshida D, Teramoto T, Takemoto S, Nishimoto S, Hata J, Kitazono T	○Serum ethylamine levels as an indicator of l-theanine consumption and the risk of type 2 diabetes in a general Japanese population: the Hisayama Study	Diabetes Care	42(7)	1234-1240	2019
108	Yoshida D, Ohara T, Hata J, Shibata M, Hirakawa Y, Honda T, Uchida K, Takasugi S, Kiyohara Y, Ninomiya T	○Dairy consumption and risk of functional disability in an elderly Japanese population: the Hisayama Study	Am J Clin Nutr	109(6)	1664-1671	2019
109	Inaishi J, Hirakawa Y, Horikoshi M, Higashioka M, Yoshinari M, Hata J, Muai N, Kamatani Y, Momozawa Y, Kubo M, Ninomiya T	○Association between genetic risk and development of type 2 diabetes in a general Japanese population: the Hisayama Study	J Clin Endocrinol Metab	104(8)	3213-3222	2019
110	Ohara T, Hata J, Tanaka M, Honda T, Yamakage H, Yoshida D, Inoue T, Hirakawa Y, Kusakabe T, Shibata M, Taraoka T, Kitazono T, Kanba S, Satoh-Asahara N, Ninomiya T	○Serum soluble triggering receptor expressed on myeloid cells 2 as a biomarker for incident dementia: the Hisayama Study	Ann Neurol	85(1)	47-58	2019
111	Satoh M, Metoki H, Asayama K, Murakami T, Inoue R, Tsubota-Utsugi M, Matsuda A, Hirose T, Hara A, Obara T, Kikuya M, Nomura K, Hozawa A, Imai Y, Ohkubo T	○Age-Related Trends in Home Blood Pressure, Home Pulse Rate, and Day-to-Day Blood Pressure and Pulse Rate Variability Based on Longitudinal Cohort Data: The Ohasama Study	Journal of the American Heart Association.	8(15)	e012121	2019

112	Head GA, Sata Y, Imai Y, Kikuya M, Ohkubo T, Reid CM, McGrath BM, Lukoshkova EV	Moderate morning rise in blood pressure has lowest risk of stroke but only in women.	Journal of Hypertens.	37(7)	1437-1447	2019
113	Yang WY, Melgarejo JD, Thijs L, Zhang ZY, Boggia J, Wei FF, Hansen TW, Asayama K, Ohkubo T, Jeppesen J, Dolan E, Stolarz-Skrzpek K, Malyutina S, Casiglia E, Lind L, Filipovsky J, Maestre GE, Li Y, Wang JG, Imai Y, Kawecka-Jaszcz K, Sandoya E, Narkiewicz K, O'Brien E, Verhamme P, Staessen JA,	○ Association of Office and Ambulatory Blood Pressure With Mortality and Cardiovascular Outcomes.	JAMA.	322(5)	409-420	2019
114	Ukawa S, Zhao W, Yatsuya H, Yamagishi K, Tanabe N, Iso H, Tamakoshi A.	Associations of Daily Walking Time With Pneumonia Mortality Among Elderly Individuals With or Without a Medical History of Myocardial Infarction or Stroke: Findings From the Japan Collaborative Cohort Study.	J Epidemiol	29(6)	233-237	2019
115	Nishida Y, Kubota Y, Iso H, Tamakoshi A; JACC Study Group..	○ Self-Reported Eczema in Relation with Mortality from Cardiovascular Disease in Japanese: the Japan Collaborative Cohort Study.	J Atheroscler Thromb	26(9)	775-782	2019
116	Yamagishi K, Sawachi S, Tamakoshi A, Iso H; JACC Study Group..	○ Blood pressure levels and risk of cardiovascular disease mortality among Japanese men and women: the Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC Study).	J Hypertens	37(7)	1366-1371	2019
117	Eshak ES, Iso H, Muraki I, Tamakoshi A.	Among the water-soluble vitamins, dietary intakes of vitamins C, B2 and folate are associated with the reduced risk of diabetes in Japanese women but not men.	Br J Nutr	121(12)	1357-1364	2019
118	Cao J, Eshak ES, Liu K, Muraki I, Cui R, Iso H, Tamakoshi A; JACC Study Group..	○ Television Viewing Time and Breast Cancer Incidence for Japanese Premenopausal and Postmenopausal Women: The JACC Study.	Cancer Res Treat	51(4)	1509-1517	2019
119	Okada E, Shirakawa T, Shivappa N, Wakai K, Suzuki K, Date C, Iso H, Hébert JR, Tamakoshi A.	○ Dietary Inflammatory Index Is Associated with Risk of All-Cause and Cardiovascular Disease Mortality but Not with Cancer Mortality in Middle-Aged and Older Japanese Adults.	J Nutr	149(8)	1451-1459	2019
120	Takada M, Yamagishi K, Iso H, Tamakoshi A.	Green tea consumption and risk of hematologic neoplasms: the Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC Study).	Cancer Causes Control	30(11)	1223-1230	2019
121	Tanigawa K, Ikehara S, Kimura T, Imano H, Muraki I, Shirai K, Tamakoshi A, Iso H.	○ Relationships between reproductive history and mortality from cardiovascular diseases among Japanese women: the Japan Collaborative Cohort (JACC) Study.	J Epidemiol		[Epub ahead of print] https://doi.org/10.2188/jea.JE20190020	2019
122	Wang M, Muraki I, Liu K, Shirai K, Tamakoshi A, Hu Y, Iso H.	○ Diabetes and mortality from respiratory diseases: the Japan Collaborative Cohort Study.	J Epidemiol		[Epub ahead of print] https://doi.org/10.2188/jea.JE20190091	2019

123	Li Y, Eshak ES, Kokoro S, Liu K, Jy D, Iso H, Tamakoshi A; JACC Study Group..	○Alcohol consumption and risk of gastric cancer: The Japan Collaborative Cohort study.	J Epidemiol		[Epub ahead of print] https://doi.org/10.2188/jea.JE20190304	2019
124	Higashiyama A, Kokubo Y, Watanabe M, Nakao YM, Okamura T, Okayama A, Miyamoto Y.	Echocardiographic Parameters and the Risk of Incident Atrial Fibrillation: The Suita Study.	J Epidemiol	30(4)	183-187	2020
125	Katsuragi S, Okamura T, Kokubo Y, Watanabe M, Higashiyama A, Ikeda T, and Miyamoto Y.	The Perinatal Condition around Birth and Cardiovascular Risk Factors in the Japanese General Population: The Suita Study.	J Atheroscler Thromb.	27(3)	204-214	2019
126	Sugiyama D, Turin TC, Yeamin F, Rumana N, Watanabe M, Higashiyama A, Takegami M, Kokubo Y, Okamura T, Miyamoto Y.	○ Hypercholesterolemia and Lifetime Risk of Coronary Heart Disease in the General Japanese Population: Results from the Suita Cohort Study.	J Atheroscler Thromb.	27(1)	60-70	2020
127	Seko T, Akasaka H, Koyama M, Himuro N, Saitoh S, Miura T, Mori M, Ohnishi H	Lower limb muscle mass is associated with insulin resistance more than lower limb muscle strength in non-diabetic older adults	Geriatr Gerontol Int	19	1254-1295	2019
128	Furuhashi M, Koyama M, Matsumoto M, Murase T, Nakamura T, Higashiura Y, Tanaka M, Norihito Moniwa, Ohnishi H, Saitoh S, Shimamoto K, Miura T	Annual change in plasma xanthine oxidoreductase activity is associated with changes in liver enzymes and body weight	Endocrine Journal	66	777-786	2019
129	Zhang S, Tomata Y, Tanji F, Sugawara Y, Tsuji I.	The relationship between body mass index and disability-free survival in elderly Japanese: the Ohsaki Cohort 2006 Study.	International Journal of Obesity (Lond)	43(11)	2254-2263	2019
130	Manabe K, Tanji F, Tomata Y, Zhang S, Tsuji I.	○Preventive Effect of Oral Self-Care on Pneumonia Death among the Elderly with Tooth Loss: The Ohsaki Cohort 2006 Study.	Tohoku Journal of Experimental Medicine	247(4)	251-257	2019
131	Zhang S, Tomata Y, Sugawara Y, Tsuduki T, Tsuji I.	The Japanese Dietary Pattern Is Associated with Longer Disability-Free Survival Time in the General Elderly Population in the Ohsaki Cohort 2006 Study.	Journal of Nutrition	149(7)	1245-1251	2019
132	Otsuka T, Tomata Y, Zhang S, Tanji F, Sugawara Y, Tsuji I.	○Spouse's functional disability and mortality: The Ohsaki Cohort 2006 Study.	Geriatrics & Gerontology International	19(8)	774-779	2019
133	Zhang S, Tomata Y, Discacciati A, Otsuka T, Sugawara Y, Tanji F, Tsuji I.	Combined Healthy Lifestyle Behaviors and Disability-Free Survival: the Ohsaki Cohort 2006 Study.	Journal of General Internal Medicine	34(9)	1724-1729	2019
134	Zhang S, Sugawara Y, Chen S, Beelman RB, Tsuduki T, Tomata Y, Matsuyama S, Tsuji I.	Mushroom consumption and incident risk of prostate cancer in Japan: A pooled analysis of the Miyagi Cohort Study and the Ohsaki Cohort Study.	International Journal of Cancer	146(10)	2712-2720	2020
135	Tsurumaki N, Zhang S, Tomata Y, Abe S, Sugawara Y, Matsuyama S, Tsuji I.	Fish consumption and risk of incident dementia in elderly Japanese: The Ohsaki Cohort 2006 Study.	British Journal of Nutrition	122(10)	1182-1191	2019
136	Matsuyama S, Zhang S, Tomata Y, Abe S, Tanji F, Sugawara Y, Tsuji I.	Association between improved adherence to the Japanese diet and incident functional disability in older people: The Ohsaki Cohort 2006 Study.	Clinical Nutrition	16-Oct	[Epub ahead of print] https://doi.org/10.1016/j.clnu.2019.10.008	2019
137	Liu Y, Zhang S, Tomata Y, Otsuka T, Nurrika D, Sugawara Y, Tsuji I.	○Emotional support (giving or receiving) and risk of incident dementia: The Ohsaki Cohort 2006 Study.	Archives of Gerontology and Geriatrics	86 Jan-Feb	103964	2020

138	Lu Y, Sugawara Y, Zhang S, Tomata Y, Tsuji I.	○Smoking Cessation and Incident Dementia in Elderly Japanese: the Ohsaki Cohort 2006 Study	European Journal of Epidemiology	15-Feb	[Epub ahead of print] https://doi.org/10.1007/s10654-020-00612-9	2020
139	Izumida T, Nakamura Y, Nino Y, Ishikawa S.	Combined Effect of Small Dense Low-Density Lipoprotein Cholesterol (sdLDL-C) and Remnant-Like Particle Cholesterol (RLP-C) on Low-Grade Inflammation.	J Atheroscler Thromb.	27(4)	319-330	2020
140	Watanabe J, Kakehi E, Kotani K, Kayaba K, Nakamura Y, Ishikawa S.	Isolated low levels of high-density lipoprotein cholesterol and stroke incidence: JMS Cohort Study.	J Clin Lab Anal.	34(3)	e23087	2020
141	Kakehi E, Kotani K, Gotoh T, Kayaba K, Ishikawa S.	The ratio of fasting plasma glucose to hemoglobin A1c as a predictor of all-cause mortality in individuals with normal glucose levels: The Jichi Medical School cohort study.	SAGE Open Med	7	1-6	2019
142	Ishikawa J, Hirose H, Ishikawa S.	Tissue Inhibitor of Matrix Metalloproteinase 1 Increases with Ageing and can be Associated with Stroke: A Nested Case-control Study.	Circulation Reports	11	502-507	2019
143	Izumida T, Nakamura Y, Ishikawa S.	Impact of body mass index and metabolically unhealthy status on mortality in the Japanese general population: The JMS cohort study.	PLoS One.	14(11)	e0224802	2019
144	Watanabe J, Kakehi E, Kotani K, Kayaba K, Nakamura Y, Ishikawa S.	High-Density Lipoprotein Cholesterol and Risk of Stroke Subtypes: Jichi Medical School Cohort Study.	Asia Pacific Journal of Public Health	32(1)	27-34	2020
145	Yamada M, Landes RD, Hida A, Ishihara K, Krull KR	○Effects of demographic variables on subjective neurocognitive complaints using the Neurocognitive Questionnaire (NCQ) in an aged Japanese population	Int J Environ Res Public Health	16(3)	421-430	2019
146	Sakurai M, Ishizaki M, Miura K, Nakashima M, Morikawa Y, Kido T, Naruse Y, Nogawa K, Suwazono Y, Nogawa K, Nakagawa H	○ Health status of workers approximately 60 years of age and the risk of early death after compulsory retirement: a cohort study.	J Occup Health	62(1)	e12088	2020
147	Kato A, Li Y, Ota A, Naito H, Yamada H, Nihashi T, Hotta Y, Chiang C, Hirakawa Y, Aoyama A, Tamakoshi K, Yatsuya H.	○Smoking results in accumulation of ectopic fat in the liver	Diabetes Metab Syndr Obes. eCollection 2019.	9:12	1075-1080	2019
148	Kaneko K, Yatsuya H, Li Y, Uemura M, Chiang C, Hirakawa Y, Ota A, Tamakoshi K, Aoyama A.	○Risk and population attributable fraction of metabolic syndrome and impaired fasting glucose for the incidence of type 2 diabetes mellitus among middle-aged Japanese individuals: Aichi Worker's Cohort Study.	J Diabetes Investig.		[Epub ahead of print] DOI: 10.1111/jdi.13230	2020