

#### IV. 研究成果の刊行に関する一覧表

## 研究成果の刊行に関する一覧表(令和元年度)

## 雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ono Y., Tsuboi H., Moriyama M., Asashima H., Kudo H., Takahashi H., Honda F., Abe S., Kondo Y., Takahashi S., Matsumoto I., Nakamura S., and Sumida T.	RORgammat antagonist improves Sjogren's syndrome-like sialadenitis through downregulation of CD25	<i>Oral Dis</i>	26(4)	766-777	2020
Irabu H., Shimizu M., Kaneko S., Inoue N., Mizuta M., Nakagishi Y., and Yachie A.	Comparison of serum biomarkers for the diagnosis of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis during tocilizumab therapy	<i>Pediatr Res</i>		in press	2020
Abe N., Kato M., Kono M., Fujieda Y., Ohira H., Tsujino I., Oyama-Manabe N., Oku K., Bohgaki T., Yasuda S., and Atsumi T.	Right ventricular dimension index by cardiac magnetic resonance for prognostication in connective tissue diseases and pulmonary hypertension	<i>Rheumatology (Oxford)</i>	59(3)	622-633	2020
Matsumoto K., Suzuki K., Yoshimoto K., Seki N., Tsujimoto H., Chiba K., and Takeuchi T.	Significant association between clinical characteristics and immuno-phenotypes in patients with ANCA-associated vasculitis	<i>Rheumatology (Oxford)</i>	59(3)	545-553	2020
Watanabe E., Gono T., Kuwana M., and Terai C.	Predictive factors for sustained remission with stratification by myositis-specific autoantibodies in adult polymyositis/dermatomyositis	<i>Rheumatology (Oxford)</i>	59(3)	586-593	2020
Jinnin M., Ohta A., Ishihara S., Amano H., Atsumi T., Fujimoto M., Kanda T., Kawaguchi Y., Kawakami A., Mimori A., Mimori T., Mimura T., Muro Y., Sano H., Shimizu J., Takeuchi T., Tanaka Y., Yamamoto K., Sumida T., Kohsaka H., Research Team for Autoimmune Diseases T.R.P.f.I.D.o.t.M.o.H.L., and Welfare	First external validation of sensitivity and specificity of the European League Against Rheumatism (EULAR)/American College of Rheumatology (ACR) classification criteria for idiopathic inflammatory myopathies with a Japanese cohort	<i>Ann Rheum Dis</i>	79(3)	387-392	2020
Nakane S., Mukaino A., Higuchi O., Yasuhiro M., Takamatsu K., Yamakawa M., Watari M., Tawara N., Nakahara K.I., Kawakami A., Matsuo H., and Ando Y.	A comprehensive analysis of the clinical characteristics and laboratory features in 179 patients with autoimmune autonomic ganglionopathy	<i>J Autoimmun</i>	108	102403	2020

Sakamoto M., Moriyama M., Shimizu M., Chinju A., Mochizuki K., Munemura R., Ohyama K., Maehara T., Ogata K., Ohta M., Yamauchi M., Ishiguro N., Matsumura M., Ohyama Y., Kiyoshima T., and Nakamura S.	The diagnostic utility of submandibular gland sonography and labial salivary gland biopsy in IgG4-related dacryoadenitis and sialadenitis: Its potential application to the diagnostic criteria	<i>Mod Rheumatol</i>	30(2)	379-384	2020
Tsuji H., Nakashima R., Hosono Y., Imura Y., Yagita M., Yoshifuji H., Hirata S., Nojima T., Sugiyama E., Hatta K., Taguchi Y., Katayama M., Tanizawa K., Handa T., Uozumi R., Akizuki S., Murakami K., Hashimoto M., Tanaka M., Ohmura K., and Mimori T.	Multicenter Prospective Study of the Efficacy and Safety of Combined Immunosuppressive Therapy With High-Dose Glucocorticoid, Tacrolimus, and Cyclophosphamide in Interstitial Lung Diseases Accompanied by Anti-Melanoma Differentiation-Associated Gene 5-Positive Dermatomyositis	<i>Arthritis Rheumatol</i>	72(3)	488-498	2020
Smolen J.S., Landewe R.B.M., Bijlsma J.W.J., Burmester G.R., Dougados M., Kerschbaumer A., McInnes I.B., Sepriano A., van Vollenhoven R.F., de Wit M., Aletaha D., Aringer M., Askling J., Balsa A., Boers M., den Broeder A.A., Buch M.H., Buttgerit F., Caporali R., Cardiel M.H., De Cock D., Codreanu C., Cutolo M., Edwards C.J., van Eijk-Hustings Y., Emery P., Finckh A., Gossec L., Gottenberg J.E., Hetland M.L., Huizinga T.W.J., Koloumas M., Li Z., Mariette X., Muller-Ladner U., Mysler E.F., da Silva J.A.P., Poor G., Pope J.E., Rubbert-Roth A., Ruysen-Witrand A., Saag K.G., Strangfeld A., Takeuchi T., Voshaar M., Westhovens R., and van der Heijde D.	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2019 update	<i>Ann Rheum Dis</i>		pii:annrheumdis-2019-216655	2020
Tanaka Y., Kameda H., Saito K., Kaneko Y., Tanaka E., Yasuda S., Tamura N., Fujio K., Fujii T., Kojima T., Anzai T., Hamada C., Fujino Y., Matsuda S., and Kohsaka H.	Response to tocilizumab and work productivity in patients with rheumatoid arthritis: 2-year follow-up of FIRST ACT-SC study	<i>Mod Rheumatol</i>	2020 Jan20	1-11	2020

Shimizu M., Mizuta M., Okamoto N., Yasumi T., Iwata N., Umebayashi H., Okura Y., Kinjo N., Kubota T., Nakagishi Y., Nishimura K., Mohri M., Yashiro M., Yasumura J., Wakiguchi H., and Mori M.	Tocilizumab modifies clinical and laboratory features of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis	<i>Pediatr Rheumatol Online J</i>	18(1)	2	2020
Tanaka Y., Kuwana M., Fujii T., Kameda H., Muro Y., Fujio K., Itoh Y., Yasuoka H., Fukaya S., Ashihara K., Hirano D., Ohmura K., Tabuchi Y., Hasegawa H., Matsumiya R., Shirai Y., Ogura T., Tsuchida Y., Ogawa-Momohara M., Narazaki H., Inoue Y., Miyagawa I., Nakano K., Hirata S., and Mori M.	2019 Diagnostic criteria for mixed connective tissue disease (MCTD): From the Japan research committee of the ministry of health, labor, and welfare for systemic autoimmune diseases	<i>Mod Rheumatol</i>		1-5	2020
Kamiya M., Mizoguchi F., Takamura A., Kimura N., Kawahata K., and Kohsaka H.	A new in vitro model of polymyositis reveals CD8+ T cell invasion into muscle cells and its cytotoxic role	<i>Rheumatology (Oxford)</i>	59(1)	224-232	2020
Kaneko Y., Nunokawa T., Taniguchi Y., Yamaguchi Y., Gono T., Masui K., Kawakami A., Kawaguchi Y., Sato S., Kuwana M., and investigators J.	Clinical characteristics of cancer-associated myositis complicated by interstitial lung disease: a large-scale multicentre cohort study	<i>Rheumatology (Oxford)</i>	59(1)	112-119	2020
Akaishi T., Yasaka K., Abe M., Fujii H., Watanabe M., Shirai T., Ishizawa K., Takayama S., Kagaya Y., Harigae H., and Ishii T.	Protein-losing gastroenteropathy with severe hypoalbuminemia associated with Sjogren's syndrome: A case report and review of the literature	<i>J Gen Fam Med</i>	21(1)	24-28	2020
Dittmer M.R., Ogawa-Momohara M., Muro Y., Kono M., and Akiyama M.	Remodelling of calcinosis cutis in a patient with scleroderma overlap syndrome	<i>J Eur Acad Dermatol Venereol</i>	34(1)	e20-e21	2020
Hanyuda A., Sawada N., Uchino M., Kawashima M., Yuki K., Tsubota K., Yamagishi K., Iso H., Yasuda N., Saito I., Kato T., Abe Y., Arima K., Tanno K., Sakata K., Shimazu T., Yamaji T., Goto A., Inoue M., Iwasaki M., Tsugane S., and Group J.-N.S.	Physical inactivity, prolonged sedentary behaviors, and use of visual display terminals as potential risk factors for dry eye disease: JPHC-NEXT study	<i>Ocul Surf</i>	18(1)	56-63	2020

Ishiguro N., Moriyama M., Furusho K., Furukawa S., Shibata T., Murakami Y., Chinju A., Haque A., Gion Y., Ohta M., Maehara T., Tanaka A., Yamauchi M., Sakamoto M., Mochizuki K., Ono Y., Hayashida J.N., Sato Y., Kiyoshima T., Yamamoto H., Miyake K., and Nakamura S.	Activated M2 Macrophages Contribute to the Pathogenesis of IgG4-Related Disease via Toll-like Receptor 7/Interleukin-33 Signaling	<i>Arthritis Rheumatol</i>	72(1)	166-178	2020
Masaki Y., Kawabata H., Takai K., Tsukamoto N., Fujimoto S., Ishigaki Y., Kurose N., Miura K., Nakamura S., Aoki S., and Japanese T.S.R.T.	2019 Updated diagnostic criteria and disease severity classification for TAFRO syndrome	<i>Int J Hematol</i>	111(1)	155-158	2020
Minamiyama S., Ueda S., Nakashima R., Yamakado H., Sakato Y., Yamashita H., Sawamoto N., Fujimoto R., Nishino I., Urushitani M., Mimori T., and Takahashi R.	Thigh muscle MRI findings in myopathy associated with anti-mitochondrial antibody	<i>Muscle Nerve</i>	61(1)	81-87	2020
Takehita M., Suzuki K., Kaneda Y., Yamane H., Ikeura K., Sato H., Kato S., Tsunoda K., Arase H., and Takeuchi T.	Antigen-driven selection of antibodies against SSA, SSB and the centromere 'complex', including a novel antigen, MIS12 complex, in human salivary glands	<i>Ann Rheum Dis</i>	79(1)	150-158	2020
Tanaka Y., Takeuchi T., Okada M., Ishii T., Nakajima H., Kawai S., Nagashima T., Hayashi N., Wang L., and Tummala R.	Safety and tolerability of anifrolumab, a monoclonal antibody targeting type I interferon receptor, in Japanese patients with systemic lupus erythematosus: A multicenter, phase 2, open-label study	<i>Mod Rheumatol</i>	30(1)	101-108	2020
Imamura M., Mukaino A., Takamatsu K., Tsuboi H., Higuchi O., Nakamura H., Abe S., Ando Y., Matsuo H., Nakamura T., Sumida T., Kawakami A., and Nakane S.	Ganglionic Acetylcholine Receptor Antibodies and Autonomic Dysfunction in Autoimmune Rheumatic Diseases	<i>Int J Mol Sci</i>	21(4)		2020
Concha J.S.S., Pena S., Gaffney R.G., Patel B., Tarazi M., Kushner C.J., Merola J.F., Fiorentino D., Dutz J.P., Goodfield M., Nyberg F., Volc-Platzer B., Fujimoto M., Ang C.C., Werth V.P., and Skin Myositis Delphi G.	Developing classification criteria for skin-predominant dermatomyositis: the Delphi process	<i>Br J Dermatol</i>	182(2)	410-417	2020

Kobayashi I., Akioka S., Kobayashi N., Iwata N., Takezaki S., Nakaseko H., Sato S., Nishida Y., Nozawa T., Yamasaki Y., Yamazaki K., Arai S., Nishino I., and Mori M.	Clinical practice guidance for juvenile dermatomyositis (JDM) 2018-Update	<i>Mod Rheumatol</i>		1-13	2020
Harigai M., Winthrop K., Takeuchi T., Hsieh T.Y., Chen Y.M., Smolen J.S., Burmester G., Walls C., Wu W.S., Dickson C., Liao R., and Genovese M.C.	Evaluation of hepatitis B virus in clinical trials of baricitinib in rheumatoid arthritis	<i>RMD Open</i>	6(1)	e001095	2020
Urashima K., Ichinose K., Kondo H., Maeda T., Kawakami A., and Ozawa H.	The prevalence of insomnia and restless legs syndrome among Japanese outpatients with rheumatic disease: A cross-sectional study	<i>PLoS One</i>	15(3)	e0230273	2020
Kizawa T, Shabana K, Inoue N, Okura Y, Okamoto N, Kubota T, Shimizu M, Nakagishi Y, Nishimura K, Mizuta M, Yashiro M, Yasumi T, Yasumura J, Yamaide A, Wakiguchi H, Umebayashi H, Mori M.	Clinical Guidance for Abatacept of Juvenile Idiopathic Arthritis.	<i>Mod Rheumatol</i>			2020
Yamazaki K, Ohta A, Akioka S, Nozawa T, Ohara A, Nakaseko H, Yamasaki Y, Kobayashi N, Nishida Y, Sato S, Takezaki S, Iwata N, Nishimura K, Kishi T, Hashimoto M, Kobayashi I, Mori M, The Research Team for Pediatric Rheumatic Disease, The Research Program for Intractable Disease of the Ministry of Health, Labor and Welfare	External validation of the EULAR/ACR idiopathic inflammatory myopathies classification criteria with Japanese paediatric cohort.	<i>Rheumatology</i>			2020
Matsumoto, T., T. Matsui, F. Hirano, S. Tohma, and M. Mori.	Disease activity, treatment and long-term prognosis of adult juvenile idiopathic arthritis patients compared with rheumatoid arthritis patients.	<i>Mod Rheumatol,</i>	30(1)	78-84	2020

Tsuda S., Sameshima A., Sekine M., Kawaguchi H., Fujita D., Makino S., Morinobu A., Murakawa Y., Matsui K., Sugiyama T., Watanabe M., Suzuki Y., Nagahori M., Murashima A., Atsumi T., Oku K., Mitsuda N., Takei S., Miyamae T., Takahashi N., Nakajima K., Saito S., Ministry of Health L., and Welfare Working Group for "Guideline for The Treatment of Rheumatoid Arthritis or Inflammatory Bowel Disease Bearing Women in Child-bearing A.	Pre-conception status, obstetric outcome and use of medications during pregnancy of systemic lupus erythematosus (SLE), rheumatoid arthritis (RA) and inflammatory bowel disease (IBD) in Japan: Multi-center retrospective descriptive study	<i>Mod Rheumatol</i>	DOI: 10.1080/14397595.2019.1661592	1-10	2019
Takada K., Katada Y., Ito S., Hayashi T., Kishi J., Itoh K., Yamashita H., Hirakata M., Kawahata K., Kawakami A., Watanabe N., Atsumi T., Takasaki Y., and Miyasaka N.	Impact of adding tacrolimus to initial treatment of interstitial pneumonitis in polymyositis/dermatomyositis: a single-arm clinical trial	<i>Rheumatology (Oxford)</i>	doi: 10.1093/rheumatology/kez394		2019
Fujimoto S., Sakai T., Kawabata H., Kurose N., Yamada S., Doai M., Matoba M., Iwao-Kawanami H., Kawanami T., Mizuta S., Fukushima T., Mizumaki H., Yamaguchi M., and Masaki Y.	A case of osteosarcoma manifesting systemic inflammation and histological features mimicking plasma cell type Castleman disease.	<i>Intern Med</i>	96(50)	e9220. doi: 10.1097/MD.00000000000009220.	2019
Akiyama M., Suzuki K., Kaneko Y., and Takeuchi T.	IgG4-Related Disease: A Growing Appreciation of Follicular Helper T Cell Expansion	<i>Clin Transl Gastroenterol</i>	10(9)	e00076	2019
Fujimoto S., Sakai T., Kawabata H., Kurose N., Yamada S., Takai K., Aoki S., Kuroda J., Ide M., Setoguchi K., Tsukamoto N., Iwao-Kawanami H., Kawanami T., Mizuta S., Fukushima T., and Masaki Y.	Is TAFRO syndrome a subtype of idiopathic multicentric Castleman disease?	<i>Am J Hematol</i>	94(9)	975-983	2019
Iwata N., Nakaseko H., Kohagura T., Yasuoka R., Abe N., Kawabe S., Sugiura S., and Muro Y.	Clinical subsets of juvenile dermatomyositis classified by myositis-specific autoantibodies: Experience at a single center in Japan	<i>Mod Rheumatol</i>	29(5)	802-807	2019
Katagiri T., Yamazaki S., Fukui Y., Aoki K., Yagita H., Nishina T., Mikami T., Katagiri S., Shiraishi A., Kimura S., Tateda K., Sumimoto H., Endo S., Kameda H., and Nakano H.	JunB plays a crucial role in development of regulatory T cells by promoting IL-2 signaling	<i>Mucosal Immunol</i>	12(5)	1104-1117	2019

Oya K., Inoue S., Saito A., Nakamura Y., Ishitsuka Y., Fujisawa Y., Watanabe R., Taguchi S., Fujimoto M., and Okiyama N.	Pregnancy triggers the onset of anti-transcriptional intermediary factor 1gamma antibody-positive dermatomyositis: a case series	<i>Rheumatology (Oxford)</i>			2019
Ogura T., Hirata A., Hayashi N., Imaizumi C., Ito H., Takenaka S., Inoue Y., Takakura Y., Mizushina K., Katagiri T., and Kameda H.	Finger joint cartilage evaluated by semi-quantitative ultrasound score in patients with rheumatoid arthritis	<i>Arthritis Care Res (Hoboken)</i>		in press	2019
Hanaoka H., Iida H., Kiyokawa T., Takakuwa Y., and Kawahata K.	Glucocorticoid, immunosuppressant, hydroxychloroquine monotherapy, or no therapy for maintenance treatment in systemic lupus erythematosus without major organ manifestations	<i>Clin Rheumatol</i>	38(10)	2785-2791	2019
Ishiguro Y., Muro Y., Murase C., Takeichi T., Kono M., Adachi R., Takahashi K., and Akiyama M.	Drug-induced acute eosinophilic pneumonia due to hydroxychloroquine in a chilblain lupus patient	<i>J Dermatol</i>	46(10)	e356-e357	2019
Kurose N., Guo X., Shioya A., Mizutani K.I., Kumagai M., Fujimoto S., Kawabata H., Masaki Y., Takai K., Aoki S., Nakamura S., and Yamada S.	The potential role of follicular helper T cells in idiopathic multicentric Castleman disease with and without TAFRO syndrome	<i>Pathol Res Pract</i>	215 (10)	152563	2019
Matsuo H., Yanaba K., Umezawa Y., Nakagawa H., and Muro Y.	Anti-SAE Antibody-Positive Dermatomyositis in a Japanese Patient: A Case Report and Review of the Literature	<i>J Clin Rheumatol</i>	25(7)	e115-e116	2019
Ogawa-Momohara M., Muro Y., Mitsuma T., Katayama M., Yanaba K., Nara M., Kakeda M., and Akiyama M.	Clinical characteristics of anti-Ro52 $\alpha$ and anti-Ro52 $\beta$ antibodies in dermatomyositis/polymyositis.	<i>J Dermatol Sci</i>	96(1)	50-52	2019
Shimizu M., Kizawa T., Kato R., Suzuki T., and Yachie A.	Macrophage activation syndrome in neonates born to mothers with adult-onset Still's disease: Perinatal effect of maternal IL-18	<i>Clin Immunol</i>	207	36-39	2019
Sugawara E., Kato M., Fujieda Y., Oku K., Bohgaki T., Yasuda S., Umazume T., Morikawa M., Watari H., and Atsumi T.	Pregnancy outcomes in women with rheumatic diseases: a real-world observational study in Japan	<i>Lupus</i>	28(12)	1407-1416	2019
Takeshita M., Suzuki K., Kondo Y., Morita R., Okuzono Y., Koga K., Kassai Y., Gamo K., Takiguchi M., Kurisu R., Mototani H., Ebisuno Y., Yoshimura A., and Takeuchi T.	Multi-dimensional analysis identified rheumatoid arthritis-driving pathway in human T cell	<i>Ann Rheum Dis</i>	78(10)	1346-1356	2019



Takeuchi T., Tanaka Y., Tanaka S., Kawakami A., Iwasaki M., Katayama K., Rokuda M., Izutsu H., Ushijima S., Kaneko Y., Shiomi T., Yamada E., and van der Heijde D.	Efficacy and safety of peficitinib (ASP015K) in patients with rheumatoid arthritis and an inadequate response to methotrexate: results of a phase III randomised, double-blind, placebo-controlled trial (RAJ4) in Japan	<i>Ann Rheum Dis</i>	78(10)	1305-1319	2019
Tokuhira M., Saito S., Suzuki K., Higashi M., Momose S., Shimizu T., Mori T., Kimura Y., Amano K., Okamoto S., Takeuchi T., Tamaru J.I., and Kizaki M.	Clinicopathological features of clinical methotrexate-related lymphoproliferative disorders	<i>Leuk Lymphoma</i>	60(10)	2508-2515	2019
Negishi H., Endo N., Nakajima Y., Nishiyama T., Tabunoki Y., Nishio J., Koshiba R., Matsuda A., Matsuki K., Okamura T., Negishi-Koga T., Ichinohe T., Takemura S., Ishiwata H., Iemura S.I., Natsume T., Abe T., Kiyonari H., Doi T., Hangai S., Yanai H., Fujio K., Yamamoto K., and Taniguchi T.	Identification of U11snRNA as an endogenous agonist of TLR7-mediated immune pathogenesis	<i>Proc Natl Acad Sci U S A</i>	116(47)	23653-23661	2019
Yokoyama N., Kawasaki A., Matsushita T., Furukawa H., Kondo Y., Hirano F., Sada K.E., Matsumoto I., Kusaoi M., Amano H., Nagaoka S., Setoguchi K., Nagai T., Shimada K., Sugii S., Hashimoto A., Matsui T., Okamoto A., Chiba N., Suematsu E., Ohno S., Katayama M., Migita K., Kono H., Hasegawa M., Kobayashi S., Yamada H., Nagasaka K., Sugihara T., Yamagata K., Ozaki S., Tamura N., Takasaki Y., Hashimoto H., Makino H., Arimura Y., Harigai M., Sato S., Sumida T., Tohma S., Takehara K., and Tsuchiya N.	Association of NCF1 polymorphism with systemic lupus erythematosus and systemic sclerosis but not with ANCA-associated vasculitis in a Japanese population	<i>Sci Rep</i>	9(1)	16366	2019
Ota S., Muro Y., Kono M., Goto N., and Akiyama M.	Antiphospholipid antibody-positive Sjogren's syndrome with leg ulcers	<i>J Dermatol</i>	46(11)	e429-e430	2019

Retamozo S., Acar-Denizli N., Rasmussen A., Horvath I.F., Baldini C., Priori R., Sandhya P., Hernandez-Molina G., Armagan B., Praprotnik S., Kvarnstrom M., Gerli R., Sebastian A., Solans R., Rischmueller M., Pasoto S.G., Valim V., Nordmark G., Kruize A., Nakamura H., Hofauer B., Giacomelli R., Fernandes Moca Trevisani V., Devauchelle-Pensec V., Atzeni F., Gheita T.A., Consani-Fernandez S., Szanto A., Sivils K., Gattamelata A., Danda D., Kilic L., Bartoloni E., Bombardieri S., Sanchez-Guerrero J., Wahren-Herlenius M., Mariette X., Ramos-Casals M., Brito-Zeron P., and Sjogren Big Data C.	Systemic manifestations of primary Sjogren's syndrome out of the ESSDAI classification: prevalence and clinical relevance in a large international, multi-ethnic cohort of patients	<i>Clin Exp Rheumatol</i>	37 Suppl 118(3)	97-106	2019
Inoue M., Kanda H., Tateishi S., and Fujio K.	Evaluation of response criteria in rheumatoid arthritis treated with biological disease-modifying antirheumatic drugs	<i>Arthritis Care Res (Hoboken)</i>	2019 May 6		2019
Hanaoka H., Iida H., Kiyokawa T., Takakuwa Y., and Kawahata K.	Hydroxychloroquine Improves the Disease Activity and Allows the Reduction of the Corticosteroid Dose Regardless of Background Treatment in Japanese Patients with Systemic Lupus Erythematosus	<i>Intern Med</i>	58(9)	1257-1262	2019
Tsukamoto M., Suzuki K., and Takeuchi T.	Ten-year observation of patients with primary Sjogren's syndrome: Initial presenting characteristics and the associated outcomes	<i>Int J Rheum Dis</i>	22(5)	929-933	2019
Okiyama N., Inoue S., Saito A., Nakamura Y., Ishitsuka Y., Fujisawa Y., Watanabe R., and Fujimoto M.	Antihelix/helix violaceous macules in Japanese patients with anti-melanoma differentiation-associated protein 5 (MDA5) antibody-associated dermatomyositis	<i>Br J Dermatol</i>	180(5)	1226-1227	2019

Fukuda K., Date H., Doi S., Fukumoto Y., Fukushima N., Hatano M., Ito H., Kuwana M., Matsubara H., Momomura S.I., Nishimura M., Ogino H., Satoh T., Shimokawa H., Yamauchi-Takahara K., Tatsumi K., Ishibashi-Ueda H., Yamada N., Yoshida S., Abe K., Ogawa A., Ogo T., Kasai T., Kataoka M., Kawakami T., Kogaki S., Nakamura M., Nakayama T., Nishizaki M., Sugimura K., Tanabe N., Tsujino I., Yao A., Akasaka T., Ando M., Kimura T., Kuriyama T., Nakanishi N., Nakanishi T., Tsutsui H., Japanese Circulation S., the Japanese Pulmonary C., and Pulmonary Hypertension Society Joint Working G.	Guidelines for the Treatment of Pulmonary Hypertension (JCS 2017/JPCPHS 2017)	<i>Circ J</i>	83(4)	842-945	2019
Nakatsuka Y., Handa T., Nakashima R., Tanizawa K., Kubo T., Murase Y., Sokai A., Ikezoe K., Hosono Y., Watanabe K., Tokuda S., Uno K., Yoshizawa A., Tsuruyama T., Uozumi R., Nagai S., Hatta K., Taguchi Y., Mishima M., Chin K., Mimori T., and Hirai T.	Serum matrix metalloproteinase levels in polymyositis/dermatomyositis patients with interstitial lung disease	<i>Rheumatology (Oxford)</i>		DOI: 10.1093/rheumatology/kez065	2019
Sakamoto M., Moriyama M., Shimizu M., Chinju A., Mochizuki K., Munemura R., Ohyama K., Maehara T., Ogata K., Ohta M., Yamauchi M., Ishiguro N., Matsumura M., Ohyama Y., Kiyoshima T., and Nakamura S.	The diagnostic utility of submandibular gland sonography and labial salivary gland biopsy in IgG4-related dacryoadenitis and sialadenitis: Its potential application to the diagnostic criteria	<i>Mod Rheumatol</i>		1-6	2019
Yamagata K., Usui J., Nagata M., Sugiyama H., Sada K.E., Muso E., Harigai M., Amano K., Atsumi T., Fujimoto S., Yuzawa Y., Kobayashi M., Saito T., Ito T., Hirawa N., Homma S., Dobashi H., Tsuboi N., Ishizu A., Arimura Y., Makino H., Matsuo S., Research Committee of Intractable Renal D., the Research Committee of Intractable Vasculitis Syndrome of the Ministry of Health L., and Welfare of J.	Histopathological classification of anti-neutrophil cytoplasmic antibody-associated glomerulonephritis in a nationwide Japanese prospective 2-year follow-up cohort study	<i>Clin Exp Nephrol</i>	23(3)	387-394	2019

Hanaoka H., Iida H., Kiyokawa T., Takakuwa Y., and Kawahata K.	Low additive effect of hydroxychloroquine on Japanese patients with systemic lupus erythematosus taking calcineurin inhibitor	<i>Int J Rheum Dis</i>	22(3)	468-472	2019
Kurose N., Mizutani K.I., Kumagai M., Shioya A., Guo X., Nakada S., Fujimoto S., Kawabata H., Masaki Y., Takai K., Aoki S., Kojima M., Nakamura S., Kida M., and Yamada S.	An extranodal histopathological analysis of idiopathic multicentric Castleman disease with and without TAFRO syndrome	<i>Pathol Res Pract</i>	215(3)	410-413	2019
Distler O., Highland K.B., Gahlemann M., Azuma A., Fischer A., Mayes M.D., Raghu G., Sauter W., Girard M., Alves M., Clerisme-Beaty E., Stowasser S., Tetzlaff K., Kuwana M., Maher T.M., and Investigators S.T.	Nintedanib for Systemic Sclerosis-Associated Interstitial Lung Disease	<i>N Engl J Med</i>	380(26)	2518-2528	2019
Yajima N., Tsujimoto Y., Fukuma S., Sada K.E., Shimizu S., Niihata K., Takahashi R., Asano Y., Azuma T., Kameda H., Kuwana M., Kohsaka H., Sugiura-Ogasawara M., Suzuki K., Takeuchi T., Tanaka Y., Tamura N., Matsui T., Mimori T., Fukuhara S., and Atsumi T.	The development of quality indicators for systemic lupus erythematosus using electronic health data: A modified RAND appropriateness method	<i>Mod Rheumatol</i>	26	1-7	2019
Okumura T., Horie Y., Lai C.Y., Lin H.T., Shoda H., Natsumoto B., Fujio K., Kumaki E., Okano T., Ono S., Tanita K., Morio T., Kanegane H., Hasegawa H., Mizoguchi F., Kawahata K., Kohsaka H., Moritake H., Nunoi H., Waki H., Tamaru S.I., Sasako T., Yamauchi T., Kadowaki T., Tanaka H., Kitanaka S., Nishimura K., Ohtaka M., Nakanishi M., and Otsu M.	Robust and highly efficient hiPSC generation from patient non-mobilized peripheral blood-derived CD34(+) cells using the auto-erasable Sendai virus vector	<i>Stem Cell Res Ther</i>	10(1)	185	2019
Kiyokawa T., Hanaoka H., Iida H., Ishimori K., Takakuwa Y., Okazaki T., Ozaki S., and Kawahata K.	High plasma mycophenolate acid concentration in the early phase of induction therapy predicts good renal outcome in lupus nephritis	<i>Mod Rheumatol</i>	13. doi: 10.1080/14397595.2019.1623435	1-8	2019
Ando T., Iijima M., Fukami Y., Nishi R., Ikeda S., Yokoi S., Kawagashira Y., Koike H., Muro Y., and Katsuno M.	Vasculitic neuropathy with anti-phosphatidylserine/prothrombin complex antibody	<i>Muscle Nerve</i>	59(6)	E44-E46	2019

Elhai M., Hoffmann-Vold A.M., Avouac J., Pezet S., Cauvet A., Leblond A., Fretheim H., Garen T., Kuwana M., Molberg O., and Allanore Y.	Performance of Candidate Serum Biomarkers for Systemic Sclerosis-Associated Interstitial Lung Disease	<i>Arthritis Rheumatol</i>	71(6)	972-982	2019
Iida H., Hanaoka H., Okada Y., Kiyokawa T., Takakuwa Y., Yamada H., Okazaki T., Ozaki S., Yamaguchi K., Nakajima Y., and Kawahata K.	A low perfusion-metabolic mismatch in (99m) Tl and (123) I-BMIPP scintigraphy predicts poor prognosis in systemic sclerosis patients with asymptomatic cardiac involvement	<i>Int J Rheum Dis</i>	22(6)	1008-1015	2019
Ohmura K., Oku K., Kitaori T., Amengual O., Hisada R., Kanda M., Shimizu Y., Fujieda Y., Kato M., Bohgaki T., Horita T., Yasuda S., Sugiura-Ogasawara M., and Atsumi T.	Pathogenic roles of anti-C1q antibodies in recurrent pregnancy loss	<i>Clin Immunol</i>	203	37-44	2019
Genovese M.C., Kalunian K., Gottenberg J.E., Mozaffarian N., Bartok B., Matzkies F., Gao J., Guo Y., Tasset C., Sundry J.S., de Vlam K., Walker D., and Takeuchi T.	Effect of Filgotinib vs Placebo on Clinical Response in Patients With Moderate to Severe Rheumatoid Arthritis Refractory to Disease-Modifying Antirheumatic Drug Therapy: The FINCH 2 Randomized Clinical Trial	<i>JAMA</i>	322(4)	315-325	2019
Nakamura T., Satoh-Nakamura T., Nakajima A., Kawanami T., Sakai T., Fujita Y., Iwao H., Miki M., Masaki Y., Okazaki T., Ishigaki Y., Kawano M., Yamada K., Matsui S., Saeki T., Kamisawa T., Yamamoto M., Hamano H., Origuchi T., Hirata S., Tanaka Y., Tsuboi H., Sumida T., Okazaki K., Tanaka M., Chiba T., Mimori T., and Umehara H.	Impaired expression of innate immunity-related genes in IgG4-related disease: A possible mechanism in the pathogenesis of IgG4-RD	<i>Mod Rheumatol</i>		1-7	2019
Okiyama N., Yamaguchi Y., Koder M., Hamaguchi Y., Yokozeki H., Ishiguro N., and Fujimoto M.	Distinct Histopathologic Patterns of Finger Eruptions in Dermatomyositis Based on Myositis-Specific Autoantibody Profiles	<i>JAMA Dermatol</i>			2019

Elhai M., Boubaya M., Distler O., Smith V., Matucci-Cerinic M., Alegre Sancho J.J., Truchetet M.E., Braun-Moscovici Y., Iannone F., Novikov P.I., Lescoat A., Siegert E., Castellvi I., Airo P., Vettori S., De Langhe E., Hachulla E., Erler A., Ananieva L., Krusche M., Lopez-Longo F.J., Distler J.H.W., Hunzelmann N., Hoffmann-Vold A.M., Riccieri V., Hsu V.M., Pozzi M.R., Ancuta C., Rosato E., Mihai C., Kuwana M., Saketkoo L.A., Chizzolini C., Hesselstrand R., Ullman S., Yavuz S., Rednic S., Caimmi C., Bloch-Queyrat C., Allanore Y., and for E.n.	Outcomes of patients with systemic sclerosis treated with rituximab in contemporary practice: a prospective cohort study	<i>Ann Rheum Dis</i>	78(7)	979-987	2019
Hanaoka M., Katsumata Y., Kawasumi H., Kawaguchi Y., and Yamanaka H.	KL-6 is a long-term disease-activity biomarker for interstitial lung disease associated with polymyositis/dermatomyositis, but is not a short-term disease-activity biomarker	<i>Mod Rheumatol</i>	29(4)	625-632	2019
Hatano M., Mimura T., Shimada A., Noda M., and Katayama S.	Hepatitis B virus reactivation with corticosteroid therapy in patients with adrenal insufficiency	<i>Endocrinol Diabetes Metab</i>	2(3)	e00071	2019
Mizuta M., Shimizu M., Inoue N., Nakagishi Y., and Yachie A.	Clinical significance of serum CXCL9 levels as a biomarker for systemic juvenile idiopathic arthritis associated macrophage activation syndrome	<i>Cytokine</i>	119	182-187	2019
Ogawa A., Ogawa Y., Mukai S., Shimizu E., Kuwana M., Kawakami Y., and Tsubota K.	Cluster of differentiation 30 expression in lacrimal gland and conjunctival tissues in patients with Sjogren's syndrome: Case series	<i>Medicine (Baltimore)</i>	98(29)	e16390	2019
Ohshima M., Kawahata K., Kanda H., and Yamamoto K.	Sinus bradycardia after intravenous pulse methylprednisolone therapy in patients with systemic lupus erythematosus	<i>Mod Rheumatol</i>	29(4)	700-703	2019
Ogawa-Momohara M., Muro Y., Kono M., and Akiyama M.	Prognosis of dysphagia in dermatomyositis	<i>Clin Exp Rheumatol</i>	37(1)	165	2019
Okamoto N., Yokota S., Takei S., Okura Y., Kubota T., Shimizu M., Nozawa T., Iwata N., Umebayashi H., Kinjo N., Kunishima T., Yasumura J., and Mori M.	Clinical practice guidance for juvenile idiopathic arthritis (JIA) 2018	<i>Mod Rheumatol</i>	29(1)	41-59	2019

Shima Y., Kawaguchi Y., and Kuwana M.	Add-on tocilizumab versus conventional treatment for systemic sclerosis, and cytokine analysis to identify an endotype to tocilizumab therapy	<i>Mod Rheumatol</i>	29(1)	134-139	2019
Sonobe H., Ogawa Y., Yamada K., Shimizu E., Uchino Y., Kamoi M., Saijo Y., Yamane M., Citterio D., Suzuki K., and Tsubota K.	A novel and innovative paper-based analytical device for assessing tear lactoferrin of dry eye patients	<i>Ocul Surf</i>	17(1)	160-166	2019
Tanaka T., Yoshioka K., Nishikomori R., Sakai H., Abe J., Yamashita Y., Hiramoto R., Morimoto A., Ishii E., Arakawa H., Kaneko U., Ohshima Y., Okamoto N., Ohara O., Hata I., Shigematsu Y., Kawai T., Yasumi T., and Heike T.	National survey of Japanese patients with mevalonate kinase deficiency reveals distinctive genetic and clinical characteristics	<i>Mod Rheumatol</i>	29(1)	181-187	2019
Takakuwa Y., Hanaoka H., Kiyokawa T., Iida H., Ishimori K., Uekusa T., Yamada H., and Kawahata K.	Adult-onset Still's disease-associated interstitial lung disease represents severe phenotype of the disease with higher rate of haemophagocytic syndrome and relapse	<i>Clin Exp Rheumatol</i>	121(6)	23-27	2019
Matsumoto K., Suzuki K., Yoshimoto K., Seki N., Tsujimoto H., Chiba K., and Takeuchi T.	Significant association between clinical characteristics and changes in peripheral immuno-phenotype in large vessel vasculitis	<i>Arthritis Res Ther</i>	21(1)	304	2019

<p>Brito-Zeron P., Acar-Denizli N., Ng W.F., Horvath I.F., Rasmussen A., Seror R., Li X., Baldini C., Gottenberg J.E., Danda D., Quartuccio L., Priori R., Hernandez-Molina G., Armagan B., Kruize A.A., Kwok S.K., Kvarnstrom M., Praprotnik S., Sene D., Gerli R., Solans R., Rischmueller M., Mandl T., Suzuki Y., Isenberg D., Valim V., Wiland P., Nordmark G., Fraile G., Bootsma H., Nakamura H., Giacomelli R., Devauchelle-Pensec V., Hofauer B., Bombardieri M., Trevisani V.F.M., Hammenfors D., Pasoto S.G., Retamozo S., Gheita T.A., Atzeni F., Morel J., Vollenweider C., Zeher M., Sivils K., Xu B., Bombardieri S., Sandhya P., De Vita S., Minniti A., Sanchez-Guerrero J., Kilic L., van der Heijden E., Park S.H., Wahren-Herlenius M., Mariette X., Ramos-Casals M., and Sjogren Big Data C.</p>	<p>Epidemiological profile and north-south gradient driving baseline systemic involvement of primary Sjogren's syndrome</p>	<p><i>Rheumatology (Oxford)</i></p>	<p>24</p>		<p>2019</p>
<p>Kaneko Y., Kameda H., Ikeda K., Ishii T., Murakami K., Takamatsu H., Tanaka Y., Abe T., and Takeuchi T.</p>	<p>Response to: 'Tocilizumab in patients with adult-onset Still's disease refractory to glucocorticoid treatment' by Lee</p>	<p><i>Ann Rheum Dis</i></p>	<p>78(12)</p>	<p>e134</p>	<p>2019</p>
<p>Yamaguchi K., Yamaguchi A., Itai M., Kashiwagi C., Takehara K., Aoki S., Sawada Y., Taguchi K., Umetsu K., Oshima K., Uchida M., Takemura M., Hara K., Motegi S.I., Muro Y., Nakasatomi M., Sakairi T., Hiromura K., Kurabayashi M., and Maeno T.</p>	<p>Clinical features of patients with anti-melanoma differentiation-associated gene-5 antibody-positive dermatomyositis complicated by spontaneous pneumomediastinum</p>	<p><i>Clin Rheumatol</i></p>	<p>38(12)</p>	<p>3443-3450</p>	<p>2019</p>
<p>Nakano M., Kubo K., Shirota Y., Iwasaki Y., Takahashi Y., Igari T., Inaba Y., Takeshima Y., Tateishi S., Yamashita H., Miyazaki M., Sato H., Kanda H., Kaneko H., Ishii T., Fujio K., Tanaka N., and Mimori A.</p>	<p>Delayed lupus nephritis in the course of systemic lupus erythematosus is associated with a poorer treatment response: a multicentre, retrospective cohort study in Japan</p>	<p><i>Lupus</i></p>	<p>28(9)</p>	<p>1062-1073</p>	<p>2019</p>



Higuchi T., Takagi K., Tochimoto A., Ichimura Y., Norose T., Katsumata Y., Masuda I., Yamanaka H., Morohoshi T., and Kawaguchi Y.	Antifibrotic effects of 2-carba cyclic phosphatidic acid (2ccPA) in systemic sclerosis: contribution to the novel treatment	<i>Arthritis Res Ther</i>	21(1)	103	2019
Yasumura J., Yashiro M., Okamoto N., Shabana K., Umebayashi H., Iwata N., Okura Y., Kubota T., Shimizu M., Tomiita M., Nakagishi Y., Nishimura K., Hara R., Mizuta M., Yasumi T., Yamaide F., Wakiguchi H., Kobayashi M., and Mori M.	Clinical features and characteristics of uveitis associated with juvenile idiopathic arthritis in Japan: first report of the pediatric rheumatology association of Japan (PRAJ)	<i>Pediatr Rheumatol Online J</i>	17(1)	15	2019
Hisada R., Kato M., Ohnishi N., Sugawara E., Fujieda Y., Oku K., Bohgaki T., Amengual O., Yasuda S., and Atsumi T.	Antiphospholipid score is a novel risk factor for idiopathic osteonecrosis of the femoral head in patients with systemic lupus erythematosus	<i>Rheumatology (Oxford)</i>	58(4)	645-649	2019
Maehara T., Moriyama M., and Nakamura S.	Pathogenesis of IgG4-related disease: a critical review	<i>Odontology</i>	107(2)	127-132	2019
Shimizu E., Ogawa Y., Saijo Y., Yamane M., Uchino M., Kamoi M., Fukui M., Yang F., He J., Mukai S., and Tsubota K.	Commensal microflora in human conjunctiva; characteristics of microflora in the patients with chronic ocular graft-versus-host disease	<i>Ocul Surf</i>	17(2)	265-271	2019
Takakuwa Y., Hanaoka H., Kiyokawa T., Iida H., Fujimoto H., Yamasaki Y., Yamada H., and Kawahata K.	Low-dose rituximab as induction therapy for ANCA-associated vasculitis	<i>Clin Rheumatol</i>	38(4)	1217-1223	2019
Ueda-Hayakawa I., Hamaguchi Y., Okiyama N., Motegi S., Yamaoka T., Miyake S., Higashi A., Okamoto H., Takehara K., and Fujimoto M.	Autoantibody to transcriptional intermediary factor-1beta as a myositis-specific antibody: clinical correlation with clinically amyopathic dermatomyositis or dermatomyositis with mild myopathy	<i>Br J Dermatol</i>	180(4)	881-887	2019
Hirohata S. and Tanaka K.	Differential expression of antibodies to NMDA receptor in anti-NMDA receptor encephalitis and in neuropsychiatric systemic lupus erythematosus	<i>Lupus Sci Med</i>	6(1)	e000359	2019
Iehisa I., Negishi K., Ayaki M., and Tsubota K.	Kinetic visual acuity is correlated with functional visual acuity at higher speeds	<i>BMJ Open Ophthalmol</i>	4(1)	e000383	2019
Kato R., Sumitomo S., Tsuchida Y., Tsuchiya H., Nakachi S., Sakurai K., Hanata N., Nagafuchi Y., Kubo K., Tateishi S., Kanda H., Okamura T., Yamamoto K., and Fujio K.	CD4(+)CD25(+)LAG3(+) T Cells With a Feature of Th17 Cells Associated With Systemic Lupus Erythematosus Disease Activity	<i>Front Immunol</i>	10	1619	2019

Murayama G., Chiba A., Suzuki H., Nomura A., Mizuno T., Kuga T., Nakamura S., Amano H., Hirose S., Yamaji K., Suzuki Y., Tamura N., and Miyake S.	A Critical Role for Mucosal-Associated Invariant T Cells as Regulators and Therapeutic Targets in Systemic Lupus Erythematosus	<i>Front Immunol</i>	10	2681	2019
Sato K., Yazawa H., Ikuma D., Maruyama T., Kajiyama H., and Mimura T.	Osteomyelitis due to methicillin-resistant <i>Staphylococcus aureus</i> successfully treated by an oral combination of minocycline and trimethoprim-sulfamethoxazole	<i>SAGE Open Med Case Rep</i>	7	2050313X 19841465	2019
Uchida M., Ooka S., Goto Y., Suzuki K., Fujimoto H., Ishimori K., Matsushita H., Takakuwa Y., and Kawahata K.	Anti-IL-10 antibody in systemic lupus erythematosus	<i>Open Access Rheumatol</i>	11	61-65	2019
Masak Y, Kawabata H, Fujimoto S, Kawano M, Iwaki N, Kotani T, Nakashima A, Kurose N, Takai K, Suzuki R, Aoki S.	Epidemiological analysis of multicentric and unicentric Castleman disease and TAFRO syndrome in Japan.	<i>J Clin Exp Hematop</i>		2019 Nov 8. doi: 10.3960/jslrt .19021.	2019
Okada, D., Nakamura, N., Wada, T., Iwasaki, A., Yamada, R.	Extension of Sinkhorn Method; Optimal Movement Estimation of Agents Moving at Constant Velocity	人工知能学会 論文誌	34(5)	1-7	2019
Furusho K, Shibata T, Sato R, Fukui R, Motoi Y, Zhang Y, Saitoh S, Ichinohe T, Moriyama M, Nakamura S, Miyake K	Cytidine deaminase enables Toll-like receptor 8 activation by cytidine or its analogs.	<i>Int Immuno</i>	31(3)	167-173	2019
Fujimoto S, Sakai T, Kawabata H, Kurose N, Yamada S, Doai M, Matoba M, Kawanami HI, Kawanami T, Mizuta S, Fukushima T, Mizumaki Y, Yamaguchi M, Masaki Y.	A case of osteosarcoma manifesting systemic inflammation and histological features mimicking plasma cell type Castleman disease.	<i>Intern Med</i>	96(50)	e9220. doi: 10.1097/M D.00000000 00009220.	2019

Terao C, Ota M, Iwasaki T, Shiokawa M, Kawaguchi S, Kuriyama K, Kawaguchi T, Kodama Y, Yamaguchi I, Uchida K, Higasa K, Yamamoto M, Kubota K, Yazumi S, Hirano K, Masaki Y, Maguchi H, Origuchi T, Matsui S, Nakazawa T, Shiomi H, Kamisawa T, Hasebe O, Iwasaki E, Inui K, Tanaka Y, Ohshima K, Akamizu T, Nakamura S, Nakamura S, Saeki T, Umehara H, Shimosegawa T, Mizuno N, Kawano M, Azumi A, Takahashi H, Mimori T, Kamatani Y, Okazaki K, Chiba T, Kawa S, Matsuda F, on behalf of the Japanese IgG4-Related Disease Working Consortium.	IgG4-related disease in the Japanese population:a genome-wide association study.	<i>Lancet Rheumatol</i>		2019 August 6, 2019.http://dx.doi.org/10.1016/S2665-9913(19)30006-2	2019
Masaki Y, Kawabata H, Fujimoto S, Kawano M, Iwaki N, Kotani T, Nakashima A, Kurose N, Takai K, Suzuki R, Aoki S.	Epidemiological analysis of multicentric and unicentric Castleman disease and TAFRO syndrome in Japan.	<i>J Clin Exp Hematop</i>		2019 Nov 8. doi: 10.3960/jslrt.19021.	2019
Ando T, Yamasaki Y, Takakuwa Y, Iida H, Asari Y, Suzuki K, Uchida M, KOTOKU N, Tanabe Y, Chosokabe M, Takahashi M, Suzuki K, Akashi Y J., Yamada H, Kawahata K.	Concurrent onset of acute lupus myocarditis,pulmonary arterial hypertension and digital gangrene in a lupus patient: a possible role of vasculitis to the rare disorders.	<i>Modern rheumatology Case Reports</i>	doi: 10.1080/24725625.2019.1650698		2019
神人正寿	皮膚筋炎の皮膚症状	<i>Modern physician</i>	39(10)	905-8	2019
藤井隆夫	膠原病における自己抗体の臨床的意義と病原性	<i>日本内科学会雑誌</i>	108	493-497	2019
藤井隆夫	全身性エリテマトーデスの臓器病変と治療	<i>日本内科学会雑誌</i>	108	1962-1967	2019
富板美奈子	シェーグレン症候群の病態解明には小児患者の適切な診断と長期フォローが重要である	<i>分子リウマチ治療</i>	12 (3)	130-134	2019
富板美奈子	小児シェーグレン症候群 v.s.成人シェーグレン症候群	<i>炎症と免疫</i>	28 (1)	51-55	2020
室 慶直	Sjögren 症候群	<i>皮膚科の臨床</i>	61(12)	1760-6	2019
天野浩文	【腎泌尿器における膠原病最前線】 ループス膀胱炎	<i>腎臓内科・泌尿器科</i>	9(3)	271-274	2019
天野浩文	病気のはなし「多発性筋炎・皮膚筋炎」	<i>検査と技術</i>	47(4)	276-281	2019
武井修治	小児全身性エリテマトーデス	<i>日本臨床</i>	77(3)	428-435	2019
武井修治	小児全身性エリテマトーデス 成人 SLE と何が違うか	<i>分子リウマチ</i>	12(3)	121-125	2019

森 雅亮	移行期患者におけるリウマチ診療の展望と問題点.	リウマチ科,	61(1)	99-104.	2019
森 雅亮	【膠原病診療 update-診断・治療の最新知見-】小児の膠原病	日本臨床	77(3)	408-413.	2019
森 雅亮	炎症性疾患に対する生物学的製剤の応用性	小児科	60(8)	1173-1181.	2019
森 雅亮	【小児リウマチ性疾患の診療～これまでのエビデンスに基づく最近の知見～】小児リウマチ性疾患の移行期医療.	Pharma Medica	37(7)	69-73	2019
川畑仁人, 安藤貴泰	関節リウマチの病態.	Medical Practice	36(7)	1045-1049	2019

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書 籍 名	出版社名	出版地	出版年	ページ
Amengual O, Atsumi T.	Pathogenesis of antiphospholipid syndrome. In:	George C Tsokos, editor.	Systemic lupus erythematosus, basic, applied and clinical aspects.	Academic Press.	NY,USA	in press	
岡本奈美	若年性特発性関節炎	稲毛康司	小児科ステロイドの使い方・止め方・続け方	文光堂	東京	2019	69-71
岡本奈美	小児の膠原病はどこまで診ていい？	三村俊英	膠原病診療をスッキリまとめました	南江堂	東京	2019	144-150
亀田秀人	臨床研究と倫理	関戸哲利	泌尿器科グリーンノート	中外医薬社	東京	2019	456-459
亀田秀人	膠原病および類縁疾患 最近の動向	福井次矢、高木誠、小室一成	今日の治療指針 2020	医学書院	東京	2020	862-864
亀田秀人	解熱・鎮痛薬、抗炎症薬	堀正二、菅野健太郎、門脇孝、乾賢一、林昌洋	治療薬ハンドブック	じほう	東京	2020	1160-1189
三村俊英	私はこう治療している. 14. 膠原病および類縁疾患.成人ステル病	浦部晶夫・島田和幸・川合眞一	今日の治療指針 2020 年版	医学書院	東京	2020.1	893-894
三村俊英		三村俊英	むかしの頭で診ていませんか？ 膠原病診療をスッキリまとめましたーリウマチ、アレルギーも載ってます！	南江堂	東京	2019.10	1-254
三村俊英	膠原病・リウマチ性疾患. 2各論. 成人Still病	南学正臣	内科学書 改訂第9版	中山書店	東京	2019.8	277-279
三村俊英	Ⅲ 個別の指定難病. C 免疫系. 13成人ステル病〔指定難病54〕	水澤英洋・五十嵐隆・北川泰久・高橋和久・弓倉整	指定難病ペディア2019	日本医師会雑誌	東京	2019.6	168-170
和田琢・三村俊英	連載 不明熱の原因となるリウマチ性熱. 成人ステル病. 「分子リウマチ治療」	住田 孝之	分子リウマチ治療特集 SLEの新しい治療戦略.	先端医学社	東京	2019.4	42-46

小林一郎	小林一郎 若年性皮膚筋炎・多発性筋炎、免疫介在性壊死性ミオパチー、	稲毛康司	小児科ステロイドの使い方・止め方・続け方	文光堂	東京	2019	75-77
中村 誠司	2章 全身疾患に関連する口腔顎顔面疾患 I V 口腔乾燥を伴う疾患	山根源之、酒巻裕之、里村一人、野村武史	歯科衛生士のための口腔内科学	医歯薬出版	東京	2019	60-66
森山雅文、中村誠司	第9章 唾液腺疾患 02. IgG4関連疾患	片倉 朗	口腔外科のレベルアップ&ヒント	デンタルダイヤモンド社	東京	2019	192-195
正木康史	IgG4関連リンパ節症 治療と予後	岡崎和一、川茂幸	臨床医必読最新IgG4関連疾患 改訂第2版	診断と治療社	東京	2019	170-172
Masaki Shimizu	Clinical features of cytokine storm syndrome	Cron RD and Behrens EM	Cytokine storm syndrome	Springer	Switzerland	2019	31-42
中嶋 蘭、三森経世	筋炎における自己抗体の産生機序と病態への関与	黒岩 義之	脳神経内科	科学評論社	東京	2019	151-156
中嶋 蘭	炎症性筋疾患の分類と自己抗体	宮坂 信之	リウマチ科	科学評論社	東京	2019	478-486

島崎 潤, 坪田 一男, 横井 則彦, 渡辺 仁, 井手 武, 大矢 史香, 岡島 行伸, 小川 葉子, 海道 美奈子, 柿栖 康二, 加藤 弘明, 鎌尾 知行, 木全 奈都子, 高 静花, 小島 隆司, 小室 青, 西條 裕美子, 坂根 由梨, 重安 千花, 篠崎 和美, 菌村 有紀子, 高村 悦子, 田尻 晶子, 谷口 紗織, 戸田 郁子, 永原 裕紀子, 秦 未稀, 福井 正樹, 堀 裕一, 水野 嘉信, 三橋 純子, 村戸 ドール, 山口 昌彦, 山田 昌和, 小林 颯, 佐々木 香る, 田村 寛, 平塚 義宗, 鈴木 一作, 高 英美, 住田 孝之, 斎藤 一郎, 小島原 典子, 當間 八千代, 川上 道江, 長谷川 容子, 富井 尚美, ドライアイ研究会 診療ガイドライン 作成委員会, 日本眼科学会, 日本角膜学会	ドライアイ診療ガイドライン ドライアイ診療ガイドラインの読み方(解説)	ドライアイ研究会診療ガイドライン作成委員会, 日本眼科学会, 日本角膜学会	日本眼科学会雑誌	日本眼科学会	東京	2019	489-592
天野浩文、 新納宏昭	第5章全身性エリテマトーデス(SLE)のその他の全身症状	自己免疫疾患に関する調査研究班(自己免疫班)、日本リウマチ学会編、ガイドライン作成担当委員	全身性エリテマトーデス診療ガイドライン	南山堂	東京	2019	108-139
天野浩文	14 膠原病および類縁疾患-IgG4関連疾患-	福井次矢、高木 誠、小室 一成	今日の治療指針 2019年	医学書院	東京	2019	888-889 (ポケット版)
藤井隆夫	関節リウマチ	泉孝英	ガイドライン 外来診療2019	日経メディカル 開発	東京	2019	500-505
藤井隆夫	混合性結合組織病	南学正臣	内科学書 改訂第9版	中山書店	東京	2019	235-238
富板美奈子	若年性特発性関節炎(指定難病107)	水澤英洋, 五十嵐隆	指定難病ペディア2019 日本医師会雑誌 第148巻特別号	日本医師会	東京	2019	177

藤井 隆夫	混合性結合組織病	南学正臣	内科学書 改訂第9版	中山書店	東京	2019	235-238
富板美奈子	若年性特発性関節炎（指定難病107）	水澤英洋, 五十嵐隆	指定難病ペディア 2019 日本医師会雑誌第148巻特別号	日本医師会	東京	2019	177