

研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表（平成 29 年度）

| 雑誌 | | | | | |
|--|---|---------------------|--------|--|------|
| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
| Sumida T, Azuma N, Moriyama M, Takahashi H, Asashima H, Honda F, Abe S, Ono Y, Hirota T, Hirata S, <u>Tanaka Y</u> , Shimizu T, Nakamura H, <u>Kawakami A</u> , Sano H, Ogawa Y, <u>Tsubota K</u> , Ryo K, Saito I, Tanaka A, <u>Nakamura S</u> , Takamura E, Tanaka M, Suzuki K, <u>Takeuchi T</u> , Yamakawa N, Mimori T, Ohta A, Nshiyama, S Yoshihara T, Suzuki Y, Kawano M, <u>Tomita M</u> , Tsuboi H. | Clinical practice guideline for Sjögren's syndrome 2017 | Mod Rheumatol | | doi: 10.1080/14397595.2018.1438093. [Epub ahead of print] | 2018 |
| Kochi Y, Kamatani Y, Kondo Y, Suzuki A, Kawakami E, Hiwa R, Momozawa Y, <u>Fujimoto M</u> , <u>Jinnin M</u> , <u>Tanaka Y</u> , <u>Kanda T</u> , Cooper RG, Chinoy H, Rothwell S, Lamb JA, Vencovský J, Mann H, Ohmura K, Myouzen K, Ishigaki K, <u>Nakashima R</u> , Hosono Y, Tsuboi H, Kawasumi H, Iwasaki Y, Kajiya H, Horita T, Ogawa-Momohara M, Takamura A, Tsunoda S, Shimizu J, <u>Fujio K</u> , <u>Amano H</u> , Mimori A, <u>Kawakami A</u> , Umehara H, <u>Takeuchi T</u> , Sano H, <u>Muro Y</u> , <u>Atsumi T</u> , <u>Mimura T</u> , <u>Kawaguchi Y</u> , Mimori T, Takahashi A, Kubo M, <u>Kohsaka H</u> , <u>Sumida T</u> , Yamamoto K. | Splicing variant of WDFY4 augments MDA5 signalling and the risk of clinically amyopathic dermatomyositis. | Ann Rheum Dis | | doi: 10.1136/annrheumdis-2017-212149. [Epub ahead of print] | 2018 |
| Ikuma D, Hiromura K, Kajiya H, Suwa J, Ikeuchi H, Sakairi T, Kaneko Y, Maeshima A, Kurosawa H, Hirayama Y, Yokota K, Araki Y, Sato K, Asanuma YF, Akiyama Y, Hara M, Nojima Y, and <u>Mimura T</u> . | The correlation of urinary podocytes and podocalyxin with histological features of lupus nephritis. | Lupus | | doi: 10.1177/0961203317734918. [Epub 2017 Oct 19]. | 2018 |
| Kirino Y, <u>Kawaguchi Y</u> , Tada Y, Tsukamoto H, Ota T, Iwamoto M, Takahashi H, Nagasawa K, <u>Takei S</u> , Horiuchi T, Ichida H, Minota S, Ueda A, Ohta A, Ishigatsubo Y. | Beneficial use of serum ferritin and heme oxygenase-1 as biomarkers in adult-onset Still's disease: A multicenter retrospective study. | Mod Rheumatol | | doi: 10.1080/14397595.2017.1422231. [Epub ahead of print] | 2018 |
| Kubota T, <u>Takei S</u> , <u>Shimizu M</u> , Yasumura J, Nakagishi Y, Kizawa T, Yashiro M, Wakiguchi H, Yamasaki Y, Kawano Y. | Early prediction for over two years efficacy of the first biologic agent for polyarticular juvenile idiopathic arthritis: A multi-institutional study in Japan. | Mod Rheumatol | | doi: 10.1080/14397595.2017.1415628. [Epub ahead of print] | 2018 |
| Mader S, Jegannathan V, Arinuma Y, Fujieda Y, Dujmovic I, Drulovic J, Shimizu Y, Sakuma Y, Stern JNH, Aranow C, Mackay M, Yasuda S, <u>Atsumi T</u> , <u>Hirohata S</u> , Diamond B. | Understanding the antibody repertoire in Neuropsychiatric Systemic Lupus Erythematosus and Neuromyelitis Optica Spectrum Disorders: do they share common targets? | Arthritis Rheumatol | 70 (2) | 277-86 | 2018 |
| Watanabe T, Oku K, Amengual O, Hisada R, Ohmura K, Nakagawa I, Shida H, Bohgaki T, Horita T, Yasuda S, <u>Atsumi T</u> . | Effects of statins on thrombosis development in patients with systemic lupus erythematosus and antiphospholipid antibodies. | Lupus | 27 (2) | 225-34 | 2018 |

| | | | | | |
|--|--|------------------------------|-------|--|------|
| Yasuoka H, Shirai Y, Tamura Y, <u>Takeuchi T</u> , <u>Kuwana M</u> . | College of Rheumatology regarding transitional care | Circ J | 82(2) | 546-54 | 2018 |
| Ohtsuji M, Lin Q, Okazaki H, Takahashi K, <u>Amano H</u> , Yagita H, Nishimura H, Hirose S. | Anti-CD11b antibody treatment suppresses the osteoclast generation, inflammatory cell infiltration, and autoantibody production in arthritis-prone Fc γ RIIB-deficient mice. | Arthritis Res Ther | 20 | 593-7 | 2018 |
| <u>Atsumi T</u> , <u>Fujio K</u> , Yamaoka K, Tomobe M, Kuroyanagi K, <u>Kameda H</u> . | Safety and effectiveness of subcutaneous tocilizumab in patients with rheumatoid arthritis in a real-world clinical setting. | Mod Rheumatol | 8 | 1-9 | 2018 |
| <u>Mori M</u> , Sugiyama N, Morishima Y, Sugiyama N, Kokubo T, <u>Takei S</u> , Yokota S. | Safety and effectiveness of etanercept for treatment of juvenile idiopathic arthritis: Results from a postmarketing surveillance. | Mod Rheumatol | 28(1) | 101-7 | 2018 |
| Tsujioka T, Sugiyama M, Ueki M, Tozawa Y, Takezaki S, Ohshima J, Cho Y, Yamada M, Iguchi A, <u>Kobavashi I</u> , Ariga T. | Difficulty in the diagnosis of bone and joint pain associated with pediatric acute leukemia; comparison with juvenile idiopathic arthritis. | Mod Rheumatol | 28 | 108-13 | 2018 |
| Fujimoto S, Koga T, <u>Kawakami A</u> , Kawabata H, Okamoto S, Mizuki M, Yano S, Ide M, Uno K, Yagi K, Kojima T, Mizutani M, Tokumine Y, Nishimoto N, Fujiwara H, Nakatsuka SI, Shiozawa K, Iwaki N, <u>Masaki Y</u> , Yoshizaki K. | Tentative diagnostic criteria and disease severity classification for Castleman disease: A report of the research group on Castleman disease in Japan. | Mod Rheumatol | 28(1) | 161-7 | 2018 |
| Nakaoka Y, Isobe M, <u>Takei S</u> , Tanaka Y, Ishii T, Yokota S, Nomura A, Yoshida S, Nishimoto N. | Efficacy and safety of tocilizumab in patients with refractory Takayasu arteritis: results from a randomised, double-blind, placebo-controlled, phase 3 trial in Japan (the TAKT study) | Ann Rheum Dis | 77(3) | 348-54 | 2018 |
| Oku K, <u>Atsumi T</u> , Akiyama Y, <u>Amano H</u> , Azuma N, Bohgaki T, Asanuma YF, Horita T, Hosoya T, Ichinose K, Kato M, Katsumata Y, <u>Kawaguchi Y</u> , <u>Kawakami A</u> , Koga T, <u>Kohsaka H</u> , Kondo Y, Kubo K, <u>Kuwana M</u> , Mimori A, Mimori T, <u>Mimura T</u> , Murakami K, Nakano K, Nakayama S, Ogishima H, Ohmura K, Saito K, Sano H, Shibuya M, Takahashi Y, Takasaki Y, <u>Takeuchi T</u> , Tamura N, <u>Tanaka Y</u> , Tsuboi H, Tsunoda S, Yukawa N, Yamakawa N, Yamamoto K, <u>Sumida T</u> . | Evaluation of the alternative classification criteria of systemic lupus erythematosus established by Systemic Lupus International Collaborating Clinics (SLICC). | Mod Rheumatol | | doi: 10.1080/14397595.2017.1385154. [Epub ahead of print] | 2017 |
| Nakamura H, Oku K, Amengual O, Ohmura K, Fujieda Y, Kato M, Bohgaki T, Yasuda S, <u>Atsumi T</u> . | First-line, non-criteria antiphospholipid antibody testing for the diagnosis of antiphospholipid syndrome in clinical practice: a combination of anti-beta2-glycoprotein I domain I and phosphatidylserine-dependent antiprothrombin antibodies. | Arthritis Care Res (Hoboken) | | doi: 10.1002/acr.23310. [Epub ahead of print] | 2017 |

| | | | | |
|--|---|------------------------|--|------|
| Shimizu Y, Yasuda S, Kimura T, Nishio S, Kono M, Ohmura K, Shimamura S, Kono M, Fujieda Y, Kato M, Oku K, Bohgaki T, Fukasawa Y, Tanaka S, <u>Atsumi T.</u> | Interferon-inducible Mx1 protein is highly expressed in renal tissues from treatment-naïve lupus nephritis, but not in those under immunosuppressive treatment. | Mod Rheumatol | doi: 10.1080/14397595.2017.1404711. [Epub ahead of print] | 2017 |
| <u>Shimizu M.</u> , Mizuta M, Yasumi T, Iwata N, Okura Y, Kinjo N, Umebayashi H, Kubota T, Nakagishi Y, Nishimura K, Yashiro M, Yasumura J, Yamazaki K, Wakiguchi H, <u>Okamoto N.</u> <u>Mori M.</u> | Validation of classification criteria of macrophage activation syndrome in Japanese patients with systemic juvenile idiopathic arthritis. | Arthritis Care Res | doi: 10.1002/acr.23482. [Epub ahead of print] | 2017 |
| Kondo Y, Yokosawa M, Kaneko S, Furuyama K, Segawa S, Tsuboi H, Matsumoto I, <u>Sumida T.</u> | Transcriptional regulation of CD4+ T cell differentiation in experimentally-induced arthritis and rheumatoid arthritis. | Arthritis Rheum | doi: 10.1002/art.40398. [Epub ahead of print] | 2017 |
| Takahashi H, Tsuboi H, Yokosawa M, Asashima H, Hirota T, Kondo Y, Matsumoto I, <u>Sumida T.</u> | Diffusion-weighted magnetic resonance imaging of parotid glands before and after abatacept therapy in patients with Sjögren's syndrome associated with rheumatoid arthritis: Utility to evaluate and predict response to treatment. | Mod Rheumatol | doi: 10.1080/14397595.2017.1349234. [Epub ahead of print] | 2017 |
| Barzaghi F., Amaya Hernandez LC, Neven B, Ricci S, Kucuk ZY, Bleesing JJH, Nademi Z, et al. (35/59) (<u>Kobavashi I</u>) | Long-term follow up of IPEX patients after different therapeutic strategies: an international multicenter retrospective study. | J Allergy Clin Immunol | doi: 10.1016/j.jaci.2017.10.041. [Epub ahead of print] | 2017 |
| Mader S, Jeganathan V, Arinuma Y, Fujieda Y, Dujmovic I, Drulovic J, Shimizu Y, Sakuma Y, Stern JNH, Aranow C, Mackay M, Yasuda S, <u>Atsumi T.</u> <u>Hirohata S.</u> <u>Diamond B.</u> | Understanding the antibody repertoire in Neuropsychiatric Systemic Lupus Erythematosus and Neuromyelitis Optica Spectrum Disorders: do they share common targets? | Arthritis Rheumatol | doi: 10.1002/art.40356 [Epub ahead of print] | 2017 |
| Yokota K, Wada T, Akiyama Y, <u>Mimura T.</u> | Detection of synovial inflammation in rheumatic diseases using superb microvascular imaging: Comparison with conventional power Doppler imaging. | Mod Rheumatol | doi: 10.1080/14397595.2017.1337288. [Epub ahead of print] | 2017 |
| Ichinose K, Ohyama K, Furukawa K, Higuchi O, Mukaino A, Satoh K, Nakane S, Shimizu T, Umeda M, Fukui S, Nishino A, Nakajima H, Koga T, Kawashiri SY, Iwamoto N, Tamai M, Nakamura H, Origuchi T, Yoshida N, Kuroda N, <u>Kawakami A.</u> | Novel anti-suprabasin antibodies may contribute to the pathogenesis of neuropsychiatric systemic lupus erythematosus. | Clin Immunol | doi: 10.1016/j.clim.2017.11.006. [Epub ahead of print] | 2017 |
| Sumitomo S, Nagafuchi Y, Tsuchida Y, Tsuchiya H, Ota M, Ishigaki K, Nakachi S, Kato R, Sakurai K, Hanata N, Tateishi S, Kanda H, Suzuki A, Kochi Y, <u>Fujio K.</u> <u>Yamamoto K.</u> | A gene module associated with dysregulated TCR signaling pathways in CD4+ T cell subsets in rheumatoid arthritis. | J Autoimmun | doi: 10.1016/j.jaut.2017.11.001. [Epub ahead of print] | 2017 |

| | | | | | |
|---|--|----------------------------------|---|--|------|
| Mori Y, Masuda T, Kosugi T, Yoshioka T, Hori M, Nagaya H, Maeda K, Sato Y, Kojima H, Kato N, Ishimoto T, Katsuno T, <u>Yuzawa Y</u> , Kadomatsu K, Maruyama S. | The clinical relevance of plasma CD147/basigin in biopsy-proven kidney diseases. | Clin Exp Nephrol | doi: 10.1007/s10157-017-1518-2. [Epub ahead of print] | | 2017 |
| Kiyokawa T, Hanaoka H, Iida H, Ishimori K, Takakuwa Y, Yamasaki, Y Okazaki T, Ozaki S, and <u>Kawahata K</u> . | Syndrome of inappropriate antidiuretic hormone secretion (SIADH) in a patient with microscopic polyangiitis following low-dose intravenous cyclophosphamide: a possible pathogenic link with disease activity. | Modern Rheumatology Case Reports | doi/abs/10.1080/24725625.2017.1414913 [Epub ahead of print] | | 2017 |
| Kimura Y, Yanagimachi M, Ino Y, Aketagawa M, Matsuo M, Okayama A, Shimizu H, Oba K, Morioka I, Imagawa T, Kaneko T, Yokota S, Hirano H, <u>Mori M</u> . | Identification of candidate serum biomarkers for Kawasaki disease using proteomic analysis. | Sci Rep | 7 | 43732. doi: 10.1038/srep43732. | 2017 |
| Hisa K, Yanagimachi M, Naruto T, Miyamae T, Kikuchi M, Hara R, Imagawa T, Yokota S, <u>Mori M</u> . | PADI4 and the HLA-DRB1 shared epitope in juvenile idiopathic arthritis. | PLoS One | 12(2) | e0171961. doi: 10.1371/journal.pone.0171961. | 2017 |
| Takada H, Kimura N, Yoshihashi-Nakazato Y, <u>Kawahata K</u> , <u>Kohsaka H</u> . | Discoid Lupus Erythematosus Complicated with Pregnancy-induced Hemophagocytic Syndrome. | Intern Med | 56(12) | 1581-3 | 2017 |
| Hasegawa H, <u>Kawahata K</u> , Mizoguchi F, Okiyama N, Miyasaka N, <u>Kohsaka H</u> . | Direct suppression of autoaggressive CD8+ T cells with CD80/86 blockade in CD8+ T cell-mediated polymyositis models of mice. | Clin Exp Rheumatol | 35(4) | 593-7 | 2017 |
| Sano H, Sano Y, Ishiguchi E, Shimizu F, Omoto M, Maeda T, Nishihara H, Takeshita Y, Takahashi S, Oishi M, <u>Kanda T</u> . | Establishment of a New Conditionally Immortalized Human Skeletal Muscle Microvascular Endothelial Cell Line | J Cell Physiol | 232 | 3286-95 | 2017 |
| Nishihara H, Shimizu F, Kitagawa T, Yamanaka N, Akada J, Kuramitsu Y, Sano Y, Takeshita Y, Maeda T, Abe M, Koga M, Nakamura K, <u>Kanda T</u> | Identification of galectin-3 as a possible antibody target for secondary progressive multiple sclerosis | Mult Scler | 23 | 382-94 | 2017 |
| 3) Takeshita Y, Obermeier B, Cotleur AC, Spampinato SF, Shimizu F, Yamamoto E, Sano Y, Kryzer TJ, Lennon VA, <u>Kanda T</u> , Ransohoff RM | Effects of neuromyelitis optica-IgG at the blood-brain barrier in vitro. | Neurol Neuroimmunol Neuroinflamm | 4 | e311 | 2017 |
| <u>Mori M</u> , Nakagawa M, Tsuchida N, Kawada K, Sato J, Sakiyama M, Hirano S, Sato K, Nakamura H. | Proposal for the development of biologics in pediatric rheumatology field. | Pediatr Int | 60(2) | 108-14 | 2017 |
| <u>Muro Y</u> , Nakanishi H, Katsuno M, Kono M, Akiyama M. | Prevalence of anti-NT5C1A antibodies in Japanese patients with autoimmune rheumatic diseases in comparison with other patient cohorts. | Clin Chim Acta. | 472 | 1-4 | 2017 |
| Coghlan JG, Galiè N, Barberà JA, Frost AE, Ghofrani HA, Hooper MM, <u>Kuwana M</u> , McLaughlin VV, Peacock AJ, Simonneau G, Vachiéry JL, Blair C, Gillies H, Miller KL, Harris JHN, Langley J, Rubin LJ; AMBITION investigators. | Initial combination therapy with ambrisentan and tadalafil in connective tissue disease-associated pulmonary arterial hypertension (CTD-PAH): subgroup analysis from the AMBITION | Ann Rheum Dis | 76(7) | 1219-27 | 2017 |

| | | | | | |
|---|--|-------------------|--------|----------|------|
| Tanizawa K, Handa T, <u>Nakashima R</u> , Kubo T, Hosono Y, Watanabe K, Aihara K, Ikezoe K, Sokai A, Nakatsuka Y, Taguchi Y, Hatta K, Noma S, Kobashi Y, Yoshizawa A, Oga T, Hirai T, Chin K, Nagai S, Izumi T, Mimori T, Mishima M. | The long-term outcome of interstitial lung disease with anti-aminoacyl-tRNA synthetase antibodies. | Respir Med | 127 | 57-64 | 2017 |
| Fujisawa T, Hozumi H, Kono M, Enomoto N, Nakamura Y, Inui N, <u>Nakashima R</u> , Imura Y, Mimori T, Suda T. | Predictive factors for long-term outcome in polymyositis/dermatomyositis-associated interstitial lung diseases. | Respir Investig | 55 | 130-7 | 2017 |
| Hozumi H, Fujisawa T, Enomoto N, <u>Nakashima R</u> , Enomoto Y, Suzuki Y, Kono M, Karayama M, Furuhashi K, Murakami A, Inui N, Nakamura Y, Mimori T, Suda T. | Clinical Utility of YKL-40 in Polymyositis/dermatomyositis-associated Interstitial Lung Disease. | J Rheumatol | 44 | 1394-401 | 2017 |
| Nitta T, Kochi Y, <u>Muro R</u> , Tomofuji Y, Okamura T, Murata S, Suzuki H, <u>Sumida T</u> , Yamamoto K, Takayanagi H. | Human thymoproteasome variations impact CD8 T cell selection and autoimmunity. | Science Immunol | 2(12) | eaan5165 | 2017 |
| Tsuboi H, Hagiwara S, Asashima H, Takahashi H, Hirota T, Umehara H, <u>Kawakami A</u> , Nakamura H, Sano H, <u>Tsubota K</u> , Ogawa Y, <u>Takamura E</u> , Saito I, Inoue H, <u>Nakamura S</u> , Moriyama M, <u>Takeuchi T</u> , <u>Tanaka Y</u> , Hirata S, Mimori T, Matsumoto I, <u>Sumida T</u> . | Comparison of the performance of new ACR-EULAR classification criteria for primary Sjogren's syndrome with former sets of criteria in Japanese patients. | Ann Rheum Dis | 76(12) | 1980-5 | 2017 |
| Iizuka-Koga M, Asashima H, Ando M, Lai C-Y, Mochizuki S, Nakanishi M, Nishimura T, Tsuboi H, Hirota T, Takahashi H, Masumoto I, Otsu M, <u>Sumida T</u> . | Functional analysis of dendritic cells generated from T-iPS cells from CD4+ T cell clones of Sjögren's syndrome. | Stem Cell Reports | 8(5) | 1155-63 | 2017 |
| Takahashi H, Tsuboi H, Asashima H, Hirota T, Kondo Y, Moriyama M, Matsumoto I, <u>Nakamura S</u> , <u>Sumida T</u> . | cDNA microarray analysis identifies NR4A2 as a novel molecule involved in the pathogenesis of Sjogren's syndrome. | Clin Exp Immunol | 190(1) | 96-109 | 2017 |
| Mimori T, Harigai M, <u>Atsumi T</u> , <u>Fujii T</u> , <u>Kuwana M</u> , Matsuno H, Momohara S, <u>Takei S</u> , Tamura N, Takasaki Y, Ikeuchi S, Kushimoto S, Koike T. | Safety and effectiveness of 24-week treatment with iguratimod, a new oral disease-modifying antirheumatic drug, for patients with rheumatoid arthritis: interim analysis of a post-marketing surveillance study of 2679 patients in Japan. | Mod Rheumatol | 27(5) | 755-65 | 2017 |
| <u>Masaki Y</u> , Matsui S, Saeki T, Tsuboi H, Hirata S, Izumi Y, Miyashita T, Fujikawa K, Dobashi H, Susaki K, Morimoto H, Takagi K, Kawano M, Origuchi T, Wada Y, Takahashi N, Horikoshi M, Ogishima H, Suzuki Y, Kawanami T, Kawanami Iwao H, Sakai T, Fujita Y, Fukushima T, Saito M, Suzuki R, Morikawa Y, Yoshino T, <u>Nakamura S</u> , Kojima M, Kurose N, Sato Y, Tanaka Y, Sugai S, <u>Sumida T</u> . | A multicenter phase II prospective clinical trial of glucocorticoid for patients with untreated IgG4-related disease. | Mod Rheumatol | 27(5) | 849-54 | 2017 |

| | | | | | |
|--|---|--------------------|--------|---------|------|
| Watanabe-Imai K, Harigai M, Sada KE, Yamamura M, <u>Fujii T</u> , Dobashi H, Amano K, Ito S, Homma S, Kumagai S, Banno S, Arimura Y, Makino H; Research Committee on Intractable Vasculitides, the Ministry of Health, Labor and Welfare of Japan. | Clinical characteristics of and risk factors for serious infection in Japanese patients within six months of remission induction therapy for antineutrophil cytoplasmic antibody-associated vasculitis registered in a nationwide, prospective, inception cohort study. | Mod Rheumatol | 27(4) | 646-51 | 2017 |
| Kuramoto N, Ohmura K, Ikari K, Yano K, Furu M, Yamakawa N, Hashimoto M, Ito H, <u>Fujii T</u> , Murakami K, <u>Nakashima R</u> , Imura Y, Yukawa N, Yoshifuji H, Taniguchi A, Momohara S, Yamanaka H, Matsuda F, Mimori T, Terao C. | Anti-centromere antibody exhibits specific distribution levels among anti-nuclear antibodies and may characterize a distinct subset in rheumatoid arthritis. | Sci Rep | 7(1) | 6911 | 2017 |
| Ishizaki J, Takemori A, Suemori K, Matsumoto T, Akita Y, Sada KE, <u>Yuzawa Y</u> , Amano K, Takasaki Y, Harigai M, Arimura Y, Makino H, Yasukawa M, Takemori N, Hasegawa H; Research Committee of Intractable Vasculitis Syndrome and the Research Committee of Intractable Renal Disease of the Ministry of Health, Labour and Welfare of Japan (<u>Fujii T</u>). | Targeted proteomics reveals promising biomarkers of disease activity and organ involvement in antineutrophil cytoplasmic antibody-associated vasculitis. | Arthritis Res Ther | 19(1) | 218 | 2017 |
| Minowa K, <u>Amano H</u> , Ando S, Watanabe T, Ogasawara M, Kawano S, Kaneko T, Morimoto S, Yamaji K, Tamura N, Tokano Y, Hashimoto H, Takasaki Y. | Disease flare patterns and predictors of systemic lupus erythematosus in a monocentric cohort of 423 Japanese patients during a long-term follow-up: The JUDE study. | Mod Rheumatol | 27 | 72-6 | 2017 |
| 48) Oku K, <u>Atsumi T</u> , Akiyama Y, <u>Amano H</u> , Azuma N, Bohgaki T, Asanuma YF, Horita T, Hosoya T, Ichinose K, Kato M, Katsumata Y, Kawaguchi Y, <u>Kawakami A</u> , Koga T, <u>Kohsaka H</u> , Kondo Y, Kubo K, <u>Kuwana M</u> , Mimori A, Mimori T, <u>Mimura T</u> , Murakami K, Nakano K, Nakayamada S, Ogishima H, Ohmura K, Saito K, Sano H, Shibuya M, Takahashi Y, Takasaki Y, <u>Takeuchi T</u> , Tamura N, <u>Tanaka Y</u> , Tsuboi H, Tsunoda S, Yukawa N, Yamakawa N, Yamamoto K, <u>Sumida T</u> . | Evaluation of the alternative classification criteria of systemic lupus erythematosus established by Systemic Lupus International Collaborating Clinics (SLICC). | Mod Rheumatol | 9 | 1-7 | 2017 |
| Masuda T, Maeda K, Sato W, Kosugi T, Sato Y, Kojima H, Kato N, Ishimoto T, Tsuboi N, Uchimura K, <u>Yuzawa Y</u> , Maruyama S, Kadomatsu K. | Growth Factor Midkine Promotes T-Cell Activation through Nuclear Factor of Activated T Cells Signaling and Th1 Cell Differentiation in Lupus Nephritis. | Am J Pathol | 187(4) | 740-51 | 2017 |
| Miyamae T, <u>Takei S</u> , <u>Itoh Y</u> , Yamanaka H | Survey of attitudes of non-pediatric rheumatologists among councilors of the Japan. | Mod Rheumatol | 27(6) | 1047-50 | 2017 |
| Nagakura T, Wakiguchi H, Kubota T, Yamatou T, Yamasaki Y, Nonaka Y, Nerome Y, Akaike H, Takezaki T, Imanaka H, Kawano Y, <u>Takei S</u> . | Tumor necrosis factor inhibitors provide longterm clinical benefits in pediatric and young adult patients with Blau syndrome. | J Rheumatol | 44(4) | 536-8 | 2017 |

| | | | | | |
|---|---|----------------|--------|---------|------|
| Craig JP, Nichols KK, Akpek EK, Caffery B, Dua HS, Joo CK, Liu Z, Nelson JD, Nichols JJ, Tsubota K, Stapleton F | TFOS DEWS II Definition and Classification Report | Ocul Surf | 15 | 276-83 | 2017 |
| Tsubota K, Yokoi N, Shimazaki J, Watanabe H, Dogru M, Yamada M, Kinoshita S, Kim H-M, Tchah H-W, Hyon JY, Yoon K-C, Seo KY, Sun X, Chen W, Liang L, Li M, Liu Z. | New Perspectives on Dry Eye Definition and Diagnosis: A Consensus Report by the Asia Dry Eye Society | Ocul Surf | 15(1) | 65-76 | 2017 |
| Miyashita T, Morimoto S, Honda D, Nakano S, <u>Amano H</u> , Osawa I, Yamaji K, Tomino Y, Takasaki Y, Tamura N. | Outcomes of the Re-classification of WHO Class IV Lupus Nephritis Using the ISN/RPS Classification: a Single Center Retrospective Observational Study from the JUDE Study. | Juntendo Med J | 63 | 362-9 | 2017 |
| Koguchi-Yoshioka H, Okiyama N, Iwamoto K, Matsumura Y, Ogawa T, Inoue S, Watanabe R, <u>Fujimoto M</u> . | Intravenous immunoglobulin contributes to control anti-melanoma differentiation-associated protein 5 (MDA5) antibody-associated dermatomyositis with palmar violaceous macules/papules. | Br J Dermatol | 177(5) | 1442-6 | 2017 |
| Chen Z, Wang Y, <u>Kuwana M</u> , Xu X, Hu W, Feng X, Wang H, Kimura A, and Sun L. | HLA-DRB1 alleles as genetic risk factors for the development of anti-MDA5 antibodies in patients with dermatomyositis. | J. Rheumatol | 44(9) | 1389-93 | 2017 |
| Tamura Y, Kumamaru H, Satoh T, Miyata H, Ogawa A, Tanabe N, Hatano M, Yao A, Abe K, Tsuzino I, Fukuda K, Kimura H, <u>Kuwana M</u> , Matsubara H, Tatsumi K, and the Japan PH Registry (JAPHR) Network | Effectiveness and outcome of pulmonary arterial hypertension-specific therapy in Japanese patients with pulmonary arterial hypertension. | Circ J | 82(1) | 275-82 | 2017 |
| Egami Y, Narushima Y, Ohshima M, Yoshida A, Yoneta N, <u>Masaki Y</u> , Itoh K. | Human recombinant Fab fragment from combinatorial libraries of a B cell lymphoma patient recognizes core protein of chondroitin sulfate proteoglycan 4. | J Biochem | 163(1) | 61-8 | 2017 |
| Tomita N, Yokoyama M, Yamamoto W, Watanabe R, Shimazu Y, <u>Masaki Y</u> , Tsunoda S, Hashimoto C, Murayama K, Yano T, Okamoto R, Kikuchi A, Tamura K, Sato K, Sunami K, Shibayama H, Takimoto R, Ohshima R, Takahashi H, Moriuchi Y, Kinoshita T, Yamamoto M, Numata A, Nakajima H, Miura I, Takeuchi K. | The Standard International Prognostic Index for Predicting the Risk of CNS Involvement in DLBCL without Specific Prophylaxis. | Leuk Lymphoma | 8 | 1-8 | 2017 |
| Miura K, Konishi J, Miyake T, Makita M, Hojo A, <u>Masaki Y</u> , Uno M, Ozaki J, Yoshida C, Niiya D, Kitazume K, Maeda Y, Takizawa J, Sakai R, Yano T, Yamamoto K, Sunami K, Hiramatsu Y, Kazutoshi Aoyama, Tsujimura H, Murakami J, Hatta Y, Kanno M. | A Host-Dependent Prognostic Model for Elderly Patients with Diffuse Large B-Cell Lymphoma. | Oncologist | 22(5) | 554-60 | 2017 |
| Ueki M, Yamada M, Ito K, Tozawa Y, Morino S, Horikoshi Y, Takada H, Abdrabou SS, Takezaki S, <u>Kobavashi I</u> , Ariga T | A heterozygous dominant-negative mutation in the coiled-coil domain of STAT1 is the cause of autosomal-dominant mendelian susceptibility to mycobacterial diseases. | Clin Immunol | 174 | 24-31 | 2017 |

| | | | | | |
|--|---|--------------------------------|--------|---------|------|
| Sugiyama M, Iguchi A, Yamada M, Terashita Y, Ohshima J, Cho Y, Miyake N, Matsumoto N, Ueki M, Yamazaki Y, Takezaki S, Kobavashi I, Ariga T. | Successful bone marrow transplantation in two sisters with activated phosphoinositide 3-kinase δ syndrome 2. | Bone Marrow Transplantation | 52 | 1678-80 | 2017 |
| 23. Muramatsu K, Ujiie H, Yokozeiki M, Tsukinaga I, Ito M, Shikano T, Suzuki A, Tozawa T, Kobavashi I | Recurrence of juvenile dermatomyositis 8 years after remission. | J Ammer Acad Dermatol Case Rep | 3 | 29 | 2017 |
| Oka A, Asano Y, Hasegawa M, Fujimoto M, Ishikawa O, Kuwana M, Kawaguchi Y, Yamamoto T, Takahashi H, Goto D, Endo H, Jinnin M, Mano S, Hosomichi K, Mabuchi T, Ueda MT, Nakagawa S, Beck S, Bahram S, Takehara K, Sato S, Ihn H. | RXR β Is an MHC-Encoded Susceptibility Gene Associated with Anti-Topoisomerase I Antibody-Positive Systemic Sclerosis. | J Invest Dermatol | 137(9) | 1878-6 | 2017 |
| Ide M, Jinnin M, Tomizawa Y, Wang Z, Kajihara I, Fukushima S, Hashizume Y, Asano Y, Ihn H. | Transforming growth factor β -inhibitor Repsox downregulates collagen expression of scleroderma dermal fibroblasts and prevents bleomycin-induced mice skin fibrosis. | Exp Dermatol | 26(11) | 1139-43 | 2017 |
| Sawamura S, Jinnin M, Shimbara M, Nakamura K, Kudo H, Inoue K, Nakayama W, Kajihara I, Fukushima S, Ihn H. | Serum levels of genomic DNA of α 1(I) collagen are elevated in scleroderma patients. | J Dermatol | 44(8) | 927-31 | 2017 |
| Ogawa-Momohara M, Muro Y, Satoh M, Akiyama M. | Autoantibodies to Su/Argonaute 2 in Japanese patients with inflammatory myopathy. | Clin Chim Acta | 471 | 304-7 | 2017 |
| Taki T, Muro Y, Ogawa Y, Akiyama M. | Palmoplantar hyperkeratosis in dermatomyositis with anti-PM/Sc1 antibodies. | Br J Dermatol | 176(5) | e94 | 2017 |
| Takeichi T, Watanabe N, Muro Y, Teshigawara S, Sato M, Ban N, Akiyama M. | Phosphorylated signal transducer and activator of transcription 3 in the epidermis in adult-onset Still's disease. | J Dermatol | 44(10) | 1172-5 | 2017 |
| Muro Y, Iwata N, Tanaka Y, Koderia M, Kono M, Akiyama M. | Anti-dense Fine Speckled 70 Autoantibodies in Japanese Children with Dermatomyositis, Localized Scleroderma, and Idiopathic Arthritis with Iridocyclitis. | J Rheumatol | 44(5) | 711-2 | 2017 |
| Araki Y, Mimura T. | Matrix metalloproteinase gene activation resulting from disordered epigenetic mechanisms in rheumatoid arthritis. | Int J Mol Sci | 18(5) | 905 | 2017 |
| Araki Y, Mimura T. | The histone modification code in the pathogenesis of autoimmune diseases. | Mediators of Inflammation | 2017 | 1-12 | 2017 |
| Shoda H, Nagafuchi Y, Tsuchida Y, Sakurai K, Sumitomo S, Fujio K, Yamamoto K. | Increased serum concentrations of IL-1 beta, IL-21 and Th17 cells in overweight patients with rheumatoid arthritis. | Arthritis Res Ther | 19 | 111 | 2017 |
| Asano T, Furukawa H, Sato S, Yashiro M, Kobayashi H, Watanabe H, Suzuki E, Ito T, Ubara Y, Kobayashi D, Iwanaga N, Izumi Y, Fujikawa K, Yamasaki S, Nakamura T, Koga T, Shimizu T, Umeda M, Nonaka F, Yasunami M, Ueki Y, Eguchi K, Tsuchiya N, Tohma S, Yoshiura KI, Ohira H, Kawakami A, Migita K. | Effects of HLA-DRB1 alleles on susceptibility and clinical manifestations in Japanese patients with adult onset Still's disease. | Arthritis Res Ther | 19(1) | 199 | 2017 |

| | | | | | |
|--|--|-----------------------------------|--------|----------|------|
| Ikeda T, Fujii H, Nose M, Kamogawa Y, Shirai T, Shiota Y, <u>Ishii T</u> , Harigae H. | Bortezomib treatment induces a higher mortality rate in lupus model mice with a higher disease activity. | Arthritis Res Ther | 19(1) | 187 | 2017 |
| Ishizu A, Tomaru U, Masuda S, Sada K, Amano K, Harigai M, <u>Kawaguchi Y</u> , Arimura Y, Yamagata K, Ozaki S, Dobashi H, Homma S, Okada Y, Sugiyama H, Usui J, Tsuboi N, Matsuo S, Makino H | Prediction of response to remission induction therapy by gene expression profiling of peripheral blood in Japanese patients with microscopic polyangiitis. | Arthritis Res Ther | 19 | 1172-5 | 2017 |
| Nishino A, Hanaoka M, Katsumata Y, <u>Kawaguchi Y</u> , Yamanaka H | Technetium-99m albumin scintigraphy in protein-losing gastroenteropathy with systemic lupus erythematosus: Typical diagnostic pattern of radiotracer leakage and chronological improvement by treatment. | J Clin Rheumatol | 23 | 41-2 | 2017 |
| Ochiai M, Sato E, Tanaka E, Tochihara M, Shimizu Y, Osawa H, Sidara K, Sugimoto N, Hoshi D, <u>Kawaguchi Y</u> , Taniguchi A, Yamanaka H | Successful delivery in a patient with clinically amyopathic dermatomyositis during pregnancy despite first-trimester acute exacerbation of interstitial lung disease. | Mod Rheumatol | 27 | 364-8 | 2017 |
| Abe G, Kikuchi H, Arinuma Y, <u>Hirohata S</u> . | Brain MRI in patients with acute confusional state of diffuse psychiatric/neuropsychological syndromes in systemic lupus erythematosus. | Mod Rheumatol | 27(2) | 278-83 | 2017 |
| Sakuma Y, Nagai T, Yoshio T, <u>Hirohata S</u> . | Differential activation mechanisms of serum C5a in lupus nephritis and neuropsychiatric systemic lupus erythematosus. | Mod Rheumatol | 27(2) | 292-7 | 2017 |
| Ohashi R, Fukazawa R, Watanabe M, Hashimoto K, Suzuki N, Nagi-Miura N, Ohno N, Shimizu A, <u>Itoh Y</u> . | Characterization of a murine model with arteritis induced by Nod1 ligand, FK565: A comparative study with a CAWS-induced model. | Mod Rheumatol | 27(6) | 1024-30 | 2017 |
| Asano T, Ito H, Kariya Y, Hoshi K, Yoshihara A, Ugawa Y, Sekine H, <u>Hirohata S</u> , Yamaguchi Y, Sato S, Kobayashi H, Migita K, Ohira H, Hashimoto Y, Watanabe H. | Evaluation of blood-brain barrier function by quotient alpha2 macroglobulin and its relationship with interleukin-6 and complement component 3 levels in neuropsychiatric systemic lupus erythematosus. | PLoS One | 12(10) | e0186414 | 2017 |
| Kawaguchi S, Higasa K, <u>Shimizu M</u> , <u>Yamada R</u> , Matsuda F. | HLA - HD: An accurate HLA typing algorithm for next - generation sequencing data | Human Mutation | 38 | 788-97 | 2017 |
| Murakami R, Matsumura N, JB Brown, Higasa K, Tsutsumi T, Kamada M, AT Hisham, Hosoe Y, Kitamura S, Yamaguchi K, Abiko K, Hamanishi J, Baba T, Koshiyama M, Okuno Y, <u>Yamada R</u> , Matsuda F, Konishi I, Mandai M. | Exome sequencing landscape analysis in ovarian clear cell carcinoma shed light on key chromosomal regions and mutation gene networks | The American journal of pathology | 187 | 2246-58 | 2017 |
| Ishigaki K, Kochi Y, Suzuki A, Tsuchida Y, Tsuchiya H, Sumitomo S, Yamaguchi K, Nagafuchi Y, Nakachi S, Kato R, Sakurai K, Shoda H, Ikari K, Taniguchi A, Yamanaka H, Miya F, Tsunoda T, Okada Y, Momozawa Y, Kamatani Y, <u>Yamada R</u> , Kubo M, <u>Fujio K</u> , Yamamoto K. | Polygenic burdens on cell-specific pathways underlie the risk of rheumatoid arthritis | Nat Genet | 49 | 1120-5 | 2017 |

| | | | | | |
|--|--|----------------------------|---------|---------|------|
| Shinagawa S, Okazaki T, Ikeda M, Yudoh K, Kisanuki YY, Yanagisawa M, <u>Kawahata K</u> , Ozaki S. | T cells upon activation promote endothelin 1 production in monocytes via IFN- γ and TNF- α . | Sci Rep | 7 | 14500 | 2017 |
| Eri T, <u>Kawahata K</u> , Kanzaki T, Imamura M, Michishita K, Akahira L, Bannai E, Yoshikawa N, Kimura Y, Satoh T, Uematsu S, Tanaka H, Yamamoto K. | Intestinal microbiota link lymphopenia to murine autoimmunity via PD-1(+)/CXCR5(-/dim) B-helper T cell induction. | Sci Rep | 7 | 46037 | 2017 |
| <u>Okamoto N</u> , Shabana K, Murata T, Tamai H. | A paediatric case of granulomatosis with polyangiitis accompanied with dorsalis pedis artery occlusion and prominent cryofibrinogenemia. | Mod Rheumatol Case Reports | 1 (2) | 127-33 | 2017 |
| 園部 秀樹, 小川 葉子, 向井 慎, 山根 みお, 亀山 香織, <u>坪田 一男</u> | Sjögren症候群の涙腺における免疫グロブリンの特徴的局在を示した1例 | あたらしい眼科 | 34 (4) | 575-9 | 2017 |
| 小澤 信博, 小川 葉子, 西條 裕美子, 鴨居 瑞加, 内野 美樹, 山根 みお, He Jingliang, 向井 慎, <u>坪田 一男</u> | 眼類天疱瘡2症例における角膜神経の病的変化 生体レーザー共焦点顕微鏡による観察 | あたらしい眼科 | 34 (4) | 560-2 | 2017 |
| 小川 護, 小川 葉子, He Hua, 向井 慎, 山根 みお, Scheffer CG Tseng, <u>坪田 一男</u> | HC-IIA/PTX3複合体投与によるGVHDマウスモデルのマイボーム腺と周辺組織への影響 | あたらしい眼科 | 34 (4) | 571-4 | 2017 |
| <u>川口 鎮司</u> | 肺動脈性肺高血圧症 | リウマチ科 | 58 | 1-6 | 2017 |
| <u>川口 鎮司</u> | 膠原病性肺高血圧症の基礎研究、診断、診療の進歩 | 最新医学 | 72 | 1128-34 | 2017 |
| <u>廣畑 俊成</u> | 各臓器障害 中枢神経ループス | J Visual Dermatol | 163 (1) | 787-9 | 2017 |
| <u>富板 美奈子</u> | 小児膠原病-長期予後の改善と成人への移行を考える Sjögren症候群 | 小児科 | 58 | 460-75 | 2017 |
| <u>岡本 奈美</u> | 小児膠原病-長期予後の改善と成人への移行を考える 「若年性特発性関節炎」 | 小児科 | 58 | 441-50 | 2017 |
| <u>岡本 奈美</u> | JIAにおける抗TNF療法 | リウマチ科 | 58 | 265-71 | 2017 |
| <u>岡本 奈美</u> | 小児で見られる脊椎関節炎 | 整形・災害外科 | 60 | 1477-85 | 2017 |

| 書籍 | 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|----|---|--|----------------------------------|--|-------------------------------------|------------------|------|----------|
| | Sato S, Fujimoto and Kuwana M | Anti-MDA5 Autoantibody | Christopher-Stine and Lundberg I | Myositis Handbook: An Inclusive Guide to the Inflammatory Myopathies | Jaaypee Brothers Medical Publishers | New Delhi, India | | in press |
| | McHugh N, Zoe B, Gono I, Kuwana M, and Targoff I. | The role of autoantibodies in myositis | Aggarwal R and Oddis CV | Managing Myositis: A Practical Guide | Springer | London, UK | | in press |
| | 伊藤 保彦 | 急性リウマチ熱 | 福井 次矢, 高木 誠, 小室 成 | 今日の治療指針 2018年版 | 医学書院 | 東京 | 2018 | 1428 |
| | 上阪 等, 沢田 哲治, 藤井 隆夫, 山村 昌弘 | 免疫系序論 | デニス L. カスパー ほか | ハリソン内科学 第5版 | メディカル・サイエンス・インターナショナル | 東京 | 2017 | 2153 |
| | 住田 孝之, 他 | シェーグレン症候群診療ガイドライン2017年版 | 住田 孝之 | シェーグレン症候群診療ガイドライン2017年版 | 診断と治療社 | 東京 | 2017 | 1-120 |
| | 森 雅亮 | 自己免疫疾患-Preclinical Stateから発症-早期診療で- | 熊谷 俊一 | 別冊・医学のあゆみ | 医歯薬出版 | 東京 | 2017 | 98-106 |
| | 森 雅亮, 他 | 若年性特発性関節炎 診療ハンドブック 2017 | 一般社団法人日本リウマチ学会小児リウマチ調査検討小委員会 | 若年性特発性関節炎 診療ハンドブック 2017 | メディカルレビュー社 | 大阪 | 2017 | 84 |

| | | | | | | | |
|------------------------------------|--|---|---|----------------|------------|------|----------------|
| 藤本 学、他 | 成人ステル病診療ガイドライン2017年版 | 厚生労働科学研究費補助金難治性疾患等政策研究事業自己免疫疾患に関する調査研究班 | 成人ステル病診療ガイドライン2017年版 | 診断と治療社 | 東京 | 2017 | |
| 三村 俊英、他 | 成人ステル病診療ガイドライン2017年版 | 厚生労働科学研究費補助金難治性疾患等政策研究事業自己免疫疾患に関する調査研究班 | 診断と治療 | 医学書出版 | 東京 | 2017 | 100 |
| 中嶋 蘭 | 自己抗体と多発性筋炎・皮膚筋炎の病型 | 宮坂 信之 | 炎症と免疫 | 先端医学社 | 東京 | 2017 | 497-503 |
| 藤井 隆夫 | 抗核抗体, 抗DNA抗体 | 富野 康日己、高橋 和久、長谷部 直幸、渡辺 純夫、藤元 昭一、小松 則夫、弘世 貴久、瀧澤 俊也、瀧美 達也 | 内科外来診断navi | 中外医学社 | 東京 | 2017 | 340-2 |
| Satoh T and Kuwana M | T cell abnormalities | Ishida Y and Tomoyama Y | Autoimmune Thrombocytopenia | Springer | London, UK | 2017 | 63-74 |
| Satoh T and Kuwana M | Differential diagnosis: secondary ITP | Ishida Y and Tomoyama Y | Autoimmune Thrombocytopenia | Springer | London, UK | 2017 | 97-106 |
| 桑名 正隆 | 膠原病(全身性エリトマトーデス/混合性結合組織病)に伴う肺動脈性肺高血圧症 | 伊藤 浩、松原 宏己 | 新 肺高血圧症診療マニュアル | 南江堂 | 東京 | 2017 | 194-8 |
| 三村 俊英 | 特集 厚生労働省指定難病の診断基準と重症度. 成人ステル病 | 住田 孝之 | 分子リウマチ治療 10巻1号 | 先端医学社 | 東京 | 2017 | 24-6 |
| 舟久保 ゆう、三村 俊英 | 非専門医にもできる! リウマチ・膠原病診断 膠原病の疫学 | | 内科 119巻2号 | 南江堂 | 東京 | 2017 | 187-94 |
| 舟久保 ゆう、三村 俊英 | §11 膠原病・アレルギー疾患. 1. SLE関連. §11-2 抗リン脂質抗体症候群. | 猿田 享男、北村 惣一郎 | 1336専門家による私の治療 2017-18年度版 | 日本医事新報社 | 東京 | 2017 | 813-6 |
| 三村 俊英 | 12. リウマチアレルギー性疾患及びアレルギー性疾患 5) 成人ステル病 | 矢崎 義雄 | 内科学 第11版 | 朝倉書店 | 東京 | 2017 | 1244-45 |
| 正木 康史 | 白血球系疾患1) 総論 (1) 白血球減少症 (2) 白血球増加症 | 矢崎 義雄 | 内科学 第11版 | 朝倉書店 | 東京 | 2017 | 1967-70、1970-2 |
| 正木 康史 | 血管内リンパ腫 | 小澤 敬也、中尾 眞二、松村 到 | 血液疾患最新の治療2017-2019 | 南江堂 | 東京 | 2017 | 177-9 |
| 中村 誠司 | ドライマウスはどのような病気か? 鑑別すべき疾患とは? ~原因別に考えるドライマウスの診断~ | | 超高齢社会におけるドライマウスへの対応 いま、ドライマウスにどう取り組むべきか | ヒューロン・パブリッシャーズ | 東京 | 2017 | 17-28 |
| 中村 誠司 | 口腔乾燥症 (ドライマウス) について①、② | | 健康教室 | 東山書房 | 京都 | 2017 | 78-81、86-89 |
| 中村 誠司 | 口腔乾燥 | 夏目 長門、池上 由美子 | 治療をささえる. がん患者の口腔ケア | 医学書院 | 東京 | 2017 | 53-61 |
| 中村 誠司 | IX口腔乾燥 93唾液 | 一般社団法人日本口腔ケア学会 | 口腔ケア基礎知識 | 永末書店 | 京都 | 2017 | 274-6 |
| 冨板 美奈子 | Sjögren症候群の疾患標識抗体-抗SS-A/Ro抗体、抗SS-B/La抗体、その他 | 「小児内科」「小児外科」編集委員会 | 小児臨床検査のポイント2017 | 東京医学社 | 東京 | 2017 | 357-60 |
| 伊藤 梓、國方 彦志、安田 正幸、相澤 奈帆子、石井 智徳、中澤 徹 | 全身性エリトマトーデス患者における眼血流解析 | 新家 眞 | 眼科臨床紀要 | 眼科臨床紀要会 | 東京 | 2017 | 849 |

研究成果の刊行に関する一覧表(平成30年度)

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|----------------------|---------|-----------|------|
| Akizuki S., Ishigaki K., Kochi Y., Law S. M., Matsuo K., Ohmura K., Suzuki A., Nakayama M., Iizuka Y., Koseki H., Ohara O., Hirata J., Kamatani Y., Matsuda F., <u>Sumida T.</u> , Yamamoto K., Okada Y., Mimori T. and Terao C. | PLD4 is a genetic determinant to systemic lupus erythematosus and involved in murine autoimmune phenotypes | <i>Ann Rheum Dis</i> | 78(4) | 509-518 | 2019 |
| Kohsaka H., Mimori T., <u>Kanda T.</u> , Shimizu J., Sunada Y., <u>Fujimoto M.</u> , <u>Kawaguchi Y.</u> , <u>Jinnin M.</u> , <u>Muro Y.</u> , Ishihara S., Tomimitsu H., <u>Ohta A.</u> and <u>Sumida T.</u> | Treatment consensus for management of polymyositis and dermatomyositis among rheumatologists, neurologists and dermatologists | <i>J Dermatol</i> | 46(1) | e1-e18 | 2019 |
| Kohsaka H., Mimori T., <u>Kanda T.</u> , Shimizu J., Sunada Y., <u>Fujimoto M.</u> , <u>Kawaguchi Y.</u> , <u>Jinnin M.</u> , <u>Muro Y.</u> , Ishihara S., Tomimitsu H., <u>Ohta A.</u> and <u>Sumida T.</u> | Treatment consensus for management of polymyositis and dermatomyositis among rheumatologists, neurologists and dermatologists | <i>Mod Rheumatol</i> | 29(1) | 1-19 | 2019 |
| Segawa S., Kondo Y., Nakai Y., Iizuka A., Kaneko S., Yokosawa M., Furuyama K., Tsuboi H., Goto D., Matsumoto I. and <u>Sumida T.</u> | Placenta Specific 8 Suppresses IL-18 Production through Regulation of Autophagy and Is Associated with Adult Still Disease | <i>J Immunol</i> | 201(12) | 3534-3545 | 2018 |
| <u>Mimura T.</u> , Kondo Y., <u>Ohta A.</u> , Iwamoto M., Ota A., <u>Okamoto N.</u> , <u>Kawaguchi Y.</u> , Kono H., Takasaki Y., <u>Takei S.</u> , Nishimoto N., <u>Fujimoto M.</u> , Asanuma Y. F., Mimori A., Okiyama N., Kaneko S., Takahashi H., Yokosawa M. and <u>Sumida T.</u> | Evidence-based clinical practice guideline for adult Still's disease | <i>Mod Rheumatol</i> | 28(5) | 736-757 | 2018 |

| | | | | | |
|---|--|-----------------------------------|--------------|----------------|-------------|
| <p>Kochi Y., Kamatani Y., Kondo Y., Suzuki A., Kawakami E., Hiwa R., Momozawa Y., <u>Fujimoto M.</u>, <u>Jinnin M.</u>, <u>Tanaka Y.</u>, <u>Kanda T.</u>, Cooper R. G., Chinoy H., Rothwell S., Lamb J. A., Vencovsky J., Mann H., Ohmura K., Myouzen K., Ishigaki K., <u>Nakashima R.</u>, Hosono Y., Tsuboi H., Kawasumi H., Iwasaki Y., Kajiyama H., Horita T., Ogawa-Momohara M., Takamura A., Tsunoda S., Shimizu J., <u>Fujio K.</u>, <u>Amano H.</u>, Mimori A., <u>Kawakami A.</u>, Umehara H., <u>Takeuchi T.</u>, Sano H., <u>Muro Y.</u>, <u>Atsumi T.</u>, <u>Mimura T.</u>, <u>Kawaguchi Y.</u>, Mimori T., Takahashi A., Kubo M., Kohsaka H., <u>Sumida T.</u> and Yamamoto K.</p> | <p>Splicing variant of WDFY4 augments MDA5 signalling and the risk of clinically amyopathic dermatomyositis</p> | <p><i>Ann Rheum Dis</i></p> | <p>77(4)</p> | <p>602-611</p> | <p>2018</p> |
| <p>Kondo Y., Yokosawa M., Kaneko S., Furuyama K., Segawa S., Tsuboi H., Matsumoto I. and <u>Sumida T.</u></p> | <p>Transcriptional Regulation of CD4+ T Cell Differentiation in Experimentally Induced Arthritis and Rheumatoid Arthritis</p> | <p><i>Arthritis Rheumatol</i></p> | <p>70(5)</p> | <p>653-661</p> | <p>2018</p> |
| <p>Oku K., <u>Atsumi T.</u>, Akiyama Y., <u>Amano H.</u>, Azuma N., Bohgaki T., Asanuma Y. F., Horita T., Hosoya T., Ichinose K., Kato M., Katsumata Y., <u>Kawaguchi Y.</u>, <u>Kawakami A.</u>, Koga T., Kohsaka H., Kondo Y., Kubo K., <u>Kuwana M.</u>, Mimori A., Mimori T., <u>Mimura T.</u>, Murakami K., Nakano K., Nakayamada S., Ogishima H., Ohmura K., Saito K., Sano H., Shibuya M., Takahashi Y., Takasaki Y., <u>Takeuchi T.</u>, Tamura N., <u>Tanaka Y.</u>, Tsuboi H., Tsunoda S., Yukawa N., Yamakawa N., Yamamoto K. and <u>Sumida T.</u></p> | <p>Evaluation of the alternative classification criteria of systemic lupus erythematosus established by Systemic Lupus International Collaborating Clinics (SLICC)</p> | <p><i>Mod Rheumatol</i></p> | <p>28(4)</p> | <p>642-648</p> | <p>2018</p> |

| | | | | | |
|---|---|---------------------------------|--------|-----------|----------|
| Sumida T., Azuma N., Moriyama M., Takahashi H., Asashima H., Honda F., Abe S., Ono Y., Hirota T., Hirata S., <u>Tanaka Y.</u> , Shimizu T., Nakamura H., <u>Kawakami A.</u> , Sano H., Ogawa Y., <u>Tsubota K.</u> , Ryo K., Saito I., Tanaka A., <u>Nakamura S.</u> , <u>Takamura E.</u> , Tanaka M., Suzuki K., <u>Takeuchi T.</u> , Yamakawa N., Mimori T., <u>Ohta A.</u> , Nishiyama S., Yoshihara T., Suzuki Y., Kawano M., <u>Tomiita M.</u> and Tsuboi H. | Clinical practice guideline for Sjogren's syndrome 2017 | <i>Mod Rheumatol</i> | 28(3) | 383-408 | 2018 |
| Yamagata K., Usui J., Nagata M., Sugiyama H., Sada K. E., Muso E., Harigai M., Amano K., <u>Atsumi T.</u> , Fujimoto S., <u>Yuzawa Y.</u> , Kobayashi M., Saito T., Ito T., Hirawa N., Homma S., Dobashi H., Tsuboi N., Ishizu A., Arimura Y., Makino H., Matsuo S., Research Committee of Intractable Renal D., the Research Committee of Intractable Vasculitis Syndrome of the Ministry of Health L. and Welfare of J.(Fujii T) | Histopathological classification of anti-neutrophil cytoplasmic antibody-associated glomerulonephritis in a nationwide Japanese prospective 2-year follow-up cohort study | <i>Clin Exp Nephrol</i> | 23(3) | 387-394 | 2019 |
| Ohnishi N, Fujieda Y, Hisada R, Nakamura H, Kato M, Oku K, Amengual O, Yasuda S, <u>Atsumi T.</u> | Efficacy of dual antiplatelet therapy for preventing recurrence of arterial thrombosis in patients with antiphospholipid syndrome. | <i>Rheumatology (Oxford)</i> | | | in press |
| Fujieda Y., Amengual O. and <u>Atsumi T.</u> | Pathogenic role of antiphospholipid antibodies: an update | <i>Lupus</i> | 27(13) | 2012-2013 | 2018 |
| Kato M, Hisada R, Atsumi T. | Clinical profiles and risk assessment in patients with antiphospholipid antibodies. | <i>Expert Rev Clin Immunol.</i> | | | in press |
| Abe N, Oku K, Amengual O, Fujieda Y, Kato M, Bohgaki T, Yasuda S, Mori R, Morishita E, Suzuki-Inoue K, <u>Atsumi T.</u> | Potential therapeutics for antiphospholipid antibody associated thrombocytopenia: a systematic review and meta-analysis. | <i>ModRheumatol</i> | 17 | 1-21 | |
| Kanda M. and <u>Atsumi T.</u> | Thrombopoietin mimetics for systemic lupus erythematosus with antiphospholipid antibodies should be discussed separately | <i>Lupus</i> | 27(11) | 1876-1877 | 2018 |

| | | | | | |
|--|--|---------------------------------|---------|-------------|----------|
| Terao C., Yoshifuji H., Matsumura T., Naruse T. K., <u>Ishii T.</u> , Nakaoka Y., Kirino Y., Matsuo K., Origuchi T., Shimizu M., Maejima Y., Amiya E., Tamura N., Kawaguchi T., Takahashi M., Setoh K., Ohmura K., Watanabe R., Horita T., <u>Atsumi T.</u> , Matsukura M., Miyata T., Kochi Y., Suda T., Tanemoto K., Meguro A., Okada Y., Ogimoto A., Yamamoto M., Takahashi H., Nakayamada S., Saito K., <u>Kuwana M.</u> , Mizuki N., Tabara Y., Ueda A., Komuro I., Kimura A., Isobe M., Mimori T. and Matsuda F. | Genetic determinants and an epistasis of LILRA3 and HLA-B*52 in Takayasu arteritis | <i>Proc Natl Acad Sci U S A</i> | 115(51) | 13045-13050 | 2018 |
| Oku K., <u>Atsumi T.</u> | Systemic lupus erythematosus; nothing stale her infinite variety. | <i>ModRheumatol</i> | 28(5) | 758-765 | |
| Hisada R, Kato M, Ohnishi N, Sugawara E, Fujieda Y, Oku K, Bohgaki T, Amengual O, Yasuda S, <u>Atsumi T.</u> | Antiphospholipid score is a novel risk factor for idiopathic osteonecrosis of the femoral head in patients with systemic lupus erythematosus. | <i>Rheumatology (Oxford)</i> | | | in press |
| Kaneko Y., <u>Kameda H.</u> , Ikeda K., <u>Ishii T.</u> , Murakami K., Takamatsu H., <u>Tanaka Y.</u> , Abe T. and <u>Takeuchi T.</u> | Tocilizumab in patients with adult-onset still's disease refractory to glucocorticoid treatment: a randomised, double-blind, placebo-controlled phase III trial | <i>Ann Rheum Dis</i> | 77(12) | 1720-1729 | 2018 |
| Fukuda K, Date H, Doi S, Fukumoto Y, Fukushima N, Hatano M, Ito H, Kuwana M, Matsubara H, Momomura SI, Nishimura M, Ogino H, Satoh T, Shimokawa H, Yamauchi-Takahara K, Tatsumi K, Ishibashi-Ueda H, Yamada N, Yoshida S, Abe K, Ogawa A, Ogo T, Kasai T, Kataoka M, Kawakami T, Kogaki S, Nakamura M, Nakayama T, Nishizaki M, Sugimura K, Tanabe N, Tsujino I, Yao A, Akasaka T, Ando M, Kimura T, Kuriyama T, Nakanishi N, Nakanishi T, Tsutsui H | Japanese Circulation Society and the Japanese Pulmonary Circulation and Pulmonary Hypertension Society Joint Working Group. Guidelines for the Treatment of Pulmonary Hypertension | <i>Circ J</i> | | | in press |

| | | | | | |
|--|--|--------------------------------------|--------|-------------|------|
| Yasuoka H, Shirai Y, Tamura Y, <u>Takeuchi T</u> , <u>Kuwana M</u> . | Predictors of Favorable Responses to Immunosuppressive Treatment in Pulmonary Arterial Hypertension Associated With Connective Tissue Disease. | <i>Circ J</i> | 82 | 546-554 | 2018 |
| Ueki M, <u>Kobayashi I</u> , Takezaki S, et.al. | Myositis-specific autoantibodies in Japanese patients with juvenile idiopathic inflammatory myopathies. | <i>Mod Rheumatol</i> | 29 | 351-356, | 2019 |
| Concha JSS, Patsatsi A, Marshak-Rothstein A, Liu ML, Sinha AA, Lee LA, Merola JF, Jabbari A, Gudjonsson JE, Chasset F, Jarrett P, Chong B, Arkin L, Fernandez AP, Caproni M, Greenberg SA, Kim HJ, Pearson DR, Femia A, Vleugels RA, Fiorentino D, <u>Fujimoto M</u> , Wenzel J, Werth VP. | Advances in Cutaneous Lupus Erythematosus and Dermatomyositis: A Report from the 4th International Conference on Cutaneous Lupus Erythematosus-An Ongoing Need for International Consensus and Collaborations. | <i>J Invest Dermatol.</i> | 139(2) | 270-276 | 2019 |
| Nakamura N, Izumi R, Hoshi Y, Takai Y, Ono R, Suzuki N, Nagai T, Ishii Y, Ishii T, Harigae H, Okada S, Aiba S, Okiyama N, <u>Fujimoto M</u> , Kuroda H, Tateyama M, Aoki M. | FDG-PET detects extensive calcinosis cutis in anti-NXP2 antibody-positive dermatomyositis. | <i>Rheumatology (Oxford). online</i> | | | 2019 |
| Okiyama N, Inoue S, Saito A, Nakamura Y, Ishitsuka Y, Fujisawa Y, Watanabe R, <u>Fujimoto M</u> . | Antihelix/helix violaceous macules in Japanese patients with anti-melanoma differentiation-associated protein 5 (MDA5) antibody-associated dermatomyositis. | <i>Br J Dermatol. online</i> | | | 2018 |
| Ueda-Hayakawa I, Hamaguchi Y, Okiyama N, Motegi S, Yamaoka T, Miyake S, Higashi A, Okamoto H, Takehara K, <u>Fujimoto M</u> | Autoantibody to transcriptional intermediary factor-1 β as a myositis-specific antibody: clinical correlation with clinically amyopathic dermatomyositis or dermatomyositis with mild myopathy. | <i>M. Br J Dermatol online.</i> | | | 2018 |
| Inoue S, Okiyama N, Shobo M, Motegi S, Hirano H, Nakagawa Y, Saito A, Nakamura Y, Ishitsuka Y, Fujisawa Y, Watanabe R, <u>Fujimoto M</u> . | Diffuse erythema with 'angel wings' sign in Japanese patients with anti-small ubiquitin-like modifier activating enzyme antibody-associated dermatomyositis. | <i>Br J Dermatol.</i> | 179(6) | 1414-1415., | 2018 |

| | | | | | |
|---|--|-------------------------------|-------|-----------|---------------------|
| Nawata T, Kubo M, Oishi K, Murata Y, Oishi M, Okazaki Y, Omoto M, <u>Kanda T</u> , <u>Kuwana M</u> , and Yano M | A case of cancer-associated myositis with anti-Mi-2 antibodies: false-positive anti-transcriptional intermediary factor 1-g antibodies by commercial enzyme-linked immunosorbent assay | <i>Int. J. Rheum. Dis</i> | | | Epub ahead of print |
| Shima Y., <u>Kawaguchi Y.</u> and <u>Kuwana M.</u> | Add-on tocilizumab versus conventional treatment for systemic sclerosis, and cytokine analysis to identify an endotype to tocilizumab therapy | <i>Mod Rheumatol</i> | 29(1) | 134-139 | 2019 |
| Sato S., Masui K., Nishina N., <u>Kawaguchi Y.</u> , <u>Kawakami A.</u> , Tamura M., Ikeda K., Nunokawa T., Tanino Y., Asakawa K., Kaneko Y., Gono T., Ukichi T., Kaieda S., Naniwa T., <u>Kuwana M.</u> and investigators J. | Initial predictors of poor survival in myositis-associated interstitial lung disease: a multicentre cohort of 497 patients) | <i>Rheumatology (Oxford)</i> | | | 2018 |
| Shimura K., Miura J., Kawamoto M., <u>Kawaguchi Y.</u> , Yamanaka H. and Uchigata Y. | Genetic differences between type 1 diabetes with and without other autoimmune diseases | <i>Diabetes Metab Res Rev</i> | 34(7) | e3023 | 2018 |
| Kawasumi H., Katsumata Y., Nishino A., Hirahara S., <u>Kawaguchi Y.</u> , <u>Kuwana M.</u> and Yamanaka H. | Association of Serum Soluble CD163 with Polymyositis and Dermatomyositis, Especially in Anti-MDA5 Antibody-positive Cases | <i>J Rheumatol</i> | 45(7) | 947-955 | 2018 |
| Ichimura Y., <u>Kawaguchi Y.</u> , Takagi K., Tochimoto A., Higuchi T., Kataoka S., Katsumata Y. and Yamanaka H. | Capillary abnormalities observed by nailfold video-capillaroscopy in Japanese patients with systemic sclerosis | <i>Mod Rheumatol</i> | 28(6) | 1066-1068 | 2018 |
| Kirino Y., <u>Kawaguchi Y.</u> , Tada Y., Tsukamoto H., Ota T., Iwamoto M., Takahashi H., Nagasawa K., <u>Takei S.</u> , Horiuchi T., Ichida H., Minota S., Ueda A., <u>Ohta A.</u> and Ishigatsubo Y. | Beneficial use of serum ferritin and heme oxygenase-1 as biomarkers in adult-onset Still's disease: A multicenter retrospective study | <i>Mod Rheumatol</i> | 28(5) | 858-864 | 2018 |

| | | | | | |
|---|--|-------------------------------------|----------------------|-----------|------|
| Nakatsuka Y., Handa T., <u>Nakashima R.</u> , Tanizawa K., Kubo T., Murase Y., Sokai A., Ikezoe K., Hosono Y., Watanabe K., Tokuda S., Uno K., Yoshizawa A., Tsuruyama T., Uozumi R., Nagai S., Hatta K., Taguchi Y., Mishima M., Chin K., Mimori T. and Hirai T. | Serum matrix metalloproteinase levels in polymyositis/dermatomyositis patients with interstitial lung disease) | <i>Rheumatology (Oxford)</i> | | | 2019 |
| Nishioka A., Tsunoda S., Abe T., Yoshikawa T., Takata M., Kitano M., Matsui K., <u>Nakashima R.</u> , Hosono Y., Ohmura K., Mimori T. and Sano H. | Serum neopterin as well as ferritin, soluble interleukin-2 receptor, KL-6 and anti-MDA5 antibody titer provide markers of the response to therapy in patients with interstitial lung disease complicating anti-MDA5 antibody-positive dermatomyositis) | <i>Mod Rheumatol</i> | | 1-7 | 2018 |
| Hozumi H, Fujisawa T, <u>Nakashima R.</u> , Yasui H, Suzuki Y, Kono M, Karayama M, Furuhashi K, Enomoto N, Inui N, Nakamura Y, Mimori T, Suda T. | Efficacy of Glucocorticoids and Calcineurin Inhibitors for Anti-aminoacyl-tRNA Synthetase Antibody-positive Polymyositis/dermatomyositis-associated Interstitial Lung Disease: A Propensity Score-matched Analysis. | <i>J Rheumatol.</i> | e-Pub ahead of print | | 2019 |
| Shirai T., Shiota Y., Fujii H., <u>Ishii T.</u> and Harigae H. | Four distinct clinical phenotypes of vasculitis affecting medium-sized arteries) | <i>Scand J Rheumatol</i> | | 1-7 | 2019 |
| Nakaoka Y, Isobe M, Takei S, Tanaka Y, Ishii T, Yokota S, Nomura A, Yoshida S, Nishimoto N. | Efficacy and safety of tocilizumab in patients with refractory Takayasu arteritis: results from a randomised, double-blind, placebo-controlled, phase 3 trial in Japan (the TAKT study). | <i>Ann Rheum Dis.</i> | 77(3) | 348-354 | 2018 |
| Ishii Y., Shirai T., Hoshi Y., Fujita Y., Shiota Y., Fujii H., <u>Ishii T.</u> and Harigae H. | Nasal Septal Perforation in Propylthiouracil-Induced Anti-Neutrophil Cytoplasmic Antibody-Associated Vasculitis | <i>Case Rep Rheumatol</i> | 2018 | 8192021 | 2018 |
| Shirai T., Hanaoka R., Goto Y., Kojima I., Ishii Y., Hoshi Y., Fujita Y., Shiota Y., Fujii H., <u>Ishii T.</u> and Harigae H. | Takayasu Arteritis Coexisting with Sclerosing Osteomyelitis | <i>Intern Med</i> | 57(13) | 1929-1934 | 2018 |
| Shirai T., Fujii H., Saito R., Nasu K., Kamogawa Y., Fukuhara N., Fujita Y., Shiota Y., <u>Ishii T.</u> and Harigae H. | Relapsing Polychondritis Complicated by Myelodysplastic Syndrome Is Resistant to Immunosuppression: Comment on the Article by Dion et al | <i>Arthritis Rheumatol</i> | 69(3) | 682-683 | 2017 |

| | | | | | |
|---|---|---------------------------|---------|-----------|------|
| Ohtsuji M., Lin Q., Okazaki H., Takahashi K., <u>Amano H.</u> , Yagita H., Nishimura H. and Hirose S. | Anti-CD11b antibody treatment suppresses the osteoclast generation, inflammatory cell infiltration, and autoantibody production in arthritis-prone FcγRIIB-deficient mice | <i>Arthritis Res Ther</i> | 20(1) | 25 | 2018 |
| Lin Q., Ohtsuji M., <u>Amano H.</u> , Tsurui H., Tada N., Sato R., Fukuyama H., Nishimura H., Verbeek J. S. and Hirose S. | FcγRIIb on B Cells and Myeloid Cells Modulates B Cell Activation and Autoantibody Responses via Different but Synergistic Pathways in Lupus-Prone Yaa Mice | <i>J Immunol</i> | 201(11) | 3199-3210 | 2018 |
| Miyashita T, Morimoto S, Honda D, Nakano S, <u>Amano H.</u> , Osawa I, Yamaji K, Tomino Y, Takasaki Y, Tamura N. | Outcomes of the Re-classification of WHO Class IV Lupus Nephritis Using the ISN/RPS Classification: a Single Center Retrospective Observational Study from the JUDE Study. | <i>Juntendo Med J</i> | 63(5) | 362-9 | 2017 |
| Minowa K, <u>Amano H.</u> , Ando S, Watanabe T, Ogasawara M, Kawano S, Kaneko T, Morimoto S, Yamaji K, Tamura N, Tokano Y, Hashimoto H, Takasaki Y. | Disease flare patterns and predictors of systemic lupus erythematosus in a monocentric cohort of 423 Japanese patients during a long-term follow-up: The JUDE study. | <i>Mod Rheumatol</i> | 27(1) | 72-6 | 2017 |
| Tsukamoto M., Suzuki K. and <u>Takeuchi T.</u> | Initial presentation determines clinical entity in patients with anti-centromere antibody positivity | <i>Int J Rheum Dis</i> | 22(1) | 103-107 | 2019 |
| Tsukamoto M., Suzuki K. and <u>Takeuchi T.</u> | Ten-year observation of patients with primary Sjogren's syndrome: Initial presenting characteristics and the associated outcomes | <i>Int J Rheum Dis</i> | 22(5) | 929-933 | 2019 |
| Yasuoka H., Shirai Y., Tamura Y., <u>Takeuchi T.</u> and <u>Kuwana M.</u> | Predictors of Favorable Responses to Immunosuppressive Treatment in Pulmonary Arterial Hypertension Associated With Connective Tissue Disease | <i>Circ J</i> | 82(2) | 546-554 | 2018 |
| Ishioka-Takei E., Yoshimoto K., Suzuki K., Nishikawa A., Yasuoka H., Yamaoka K. and <u>Takeuchi T.</u> | Increased proportion of a CD38(high)IgD(+) B cell subset in peripheral blood is associated with clinical and immunological features in patients with primary Sjogren's syndrome | <i>Clin Immunol</i> | 187 | 85-91 | 2018 |

| | | | | | |
|---|---|--|---------------|--------------------|-------------|
| <p>Tsukamoto M., Suzuki K. and <u>Takeuchi T.</u></p> | <p>Clinical and Immunological Features of Anti-centromere Antibody-Positive Primary Sjogren's Syndrome</p> | <p><i>Rheumatol Ther</i></p> | <p>5(2)</p> | <p>499-505</p> | <p>2018</p> |
| <p>Inoue Y, Mitsunaga K, Yamamoto T, Chiba K, Yamaide F, Nakano T, Yamaide A, Suzuki S, Arima T, Yamaguchi KI, <u>Tomiita M</u>, Shimojo N, Kohno Y.</p> | <p>Early use of alendronate as a prospective factor against the development of glucocorticoid-induced bone loss in childhood-onset rheumatic diseases: a cross-sectional study.</p> | <p><i>Pediatric Rheumatol Online J</i></p> | <p>16(1)</p> | <p>36-44</p> | <p>2018</p> |
| <p>Sonobe H., Ogawa Y., Yamada K., Shimizu E., Uchino Y., Kamoi M., Saijo Y., Yamane M., Citterio D., Suzuki K. and <u>Tsubota K.</u></p> | <p>A novel and innovative paper-based analytical device for assessing tear lactoferrin of dry eye patients</p> | <p><i>Ocul Surf</i></p> | <p>17(1)</p> | <p>160-166</p> | <p>2019</p> |
| <p>Ogawa Y, Shimizu E, <u>Tsubota K.</u></p> | <p>Special Issue; Mechanisms of Disease in Sjögren Syndrome. Interferons and dry eye in Sjögren's syndrome.</p> | <p><i>Int J Mol Sci</i></p> | <p>19</p> | <p>3548</p> | <p>2018</p> |
| <p><u>Tsubota K.</u></p> | <p>Dry Eye Research Update in Japan in Celebration of the 25th Anniversary of the Dry Eye Society and the 10th Anniversary of Hakone Dry Eye Club</p> | <p><i>Invest Ophthalmol Vis Sci</i></p> | <p>59(11)</p> | <p>DESi-DE Sii</p> | <p>2018</p> |
| <p>Kurose N., Futatsuya C., Mizutani K. I., Kumagai M., Shioya A., Guo X., Aikawa A., Nakada S., Fujimoto S., Kawabata H., <u>Masaki Y.</u>, Takai K., Aoki S., Kojima M., <u>Nakamura S.</u> and Yamada S.</p> | <p>The clinicopathological comparison among nodal cases of idiopathic multicentric Castleman disease with and without TAFRO syndrome</p> | <p><i>Hum Pathol</i></p> | <p>77</p> | <p>130-138</p> | <p>2018</p> |
| <p>Sakamoto M., Moriyama M., Shimizu M., Chinju A., Mochizuki K., Munemura R., Ohyama K., Maehara T., Ogata K., Ohta M., Yamauchi M., Ishiguro N., Matsumura M., Ohyama Y., Kiyoshima T. and <u>Nakamura S.</u></p> | <p>The diagnostic utility of submandibular gland sonography and labial salivary gland biopsy in IgG4-related dacryoadenitis and sialadenitis: Its potential application to the diagnostic criteria)</p> | <p><i>Mod Rheumatol</i></p> | | <p>1-6</p> | <p>2019</p> |
| <p>Furusho K, Shibata T, Sato R, Fukui R, Motoi Y, Zhang Y, Saitoh S, Ichinohe T, Moriyama M, <u>Nakamura S</u>, Miyake K.</p> | <p>Cytidine deaminase enables Toll-like receptor 8 activation by cytidine or its analogs</p> | <p><i>Int Immunol</i></p> | <p>31(3)</p> | <p>167-73</p> | <p>2018</p> |

| | | | | | |
|---|---|-----------------------------|--------|-----------------------|------|
| Fujimoto S., Koga T., <u>Kawakami A.</u> , Kawabata H., Okamoto S., Mizuki M., Yano S., Ide M., Uno K., Yagi K., Kojima T., Mizutani M., Tokumine Y., Nishimoto N., Fujiwara H., Nakatsuka S. I., Shiozawa K., Iwaki N., <u>Masaki Y.</u> and Yoshizaki K. | Tentative diagnostic criteria and disease severity classification for Castleman disease: A report of the research group on Castleman disease in Japan | <i>Mod Rheumatol</i> | 28(1) | 161-167 | 2018 |
| Ichinose K., Kitamura M., Sato S., Fujikawa K., Horai Y., Matsuoka N., Tsuboi M., Nonaka F., Shimizu T., Fukui S., Umeda M., Koga T., Kawashiri S. Y., Iwamoto N., Igawa T., Tamai M., Nakamura H., Origuchi T., Nishino T. and <u>Kawakami A.</u> | Podocyte foot process width is a prediction marker for complete renal response at 6 and 12months after induction therapy in lupus nephritis | <i>Clin Immunol</i> | 197 | 161-168 | 2018 |
| Nakamura H., Horai Y., Shimizu T. and <u>Kawakami A.</u> | Modulation of Apoptosis by Cytotoxic Mediators and Cell-Survival Molecules in Sjogren's Syndrome | <i>Int J Mol Sci</i> | 19(8) | | 2018 |
| Endo Y., Koga T., Ishida M., Fujita Y., Tsuji S., Takatani A., Shimizu T., Sumiyoshi R., Igawa T., Umeda M., Fukui S., Nishino A., Kawashiri S. Y., Iwamoto N., Ichinose K., Tamai M., Nakamura H., Origuchi T., <u>Kuwana M.</u> , Hosono Y., Mimori T. and <u>Kawakami A.</u> | Recurrence of anti-MDA5 antibody-positive clinically amyopathic dermatomyositis after long-term remission: A case report | <i>Medicine (Baltimore)</i> | 97(26) | e11024 | 2018 |
| Endo Y., Koga T., Suzuki T., Hara K., Ishida M., Fujita Y., Tsuji S., Takatani A., Shimizu T., Sumiyoshi R., Igawa T., Umeda M., Fukui S., Nishino A., Kawashiri S. Y., Iwamoto N., Ichinose K., Tamai M., Nakamura H., Origuchi T., <u>Kuwana M.</u> and <u>Kawakami A.</u> | Successful treatment of plasma exchange for rapidly progressive interstitial lung disease with anti-MDA5 antibody-positive dermatomyositis: A case report | <i>Medicine (Baltimore)</i> | 97(15) | e0436 | 2018 |
| Shimizu T, Nakamura H, Takatani A, Umeda M, Horai Y, Kurushima S, Michitsuji T, Nakashima Y, <u>Kawakami A.</u> | Activation of Toll-like receptor 7 signaling in labial salivary glands of primary Sjögren's syndrome patients. | <i>Clin Exp Immunol</i> | 17 | [Epub ahead of print] | 2018 |

| | | | | | |
|--|--|-----------------------------|--------|--|------|
| Ichinose K, Kitamura M, Sato S, Eguchi M, Okamoto M, Endo Y, Tsuji S, Takatani A, Shimizu T, Umeda M, Fukui S, Sumiyoshi R, Koga T, Kawashiri SY, Iwamoto N, Igawa T, Tamai M, Nakamura H, Origuchi T, Nishino T, <u>Kawakami A.</u> | Complete renal response at 12 months after induction therapy is associated with the renal relapse-free rate in lupus nephritis ~ a single center retrospective cohort study. | Lupus | 12 | 96120331 9829827 [Epub ahead of print] | 2019 |
| Ichinose K, Kitamura M, Sato S, Fujikawa K, Horai Y, Matsuoka N, Tsuboi M, Nonaka F, Shimizu T, Fukui S, Umeda M, Koga T, Kawashiri SY, Iwamoto N, Tamai M, Nakamura H, Origuchi T, Nishino T, <u>Kawakami A.</u> | Factors predictive of long-term mortality in lupus nephritis: A multicenter retrospective study of a Japanese cohort. | Lupus | 12 | 96120331 9826690 [Epub ahead of print] | 2019 |
| Fujimoto S., Kawabata H., Kurose N., Kawanami-Iwao H., Sakai T., Kawanami T., Fujita Y., Fukushima T. and <u>Masaki Y.</u> | Sjogren's syndrome manifesting as clinicopathological features of TAFRO syndrome: A case report | Medicine (Baltimore) | 96(50) | e9220 | 2017 |
| <u>Hirohata S.</u> , Sakuma Y., Matsueda Y., Arinuma Y. and Yanagida T. | Role of serum autoantibodies in blood brain barrier damages in neuropsychiatric systemic lupus erythematosus | Clin Exp Rheumatol | 36(6) | 1003-1007 | 2018 |
| Matsueda Y., Arinuma Y., Nagai T. and <u>Hirohata S.</u> | Elevation of serum anti-glucose-regulated protein 78 antibodies in neuropsychiatric systemic lupus erythematosus | Lupus Sci Med | 5(1) | e000281 | 2018 |
| Doi K., Nishida O., Shigematsu T., Sadahiro T., Itami N., Iseki K., <u>Yuzawa Y.</u> , Okada H., Koya D., Kiyomoto H., Shibagaki Y., Matsuda K., Kato A., Hayashi T., Ogawa T., Tsukamoto T., Noiri E., Negi S., Kamei K., Kitayama H., Kashihara N., Moriyama T., Terada Y. and Japanese Clinical Practice Guideline for Acute Kidney Injury C. | The Japanese clinical practice guideline for acute kidney injury 2016 | Clin Exp Nephrol | 22(5) | 985-1045 | 2018 |
| Arai H., Hayashi H., Ogata S., Uto K., Saegusa J., Takahashi K., Koide S., Inaguma D., Hasegawa M. and <u>Yuzawa Y.</u> | Progression of immunoglobulin G4-related disease to systematic lupus erythematosus after gastric cancer surgery: A case report | Medicine (Baltimore) | 97(51) | e13545 | 2018 |

| | | | | | |
|--|--|--|-------|---------|---------------------|
| Kubota T, <u>Takei S</u> , Shimizu M, Yasumura J, Nakagishi Y, Kizawa T, Yashiro M, Wakiguchi H, Yamasaki Y, Kawano Y. | Early prediction for over two years efficacy of the first biologic agent for polyarticular juvenile idiopathic arthritis: A multi-institutional study in Japan. | <i>Mod Rheumatol</i> | 28(5) | 826-831 | 2018 |
| Kadota H., Gono T., Shirai Y., Okazaki Y., Takeno M. and <u>Kuwana M.</u> | Immune Checkpoint Inhibitor-Induced Myositis: a Case Report and Literature Review | <i>Curr Rheumatol Rep</i> | 21(4) | 10 | 2019 |
| Gono T., Okazaki Y., Murakami A. and <u>Kuwana M.</u> | Improved quantification of a commercial enzyme-linked immunosorbent assay kit for measuring anti-MDA5 antibody | <i>Mod Rheumatol</i> | 29(1) | 140-145 | 2019 |
| Ueki M., Kobayashi I., Takezaki S., Tozawa Y., Okura Y., Yamada M., <u>Kuwana M.</u> and Ariga T. | Myositis-specific autoantibodies in Japanese patients with juvenile idiopathic inflammatory myopathies | <i>Mod Rheumatol</i> | 29(2) | 351-356 | 2019 |
| Aoyama J., Hayashi H., Yajima C., Takoi H., Tanaka T., Kashiwada T., Kokuho N., Terasaki Y., Nishikawa A., Gono T., <u>Kuwana M.</u> , Saito Y., Abe S., Seike M. and Gemma A. | Anti-MDA5 antibody-positive rapidly progressive interstitial pneumonia without cutaneous manifestations | <i>Respir Med Case Rep</i> | 26 | 193-196 | 2019 |
| Sakamoto S., Okamoto M., Kaieda S., Fujimoto K., Nagata S., Tominaga M., Nakamura M., Zaizen Y., Nouno T., Koga T., Kawayama T., <u>Kuwana M.</u> , Ida H. and Hoshino T. | Low positive titer of anti-melanoma differentiation-associated gene 5 antibody is not associated with a poor long-term outcome of interstitial lung disease in patients with dermatomyositis | <i>Respir Investig</i> | 56(6) | 464-472 | 2018 |
| Sato S, Hirakata M, Asano K, and <u>Kuwana M</u> | Anti-aminoacyl tRNA synthetase antibodies in Japanese patients with interstitial lung disease | <i>Open J. Rheumatol. Autoimmun. Dis</i> | 8 | 34-42 | 2018 |
| Fukue R, Gono T, Hayashi H, Tarasaki Y, and <u>Kuwana M</u> | Rapidly progressive multiple digital gangrenes and diffuse alveolar damage in a patient with anti-synthetase antibody complicated with gastric cancer | <i>J. Clin. Rheumatol</i> | | | Epub ahead of print |
| Ogawa-Momohara M., <u>Muro Y.</u> , Kono M. and Akiyama M. | Prognosis of dysphagia in dermatomyositis | <i>Clin Exp Rheumatol</i> | 37(1) | 165 | 2019 |
| Ogawa-Momohara M., <u>Muro Y.</u> , Mitsuma T., Katayama M., Yanaba K., Nara M., Kakeda M., Kono M. and Akiyama M. | Strong correlation between cancer progression and anti-transcription intermediary factor 1 gamma antibodies in dermatomyositis patients | <i>Clin Exp Rheumatol</i> | 36(6) | 990-995 | 2018 |
| Teraishi M., Nakajima K., Ishimoto T., Yamamoto M., Maeda N., <u>Muro Y.</u> and Sano S. | Anti-transcription intermediary factor 1 gamma antibody titer correlates with clinical symptoms in a patient with recurrent dermatomyositis associated with ovarian cancer | <i>Int J Rheum Dis</i> | 21(4) | 900-902 | 2018 |

| | | | | | |
|--|---|----------------------------|--------|-----------|------|
| Yamaguchi K, Yamaguchi A, Kashiwagi C, Sawada Y, Taguchi K, Umetsu K, Oshima K, Uchida M, Suzuki M, Kono S, Takemura M, Masubuchi H, Kitahara S, Hara K, Maeno T, Motegi SI, <u>Muro Y</u> , Sakairi T, Hisada T, Kurabayashi M | Differential clinical features of patients with clinically amyopathic dermatomyositis who have circulating anti-MDA5 autoantibodies with or without myositis-associated autoantibodies. | <i>Respir Med.</i> | 140 | 1-5 | 2018 |
| <u>Kameda H.</u> , Fujii T., Nakajima A., Koike R., Sagawa A., Kanbe K., Tomita T., Harigai M., Suzuki Y. and Japan College of Rheumatology subcommittee on the guideline for the use of methotrexate in patients with rheumatoid a. | Japan College of Rheumatology guideline for the use of methotrexate in patients with rheumatoid arthritis | <i>Mod Rheumatol</i> | 29(1) | 31-40 | 2019 |
| Komai T., Inoue M., Okamura T., Morita K., Iwasaki Y., Sumitomo S., Shoda H., Yamamoto K. and <u>Fujio K.</u> | Transforming Growth Factor-beta and Interleukin-10 Synergistically Regulate Humoral Immunity via Modulating Metabolic Signals | <i>Front Immunol</i> | 9 | 1364 | 2018 |
| Tsuchida Y., Sumitomo S., Ota M., Tsuchiya H., Nagafuchi Y., Shoda H., <u>Fujio K.</u> , Ishigaki K., Yamaguchi K., Suzuki A., Kochi Y. and Yamamoto K. | Reduction of CD83 Expression on B Cells and the Genetic Basis for Rheumatoid Arthritis: Comment on the Article by Thalayasingam et al | <i>Arthritis Rheumatol</i> | 70(10) | 1695-1696 | 2018 |
| Sakurai K., Ishigaki K., Shoda H., Nagafuchi Y., Tsuchida Y., Sumitomo S., Kanda H., Suzuki A., Kochi Y., Yamamoto K. and <u>Fujio K.</u> | HLA-DRB1 Shared Epitope Alleles and Disease Activity Are Correlated with Reduced T Cell Receptor Repertoire Diversity in CD4+ T Cells in Rheumatoid Arthritis | <i>J Rheumatol</i> | 45(7) | 905-914 | 2018 |
| Teruya S., Okamura T., Komai T., Inoue M., Iwasaki Y., Sumitomo S., Shoda H., Yamamoto K. and <u>Fujio K.</u> | Egr2-independent, Klf1-mediated induction of PD-L1 in CD4(+) T cells | <i>Sci Rep</i> | 8(1) | 7021 | 2018 |
| Kitagawa A., Tsuboi N., Yokoe Y., Katsuno T., Ikeuchi H., Kajiyama H., Endo N., Sawa Y., Suwa J., Sugiyama Y., Hachiya A., <u>Mimura T.</u> , Hiromura K. and Maruyama S. | Urinary levels of the leukocyte surface molecule CD11b associate with glomerular inflammation in lupus nephritis | <i>Kidney Int</i> | 95(3) | 680-692 | 2019 |
| Araki Y., Aizaki Y., Sato K., Oda H., Kurokawa R. and <u>Mimura T.</u> | Altered gene expression profiles of histone lysine methyltransferases and demethylases in rheumatoid arthritis synovial fibroblasts | <i>Clin Exp Rheumatol</i> | 36(2) | 314-316 | 2018 |

| | | | | | |
|---|--|------------------------------|--------|-----------|------|
| Hanaoka H., Iida H., Kiyokawa T., Takakuwa Y. and <u>Kawahata K.</u> | Mycophenolate mofetil treatment with or without a calcineurin inhibitor in resistant inflammatory myopathy | <i>Clin Rheumatol</i> | 38(2) | 585-590 | 2019 |
| Takakuwa Y., Hanaoka H., Kiyokawa T., Iida H., Fujimoto H., Yamasaki Y., Yamada H. and <u>Kawahata K.</u> | Low-dose rituximab as induction therapy for ANCA-associated vasculitis | <i>Clin Rheumatol</i> | 38(4) | 1217-1223 | 2019 |
| Takakuwa Y., Hanaoka H., Kiyokawa T., Iida H., Ishimori K., Uekusa T., Yamada H. and <u>Kawahata K.</u> | Adult-onset Still's disease-associated interstitial lung disease represents severe phenotype of the disease with higher rate of haemophagocytic syndrome and relapse) | <i>Clin Exp Rheumatol</i> | | | 2019 |
| Hanaoka H., Iida H., Kiyokawa T., Takakuwa Y. and <u>Kawahata K.</u> | Low additive effect of hydroxychloroquine on Japanese patients with systemic lupus erythematosus taking calcineurin inhibitor | <i>Int J Rheum Dis</i> | 22(3) | 468-472 | 2019 |
| Hanaoka H., Iida H., Kiyokawa T., Takakuwa Y. and <u>Kawahata K.</u> | Hydroxychloroquine Improves the Disease Activity and Allows the Reduction of the Corticosteroid Dose Regardless of Background Treatment in Japanese Patients with Systemic Lupus Erythematosus | <i>Intern Med</i> | 58(9) | 1257-1262 | 2019 |
| Uchida M., Ooka S., Goto Y., Suzuki K., Fujimoto H., Ishimori K., Matsushita H., Takakuwa Y. and <u>Kawahata K.</u> | Anti-IL-10 antibody in systemic lupus erythematosus | <i>Open Access Rheumatol</i> | 11 | 61-65 | 2019 |
| Asari Y., Yamasaki Y., Tsuchida K., Suzuki K., Akashi Y. J., Okazaki T., Ozaki S., Yamada H. and <u>Kawahata K.</u> | Hemodynamic heterogeneity of connective tissue disease patients with borderline mean pulmonary artery pressure and its distinctive characters from those with normal pulmonary artery pressure: a retrospective study | <i>Clin Rheumatol</i> | 37(12) | 3373-3380 | 2018 |
| Hanaoka H., Iida H., Kiyokawa T., Takakuwa Y. and <u>Kawahata K.</u> | A positive direct Coombs' test in the absence of hemolytic anemia predicts high disease activity and poor renal response in systemic lupus erythematosus | <i>Lupus</i> | 27(14) | 2274-2278 | 2018 |
| Shimizu J., Yamano Y., <u>Kawahata K.</u> and Suzuki N. | Relapsing polychondritis patients were divided into three subgroups: patients with respiratory involvement (R subgroup), patients with auricular involvement (A subgroup), and overlapping patients with both involvements (O subgroup), and each group had distinctive clinical characteristics | <i>Medicine (Baltimore)</i> | 97(42) | e12837 | 2018 |

| | | | | | |
|---|---|-------------------------------------|-------|------------------------------|------|
| Hanaoka H., Iida H., Kiyokawa T., Takakuwa Y., Okazaki T., Yamada H., Ozaki S. and <u>Kawahata K.</u> | Renal protective effect of antiplatelet therapy in antiphospholipid antibody-positive lupus nephritis patients without antiphospholipid syndrome | <i>PLoS One</i> | 13(5) | e0196172 | 2018 |
| Umezawa N., <u>Kawahata K.</u> , Mizoguchi F., Kimura N., Yoshihashi-Nakazato Y., Miyasaka N. and Kohsaka H. | Interleukin-23 as a therapeutic target for inflammatory myopathy | <i>Sci Rep</i> | 8(1) | 5498 | 2018 |
| Iida H, Hanaoka H, Okada Y, Kiyokawa T, Takakuwa Y, Yamada H, Okazaki T, Ozaki S, Yamaguchi K, Nakajima Y, <u>Kawahata K.</u> | A low perfusion-metabolic mismatch in 99m Tl and 123 I-BMIPP scintigraphy predicts poor prognosis in systemic sclerosis patients with asymptomatic cardiac involvement. | <i>Int J Rheum Dis</i> | | doi: 10.1111/1756-185X.13508 | 2019 |
| Hanaoka H, Iida H, Kiyokawa T, Takakuwa Y, <u>Kawahata K.</u> | Early achievement of deep remission predicts low incidence of renal flare in lupus nephritis class III or IV. | <i>Arthritis Res Ther</i> | 20(1) | 86 | 2018 |
| <u>Shimizu M.</u> , Mizuta M., Yasumi T., Iwata N., Okura Y., Kinjo N., Umebayashi H., Kubota T., Nakagishi Y., Nishimura K., Yashiro M., Yasumura J., Yamazaki K., Wakiguchi H., Okamoto N. and <u>Mori M.</u> | Validation of Classification Criteria of Macrophage Activation Syndrome in Japanese Patients With Systemic Juvenile Idiopathic Arthritis | <i>Arthritis Care Res (Hoboken)</i> | 70(9) | 1412-1415 | 2018 |
| Matsui T., Matsumoto T., Hirano F., Tokunaga F., Okamoto K., Tohma S., Morio T., Kohsaka H. and <u>Mori M.</u> | Survey of the awareness of adult rheumatologists regarding transitional care for patients with juvenile idiopathic arthritis in Japan | <i>Mod Rheumatol</i> | 28(6) | 981-985 | 2018 |
| <u>Mori M.</u> , Hara T., Kikuchi M., Shimizu H., Miyamoto T., Iwashima S., Oonishi T., Hashimoto K., Kobayashi N., Waki K., Suzuki Y., Otsubo Y., Yamada H., Ishikawa C., Kato T. and Fuse S. | Infliximab versus intravenous immunoglobulin for refractory Kawasaki disease: a phase 3, randomized, open-label, active-controlled, parallel-group, multicenter trial | <i>Sci Rep</i> | 8(1) | 1994 | 2018 |
| <u>Mori M.</u> , Nakagawa M., Tsuchida N., Kawada K., Sato J., Sakiyama M., Hirano S., Sato K. and Nakamura H. | Proposal for the development of biologics in pediatric rheumatology | <i>Pediatr Int</i> | 60(2) | 108-114 | 2018 |

| | | | | | |
|--|---|------------------------------|--------|-----------|------|
| Mori M., Sugiyama N., Morishima Y., Sugiyama N., Kokubo T., Takei S. and Yokota S. | Safety and effectiveness of etanercept for treatment of juvenile idiopathic arthritis: Results from a postmarketing surveillance | <i>Mod Rheumatol</i> | 28(1) | 101-107 | 2018 |
| Nakaseko H., Iwata N., Yasuoka R., Kohagura T., Abe N., Kawabe S. and Mori M. | Pharmacokinetics of mycophenolate mofetil in juvenile patients with autoimmune diseases) | <i>Mod Rheumatol</i> | 1-15 | | 2018 |
| Sakurai N., Hino-Shishikura A., Nozawa T., Kamide H., Ohara A., Nishimura K., Kikuchi M., Hara R., Mori M. and Ito S. | Clinical significance of subcutaneous fat and fascial involvement in juvenile dermatomyositis) | <i>Mod Rheumatol</i> | 1-6 | | 2018 |
| Yokoyama K., Mori M. and Yoshida A. | Mycophenolate mofetil therapy for two cases of antiphospholipid antibody-associated chorea | <i>Mod Rheumatol</i> | 28(4) | 709-711 | 2018 |
| Sakumura N., Shimizu M., Mizuta M, Inoue N, Nakagishi Y, Yachie A. | Soluble CD163, a unique biomarker to evaluate the disease activity, exhibits macrophage activation in systemic juvenile idiopathic arthritis. | <i>Cytokine</i> | 110 | 459-65 | 2018 |
| Okamoto N., Yokota S., Takei S., Okura Y., Kubota T., Shimizu M., Nozawa T., Iwata N., Umebayashi H., Kinjo N., Kunishima T., Yasumura J. and Mori M. | Clinical practice guidance for juvenile idiopathic arthritis (JIA) 2018 | <i>Mod Rheumatol</i> | 29(1) | 41-59 | 2019 |
| Takakura M., Shimizu M., Yakoyama T., Mizuta M. and Yachie A. | Transient natural killer cell dysfunction associated with interleukin-18 overproduction in systemic juvenile idiopathic arthritis | <i>Pediatr Int</i> | 60(10) | 984-985 | 2018 |
| Shabana K., Okamoto N., Sugita Y., Shindo K., Murata T., Tamai H. and Fujiwara K. | The findings of musculoskeletal ultrasonography on primary Sjogren's syndrome patients in childhood with articular manifestations and the impact of anti-cyclic citrullinated peptide antibody) | <i>Mod Rheumatol</i> | | 1-20 | 2018 |
| Kumagai H., Tobina T., Ichinoseki-Sekine N., Kakigi R., Tsuzuki T., Zempo H., Shiose K., Yoshimura E., Kumahara H., Ayabe M., Higaki Y., Yamada R., Kobayashi H., Kiyonaga A., Naito H., Tanaka H. and Fuku N. | Role of selected polymorphisms in determining muscle fiber composition in Japanese men and women | <i>J Appl Physiol (1985)</i> | 124(5) | 1377-1384 | 2018 |

| | | | | | |
|--|---|------------------|-------|---------|------|
| Wang J. and <u>Yamada R.</u> | In silico study of medical decision-making for rare diseases: heterogeneity of decision-makers in a population improves overall benefit | <i>PeerJ</i> | 6 | e5677 | 2018 |
| <u>富板美奈子</u> | 小児期のシェーグレン症候群の診断と外来フォローのポイント | 小児科 | 60(3) | 251-257 | 2019 |
| <u>富板美奈子</u> | 小児期シェーグレン症候群 | 日本臨床 | 77(3) | 484-488 | 2019 |
| 五野貴久、 <u>桑名正隆</u> | 成人特発性炎症性筋疾患 | 日本臨床 | 77(3) | 456-461 | 2019 |
| <u>桑名正隆</u> | 炎症性筋疾患と自己抗体 | Medical Practice | 35(6) | 879-884 | 2018 |
| <u>藤井 隆夫</u> 、 <u>野澤 和久</u> 、 <u>高崎 芳成</u> | 小型血管炎. ANCA 関連血管炎; 専門領域の視点から. 診療科による ANCA 関連血管炎治療に対する考え方の相違について | 日本臨床 | 76 | 371-376 | 2018 |
| <u>小林一郎</u> | Single Hub and Access point for pediatric Rheumatology in Europe (SHARE)による若年性皮膚筋炎における推奨, | リウマチ科 | 59 | 381 | 2018 |

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書 籍 名 | 出版社名 | 出版地 | 出版年 | ページ |
|------------------------|--|----------------------------------|-----------------------------|--------|-----|------|--------------------|
| 坪井洋人、萩原晋也、 <u>住田孝之</u> | 病型と診断基準、分類基準 | 竹内勤、川上純、住田孝之 | シェーグレン症候群の診断と治療マニュアル | 診断と治療社 | 東京 | 2018 | 2-13 |
| <u>住田孝之</u> | これからの治療と展望 | 竹内勤、川上純、住田孝之 | シェーグレン症候群の診断と治療マニュアル | 診断と治療社 | 東京 | 2018 | 225-230 |
| 鬼澤 秀夫、 <u>中嶋蘭</u> | 医学用語解説 MDA5 | 宮坂 信之 | 炎症と免疫 | 先端医学社 | 東京都 | 2018 | 548-551 |
| <u>正木康史</u> | 第4章 臨床症状 2 腺外症状 1) 血液リンパ増殖性病変 第4章 臨床症状 5 IgG4 関連疾患 1) 診断 | 日本シェーグレン症候群学会 | シェーグレン症候群の診断と治療マニュアル 改訂第3版 | 診断と治療社 | 東京 | 2018 | p117-122, p178-186 |
| <u>正木康史</u> | 第2部 各疾患別ステロイドの使い方 正木康史 2. 血液疾患 | 山本一彦 | 改訂第3版ステロイドの選び方・使い方ハンドブック | 羊土社 | 東京 | 2018 | p113-139 |
| 森山 雅文、 <u>中村誠司</u> | 第3章 診断手技・手法 1. 唾液分泌量の測定 | 日本シェーグレン症候群学会 | シェーグレン症候群の診断と治療マニュアル 改訂第3版 | 診断と治療社 | 東京 | 2018 | 44-47 |
| 森山 雅文、 <u>中村誠司</u> | 第5章 対応と治療 2. 口腔乾燥症の対応と治療 | 日本シェーグレン症候群学会 | シェーグレン症候群の診断と治療マニュアル 改訂第3版 | 診断と治療社 | 東京 | 2018 | 214-218 |
| 小川葉子、 <u>坪田一男</u> | 涙腺生検病理診断. | 日本シェーグレン症候群学会編集 竹内勤、川上 純、住田孝之監修. | シェーグレン症候群の診断と治療マニュアル. 改訂第3版 | 診断と治療社 | 東京 | 2018 | 76-82 |
| <u>高村悦子</u> | Schirmer テスト・涙液層破壊時間・角結膜染色検査 | 日本シェーグレン症候群学会編集、竹内勤、川上純、住田孝之監修 | シェーグレン症候群の診断と治療マニュアル改訂第3版 | 診断と治療社 | 東京 | 2018 | |
| <u>富板美奈子</u> | 小児のシェーグレン症候群 | 日本シェーグレン症候群学会 | シェーグレン症候群の診断と治療マニュアル改訂第3版 | 診断と治療社 | 東京 | 2018 | 168-177 |

| | | | | | | | |
|-------------|--|---|--|--------------------------------------|--------------|------|-----------|
| 富板美奈子 | 小児期シェーグレン症候群診断の手引き | 厚生労働科学研究費補助金難治性疾患等政策研究事業若年性特発性関節炎と主とした小児リウマチ性疾患の診断基準・重症度分類の標準化とエビデンスに基づいたガイドラインの策定に関する研究班シェーグレン症候群分担任 | 小児期シェーグレン症候群診療の手引き | 羊土社 | 東京 | 2018 | 31-36 |
| 富板美奈子 | Sjögren 症候群 | 「小児内科」・「小児外科」合同編集委員会 | 小児疾患の診断・治療基準 小児内科 50 巻臨時増刊号 | 東京医学社 | 東京 | 2018 | 306-307 |
| 富板美奈子 | IGG4 関連疾患 | 稲毛康司 | 小児科ステロイドの使い方・止め方・続け方 | 文光堂 | 東京 | 2019 | 88-91 |
| 秋葉靖、富板美奈子 | エリテマトーデス | 大嶋勇成、宮地良樹 | こどもの皮膚の診かた | 診断と治療社 | 東京 | 2019 | 157-159 |
| Hirohata S. | Epidemiology of Neuropsychiatric Systemic Lupus Erythematosus | Hirohata S. | Neuropsychiatric Systemic Lupus Erythematosus: Pathogenesis, Clinical Aspects and Treatment. | Springer International Publishing AG | New York, NY | 2018 | pp. 1-14 |
| Hirohata S. | Immunopathology of Neuropsychiatric Systemic Lupus Erythematosus | Hirohata S. | Neuropsychiatric Systemic Lupus Erythematosus: Pathogenesis, Clinical Aspects and Treatment. | Springer International Publishing AG | New York, NY | 2018 | pp. 29-42 |
| Hirohata S. | Pathology of Neuropsychiatric Systemic Lupus Erythematosus | Hirohata S. | Neuropsychiatric Systemic Lupus Erythematosus: Pathogenesis, Clinical Aspects and Treatment. | Springer International Publishing AG | New York, NY | 2018 | pp. 43-58 |

| | | | | | | | |
|---|--|-----------------------|---|---|-----------------|----------------|-------------|
| Arinuma Y, Hirohata S. | Clinical Features | Hirohata S. | Neuropsychiatric Systemic Lupus Erythematosus: Pathogenesis, Clinical Aspects and Treatment. | pringer International Publishing AG | New York, NY | 2018 | pp. 59-76 |
| Arinuma Y, Hirohata S. | Imaging of Neuropsychiatric Systemic Lupus Erythematosus | Hirohata S. | Neuropsychiatric Systemic Lupus Erythematosus: Pathogenesis, Clinical Aspects and Treatment. | pringer Interna tional Publishi ng AG | New York, NY | 2018 | pp. 123-128 |
| 厚労科研: JIA を主 とした小児リウマ チ性疾患の診断基 準・重症度分類の 標準化とエビデン スに基づいたガイ ドラインの策定に 関する研究班 (代 表、森雅亮) | 小児 SLE 診療の 手引き 2018 | 武井修治 | 小児 SLE の診療の手 引き 2018 | 羊土社 | 東京 | 2018 | |
| 亀田秀人 | 全身性エリテマ トーデス | 福井次矢、高 木誠、小室一 成 | 今日の治療指針 | 医学書院 | 東京 | 2018 | 840-842 |
| 亀田秀人 | ステロイド等価 換算、薬物相互 作用 | 山本一彦 | ステロイドの選び方 ・使い方ハンドブック 改訂第 3 版 | 羊土社 | 東京 | 2018 | 27-33 |
| Araki Y, Mimura T | Chapter 12: Epigenetic Basis of Autoimmune Disorders in Humans. | Trygve Tollefsbol | Epigenetics in Human Disease, 2nd edition. | Elsevie | | 2018. 5. 18 | 353-386 |
| 三村俊英 | X 膠原病・類縁 疾患. 9. 成人ス テイル病 | 門脇孝・小室 一成・宮地良 樹 | 「診療ガイドライン」 UP-TO-DATE2018-2019 | メディカルレビ ュー社 | | 2018. 1. 17 | 645-649 |
| 川畑仁人 | リウマチ・膠原 病治療総論 | 川畑仁人 | リウマチ・膠原病治療 薬ハンドブッカーエ キスパートが教える 極意―第 1 版 | 文光堂 | 東京 | 2018 | 2-6 |
| 川畑仁人 | 添付文書及びガ イドラインに基 づく薬剤と疾患 の対応表 | 川畑仁人 | リウマチ・膠原病治療 薬ハンドブッカーエ キスパートが教える 極意―第 1 版 | 文光堂 | 東京 | 2018 | 18-21 |

| | | | | | | | |
|--|--|---|--|--------------------------------|----------|------|---------|
| 川畑仁人 | セルトリズマブ ペゴル | 川畑仁人 | リウマチ・膠原病治療 薬ハンドブックーエ キスパートが教える 極意ー第1版 | 文光堂 | 東京 | 2018 | 100-106 |
| 岡本奈美 | 分担執筆 | 厚生労働科学 研究費補助金 難治性疾患等 政策研究事業 自己免疫疾患 に関する調査 研究班 | 成人スチル病診療ガ イドライン 2017 年版 | 診断と治療社 | 東京 | 2018 | |
| 岡本奈美 | 腺障害の検査 | 厚生労働科学 研究費補助金 難治性疾患等 政策研究事業 若年性特発性 関節炎を主と した小児リウ マチ性疾患の 診断基準・重 症度分類の標 準化とエビデ ンスに基づい たガイドライ ンの策定に関 する研究班 | 小児期シェーグレン 症候群診療の手引き 2018 年版 | 羊土社 | 東京 | 2018 | 27-30 |
| 森 雅亮. | 若年性特発性関 節炎. | | 希少疾患用医薬品の 適応拡大と事業性評 価. | 技術情報協会 | 東京 | 2018 | |
| 森 雅亮. | 小児リウマチ 性疾患における 薬剤. | | リウマチ・膠原病治療 薬ハンドブック. | 文光堂 | 東京 | 2018 | 215-231 |
| 森 雅亮. | 若年性特発性関 節炎. | | 診断と治療のABC 139 リウマチ・膠原病. | 最新医学社 | 東京 | 2018 | 88-97. |
| 岡本奈美 | 若年性特発性関 節炎 (JIA) | 稲毛康司 | 小児科ステロイドの 使い方・止め方・続け 方. | 文光堂 | 東京 | 2018 | 69-71 |
| Kawaguchi S, Higasa K, Yamada R, Matsuda F | Comprehensive HLA typing from a current allele database using next-generation sequencing data | Sebastian Bo egel | HLA Typing | Humana Press, N ew York, NY | New York | 2018 | 225-233 |

研究成果の刊行に関する一覧表(令和元年度)

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|----------------------------------|-------|----------|----------|
| Ono Y., Tsuboi H., Moriyama M., Asashima H., Kudo H., Takahashi H., Honda F., Abe S., Kondo Y., Takahashi S., Matsumoto I., Nakamura S., and Sumida T. | RORgammat antagonist improves Sjogren's syndrome-like sialadenitis through downregulation of CD25 | <i>Oral Dis</i> | 26(4) | 766-777 | 2020 |
| Takakura M, Shimizu M, Irabu H, Sakumura N, Inoue N, Mizuta M, Nakagishi Y, Yachie A. | Comparison of serum biomarkers for the diagnosis of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis during tocilizumab therapy | <i>Clin Immunol</i> | | in press | 2020 |
| Abe N., Kato M., Kono M., Fujieda Y., Ohira H., Tsujino I., Oyama-Manabe N., Oku K., Bohgaki T., Yasuda S., and Atsumi T. | Right ventricular dimension index by cardiac magnetic resonance for prognostication in connective tissue diseases and pulmonary hypertension | <i>Rheumatology (Oxford)</i> | 59(3) | 622-633 | 2020 |
| Takenaka S, Ogura T, Oshima H, Izumi K, Hirata A, Ito H, Mizushina K, Inoue Y, Katagiri T, Hayashi N, Kameda H. | Development and exacerbation of pulmonary non-tuberculous mycobacterial infection in patients with systemic autoimmune rheumatic diseases. | <i>Mod Rheumatol</i> | | | in press |
| Matsumoto K., Suzuki K., Yoshimoto K., Seki N., Tsujimoto H., Chiba K., and Takeuchi T. | Significant association between clinical characteristics and immuno-phenotypes in patients with ANCA-associated vasculitis | <i>Rheumatology (Oxford)</i> | 59(3) | 545-553 | 2020 |
| Watanabe E., Gono T., Kuwana M., and Terai C. | Predictive factors for sustained remission with stratification by myositis-specific autoantibodies in adult polymyositis/dermatomyositis | <i>Rheumatology (Oxford)</i> | 59(3) | 586-593 | 2020 |
| Jinnin M., Ohta A., Ishihara S., Amano H., Atsumi T., Fujimoto M., Kanda T., Kawaguchi Y., Kawakami A., Mimori A., Mimori T., Mimura T., Muro Y., Sano H., Shimizu J., Takeuchi T., Tanaka Y., Yamamoto K., Sumida T., Kohsaka H., Research Team for Autoimmune Diseases T.R.P.f.I.D.o.t.M.o.H.L., and Welfare | First external validation of sensitivity and specificity of the European League Against Rheumatism (EULAR)/American College of Rheumatology (ACR) classification criteria for idiopathic inflammatory myopathies with a Japanese cohort | <i>Ann Rheum Dis</i> | 79(3) | 387-392 | 2020 |

| | | | | | |
|--|--|----------------------------|------------|-----------------------------|------|
| Nakane S., Mukaino A., Higuchi O., Yasuhiro M., Takamatsu K., Yamakawa M., Watari M., Tawara N., Nakahara K.I., Kawakami A., Matsuo H., and Ando Y. | A comprehensive analysis of the clinical characteristics and laboratory features in 179 patients with autoimmune autonomic ganglionopathy | <i>J Autoimmun</i> | 108 | 102403 | 2020 |
| Sakamoto M., Moriyama M., Shimizu M., Chinju A., Mochizuki K., Munemura R., Ohyama K., Maehara T., Ogata K., Ohta M., Yamauchi M., Ishiguro N., Matsumura M., Ohyama Y., Kiyoshima T., and Nakamura S. | The diagnostic utility of submandibular gland sonography and labial salivary gland biopsy in IgG4-related dacryoadenitis and sialadenitis: Its potential application to the diagnostic criteria | <i>Mod Rheumatol</i> | 30(2) | 379-384 | 2020 |
| Tsuji H., Nakashima R., Hosono Y., Imura Y., Yagita M., Yoshifuji H., Hirata S., Nojima T., Sugiyama E., Hatta K., Taguchi Y., Katayama M., Tanizawa K., Handa T., Uozumi R., Akizuki S., Murakami K., Hashimoto M., Tanaka M., Ohmura K., and Mimori T. | Multicenter Prospective Study of the Efficacy and Safety of Combined Immunosuppressive Therapy With High-Dose Glucocorticoid, Tacrolimus, and Cyclophosphamide in Interstitial Lung Diseases Accompanied by Anti-Melanoma Differentiation-Associated Gene 5-Positive Dermatomyositis | <i>Arthritis Rheumatol</i> | 72(3) | 488-498 | 2020 |
| Smolen J.S., Landewe R.B.M., Bijlsma J.W.J., Burmester G.R., Dougados M., Kerschbaumer A., McInnes I.B., Sepriano A., van Vollenhoven R.F., de Wit M., Aletaha D., Aringer M., Askling J., Balsa A., Boers M., den Broeder A.A., Buch M.H., Buttgereit F., Caporali R., Cardiel M.H., De Cock D., Codreanu C., Cutolo M., Edwards C.J., van Eijk-Hustings Y., Emery P., Finckh A., Gossec L., Gottenberg J.E., Hetland M.L., Huizinga T.W.J., Koloumas M., Li Z., Mariette X., Muller-Ladner U., Mysler E.F., da Silva J.A.P., Poor G., Pope J.E., Rubbert-Roth A., Ruysen-Witrand A., Saag K.G., Strangfeld A., Takeuchi T., Voshaar M., Westhovens R., and van der Heijde D. | EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2019 update | <i>Ann Rheum Dis</i> | | pii:annrheumdis-2019-216655 | 2020 |
| Tanaka Y., Kameda H., Saito K., Kaneko Y., Tanaka E., Yasuda S., Tamura N., Fujio K., Fujii T., Kojima T., Anzai T., Hamada C., Fujino Y., Matsuda S., and Kohsaka H. | Response to tocilizumab and work productivity in patients with rheumatoid arthritis: 2-year follow-up of FIRST ACT-SC study | <i>Mod Rheumatol</i> | 2020 Jan20 | 1-11 | 2020 |

| | | | | | |
|--|---|-------------------------------------|-------|---------|------|
| Shimizu M., Mizuta M., Okamoto N., Yasumi T., Iwata N., Umebayashi H., Okura Y., Kinjo N., Kubota T., Nakagishi Y., Nishimura K., Mohri M., Yashiro M., Yasumura J., Wakiguchi H., and Mori M. | Tocilizumab modifies clinical and laboratory features of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis | <i>Pediatr Rheumatol Online J</i> | 18(1) | 2 | 2020 |
| Tanaka Y., Kuwana M., Fujii T., Kameda H., Muro Y., Fujio K., Itoh Y., Yasuoka H., Fukaya S., Ashihara K., Hirano D., Ohmura K., Tabuchi Y., Hasegawa H., Matsumiya R., Shirai Y., Ogura T., Tsuchida Y., Ogawa-Momohara M., Narazaki H., Inoue Y., Miyagawa I., Nakano K., Hirata S., and Mori M. | 2019 Diagnostic criteria for mixed connective tissue disease (MCTD): From the Japan research committee of the ministry of health, labor, and welfare for systemic autoimmune diseases | <i>Mod Rheumatol</i> | | 1-5 | 2020 |
| Kamiya M., Mizoguchi F., Takamura A., Kimura N., Kawahata K., and Kohsaka H. | A new in vitro model of polymyositis reveals CD8+ T cell invasion into muscle cells and its cytotoxic role | <i>Rheumatology (Oxford)</i> | 59(1) | 224-232 | 2020 |
| Kaneko Y., Nunokawa T., Taniguchi Y., Yamaguchi Y., Gono T., Masui K., Kawakami A., Kawaguchi Y., Sato S., Kuwana M., and investigators J. | Clinical characteristics of cancer-associated myositis complicated by interstitial lung disease: a large-scale multicentre cohort study | <i>Rheumatology (Oxford)</i> | 59(1) | 112-119 | 2020 |
| Akaishi T., Yasaka K., Abe M., Fujii H., Watanabe M., Shirai T., Ishizawa K., Takayama S., Kagaya Y., Harigae H., and Ishii T. | Protein-losing gastroenteropathy with severe hypoalbuminemia associated with Sjogren's syndrome: A case report and review of the literature | <i>J Gen Fam Med</i> | 21(1) | 24-28 | 2020 |
| Dittmer M.R., Ogawa-Momohara M., Muro Y., Kono M., and Akiyama M. | Remodelling of calcinosis cutis in a patient with scleroderma overlap syndrome | <i>J Eur Acad Dermatol Venereol</i> | 34(1) | e20-e21 | 2020 |
| Hanyuda A., Sawada N., Uchino M., Kawashima M., Yuki K., Tsubota K., Yamagishi K., Iso H., Yasuda N., Saito I., Kato T., Abe Y., Arima K., Tanno K., Sakata K., Shimazu T., Yamaji T., Goto A., Inoue M., Iwasaki M., Tsugane S., and Group J.-N.S. | Physical inactivity, prolonged sedentary behaviors, and use of visual display terminals as potential risk factors for dry eye disease: JPHC-NEXT study | <i>Ocul Surf</i> | 18(1) | 56-63 | 2020 |

| | | | | | |
|--|--|----------------------------|--------|---------|------|
| Ishiguro N., Moriyama M., Furusho K., Furukawa S., Shibata T., Murakami Y., Chinju A., Haque A., Gion Y., Ohta M., Maehara T., Tanaka A., Yamauchi M., Sakamoto M., Mochizuki K., Ono Y., Hayashida J.N., Sato Y., Kiyoshima T., Yamamoto H., Miyake K., and Nakamura S. | Activated M2 Macrophages Contribute to the Pathogenesis of IgG4-Related Disease via Toll-like Receptor 7/Interleukin-33 Signaling | <i>Arthritis Rheumatol</i> | 72(1) | 166-178 | 2020 |
| Masaki Y., Kawabata H., Takai K., Tsukamoto N., Fujimoto S., Ishigaki Y., Kurose N., Miura K., Nakamura S., Aoki S., and Japanese T.S.R.T. | 2019 Updated diagnostic criteria and disease severity classification for TAFRO syndrome | <i>Int J Hematol</i> | 111(1) | 155-158 | 2020 |
| Minamiyama S., Ueda S., Nakashima R., Yamakado H., Sakato Y., Yamashita H., Sawamoto N., Fujimoto R., Nishino I., Urushitani M., Mimori T., and Takahashi R. | Thigh muscle MRI findings in myopathy associated with anti-mitochondrial antibody | <i>Muscle Nerve</i> | 61(1) | 81-87 | 2020 |
| Takeshita M., Suzuki K., Kaneda Y., Yamane H., Ikeura K., Sato H., Kato S., Tsunoda K., Arase H., and Takeuchi T. | Antigen-driven selection of antibodies against SSA, SSB and the centromere 'complex', including a novel antigen, MIS12 complex, in human salivary glands | <i>Ann Rheum Dis</i> | 79(1) | 150-158 | 2020 |
| Tanaka Y., Takeuchi T., Okada M., Ishii T., Nakajima H., Kawai S., Nagashima T., Hayashi N., Wang L., and Tummala R. | Safety and tolerability of anifrolumab, a monoclonal antibody targeting type I interferon receptor, in Japanese patients with systemic lupus erythematosus: A multicenter, phase 2, open-label study | <i>Mod Rheumatol</i> | 30(1) | 101-108 | 2020 |
| Imamura M., Mukaino A., Takamatsu K., Tsuboi H., Higuchi O., Nakamura H., Abe S., Ando Y., Matsuo H., Nakamura T., Sumida T., Kawakami A., and Nakane S. | Ganglionic Acetylcholine Receptor Antibodies and Autonomic Dysfunction in Autoimmune Rheumatic Diseases | <i>Int J Mol Sci</i> | 21(4) | | 2020 |
| Concha J.S.S., Pena S., Gaffney R.G., Patel B., Tarazi M., Kushner C.J., Merola J.F., Fiorentino D., Dutz J.P., Goodfield M., Nyberg F., Volc-Platzer B., Fujimoto M., Ang C.C., Werth V.P., and Skin Myositis Delphi G. | Developing classification criteria for skin-predominant dermatomyositis: the Delphi process | <i>Br J Dermatol</i> | 182(2) | 410-417 | 2020 |

| | | | | | |
|--|--|-----------------------|-------|----------|------|
| Kobayashi I., Akioka S., Kobayashi N., Iwata N., Takezaki S., Nakaseko H., Sato S., Nishida Y., Nozawa T., Yamasaki Y., Yamazaki K., Arai S., Nishino I., and Mori M. | Clinical practice guidance for juvenile dermatomyositis (JDM) 2018-Update | <i>Mod Rheumatol</i> | | 1-13 | 2020 |
| Harigai M., Winthrop K., Takeuchi T., Hsieh T.Y., Chen Y.M., Smolen J.S., Burmester G., Walls C., Wu W.S., Dickson C., Liao R., and Genovese M.C. | Evaluation of hepatitis B virus in clinical trials of baricitinib in rheumatoid arthritis | <i>RMD Open</i> | 6(1) | e001095 | 2020 |
| Urashima K., Ichinose K., Kondo H., Maeda T., Kawakami A., and Ozawa H. | The prevalence of insomnia and restless legs syndrome among Japanese outpatients with rheumatic disease: A cross-sectional study | <i>PLoS One</i> | 15(3) | e0230273 | 2020 |
| Kizawa T, Shabana K, Inoue N, Okura Y, Okamoto N, Kubota T, Shimizu M, Nakagishi Y, Nishimura K, Mizuta M, Yashiro M, Yasumi T, Yasumura J, Yamaide A, Wakiguchi H, Umebayashi H, Mori M. | Clinical Guidance for Abatacept of Juvenile Idiopathic Arthritis. | <i>Mod Rheumatol</i> | | | 2020 |
| Yamazaki K, Ohta A, Akioka S, Nozawa T, Ohara A, Nakaseko H, Yamasaki Y, Kobayashi N, Nishida Y, Sato S, Takezaki S, Iwata N, Nishimura K, Kishi T, Hashimoto M, Kobayashi I, Mori M, The Research Team for Pediatric Rheumatic Disease, The Research Program for Intractable Disease of the Ministry of Health, Labor and Welfare | External validation of the EULAR/ACR idiopathic inflammatory myopathies classification criteria with Japanese paediatric cohort. | <i>Rheumatology</i> | | | 2020 |
| Matsumoto, T., T. Matsui, F. Hirano, S. Tohma, and M. Mori. | Disease activity, treatment and long-term prognosis of adult juvenile idiopathic arthritis patients compared with rheumatoid arthritis patients. | <i>Mod Rheumatol,</i> | 30(1) | 78-84 | 2020 |

| | | | | | |
|---|---|----------------------------------|------------------------------------|---|------|
| Tsuda S., Sameshima A., Sekine M., Kawaguchi H., Fujita D., Makino S., Morinobu A., Murakawa Y., Matsui K., Sugiyama T., Watanabe M., Suzuki Y., Nagahori M., Murashima A., Atsumi T., Oku K., Mitsuda N., Takei S., Miyamae T., Takahashi N., Nakajima K., Saito S., Ministry of Health L., and Welfare Working Group for "Guideline for The Treatment of Rheumatoid Arthritis or Inflammatory Bowel Disease Bearing Women in Child-bearing A. | Pre-conception status, obstetric outcome and use of medications during pregnancy of systemic lupus erythematosus (SLE), rheumatoid arthritis (RA) and inflammatory bowel disease (IBD) in Japan: Multi-center retrospective descriptive study | <i>Mod Rheumatol</i> | DOI: 10.1080/14397595.2019.1661592 | 1-10 | 2019 |
| Takada K., Katada Y., Ito S., Hayashi T., Kishi J., Itoh K., Yamashita H., Hirakata M., Kawahata K., Kawakami A., Watanabe N., Atsumi T., Takasaki Y., and Miyasaka N. | Impact of adding tacrolimus to initial treatment of interstitial pneumonitis in polymyositis/dermatomyositis: a single-arm clinical trial | <i>Rheumatology (Oxford)</i> | doi: 10.1093/rheumatology/kez394 | | 2019 |
| Fujimoto S., Sakai T., Kawabata H., Kurose N., Yamada S., Doai M., Matoba M., Iwao-Kawanami H., Kawanami T., Mizuta S., Fukushima T., Mizumaki H., Yamaguchi M., and Masaki Y. | A case of osteosarcoma manifesting systemic inflammation and histological features mimicking plasma cell type Castleman disease. | <i>Intern Med</i> | 96(50) | e9220. doi: 10.1097/MD.00000000000009220. | 2019 |
| Akiyama M., Suzuki K., Kaneko Y., and Takeuchi T. | IgG4-Related Disease: A Growing Appreciation of Follicular Helper T Cell Expansion | <i>Clin Transl Gastroenterol</i> | 10(9) | e00076 | 2019 |
| Fujimoto S., Sakai T., Kawabata H., Kurose N., Yamada S., Takai K., Aoki S., Kuroda J., Ide M., Setoguchi K., Tsukamoto N., Iwao-Kawanami H., Kawanami T., Mizuta S., Fukushima T., and Masaki Y. | Is TAFRO syndrome a subtype of idiopathic multicentric Castleman disease? | <i>Am J Hematol</i> | 94(9) | 975-983 | 2019 |
| Iwata N., Nakaseko H., Kohagura T., Yasuoka R., Abe N., Kawabe S., Sugiura S., and Muro Y. | Clinical subsets of juvenile dermatomyositis classified by myositis-specific autoantibodies: Experience at a single center in Japan | <i>Mod Rheumatol</i> | 29(5) | 802-807 | 2019 |
| Katagiri T., Yamazaki S., Fukui Y., Aoki K., Yagita H., Nishina T., Mikami T., Katagiri S., Shiraishi A., Kimura S., Tateda K., Sumimoto H., Endo S., Kameda H., and Nakano H. | JunB plays a crucial role in development of regulatory T cells by promoting IL-2 signaling | <i>Mucosal Immunol</i> | 12(5) | 1104-1117 | 2019 |

| | | | | | |
|--|---|-------------------------------------|----------|-----------|------|
| Oya K., Inoue S., Saito A., Nakamura Y., Ishitsuka Y., Fujisawa Y., Watanabe R., Taguchi S., Fujimoto M., and Okiyama N. | Pregnancy triggers the onset of anti-transcriptional intermediary factor 1 gamma antibody-positive dermatomyositis: a case series | <i>Rheumatology (Oxford)</i> | | | 2019 |
| Ogura T., Hirata A., Hayashi N., Imaizumi C., Ito H., Takenaka S., Inoue Y., Takakura Y., Mizushina K., Katagiri T., and Kameda H. | Finger joint cartilage evaluated by semi-quantitative ultrasound score in patients with rheumatoid arthritis | <i>Arthritis Care Res (Hoboken)</i> | | in press | 2019 |
| Hanaoka H., Iida H., Kiyokawa T., Takakuwa Y., and Kawahata K. | Glucocorticoid, immunosuppressant, hydroxychloroquine monotherapy, or no therapy for maintenance treatment in systemic lupus erythematosus without major organ manifestations | <i>Clin Rheumatol</i> | 38(10) | 2785-2791 | 2019 |
| Ishiguro Y., Muro Y., Murase C., Takeichi T., Kono M., Adachi R., Takahashi K., and Akiyama M. | Drug-induced acute eosinophilic pneumonia due to hydroxychloroquine in a chilblain lupus patient | <i>J Dermatol</i> | 46(10) | e356-e357 | 2019 |
| Kurose N., Guo X., Shioya A., Mizutani K.I., Kumagai M., Fujimoto S., Kawabata H., Masaki Y., Takai K., Aoki S., Nakamura S., and Yamada S. | The potential role of follicular helper T cells in idiopathic multicentric Castleman disease with and without TAFRO syndrome | <i>Pathol Res Pract</i> | 215 (10) | 152563 | 2019 |
| Matsuo H., Yanaba K., Umezawa Y., Nakagawa H., and Muro Y. | Anti-SAE Antibody-Positive Dermatomyositis in a Japanese Patient: A Case Report and Review of the Literature | <i>J Clin Rheumatol</i> | 25(7) | e115-e116 | 2019 |
| Ogawa-Momohara M., Muro Y., Mitsuma T., Katayama M., Yanaba K., Nara M., Kakeda M., and Akiyama M. | Clinical characteristics of anti-Ro52 α and anti-Ro52 β antibodies in dermatomyositis/polymyositis. | <i>J Dermatol Sci</i> | 96(1) | 50-52 | 2019 |
| Shimizu M., Kizawa T., Kato R., Suzuki T., and Yachie A. | Macrophage activation syndrome in neonates born to mothers with adult-onset Still's disease: Perinatal effect of maternal IL-18 | <i>Clin Immunol</i> | 207 | 36-39 | 2019 |
| Sugawara E., Kato M., Fujieda Y., Oku K., Bohgaki T., Yasuda S., Umazume T., Morikawa M., Watari H., and Atsumi T. | Pregnancy outcomes in women with rheumatic diseases: a real-world observational study in Japan | <i>Lupus</i> | 28(12) | 1407-1416 | 2019 |
| Takeshita M., Suzuki K., Kondo Y., Morita R., Okuzono Y., Koga K., Kassai Y., Gamo K., Takiguchi M., Kurisu R., Mototani H., Ebisuno Y., Yoshimura A., and Takeuchi T. | Multi-dimensional analysis identified rheumatoid arthritis-driving pathway in human T cell | <i>Ann Rheum Dis</i> | 78(10) | 1346-1356 | 2019 |

| | | | | | |
|---|--|-------------------------------|---------|-------------|------|
| Takeuchi T., Tanaka Y., Tanaka S., Kawakami A., Iwasaki M., Katayama K., Rokuda M., Izutsu H., Ushijima S., Kaneko Y., Shiomi T., Yamada E., and van der Heijde D. | Efficacy and safety of peficitinib (ASP015K) in patients with rheumatoid arthritis and an inadequate response to methotrexate: results of a phase III randomised, double-blind, placebo-controlled trial (RAJ4) in Japan | <i>Ann Rheum Dis</i> | 78(10) | 1305-1319 | 2019 |
| Tokuhira M., Saito S., Suzuki K., Higashi M., Momose S., Shimizu T., Mori T., Kimura Y., Amano K., Okamoto S., Takeuchi T., Tamaru J.I., and Kizaki M. | Clinicopathological features of clinical methotrexate-related lymphoproliferative disorders | <i>Leuk Lymphoma</i> | 60(10) | 2508-2515 | 2019 |
| Negishi H., Endo N., Nakajima Y., Nishiyama T., Tabunoki Y., Nishio J., Koshiba R., Matsuda A., Matsuki K., Okamura T., Negishi-Koga T., Ichinohe T., Takemura S., Ishiwata H., Iemura S.I., Natsume T., Abe T., Kiyonari H., Doi T., Hangai S., Yanai H., Fujio K., Yamamoto K., and Taniguchi T. | Identification of U11snRNA as an endogenous agonist of TLR7-mediated immune pathogenesis | <i>Proc Natl Acad Sci USA</i> | 116(47) | 23653-23661 | 2019 |
| Yokoyama N., Kawasaki A., Matsushita T., Furukawa H., Kondo Y., Hirano F., Sada K.E., Matsumoto I., Kusaoi M., Amano H., Nagaoka S., Setoguchi K., Nagai T., Shimada K., Sugii S., Hashimoto A., Matsui T., Okamoto A., Chiba N., Suematsu E., Ohno S., Katayama M., Migita K., Kono H., Hasegawa M., Kobayashi S., Yamada H., Nagasaka K., Sugihara T., Yamagata K., Ozaki S., Tamura N., Takasaki Y., Hashimoto H., Makino H., Arimura Y., Harigai M., Sato S., Sumida T., Tohma S., Takehara K., and Tsuchiya N. | Association of NCF1 polymorphism with systemic lupus erythematosus and systemic sclerosis but not with ANCA-associated vasculitis in a Japanese population | <i>Sci Rep</i> | 9(1) | 16366 | 2019 |
| Ota S., Muro Y., Kono M., Goto N., and Akiyama M. | Antiphospholipid antibody-positive Sjogren's syndrome with leg ulcers | <i>J Dermatol</i> | 46(11) | e429-e430 | 2019 |

| | | | | | |
|--|--|-------------------------------------|-----------------------|-----------|------|
| Retamozo S., Acar-Denizli N., Rasmussen A., Horvath I.F., Baldini C., Priori R., Sandhya P., Hernandez-Molina G., Armagan B., Praprotnik S., Kvarnstrom M., Gerli R., Sebastian A., Solans R., Rischmueller M., Pasoto S.G., Valim V., Nordmark G., Kruize A., Nakamura H., Hofauer B., Giacomelli R., Fernandes Moca Trevisani V., Devauchelle-Pensec V., Atzeni F., Gheita T.A., Consani-Fernandez S., Szanto A., Sivils K., Gattamelata A., Danda D., Kilic L., Bartoloni E., Bombardieri S., Sanchez-Guerrero J., Wahren-Herlenius M., Mariette X., Ramos-Casals M., Brito-Zeron P., and Sjogren Big Data C. | Systemic manifestations of primary Sjogren's syndrome out of the ESSDAI classification: prevalence and clinical relevance in a large international, multi-ethnic cohort of patients | <i>Clin Exp Rheumatol</i> | 37 Suppl 118(3) | 97-106 | 2019 |
| Inoue M., Kanda H., Tateishi S., and Fujio K. | Evaluation of response criteria in rheumatoid arthritis treated with biological disease-modifying antirheumatic drugs | <i>Arthritis Care Res (Hoboken)</i> | 2019 May 6 | | 2019 |
| Hanaoka H., Iida H., Kiyokawa T., Takakuwa Y., and Kawahata K. | Hydroxychloroquine Improves the Disease Activity and Allows the Reduction of the Corticosteroid Dose Regardless of Background Treatment in Japanese Patients with Systemic Lupus Erythematosus | <i>Intern Med</i> | 58(9) | 1257-1262 | 2019 |
| Tsukamoto M., Suzuki K., and Takeuchi T. | Ten-year observation of patients with primary Sjogren's syndrome: Initial presenting characteristics and the associated outcomes | <i>Int J Rheum Dis</i> | 22(5) | 929-933 | 2019 |
| Okiyama N., Inoue S., Saito A., Nakamura Y., Ishitsuka Y., Fujisawa Y., Watanabe R., and Fujimoto M. | Antihelix/helix violaceous macules in Japanese patients with anti-melanoma differentiation-associated protein 5 (MDA5) antibody-associated dermatomyositis | <i>Br J Dermatol</i> | 180(5) | 1226-1227 | 2019 |

| | | | | | |
|--|---|------------------------------|-------|----------------------------------|------|
| Fukuda K., Date H., Doi S., Fukumoto Y., Fukushima N., Hatano M., Ito H., Kuwana M., Matsubara H., Momomura S.I., Nishimura M., Ogino H., Satoh T., Shimokawa H., Yamauchi-Takahara K., Tatsumi K., Ishibashi-Ueda H., Yamada N., Yoshida S., Abe K., Ogawa A., Ogo T., Kasai T., Kataoka M., Kawakami T., Kogaki S., Nakamura M., Nakayama T., Nishizaki M., Sugimura K., Tanabe N., Tsujino I., Yao A., Akasaka T., Ando M., Kimura T., Kuriyama T., Nakanishi N., Nakanishi T., Tsutsui H., Japanese Circulation S., the Japanese Pulmonary C., and Pulmonary Hypertension Society Joint Working G. | Guidelines for the Treatment of Pulmonary Hypertension (JCS 2017/JPCPHS 2017) | <i>Circ J</i> | 83(4) | 842-945 | 2019 |
| Nakatsuka Y., Handa T., Nakashima R., Tanizawa K., Kubo T., Murase Y., Sokai A., Ikezoe K., Hosono Y., Watanabe K., Tokuda S., Uno K., Yoshizawa A., Tsuruyama T., Uozumi R., Nagai S., Hatta K., Taguchi Y., Mishima M., Chin K., Mimori T., and Hirai T. | Serum matrix metalloproteinase levels in polymyositis/dermatomyositis patients with interstitial lung disease | <i>Rheumatology (Oxford)</i> | | DOI: 10.1093/rheumatology/kez065 | 2019 |
| Sakamoto M., Moriyama M., Shimizu M., Chinju A., Mochizuki K., Munemura R., Ohyama K., Maehara T., Ogata K., Ohta M., Yamauchi M., Ishiguro N., Matsumura M., Ohyama Y., Kiyoshima T., and Nakamura S. | The diagnostic utility of submandibular gland sonography and labial salivary gland biopsy in IgG4-related dacryoadenitis and sialadenitis: Its potential application to the diagnostic criteria | <i>Mod Rheumatol</i> | | 1-6 | 2019 |
| Yamagata K., Usui J., Nagata M., Sugiyama H., Sada K.E., Muso E., Harigai M., Amano K., Atsumi T., Fujimoto S., Yuzawa Y., Kobayashi M., Saito T., Ito T., Hirawa N., Homma S., Dobashi H., Tsuboi N., Ishizu A., Arimura Y., Makino H., Matsuo S., Research Committee of Intractable Renal D., the Research Committee of Intractable Vasculitis Syndrome of the Ministry of Health L., and Welfare of J. | Histopathological classification of anti-neutrophil cytoplasmic antibody-associated glomerulonephritis in a nationwide Japanese prospective 2-year follow-up cohort study | <i>Clin Exp Nephrol</i> | 23(3) | 387-394 | 2019 |

| | | | | | |
|---|--|---------------------------|---|-----------|------|
| Hanaoka H., Iida H., Kiyokawa T., Takakuwa Y., and Kawahata K. | Low additive effect of hydroxychloroquine on Japanese patients with systemic lupus erythematosus taking calcineurin inhibitor | <i>Int J Rheum Dis</i> | 22(3) | 468-472 | 2019 |
| Kurose N., Mizutani K.I., Kumagai M., Shioya A., Guo X., Nakada S., Fujimoto S., Kawabata H., Masaki Y., Takai K., Aoki S., Kojima M., Nakamura S., Kida M., and Yamada S. | An extranodal histopathological analysis of idiopathic multicentric Castleman disease with and without TAFRO syndrome | <i>Pathol Res Pract</i> | 215(3) | 410-413 | 2019 |
| Distler O., Highland K.B., Gahlemann M., Azuma A., Fischer A., Mayes M.D., Raghu G., Sauter W., Girard M., Alves M., Clerisme-Beaty E., Stowasser S., Tetzlaff K., Kuwana M., Maher T.M., and Investigators S.T. | Nintedanib for Systemic Sclerosis-Associated Interstitial Lung Disease | <i>N Engl J Med</i> | 380 (26) | 2518-2528 | 2019 |
| Yajima N., Tsujimoto Y., Fukuma S., Sada K.E., Shimizu S., Niihata K., Takahashi R., Asano Y., Azuma T., Kameda H., Kuwana M., Kohsaka H., Sugiura-Ogasawara M., Suzuki K., Takeuchi T., Tanaka Y., Tamura N., Matsui T., Mimori T., Fukuhara S., and Atsumi T. | The development of quality indicators for systemic lupus erythematosus using electronic health data: A modified RAND appropriateness method | <i>Mod Rheumatol</i> | 26 | 1-7 | 2019 |
| Okumura T., Horie Y., Lai C.Y., Lin H.T., Shoda H., Natsumoto B., Fujio K., Kumaki E., Okano T., Ono S., Tanita K., Morio T., Kanegane H., Hasegawa H., Mizoguchi F., Kawahata K., Kohsaka H., Moritake H., Nunoi H., Waki H., Tamaru S.I., Sasako T., Yamauchi T., Kadowaki T., Tanaka H., Kitanaka S., Nishimura K., Ohtaka M., Nakanishi M., and Otsu M. | Robust and highly efficient hiPSC generation from patient non-mobilized peripheral blood-derived CD34(+) cells using the auto-erasable Sendai virus vector | <i>Stem Cell Res Ther</i> | 10(1) | 185 | 2019 |
| Kiyokawa T., Hanaoka H., Iida H., Ishimori K., Takakuwa Y., Okazaki T., Ozaki S., and Kawahata K. | High plasma mycophenolate acid concentration in the early phase of induction therapy predicts good renal outcome in lupus nephritis | <i>Mod Rheumatol</i> | 13. doi: 10.1080/14397595.2019.1623435 | 1-8 | 2019 |
| Ando T., Iijima M., Fukami Y., Nishi R., Ikeda S., Yokoi S., Kawagashira Y., Koike H., Muro Y., and Katsuno M. | Vasculitic neuropathy with anti-phosphatidylserine/prothrombin complex antibody | <i>Muscle Nerve</i> | 59(6) | E44-E46 | 2019 |

| | | | | | |
|--|---|----------------------------|--------|-----------|------|
| Elhai M., Hoffmann-Vold A.M., Avouac J., Pezet S., Cauvet A., Leblond A., Fretheim H., Garen T., Kuwana M., Molberg O., and Allanore Y. | Performance of Candidate Serum Biomarkers for Systemic Sclerosis-Associated Interstitial Lung Disease | <i>Arthritis Rheumatol</i> | 71(6) | 972-982 | 2019 |
| Iida H., Hanaoka H., Okada Y., Kiyokawa T., Takakuwa Y., Yamada H., Okazaki T., Ozaki S., Yamaguchi K., Nakajima Y., and Kawahata K. | A low perfusion-metabolic mismatch in (99m) Tl and (123) I-BMIPP scintigraphy predicts poor prognosis in systemic sclerosis patients with asymptomatic cardiac involvement | <i>Int J Rheum Dis</i> | 22(6) | 1008-1015 | 2019 |
| Ohmura K., Oku K., Kitaori T., Amengual O., Hisada R., Kanda M., Shimizu Y., Fujieda Y., Kato M., Bohgaki T., Horita T., Yasuda S., Sugiura-Ogasawara M., and Atsumi T. | Pathogenic roles of anti-C1q antibodies in recurrent pregnancy loss | <i>Clin Immunol</i> | 203 | 37-44 | 2019 |
| Genovese M.C., Kalunian K., Gottenberg J.E., Mozaffarian N., Bartok B., Matzkies F., Gao J., Guo Y., Tasset C., Sundry J.S., de Vlam K., Walker D., and Takeuchi T. | Effect of Filgotinib vs Placebo on Clinical Response in Patients With Moderate to Severe Rheumatoid Arthritis Refractory to Disease-Modifying Antirheumatic Drug Therapy: The FINCH 2 Randomized Clinical Trial | <i>JAMA</i> | 322(4) | 315-325 | 2019 |
| Nakamura T., Satoh-Nakamura T., Nakajima A., Kawanami T., Sakai T., Fujita Y., Iwao H., Miki M., Masaki Y., Okazaki T., Ishigaki Y., Kawano M., Yamada K., Matsui S., Saeki T., Kamisawa T., Yamamoto M., Hamano H., Origuchi T., Hirata S., Tanaka Y., Tsuboi H., Sumida T., Okazaki K., Tanaka M., Chiba T., Mimori T., and Umehara H. | Impaired expression of innate immunity-related genes in IgG4-related disease: A possible mechanism in the pathogenesis of IgG4-RD | <i>Mod Rheumatol</i> | | 1-7 | 2019 |
| Okiyama N., Yamaguchi Y., Koder M., Hamaguchi Y., Yokozeki H., Ishiguro N., and Fujimoto M. | Distinct Histopathologic Patterns of Finger Eruptions in Dermatomyositis Based on Myositis-Specific Autoantibody Profiles | <i>JAMA Dermatol</i> | | | 2019 |

| | | | | | |
|---|---|----------------------------------|--------|---------|------|
| Elhai M., Boubaya M., Distler O., Smith V., Matucci-Cerinic M., Alegre Sancho J.J., Truchetet M.E., Braun-Moscovici Y., Iannone F., Novikov P.I., Lescoat A., Siegert E., Castellvi I., Airo P., Vettori S., De Langhe E., Hachulla E., Erler A., Ananieva L., Krusche M., Lopez-Longo F.J., Distler J.H.W., Hunzelmann N., Hoffmann-Vold A.M., Ricciari V., Hsu V.M., Pozzi M.R., Ancuta C., Rosato E., Mihai C., Kuwana M., Saketkoo L.A., Chizzolini C., Hesselstrand R., Ullman S., Yavuz S., Rednic S., Caimmi C., Bloch-Queyrat C., Allanore Y., and for E.n. | Outcomes of patients with systemic sclerosis treated with rituximab in contemporary practice: a prospective cohort study | <i>Ann Rheum Dis</i> | 78(7) | 979-987 | 2019 |
| Hanaoka M., Katsumata Y., Kawasumi H., Kawaguchi Y., and Yamanaka H. | KL-6 is a long-term disease-activity biomarker for interstitial lung disease associated with polymyositis/dermatomyositis, but is not a short-term disease-activity biomarker | <i>Mod Rheumatol</i> | 29(4) | 625-632 | 2019 |
| Hatano M., Mimura T., Shimada A., Noda M., and Katayama S. | Hepatitis B virus reactivation with corticosteroid therapy in patients with adrenal insufficiency | <i>Endocrinol Diabetes Metab</i> | 2(3) | e00071 | 2019 |
| Mizuta M., Shimizu M., Inoue N., Nakagishi Y., and Yachie A. | Clinical significance of serum CXCL9 levels as a biomarker for systemic juvenile idiopathic arthritis associated macrophage activation syndrome | <i>Cytokine</i> | 119 | 182-187 | 2019 |
| Ogawa A., Ogawa Y., Mukai S., Shimizu E., Kuwana M., Kawakami Y., and Tsubota K. | Cluster of differentiation 30 expression in lacrimal gland and conjunctival tissues in patients with Sjogren's syndrome: Case series | <i>Medicine (Baltimore)</i> | 98(29) | e16390 | 2019 |
| Ohshima M., Kawahata K., Kanda H., and Yamamoto K. | Sinus bradycardia after intravenous pulse methylprednisolone therapy in patients with systemic lupus erythematosus | <i>Mod Rheumatol</i> | 29(4) | 700-703 | 2019 |
| Ogawa-Momohara M., Muro Y., Kono M., and Akiyama M. | Prognosis of dysphagia in dermatomyositis | <i>Clin Exp Rheumatol</i> | 37(1) | 165 | 2019 |
| Okamoto N., Yokota S., Takei S., Okura Y., Kubota T., Shimizu M., Nozawa T., Iwata N., Umebayashi H., Kinjo N., Kunishima T., Yasumura J., and Mori M. | Clinical practice guidance for juvenile idiopathic arthritis (JIA) 2018 | <i>Mod Rheumatol</i> | 29(1) | 41-59 | 2019 |

| | | | | | |
|--|--|---------------------------|--------|---------|------|
| Shima Y., Kawaguchi Y., and Kuwana M. | Add-on tocilizumab versus conventional treatment for systemic sclerosis, and cytokine analysis to identify an endotype to tocilizumab therapy | <i>Mod Rheumatol</i> | 29(1) | 134-139 | 2019 |
| Sonobe H., Ogawa Y., Yamada K., Shimizu E., Uchino Y., Kamoi M., Saijo Y., Yamane M., Citterio D., Suzuki K., and Tsubota K. | A novel and innovative paper-based analytical device for assessing tear lactoferrin of dry eye patients | <i>Ocul Surf</i> | 17(1) | 160-166 | 2019 |
| Tanaka T., Yoshioka K., Nishikomori R., Sakai H., Abe J., Yamashita Y., Hiramoto R., Morimoto A., Ishii E., Arakawa H., Kaneko U., Ohshima Y., Okamoto N., Ohara O., Hata I., Shigematsu Y., Kawai T., Yasumi T., and Heike T. | National survey of Japanese patients with mevalonate kinase deficiency reveals distinctive genetic and clinical characteristics | <i>Mod Rheumatol</i> | 29(1) | 181-187 | 2019 |
| Takakuwa Y., Hanaoka H., Kiyokawa T., Iida H., Ishimori K., Uekusa T., Yamada H., and Kawahata K. | Adult-onset Still's disease-associated interstitial lung disease represents severe phenotype of the disease with higher rate of haemophagocytic syndrome and relapse | <i>Clin Exp Rheumatol</i> | 121(6) | 23-27 | 2019 |
| Matsumoto K., Suzuki K., Yoshimoto K., Seki N., Tsujimoto H., Chiba K., and Takeuchi T. | Significant association between clinical characteristics and changes in peripheral immuno-phenotype in large vessel vasculitis | <i>Arthritis Res Ther</i> | 21(1) | 304 | 2019 |

| | | | | | |
|---|---|-------------------------------------|---------------|------------------|-------------|
| <p>Brito-Zeron P., Acar-Denizli N., Ng W.F., Horvath I.F., Rasmussen A., Seror R., Li X., Baldini C., Gottenberg J.E., Danda D., Quartuccio L., Priori R., Hernandez-Molina G., Armagan B., Kruize A.A., Kwok S.K., Kvarnstrom M., Praprotnik S., Sene D., Gerli R., Solans R., Rischmueller M., Mandl T., Suzuki Y., Isenberg D., Valim V., Wiland P., Nordmark G., Fraile G., Bootsma H., Nakamura H., Giacomelli R., Devauchelle-Pensec V., Hofauer B., Bombardieri M., Trevisani V.F.M., Hammenfors D., Pasoto S.G., Retamozo S., Gheita T.A., Atzeni F., Morel J., Vollenweider C., Zeher M., Sivils K., Xu B., Bombardieri S., Sandhya P., De Vita S., Minniti A., Sanchez-Guerrero J., Kilic L., van der Heijden E., Park S.H., Wahren-Herlenius M., Mariette X., Ramos-Casals M., and Sjogren Big Data C.</p> | <p>Epidemiological profile and north-south gradient driving baseline systemic involvement of primary Sjogren's syndrome</p> | <p><i>Rheumatology (Oxford)</i></p> | <p>24</p> | | <p>2019</p> |
| <p>Kaneko Y, Kameda H., Ikeda K., Ishii T., Murakami K., Takamatsu H., Tanaka Y., Abe T., and Takeuchi T.</p> | <p>Response to: 'Tocilizumab in patients with adult-onset Still's disease refractory to glucocorticoid treatment' by Lee</p> | <p><i>Ann Rheum Dis</i></p> | <p>78(12)</p> | <p>e134</p> | <p>2019</p> |
| <p>Yamaguchi K., Yamaguchi A., Itai M., Kashiwagi C., Takehara K., Aoki S., Sawada Y., Taguchi K., Umetsu K., Oshima K., Uchida M., Takemura M., Hara K., Motegi S.I., Muro Y., Nakasatomi M., Sakairi T., Hiromura K., Kurabayashi M., and Maeno T.</p> | <p>Clinical features of patients with anti-melanoma differentiation-associated gene-5 antibody-positive dermatomyositis complicated by spontaneous pneumomediastinum</p> | <p><i>Clin Rheumatol</i></p> | <p>38(12)</p> | <p>3443-3450</p> | <p>2019</p> |
| <p>Nakano M., Kubo K., Shirota Y., Iwasaki Y., Takahashi Y., Igari T., Inaba Y., Takeshima Y., Tateishi S., Yamashita H., Miyazaki M., Sato H., Kanda H., Kaneko H., Ishii T., Fujio K., Tanaka N., and Mimori A.</p> | <p>Delayed lupus nephritis in the course of systemic lupus erythematosus is associated with a poorer treatment response: a multicentre, retrospective cohort study in Japan</p> | <p><i>Lupus</i></p> | <p>28(9)</p> | <p>1062-1073</p> | <p>2019</p> |

| | | | | | |
|---|--|-----------------------------------|--------|-----------|------|
| Higuchi T., Takagi K., Tochimoto A., Ichimura Y., Norose T., Katsumata Y., Masuda I., Yamanaka H., Morohoshi T., and Kawaguchi Y. | Antifibrotic effects of 2-carba cyclic phosphatidic acid (2cccPA) in systemic sclerosis: contribution to the novel treatment | <i>Arthritis Res Ther</i> | 21(1) | 103 | 2019 |
| Yasumura J., Yashiro M., Okamoto N., Shabana K., Umebayashi H., Iwata N., Okura Y., Kubota T., Shimizu M., Tomiita M., Nakagishi Y., Nishimura K., Hara R., Mizuta M., Yasumi T., Yamaide F., Wakiguchi H., Kobayashi M., and Mori M. | Clinical features and characteristics of uveitis associated with juvenile idiopathic arthritis in Japan: first report of the pediatric rheumatology association of Japan (PRAJ) | <i>Pediatr Rheumatol Online J</i> | 17(1) | 15 | 2019 |
| Hisada R., Kato M., Ohnishi N., Sugawara E., Fujieda Y., Oku K., Bohgaki T., Amengual O., Yasuda S., and Atsumi T. | Antiphospholipid score is a novel risk factor for idiopathic osteonecrosis of the femoral head in patients with systemic lupus erythematosus | <i>Rheumatology (Oxford)</i> | 58(4) | 645-649 | 2019 |
| Maehara T., Moriyama M., and Nakamura S. | Pathogenesis of IgG4-related disease: a critical review | <i>Odontology</i> | 107(2) | 127-132 | 2019 |
| Shimizu E., Ogawa Y., Saijo Y., Yamane M., Uchino M., Kamoi M., Fukui M., Yang F., He J., Mukai S., and Tsubota K. | Commensal microflora in human conjunctiva; characteristics of microflora in the patients with chronic ocular graft-versus-host disease | <i>Ocul Surf</i> | 17(2) | 265-271 | 2019 |
| Takakuwa Y., Hanaoka H., Kiyokawa T., Iida H., Fujimoto H., Yamasaki Y., Yamada H., and Kawahata K. | Low-dose rituximab as induction therapy for ANCA-associated vasculitis | <i>Clin Rheumatol</i> | 38(4) | 1217-1223 | 2019 |
| Ueda-Hayakawa I., Hamaguchi Y., Okiyama N., Motegi S., Yamaoka T., Miyake S., Higashi A., Okamoto H., Takehara K., and Fujimoto M. | Autoantibody to transcriptional intermediary factor-1beta as a myositis-specific antibody: clinical correlation with clinically amyopathic dermatomyositis or dermatomyositis with mild myopathy | <i>Br J Dermatol</i> | 180(4) | 881-887 | 2019 |
| Hirohata S. and Tanaka K. | Differential expression of antibodies to NMDA receptor in anti-NMDA receptor encephalitis and in neuropsychiatric systemic lupus erythematosus | <i>Lupus Sci Med</i> | 6(1) | e000359 | 2019 |
| Iehisa I., Negishi K., Ayaki M., and Tsubota K. | Kinetic visual acuity is correlated with functional visual acuity at higher speeds | <i>BMJ Open Ophthalmol</i> | 4(1) | e000383 | 2019 |
| Kato R., Sumitomo S., Tsuchida Y., Tsuchiya H., Nakachi S., Sakurai K., Hanata N., Nagafuchi Y., Kubo K., Tateishi S., Kanda H., Okamura T., Yamamoto K., and Fujio K. | CD4(+)CD25(+)LAG3(+) T Cells With a Feature of Th17 Cells Associated With Systemic Lupus Erythematosus Disease Activity | <i>Front Immunol</i> | 10 | 1619 | 2019 |

| | | | | | |
|---|--|-------------------------------|--------|---|------|
| Murayama G., Chiba A., Suzuki H., Nomura A., Mizuno T., Kuga T., Nakamura S., Amano H., Hirose S., Yamaji K., Suzuki Y., Tamura N., and Miyake S. | A Critical Role for Mucosal-Associated Invariant T Cells as Regulators and Therapeutic Targets in Systemic Lupus Erythematosus | <i>Front Immunol</i> | 10 | 2681 | 2019 |
| Sato K., Yazawa H., Ikuma D., Maruyama T., Kajiyama H., and Mimura T. | Osteomyelitis due to methicillin-resistant <i>Staphylococcus aureus</i> successfully treated by an oral combination of minocycline and trimethoprim-sulfamethoxazole | <i>SAGE Open Med Case Rep</i> | 7 | 2050313X 19841465 | 2019 |
| Uchida M., Ooka S., Goto Y., Suzuki K., Fujimoto H., Ishimori K., Matsushita H., Takakuwa Y., and Kawahata K. | Anti-IL-10 antibody in systemic lupus erythematosus | <i>Open Access Rheumatol</i> | 11 | 61-65 | 2019 |
| Masak Y., Kawabata H, Fujimoto S, Kawano M, Iwaki N, Kotani T, Nakashima A, Kurose N, Takai K, Suzuki R, Aoki S. | Epidemiological analysis of multicentric and unicentric Castleman disease and TAFRO syndrome in Japan. | <i>J Clin Exp Hematop</i> | | 2019 Nov 8. doi: 10.3960/jslrt .19021. | 2019 |
| Okada, D., Nakamura, N., Wada, T., Iwasaki, A., Yamada, R. | Extension of Sinkhorn Method; Optimal Movement Estimation of Agents Moving at Constant Velocity | 人工知能学会 論文誌 | 34(5) | 1-7 | 2019 |
| Furusho K, Shibata T, Sato R, Fukui R, Motoi Y, Zhang Y, Saitoh S, Ichinohe T, Moriyama M, Nakamura S, Miyake K | Cytidine deaminase enables Toll-like receptor 8 activation by cytidine or its analogs. | <i>Int Immuno</i> | 31(3) | 167-173 | 2019 |
| Fujimoto S, Sakai T, Kawabata H, Kurose N, Yamada S, Doai M, Matoba M, Kawanami HI, Kawanami T, Mizuta S, Fukushima T, Mizumaki Y, Yamaguchi M, Masaki Y. | A case of osteosarcoma manifesting systemic inflammation and histological features mimicking plasma cell type Castleman disease. | <i>Intern Med</i> | 96(50) | e9220. doi: 10.1097/M D.00000000 00009220. | 2019 |

| | | | | | |
|--|---|---|------------------------------------|--|------|
| Terao C, Ota M, Iwasaki T, Shiokawa M, Kawaguchi S, Kuriyama K, Kawaguchi T, Kodama Y, Yamaguchi I, Uchida K, Higasa K, Yamamoto M, Kubota K, Yazumi S, Hirano K, Masaki Y, Maguchi H, Origuchi T, Matsui S, Nakazawa T, Shiomi H, Kamisawa T, Hasebe O, Iwasaki E, Inui K, Tanaka Y, Ohshima K, Akamizu T, Nakamura S, Nakamura S, Saeki T, Umehara H, Shimosegawa T, Mizuno N, Kawano M, Azumi A, Takahashi H, Mimori T, Kamatani Y, Okazaki K, Chiba T, Kawa S, Matsuda F, on behalf of the Japanese IgG4-Related Disease Working Consortium. | IgG4-related disease in the Japanese population:a genome-wide association study. | <i>Lancet Rheumatol</i> | | 2019 August 6, 2019. http://dx.doi.org/10.1016/S2665-9913(19)30006-2 | 2019 |
| Masaki Y, Kawabata H, Fujimoto S, Kawano M, Iwaki N, Kotani T, Nakashima A, Kurose N, Takai K, Suzuki R, Aoki S. | Epidemiological analysis of multicentric and unicentric Castleman disease and TAFRO syndrome in Japan. | <i>J Clin Exp Hematop</i> | | 2019 Nov 8. doi: 10.3960/jslrt.19021. | 2019 |
| Ando T, Yamasaki Y, Takakuwa Y, Iida H, Asari Y, Suzuki K, Uchida M, KOTOKU N, Tanabe Y, Chosokabe M, Takahashi M, Suzuki K, Akashi Y J., Yamada H, Kawahata K. | Concurrent onset of acute lupus myocarditis,pulmonary arterial hypertension and digital gangrene in a lupus patient: a possible role of vasculitis to the rare disorders. | <i>Modern rheumatology Case Reports</i> | doi: 10.1080/24725625.2019.1650698 | | 2019 |
| 神人正寿 | 皮膚筋炎の皮膚症状 | <i>Modern physician</i> | 39(10) | 905-8 | 2019 |
| 藤井隆夫 | 膠原病における自己抗体の臨床的意義と病原性 | <i>日本内科学会雑誌</i> | 108 | 493-497 | 2019 |
| 藤井隆夫 | 全身性エリテマトーデスの臓器病変と治療 | <i>日本内科学会雑誌</i> | 108 | 1962-1967 | 2019 |
| 富板美奈子 | シェーグレン症候群の病態解明には小児患者の適切な診断と長期フォローが重要である | <i>分子リウマチ治療</i> | 12 (3) | 130-134 | 2019 |
| 富板美奈子 | 小児シェーグレン症候群 v.s.成人シェーグレン症候群 | <i>炎症と免疫</i> | 28 (1) | 51-55 | 2020 |
| 室 慶直 | Sjögren 症候群 | <i>皮膚科の臨床</i> | 61(12) | 1760-6 | 2019 |
| 天野浩文 | 【腎泌尿器における膠原病最前線】ループス膀胱炎 | <i>腎臓内科・泌尿器科</i> | 9(3) | 271-274 | 2019 |
| 天野浩文 | 病気のはなし「多発性筋炎・皮膚筋炎」 | <i>検査と技術</i> | 47(4) | 276-281 | 2019 |
| 武井修治 | 小児全身性エリテマトーデス | <i>日本臨床</i> | 77(3) | 428-435 | 2019 |
| 武井修治 | 小児全身性エリテマトーデス 成人 SLE と何が違うか | <i>分子リウマチ</i> | 12(3) | 121-125 | 2019 |

| | | | | | |
|------------|---|------------------|-------|------------|------|
| 森 雅亮 | 移行期患者におけるリウマチ 診療の展望と問題点. | リウマチ科, | 61(1) | 99-104. | 2019 |
| 森 雅亮 | 【膠原病診療 update-診断・治 療の最新知見-】小児の膠原病 | 日本臨床 | 77(3) | 408-413. | 2019 |
| 森 雅亮 | 炎症性疾患に対する生物学的 製剤の応用性 | 小児科 | 60(8) | 1173-1181. | 2019 |
| 森 雅亮 | 【小児リウマチ性疾患の診療 ～これまでのエビデンスに基 づく最近の知見～】小児リウマ チ性疾患の移行期医療. | Pharma Medica | 37(7) | 69-73 | 2019 |
| 川畑仁人, 安藤貴泰 | 関節リウマチの病態. | Medical Practice | 36(7) | 1045-1049 | 2019 |

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書 籍 名 | 出版社名 | 出版地 | 出版年 | ページ |
|-----------------------|--|--------------------------|--|-----------------|--------|----------|-----------|
| Amengual O, Atsumi T. | Pathogenesis of antiphospholipid syndrome. In: | George C Tsokos, editor. | Systemic lupus erythematosus, basic, applied and clinical aspects. | Academic Press. | NY,USA | in press | |
| 岡本奈美 | 若年性特発性関節炎 | 稲毛康司 | 小児科ステロイドの使い方・止め方・続け方 | 文光堂 | 東京 | 2019 | 69-71 |
| 岡本奈美 | 小児の膠原病はどこまで診ていい？ | 三村俊英 | 膠原病診療をスッキリまとめました | 南江堂 | 東京 | 2019 | 144-150 |
| 亀田秀人 | 臨床研究と倫理 | 関戸哲利 | 泌尿器科グリーンノート | 中外医薬社 | 東京 | 2019 | 456-459 |
| 亀田秀人 | 膠原病および類縁疾患 最近の動向 | 福井次矢、高木誠、小室一成 | 今日の治療指針 2020 | 医学書院 | 東京 | 2020 | 862-864 |
| 亀田秀人 | 解熱・鎮痛薬、抗炎症薬 | 堀正二、菅野健太郎、門脇孝、乾賢一、林昌洋 | 治療薬ハンドブック | じほう | 東京 | 2020 | 1160-1189 |
| 三村俊英 | 私はこう治療している. 14. 膠原病および類縁疾患.成人スチル病 | 浦部晶夫・島田和幸・川合眞一 | 今日の治療指針 2020 年版 | 医学書院 | 東京 | 2020.1 | 893-894 |
| 三村俊英 | | 三村俊英 | むかしの頭で診ていませんか？ 膠原病診療をスッキリまとめましたーリウマチ、アレルギーも載ってます！ | 南江堂 | 東京 | 2019.10 | 1-254 |
| 三村俊英 | 膠原病・リウマチ性疾患. 2各論. 成人Still病 | 南学正臣 | 内科学書 改訂第9版 | 中山書店 | 東京 | 2019.8 | 277-279 |
| 三村俊英 | III 個別の指定難病. C 免疫系. 13成人スチル病〔指定難病54〕 | 水澤英洋・五十嵐隆・北川泰久・高橋和久・弓倉整 | 指定難病ペディア2019 | 日本医師会雑誌 | 東京 | 2019.6 | 168-170 |
| 和田琢・三村俊英 | 連載 不明熱の原因となるリウマチ性熱. 成人スチル病. 「分子リウマチ治療」 | 住田 孝之 | 分子リウマチ治療 特集 SLEの新しい治療戦略. | 先端医学社 | 東京 | 2019.4 | 42-46 |

| | | | | | | | |
|----------------|--|------------------------|-------------------------|-------------|-------------|------|---------|
| 小林一郎 | 小林一郎 若年性皮膚筋炎・多発性筋炎、免疫介在性壊死性ミオパチー、 | 稲毛康司 | 小児科ステロイドの使い方・止め方・続け方 | 文光堂 | 東京 | 2019 | 75-77 |
| 中村 誠司 | 2章 全身疾患に関連する口腔顎顔面疾患 I V 口腔乾燥を伴う疾患 | 山根源之、酒巻裕之、里村一人、野村武史 | 歯科衛生士のための口腔内科学 | 医歯薬出版 | 東京 | 2019 | 60-66 |
| 森山雅文、中村誠司 | 第9章 唾液腺疾患 02. IgG4関連疾患 | 片倉 朗 | 口腔外科のレベルアップ&ヒント | デンタルダイヤモンド社 | 東京 | 2019 | 192-195 |
| 正木康史 | IgG4関連リンパ節症 治療と予後 | 岡崎和一、川茂幸 | 臨床医必読最新IgG4関連疾患 改訂第2版 | 診断と治療社 | 東京 | 2019 | 170-172 |
| Masaki Shimizu | Clinical features of cytokine storm syndrome | Cron RD and Behrens EM | Cytokine storm syndrome | Springer | Switzerland | 2019 | 31-42 |
| 中嶋 蘭、三森経世 | 筋炎における自己抗体の産生機序と病態への関与 | 黒岩 義之 | 脳神経内科 | 科学評論社 | 東京 | 2019 | 151-156 |
| 中嶋 蘭 | 炎症性筋疾患の分類と自己抗体 | 宮坂 信之 | リウマチ科 | 科学評論社 | 東京 | 2019 | 478-486 |

| | | | | | | | |
|--|--|---|------------------------------|------------|----|------|--------------------|
| 島崎 潤, 坪田 一男, 横井 則彦, 渡辺 仁, 井手 武, 大矢 史香, 岡島 行伸, 小川 葉子, 海道 美奈子, 柿栖 康二, 加藤 弘明, 鎌尾 知行, 木全 奈都子, 高 静花, 小島 隆司, 小室 青, 西條 裕美子, 坂根 由梨, 重安 千花, 篠崎 和美, 園村 有紀子, 高村 悦子, 田尻 晶子, 谷口 紗織, 戸田 郁子, 永原 裕紀子, 秦 未稀, 福井 正樹, 堀 裕一, 水野 嘉信, 三橋 純子, 村戸 ドール, 山口 昌彦, 山田 昌和, 小林 颯, 佐々木 香る, 田村 寛, 平塚 義宗, 鈴木 一作, 高 英美, 住田 孝之, 齋藤 一郎, 小島原 典子, 當間 八千代, 川上 道江, 長谷川 容子, 富井 尚美, ドライアイ研究会 診療ガイドライン 作成委員会, 日本眼科学会, 日本角膜学会 | ドライアイ診療ガイドライン ドライアイ診療ガイドラインの読み方(解説) | ドライアイ研究会診療ガイドライン作成委員会, 日本眼科学会, 日本角膜学会 | 日本眼科学会雑誌 | 日本眼科学会 | 東京 | 2019 | 489-592 |
| 天野浩文、 新納宏昭 | 第5章全身性エリテマトーデス(SLE)のその他の全身症状 | 自己免疫疾患に関する調査研究班(自己免疫班)、日本リウマチ学会編、ガイドライン作成担当委員 | 全身性エリテマトーデス診療ガイドライン | 南山堂 | 東京 | 2019 | 108-139 |
| 天野浩文 | 14 膠原病および類縁疾患-IgG4関連疾患- | 福井次矢、高木 誠、小室一成 | 今日の治療指針 2019年 | 医学書院 | 東京 | 2019 | 888-889 (ポケット版) |
| 藤井隆夫 | 関節リウマチ | 泉孝英 | ガイドライン 外来診療2019 | 日経メディカル 開発 | 東京 | 2019 | 500-505 |
| 藤井隆夫 | 混合性結合組織病 | 南学正臣 | 内科学書 改訂第9版 | 中山書店 | 東京 | 2019 | 235-238 |
| 富板美奈子 | 若年性特発性関節炎(指定難病107) | 水澤英洋, 五十嵐隆 | 指定難病ペディア2019 日本医師会雑誌第148巻特別号 | 日本医師会 | 東京 | 2019 | 177 |