

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|-------------------------|---|--------------------------------|--------------------------|----------|-----|------|---------|
| 秋田定伯（監修、執筆） | ケロイド・肥厚性癬痕 診断・治療指針2018 | 秋田定伯 小川 令 | ケロイド・肥厚性癬痕 診断・治療指針2018 | 全日本病院出版会 | 東京 | 2018 | 1 - 93 |
| 秋田定伯 | 創傷治癒 | 中塚貴志 亀井 讓 | TEXT形成外科 | 南山堂 | 東京 | 2017 | 30 - 39 |
| 秋田定伯 | 1. 外科系医師が知っておくべき創傷治療の基本 1. 創傷の定義ならびに急性創傷と慢性創傷の違い | 鈴木茂彦、 寺師浩人 | 外科系医師が知っておくべき創傷治療のすべて | 南江堂 | 東京 | 2017 | 2 - 8 |
| 三村秀文 | 硬化療法・塞栓術の実際 | 大原國章、 神人正寿 | 血管腫・血管奇形臨床アトラス | 南江堂 | 東京 | 2018 | 40-47 |
| 大須賀慶悟、 東原大樹、 富山憲幸 | ISSVA分類と静脈奇形． | 日本静脈学会 | 新臨床静脈学 | メジカルビュー | 東京 | 2018 | 440-444 |
| 大須賀慶悟、 東原大樹、 富山憲幸 | 動静脈奇形・動静脈瘻． | 日本静脈学会 | 新臨床静脈学 | メジカルビュー | 東京 | 2018 | 445-448 |
| 大須賀慶悟 | Arteriovenous malformations | 血管腫・血管奇形臨床アトラス | 大原國章、神人正寿 | 南江堂 | 東京 | 2018 | 123-125 |
| 田中純子 | ウイルス性肝炎の疫学 | 坂本 直哉 | 最新医学別冊 診断と治療のABC 142 ウイル | (株)最新医学社 | 大阪市 | 2018 | 18-26 |
| 山下真未、田中純子 | 疫学 | 佐々木裕 | ここまできた肝臓病診療 | 中山書店 | 東京都 | 2017 | 50-54 |
| 木下義晶、田口智章 | 腹壁破裂 suturless abdominal closureの実際 | 田口智章、 濱田吉則、 土岐彰、 奥山宏臣 | 臍の外科 | メジカルビュー社 | 東京 | 2018 | 87-90 |
| 藤野明浩 | Primary Lymphedema(原発性リンパ浮腫) | 大原國章、 神人正寿 | 血管腫・血管奇形臨床アトラス | 南江堂 | 日本 | 2018 | 130-131 |

| | | | | | | | |
|--------------|--|--------------------|--|--------------|----|------|---------|
| 藤野 明浩 | ーその他の循環器疾患を含めてー XI心臓腫瘍 心 嚢リンパ管腫（囊 胞性リンパ管奇 形） | | 別冊日本臨 牀 領域別症 候群シリー ズ No.7 循 環器症候群 （第3版） | 日本臨牀 社 | 日本 | 2019 | 552-554 |
| 永井史緒 杠 俊介 | 四肢脈管奇形に おける保存的圧 迫療法 | 杠 俊介 | PEPARS No.1 45 患児・家族に 寄り添う血 管腫・脈管奇 形の医療 | 全日本病 院出版会 | 東京 | 2019 | 71-79 |
| 野村正 | 第1章3 色素レー ザー | 河野太郎 | 皮膚科医・形 成外科医の ためのレー ザー治療ス タンドード | 羊土社 | 東京 | 2017 | 29-35 |
| 野村正 | 第1章8 毛細血 管拡張症の標準 的治療 | 河野太郎 | 皮膚科医・形 成外科医の ためのレー ザー治療ス タンドード | 羊土社 | 東京 | 2017 | 160-169 |
| 野村正 寺師浩人 | 第4章 4 動静脈奇 形 | 波利井清紀 野崎幹弘 | 形成外科治 療手技全書 第 巻腫 瘍・母斑・血 管奇形 | 克誠堂 | 東京 | 2018 | 122-136 |
| 野村正 | 第 巻第4章 4 動 静脈奇形 | 波利井清 紀；野崎幹 弘 | 形成外科治 療手技全書 | 克誠堂出 版 | 東京 | 2018 | 122-136 |
| 野村正 | 3. 治療法各論 疾患別の治療法 ．血管奇形 10．顔面部動静 脈奇形 | 尾崎峰 | もう迷わな い血管腫・血 管奇形 分 類・診断と治 療・手技のコ ツ | 克誠堂出 版 | 東京 | 印刷中 | |
| 野村正 | 皮様嚢腫，先天性 耳瘻孔，脂肪腫 | 大原國章， 林礼人 | こどものあ ざとできも の | | 東京 | 印刷中 | |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|------------------------------------|--------------------------------------|-----|-------------|
| <p>Hidefumi Mimura, Sadanori Akita, Akihiro Fujino, Masatoshi Jinnin, Mine Ozaki, Keigo Osuga, Hiroki Nakaoka, Eiichi Morii, Akira Kuramochi, Yoko Aoki, Yasunori Arai, Noriko Aramaki¹, Masanori Inoue¹, Yuki Iwashina, Tadashi Iwanaka, Shigeru Ueno, Akihiro Umezawa, Michio Ozeki, Junko Ochi, Yoshiaki Kinoshita, Masakazu Kurita, Shien Seike, Nobuyuki Takakura, Masataka Takahashi, Takao Tachibana, Kumiko Chuman, Shuji Nagata, Mitsunaga Narushima, Yasunari Niimi, Shunsuke Nosaka, Taiki Nozaki, Kazuki Hashimoto, Ayato Hayashi, Satoshi Hirakawa, Atsuko Fujikawa, Yumiko Horii, Kentaro Matsuo, Hideki Mori, Yuki Yamamoto, Shunsuke Yuzuriha, Naoaki Rikihisa, Shoji Watanabe, Shinichi Watanabe, Tatsuo Kuroda, Kosuke Ishikawa, Satoru Sasaki.</p> | <p>Japanese Clinical Practice Guidelines for Vascular Anomalies 2017.</p> | <p>The Journal of Dermatology.</p> | <p>doi: 10.1111/1346-8138.15189.</p> | | <p>2020</p> |
| <p>Hidefumi Mimura, Sadanori Akita, Akihiro Fujino, Masatoshi Jinnin, Mine Ozaki, Keigo Osuga, Hiroki Nakaoka, Eiichi Morii, Akira Kuramochi, Yoko Aoki, Yasunori Arai, Noriko Aramaki¹, Masanori Inoue¹, Yuki Iwashina, Tadashi Iwanaka, Shigeru Ueno, Akihiro Umezawa, Michio Ozeki, Junko Ochi, Yoshiaki Kinoshita, Masakazu Kurita, Shien Seike, Nobuyuki Takakura, Masataka Takahashi, Takao Tachibana, Kumiko Chuman, Shuji Nagata, Mitsunaga Narushima, Yasunari Niimi, Shunsuke Nosaka, Taiki Nozaki, Kazuki Hashimoto, Ayato Hayashi, Satoshi Hirakawa, Atsuko Fujikawa, Yumiko Horii, Kentaro Matsuo, Hideki Mori, Yuki Yamamoto, Shunsuke Yuzuriha, Naoaki Rikihisa, Shoji Watanabe, Shinichi Watanabe, Tatsuo Kuroda, Kosuke Ishikawa, Satoru Sasaki.</p> | <p>Japanese Clinical Practice Guidelines for Vascular Anomalies 2017.</p> | <p>Pediatrics International.</p> | <p>doi: 10.1111/ped.14077</p> | | <p>2020</p> |

| | | | | | |
|--|--|---|--------|----------------------------|------|
| Hidefumi Mimura, Sadanori Akita, Akihiro Fujino, Masatoshi Jinnin, Mine Ozaki, Keigo Osuga, Hiroki Nakaoka, Eiichi Morii, Akira Kuramochi, Yoko Aoki, Yasunori Arai, Noriko Aramaki, Masanori Inoue, Yuki Iwashina, Tadashi Iwanaka, Shigeru Ueno, Akihiro Umezawa, Michio Ozeki, Junko Ochi, Yoshiaki Kinoshita, Masakazu Kurita, Shien Seike, Nobuyuki Takakura, Masataka Takahashi, Takao Tachibana, Kumiko Chuman, Shuji Nagata, Mitsunaga Narushima, Yasunari Niimi, Shunsuke Nosaka, Taiki Nozaki, Kazuki Hashimoto, Ayato Hayashi, Satoshi Hirakawa, Atsuko Fujikawa, Yumiko Hori, Kentaro Matsuka, Hideki Mori, Yuki Yamamoto, Shunsuke Yuzuriha, Naoaki Rikihisa, Shoji Watanabe, Shinichi Watanabe, Tatsuo Kuroda, Kosuke Ishikawa, Satoru Sasaki. | Japanese Clinical Practice Guidelines for Vascular Anomalies 2017. | Japanese Journal of Radiology | 38 | 287-34 | 2020 |
| Naoaki Rikihisa, Sadanori Akita, Keigo Osuga, Hidefumi Mimura, Shunsuke Yuzuriha, Satoru Sasaki | Evaluation of pain incidence due to venous malformation based on data from 85 institutions in Japan | Journal of Vascular Surgery: Venous and Lymphatic Disorders | 8(2) | 244-50 | 2020 |
| Akita S | Wound Repair and Regeneration. | Int J Mol Sci. Int J Mol Sci. | 20(24) | doi: 10.3390/ijms20246323. | 2019 |
| Suzuki K, Akita S, Yoshimoto H, Ohtsuru A, Hirano A, Yamashita S | Biological Features Implies Potential Use of Autologous Adipose-Derived Stem/Progenitor Cells in Wound Repair and Regenerations for the Patients with Lipodystrophy. | Int J Mol Sci | 20(21) | doi: 10.3390/ijms20215505 | 2019 |
| Ishimaru H, Yoshimi S, Akita S | Treatment of Periorbital and Palpebral Arteriovenous Malformations | Adv Wound Care | 2(6) | 256-262 | 2019 |

| | | | | | |
|---|---|-----------------------------------|-------|--|------|
| Ogawa R, Akita S, Akaishi S, Aramaki-Hattori N, Dohi T, Hayashi T, Kishi K, Kono T, Matsumura H, Muneuchi G, Murao N, Nagao M, Okabe K, Shimizu F, Tosa M, Tosa Y, Yamawaki S, Ansai S, Inazu N, Kamoto T, Kazki R, Kuribayashi S | Diagnosis and Treatment of Keloids and Hypertrophic Scars-Japan Scar Workshop Consensus Document 2018 | Burns Trauma | 7:39 | doi: 10.1186/s41038-019-0175-y. eCollection 2019 | 2019 |
| Obata T, Tsuchiya T, Akita S, Kawahara T, Matsumoto K, Miyazaki T, Masumoto H, Kobayashi E, Niklason LE, Nagayasu T | Utilization of Natural Detergent Potassium Laurate for Decellularization in Lung Bioengineering | Tissue Engineering Part C Methods | 25(8) | 459-471 | 2019 |
| Kawahara T, Takita M, Masunaga A, Morita H, Tsukatani T, Nakazawa K, Go D, Akita S. | Fatty Acid Potassium Had Beneficial Bactericidal Effects and Removed Staphylococcus aureus Biofilms while Exhibiting Reduced Cytotoxicity towards Mouse Fibroblasts and Human Keratinocytes | Int J Mol Sci | 20(2) | doi: 10.3390/iims20020312 | 2019 |
| Saher Hamed, Mark Belokopytov, Yehuda Ullmann, Muhammad Safadi, Yafit Stark, Aziz Shoufani, Sadanori Akita, Paul Y. Liu and Luc Teot | Interim Results of the Remedy d'Or Study: A Multicenter, Single-Blind, Randomized, Controlled Trial to Assess the Safety and Efficacy of an Innovative Topical Formulation of Erythropoietin for Treating Diabetic Foot Ulcers. | Advances in Wound Care | 8(19) | 514-521 | 2019 |
| 秋田定伯 | 【指定難病ペディア2019】個別の指定難病 呼吸器系 リンパ管腫症/ゴーラム病[指定難病277] | 日本医師会雑誌 | 148 | S202-203 | 2019 |
| 秋田定伯 | 【指定難病ペディア2019】個別の指定難病 循環器系 巨大動静脈奇形(頸部顔面又は四肢病変)[指定難病280] | 日本医師会雑誌 | 148 | S214-215 | 2019 |

| | | | | | |
|---|--|---------------------|-------|---|------|
| 秋田定伯 | 難病対策の歴史的経緯と血管腫・脈管(血管)奇形の医療扶助-改正難病二法に関して-特集 患児・家族に寄り添う血管腫・脈管奇形の医療 | PEPARS | 145 | 80-93 | 2019 |
| Watanabe H, Tsuchiya T, Shimoyama K, Shimizu A, Akita S, Yukawa H, Baba Y, Nagayasu T | Adipose-derived mesenchymal stem cells attenuate rejection in a rat lung transplantation model. | J Surg Res. | 227 | 17-27 | 2018 |
| Wang JY, Ighani A, Ayala AP, Akita S, Lara-Corrales I, Alavi A | Medical, Surgical, and Wound Care Management of Ulcerated Infantile Hemangiomas: A Systematic Review. | J Cutan Med Surg | 22 | 495-504 | 2018 |
| Hayashida K, Yoshida S, Yoshimoto H, Fujioka M, Saijo H, Migita K, Kumaya M, Akita S. | Adipose-derived stem cells and vascularized lymph node transfers successfully treat mouse hindlimb secondary lymphedema by early reconnection of the lymphatic system and lymphangiogenesis. | Plast Reconstr Surg | 139 | 639-651 | 2017 |
| Akita S, Hayashida K, Yoshimoto H, Fujioka M, Senju C, Morooka S, Nishimura G, Mukae N, Kobayashi K, Anraku K, Murakami R, Hirano A, Oishi M, Ikenoya S, Amano N, Nakagawa H; Nagasaki University plastic surgeons group | Novel Application of Cultured Epithelial Autografts (CEA) with Expanded Mesh Skin Grafting Over an Artificial Dermis or Dermal Wound Bed Preparation. | Int J Mol Sci | 19(1) | pii: E57. doi:10.3390/ijms19010057 | 2017 |
| Doi R, Tsuchiya T, Mitsutake N, Nishimura S, Matsuyama M, Nakazawa Y, Ogi T, Akita S, Yukawa H, Baba Y, Yamasaki N, Matsumoto K, Miyazaki T, Kamohara R, Hatachi G, Sengyoku H, Watanabe H, Obata T, Niklason LE, Nagayasu T. | Transplantation of bioengineered rat lungs recellularized with endothelial and adipose-derived stromal cells | Sci Rep. | 7(1) | 8447. doi: 10.1038/s41598-017-09115-2. | 2017 |
| Jimi S, Miyazaki M, Takata T, Ohjimi H, Akita S, Hara S. | Increased drug resistance of meticillin-resistant Staphylococcus aureus biofilms formed on a mouse dermal chip model. | J Med Microbiol | 66(4) | 542-550. doi:10.1099/jmm.0.000461 | 2017 |

| | | | | | |
|--|---|---------------------|-------|---|------|
| Akita S. | Adipose-Derived Stem Cells and Vascularized Lymph Node Transfers Successfully Treat Mouse Hindlimb Secondary Lymphedema by Early Reconnection of the Lymphatic System and Lymphangiogenesis | Plast Reconstr Surg | | doi:10.1097/PRS.00000000003795 | 2017 |
| Akita S, Hayashida K, Takaki S, Kawakami Y, Oyama T, Ohjimi H. | The neck burn scar contracture: a concept of effective treatment. | Burns Trauma | 13;5 | 22. doi: 10.1186/s41038-017-0086-8. | 2017 |
| Hayashida K, Fujioka M, Morooka S, Saijo H, Akita S. | Surgical treatment algorithm for post-burn contractures. | Burns Trauma | 14;5 | 9. doi: 10.1186/s41038-017-0074-z. eCollection | 2017 |
| Saijo H, Kilpadi DV, Akita, S. | Evaluation of the use of recombinant human basic fibroblast growth factor in combination with negative pressure wound therapy with instillation and dwell time in porcine full-thickness wound model. | Wound Repair Regen | 25(6) | 972-975 doi: 10.1111/wrr.12609. Epub 2018 Feb 8. | 2017 |
| Ishikawa K, Yamamoto Y, Funayama E, Furukawa H, Sasaki S. | Wound-healing problems associated with combined vascular malformations in Klippel-Trenaunay syndrome | Adv Wound Care | 8(6) | 246-255 | 2019 |
| 佐々木 了 | 【指定難病ペディア2019】個別の指定難病 循環器系 巨大静脈奇形（頸部口腔咽頭びまん性病変）[指定難病279] | 日本医師会雑誌 | 148 | S218 | 2019 |
| 三村 秀文. | 難治性疾患に対する取り組み 血管腫・脈管奇形に対する interventional radiology と厚労科研難病研究班の活動 | 聖マリアンナ医科大学雑誌 | 47(1) | 1-6 | 2019 |

| | | | | | |
|---|---|------------------------------|--------|--------------------------------|------|
| 三村 秀文, 佐々木 了. | 【指定難病ペディア2019】個別の指定難病循環器系 クリッペル・トレノネー・ウェーバー症候群[指定難病281] | 日本医師会雑誌 | 148 | S210 | 2019 |
| 三村秀文 | vascular anomalies (脈管異常) | 画像診断増刊号 | 38 | 76-81 | 2018 |
| Hashimoto K, Uchida B, Horikawa M, Mimura H, Farsad K. | Effects of Different Mixing Agents on the Stability of Sodium Tetradecyl Sulfate (STS) Foam: An Experimental Study. | Cardiovasc Intervent Radiol. | 41(12) | 1952-1957 | 2018 |
| 三村秀文 | 血管腫・血管奇形・リンパ管奇形診療ガイドライン2017 | 小児外科 | 49 | 829-832 | 2017 |
| 小徳暁生, 三村秀文, 中島康雄. | 肺動静脈瘻(奇形)の診断 | 日本臨床 | 75 | 774-778 | 2017 |
| Rikihisa N, Tominaga M, Watanabe S, Mitsukawa N, Saito Y, Sakai H | Intravenous injection of artificial red cells and subsequent dye laser irradiation causes deep vessel impairment in an animal model of port-wine stain. | Lasers Med Sci. | | doi: 10.1007/s10103-018-2480-2 | 2018 |
| Müller-Hülsbeck S, Marques L, Maleux G, Osuga K, Pelage JP, Wohlgemuth WA, Andersen PE. | CIRSE Standards of Practice on Diagnosis and Treatment of Pulmonary Arteriovenous Malformations. | Cardiovasc Intervent Radiol | 43 | 353-361 | 2020 |
| Lukies MW, Nakamura M, Osuga K. | Arteriovenous malformation of the gallbladder. | Diagn Interv Imagin g. | 101 | 121-122 | 2020 |
| 大須賀慶悟, 清家志円. | 手・指・爪の腫瘍の診断と治療戦略．脈管奇形の IVR 治療． | PEPARS | 149 | 71-76 | 2019 |
| 大須賀慶悟, 清家志円, 東原大樹, 小野祐介, 田中会秀, 富山憲幸 | 患児・家族に寄り添う血管腫・脈管奇形の医療．脈管奇形診療における IVR | PEPARS | 145 | 47-51 | 2019 |

| | | | | | |
|--|---|-------------------------|-------|---------|----------|
| Ogawa-Ochiai K, Yamamoto Y, Tazuke Y, Osuga K, Hidaka Na kahata K, K, Uehara S, Okuya ma H. | A case of extensive pharyngeal vascular malformation success fully treated with Kampo medicine. | Auris Nasu s Larynx. | 45 | 190-193 | 2019 |
| Kimura Y, Osuga K, Ono Y, Na kazawa T, Higashihara H, Tom iyama N. | Long-term outcomes of selective renal artery embolization for renal arteriovenous fistulae with dilated venous sac | J Vasc Interv Radio l. | 29 | 952-957 | 2018 |
| 本行秀成, 大須賀慶悟, 中村純寿, 合田清一, 木村廉, 大平亮介, 小野祐介, 中澤哲郎, 東原大樹, 富山憲幸. | 直接穿刺及び経静脈的血管塞栓術が奏効した大腿及び骨盤type-II AVMの2例. | 日本IVR学会雑誌 | 32 | 197-203 | 2017 |
| Fukami Y, Kaneoka Y, Maeda A, Kumada T, Tanaka J, Akita T, Kubo S, Izumi N, Kadoya M, Sakamoto M, Nakashima O, Matsuyama Y, Kokudo T, Hasegawa K, Yamashita T, Kashiwbara K, Takayama T, Kokudo N, Kudo M, Liver Cancer Study Group of Japan | Liver Resection for Multiple Hepatocellular Carcinomas: A Japanese Nationwide Survey | Annals of surgery | | | in press |
| Akita T, Tanaka J, Satake M, Lin Y, Wada T, Katō K, Inoue M | Meta-regression analysis of sex-and birth year-specific prevalence of HBsAg and anti-HCV among un-diagnosed Japanese: Data from the first-time blood donors, periodical health checkup, and the comprehensive health checkup with lifestyle education (Ningen Dock) | Journal of Epidemiology | | | in press |
| Tada T, Kumada T, Toyoda H, Yasuda S, Sone Y, Hashinokuchi S, Ogawa S, Oguri I, Kamiyama N, Chuma M, Akita T, Tanaka J | Liver stiffness does not affect ultrasound-guided attenuation coefficient measurement in the evaluation of hepatic steatosis | Hepatology Research | 50(2) | 190-198 | 2020 |
| Lingani M, Akita T, Ouoba S, Nagashima S, Boua PR, Takahashi K, Kam B, Sugiyama A, Nikiema T, Yamamoto C, Some A, Derra K, Ko K, Sorgho H, Tanagda Z, Tinto H, Tanaka J | The changing epidemiology of hepatitis B and C infections in Nanoro, rural Burkina Faso: A multistage stratified random sampling survey | BMC Infectious Disease | 20(1) | 46 | 2020 |
| Yamamoto C, Nagashima S, Isomura M, Ko K, Chuon C, Akita T, Katayama K, Woodring J, Hossain MS, Takahashi K, Tanaka J | Evaluation of the efficiency of dried blood spot-based measurement of hepatitis B and hepatitis C virus seromarkers | Scientific Reports | 10(1) | 3857 | 2020 |

| | | | | | |
|--|--|--|-----------|-----------|------|
| Tada T, Toyoda H, Yasuda S, Miyake N, Kumada T, Kurisu A, Ohisa M, Akita T, Tanaka J | Natural history of liver-related disease in patients with chronic hepatitis C virus infection: an analysis using a Markov chain model | Journal of Medical Virology | 91(10) | 1837-1844 | 2019 |
| Mizuno K, Toyoda H, Yasuda S, Tada T, Kumada T, Sone Y, Tanaka J | The course of elderly patients with persistent hepatitis C virus infection without hepatocellular carcinoma | Journal of Gastroenterology | 54(9) | 829-836 | 2019 |
| Toyoda H, Tada T, Yasuda S, Mizuno K, Sone Y, Kaneoka Y, Maeda A, Akita T, Tanaka J, Kumada T | The emergence of non-hypervascular hypointense nodules on Gd-EOB-DTPA-enhanced MRI in patients with chronic hepatitis C | Alimentary Pharmacology and Therapeutics | 50(11-12) | 1232 | 2019 |
| Tanaka J, Akita T, Ko K, Miura Y, Satake M; Epidemiological research group on viral hepatitis and its long term course, MHLW | Countermeasures against viral hepatitis B and C in Japan: From an epidemiological point of view | Hepatology Research | 49(9) | 990-1002 | 2019 |
| Honmyo N, Kobayashi T, Hamaoka M, Kohashi T, Abe T, Oishi K, Iazawa H, Imaoka Y, Akita T, Tanaka J, Ohdan H, Hiroshima Surgical study group of Clinical Oncology (HiSCO) | Comparison of new prognostic systems for patients with resectable hepatocellular carcinoma: Albumin-Bilirubin grade and Albumin-Indocyanine Green Evaluation grade | Hepatology Research | 49(10) | 1218-1226 | 2019 |
| Toyoda H, Kumada T, Tada T, Mizuno K, Sone Y, Akita T, Tanaka J, Johnson PJ | The impact of HCV eradication by direct-acting antivirals on the transition of precancerous hepatic nodules to HCC: A prospective observational study | Liver International | 39(3) | 448-454 | 2019 |
| Ork V, Woodring J, Shafiqul Hossain M, Wasley A, Nagashima S, Yamamoto C, Chuon C, Sugiyama A, Ohisa M, Akita T, Ko K, Mao B, Tanaka J | Hepatitis B surface antigen seroprevalence among pre- and post-vaccine cohorts in Cambodia, 2017 | Vaccine | 37(35) | 5059-5066 | 2019 |
| Nagashima S, Yamamoto C, Ko K, Chuon C, Sugiyama A, Ohisa M, Akita T, Katayama K, Yoshihara M, Tanaka J | Acquisition rate of antibody to hepatitis B surface antigen among medical and dental students in Japan after three-dose hepatitis B vaccination | Vaccine | 37(1) | 145-151 | 2019 |

| | | | | | |
|---|--|---|--------|-----------|------|
| Tada T, Kumada T, Toyoda H, Tsuji K, Hiraoka A, Michitaka K, Deguchi A, Ishikawa T, Imai M, Ochi H, Joko K, Shimada N, Tajiri K, Hiraoka M, Koizumi Y, Hiasa Y, Tanaka J | Impact of albumin-bilirubin grade on survival in patients with hepatocellular carcinoma who received sorafenib: An analysis using time-dependent receiver operating characteristic | Journal of Gastroenterology and Hepatology | 34(6) | 1066-1073 | 2019 |
| Tada T, Toyoda H, Sone Y, Yasuda S, Miyake N, Kumada T, Tanaka J | Type 2 diabetes mellitus is a risk factor for progression of liver fibrosis in middle-aged patients with nonalcoholic fatty liver disease | Journal of Gastroenterology and Hepatology | 34(11) | 2011-2018 | 2019 |
| Tada T, Toyoda H, Yasuda S, Miyake N, Kumada T, Kurisu A, Ohisa M, Akita T, Tanaka J | Long-term prognosis of liver disease in patients with chronic hepatitis B virus infection receiving nucleos(t)ide analogue therapy: an analysis using a Markov chain model | European Journal of Gastroenterology and Hepatology | 31(11) | 1452-1459 | 2019 |
| Hiramatsu A, Aikata H, Uchikawa S, Ohya K, Kodama K, Nishida Y, Daijo K, Osawa M, Teraoka Y, Honda F, Inagaki Y, Morio K, Morio R, Fujino H, Nakahara T, Murakami E, Yamauchi M, Kawaoka T, Miki D, Tsuge M, Imamura M, Tanaka J, Chayama K | Levocarnitine use is associated with improvement in sarcopenia in patients with liver cirrhosis | Hepatology Communications | 22(3) | 348-355 | 2019 |
| Chun C, Takahashi K, Matsuo J, Katayama K, Yamamoto C, Ko K, Hok S, Nagashima S, Akbar SMF, Tanaka J | High possibility of hepatocarcinogenesis in HBV genotype C1 infected Cambodians is indicated by 340 HBV C1 full-genomes analysis from GenBank. | Scientific Reports | 9(1) | 12186 | 2019 |
| Shimagaki T, Yoshio S, Kawai H, Sakamoto Y, Doi H, Matsuda M, Mori T, Osawa Y, Fukai M, Yoshida T, Ma Y, Akita T, Tanaka J, Takekuni A, Hanayama R, Yoshizumi T, Mori M, Kanto T | Serum milk fat globule-EGF factor 8 (MFG-E8) as a diagnostic and prognostic biomarker in patients with hepatocellular carcinoma | Scientific Reports | 9(1) | 15788 | 2019 |
| Yamamoto C, Ko K, Nagashima S, Hara K, Fujii T, Ohisa M, Katayama K, Takahashi K, Okamoto H, Tanaka J | Very low prevalence of anti-HAV in Japan: high potential for future outbreak | Scientific Reports | 9(1) | 1493 | 2019 |
| Yamasaki K, Tanaka J, Kurisu A, Akita T, Ohisa M, Sakamune K, Ko K, Sugiyama A, Yasaka T, Shirahama S | Natural course of persistent hepatitis B virus infection in HBe antigen-positive and -negative cohorts in Japan based on the Markov model | Journal of Medical Virology | 90(12) | 1800-1813 | 2018 |

| | | | | | |
|--|---|--|--------|-----------|------|
| Estes C, Anstee QM, Arias-Loste MI, Bantel H, Bellentani S, Caballeria J, Colombo M, Craxi A, Crespo J, Day CP, Eguchi Y, Geier A, Kondili LA, Kroy DC, Lazarus JV, Loomba R, Manns MP, Marchesini G, Nakajima A, Negro F, Petta S, Ratziu V, Romero-Gomez M, Sanyal A, Schattenberg JM, Tacke F | Modeling NAFLD disease burden in China, France, Germany, Italy, Japan, Spain, United Kingdom, and United States for the period 2016-2030 | Journal of Hepatology | 69(4) | 896-904 | 2018 |
| 杉山文、海嶋照美、坂宗和明、田中純子 | 肝炎医療コーディネーターの活動実態調査研究 全国一斉調査の結果から | 肝臓 | 59(1) | 33-40 | 2018 |
| Uchida S, Satake M, Kurisu A, Sugiyama A, Ko K, Akita T, Tanaka J | Incidence Rates of Hepatitis C Virus Infection among Blood Donors in Japan: A Nationwide Retrospective Cohort Study | Transfusion | 58(12) | 2880-2885 | 2018 |
| Tada T, Kumada T, Toyoda H, Ohisa M, Akita T, Tanaka J | Long-term natural history of liver disease in patients with chronic hepatitis B virus infection: an analysis using the Markov chain model | Journal of Gastroenterology | 53(11) | 1196-1205 | 2018 |
| Fujimoto M, Chuon C, Nagashima S, Yamamoto C, Ko K, Svay S, Hok S, Lim O, Ohisa M, Akita T, Katayama K, Matsuo J, Takahashi K, Tanaka J | A seroepidemiological survey of the effect of hepatitis B vaccine and hepatitis B and C virus infections among elementary school students in Siem Reap province, Cambodia | Hepatology Research | 48(3) | E172-E182 | 2018 |
| Sugiyama A, Fujii T, Nagashima S, Ohisa M, Yamamoto C, Chuon C, Akita T, Matsuo J, Katayama K, Takahashi K, Tanaka J | Pilot study for hepatitis virus screening among employees and effective approach to encourage employees who screened positive to receive medical care in Japan | Hepatology Research | 48(3) | E291-E302 | 2018 |
| Kaishima T, Akita T, Ohisa M, Sakamune K, Kurisu A, Sugiyama A, Aikata H, Chayama K, Tanaka J | Cost-effectiveness analyses of anti-hepatitis C virus treatments using quality of life scoring among patients with chronic liver disease in Hiroshima prefecture, Japan | Hepatology Research | 48(7) | 509-520 | 2018 |
| Toyoda H, Kumada T, Tada T, Mizuno K, Sone Y, Kaneoka Y, Maeda A, Akita T, Tanaka J | Impact of previously cured hepatocellular carcinoma (HCC) on new development of HCC after eradication of hepatitis C infection with non-interferon based treatments | Alimentary Pharmacology and Therapeutics | 48(6) | 664-670 | 2018 |

| | | | | | |
|---|---|--|--------|-----------|------|
| Tada T, Kumada T, Toyoda H, Sone Y, Takeshima K, Ogawa S, Goto T, Wakahata A, Nakashima M, Nakamuta M, Tanaka J | Viral eradication reduces both liver stiffness and steatosis in patients with chronic hepatitis C virus infection who received direct-acting anti-viral therapy | Alimentary Pharmacology & Therapeutics | 47(7) | 1012-1022 | 2018 |
| Toyoda H, Kumada T, Mizuno K, Hiraoka A, Tuji K, Ishikawa T, Akita T, Tanaka J | Impact of hepatocellular carcinoma aetiology and liver function on the benefit of surveillance: A novel approach for the adjustment of lead-time bias | Liver International | 38(12) | 2260-2268 | 2018 |
| Tada T, Kumada T, Toyoda H, Kobayashi N, Akita T, Tanaka J | Hepatitis B virus core-related antigen levels predict progression to liver cirrhosis in hepatitis B carriers | Journal of Gastroenterology and Hepatology | 33(4) | 918-925 | 2018 |
| Tanaka J, Akita T, Ohisa M, Sakamune K, Ko K, Uchida S, Satake M | Trends in the total numbers of HBV and HCV carriers in Japan from 2000 to 2011 | Journal of Viral Hepatitis | 25(4) | 363-372 | 2018 |
| Lingani M, Akita T, Ouoba S, Sanou AM, Sugiyama A, Tarnagda Z, Ohisa M, Tinto H, Mishihiro S, Tanaka J | High prevalence of hepatitis B infections in Burkina Faso (1996-2017): a systematic review with meta-analysis of epidemiological studies | BMC Public Health | 18(1) | 551 | 2018 |

| | | | | | |
|---|---|---|-------------|----------------|-------------|
| <p>Razavi-Shearer D, Gankrelidze I, Nguyen M H, Chen D, Damme P V, Abbas Z, Abdulla M, Rached A A, Adda D, Aho I, Akarca U, Hasan F, Lawati F A, Naamani K A, Al-Ashgar H I, Alavian S M, Alawadhi S, Albillos A, Al-Busafi S A, Aleman S, Alfaleh F Z, Aljumah A A, Anand A C, Anh N T, Arends J E, Arkkila P, Athanasakis K, Bane A, Ben-Ari Z, Berg T, Bizri A R, Blach S, Mello C F B, Brandon S M, Bright B, Bruggmann P, Brunetto M, Buti M, Chan H L Y, Chaudhry A, Chien R, Choi M S, Christensen P B, Chuang W, Chulanov V, Clausen M R, Colombo M, Cornberg M, Cowie B, Craxi A, Croes E A, Cuellar D A, Cunningham C, Desalegn H, Drazilova S, Duberg A, Egeonu S S, El-Sayed M H, Estes C, Falconer K, Ferraz M L G, Ferreira P R, Flisiak R, Frankova S, Gaeta G B, Garcia-Samaniego J, Genov J, Gerstoft J, Goldis A, Gountas I, Gray R, Pessoa M G, Hajarizadeh B, Hatzakis A, Hezode C, Himatt S M, Hoepelman A, Hrstic I, Hui Y T, Husa P, Jahis R, Janjua N Z, Jar?u?ka P, Jaroszewicz J, Kaymakoglu S, Kershenovich D, Kondili L A, Konysbekova A, Kraiden M, Kristian P, Laleman W, Lao W C, Layden J, Lazarus J V, Lee M, Liakina V, Lim Y S, Loo C K, Luk?i? B, Malekzadeh R, Malu A O, Mamatkulov A, Manns M, Marinho R T, Maticic M, Mauss S, Memon M S, Correa M C M, Mendez-Sanchez N, Merat S, Metwally A M, Mohamed R, Mokhbat J E, Moreno C, Mossong J, Mourad F H, Mullhaupt B, Murphy K, Musabaev E, Nawaz A, Nde H M, Negro F, Nersesov A, Nguyen V T T, Njouom R, Ntagirabiri R, Nurmatov Z, Obekpa S, Ocamo P, Oguche S, Omede O, Omuemu C, Opere-Sem O, Opio C K, Ormeçi N, Papatheodoridis G, Pasini K, Pimenov N, Poustchi H, Quang T D, Qureshi H, Ramji A, Razavi-Shearer K, Redae B, Reesink H W, Rios C Y, Rjaskova G, Robbins S, Roberts L R, Roberts S K, Ryder S D, Safadi R, Sagalova O, Salupere R, Sanai F M, Sanchez-Avila J F, Saraswat V, Sarrazin C, Schmelzer J D, Schreter I, Scott J, Seguin-Devaux C, Shah S R, Sharafa A L, Sharma M, Shih G E, Shin T, Sievert W, Spierl J, Starkel P, Stedman C, Sypsa V, Tacke F, Tan S S, Tanaka J, Tomasi?wicz K, Urbanek P, van der Meer A J, Vlierberghe H V, Vella S, Vince A, Waheed Y, Waked I, Walsh N, Weis N, Wong V W, Woodring J, Yaghi C, Yang H, Yang C, Yesmembetov K, Yosry A, Yuen M, Yusuf M A M, Zeuzem S, Razavi H</p> | <p>Global prevalence, treatment, and prevention of hepatitis B virus infection in 2016: a modelling study</p> | <p>The LANCET Gastroenterology & Hepatology</p> | <p>3(6)</p> | <p>383-403</p> | <p>2018</p> |
|---|---|---|-------------|----------------|-------------|

| | | | | | |
|---|---|--|---------|-----------|------|
| Yoshio S, Mano Y, Doi H, Shoji H, Shimagaki T, Sakamoto Y, Kawai H, Matsuda M, Mori T, Osawa Y, Korenaga M, Sugiyama M, Mizokami M, Mita E, Katayama K, Tanaka J, Kanto T | Cytokine and chemokine signatures associated with hepatitis B surface antigen loss in hepatitis B patients | JCI Insight | 3(20) | e12226 | 2018 |
| Hirata F, Ishiyama K, Tanaka Y, Kobayashi T, Hashimoto M, Saeki Y, Ishida N, Taguchi K, Tanaka J, Arihiro K, Ohdan H; Hiroshima Surgical Study Group of Clinical Oncology (HiSCO) | Effect of bevacizumab plus XELOX (CapeOX) chemotherapy on liver natural killer cell activity in colorectal cancer with resectable liver metastasis | Annals of Gastroenterological Surgery | 2(5) | 383-393 | 2018 |
| Toyoda H, Kumada T, Tada T, Yama T, Mizuno K, Sone Y, Maeda A, Kaneoka Y, Akita T, Tanaka J | Differences in the impact of prognostic factors for hepatocellular carcinoma over time | Cancer Science | 108(12) | 2438-2444 | 2017 |
| Tada T, Kumada T, Toyoda H, Kiriya S, Tanikawa M, Hisanaga Y, Kanamori A, Kitabatake S, Yama T, Tanaka J | Post-treatment levels of α -fetoprotein predict long-term hepatocellular carcinoma development after sustained virological response in patients with hepatitis C | Hepatology Research | 47(10) | 1021-1031 | 2017 |
| Sugiyama A, Ohisa M, Nagashima S, Yamamoto C, Chuon C, Fujii T, Akita T, Katayama K, Kudo Y, Tanaka J | Reduced prevalence of hepatitis B surface antigen positivity among pregnant women born after the national implementation of immunoprophylaxis for babies born to hepatitis B virus-carrier mothers in Japan | Hepatology Research | 47(12) | 1329-1334 | 2017 |
| Tada T, Kumada T, Toyoda H, Kiriya S, Tanikawa M, Hisanaga Y, Kanamori A, Kitabatake S, Yama T, Tanaka J | Viral Eradication reduces all-Cause Mortality, Including non-Liver-Related Disease, in Patients With Progressive Hepatitis C Virus-Related Fibrosis | Journal of Gastroenterology and Hepatology | 32(3) | 687-694 | 2017 |
| Tada T, Kumada T, Toyoda H, Tsuji K, Hiraoka A, Tanaka J | Impact of FIB-4 index on hepatocellular carcinoma incidence during nucleos(t)ide analogue therapy in patients with chronic hepatitis B: An analysis using time-dependent receiver operating characteristic | Journal of Gastroenterology and Hepatology | 32(2) | 451-458 | 2017 |
| Matsuo J, Do SH, Yamamoto C, Nagashima S, Chuon C, Katayama K, Takahashi K, Tanaka J | Clustering infection of hepatitis B virus genotype B4 among residents in Vietnam, and its genomic characters both intra- and extra-family | PLOS ONE | 12(7) | e0177248 | 2017 |

Blach S, Zeuzem S, Manns M, Altraif I, Duberg A, Muljono D, H, Waked I, Alavian S M, Lee M, Negro F, Abaalkhail F, Abdou A, Abdulla M, Rached A A, Aho I, Akarca U, Ghazzawi I A, Kaabi S A, Lawati F A, Namaani K A, Serkal Y A, Al-Busafi S A, Al-Dabal L, Aleman S, Alghamdi A S, Aljumah A A, Al-Romaihi H E, Andersson M I, Arendt V, Arkkila P, Assiri A M, Baatarkhuu O, Bane A, Ben-Ari Z, Bergin C, Bessone F, Bini F, Bizri A R, Blachier M, Blasco A J, Mello C E B, Bruggmann P, Brunton C R, Calinas F, Chan H L Y, Chaudhry A, Cheinquer H, Chen C, Chien R, Choi M S, Christensen P B, Chuang W, Chulanov V, Cisneros L, Clausen M R, Cramp M E, Craxi A, Croes E A, Dalgard O, Daruich J R, de Ledinghen V, Dore G J, El-Sayed M H, Ergör G, Esmat G, Estes C, Falconer K, Farag E, Ferraz M L G, Ferreira P R, Flisiak R, Frankova S, Gankrelidze I, Gane E, Garcia-Samaniego J, Khan A G, Gountas I, Goldis A, Gottfredsson M, Grebely J, Gschwantler M, Pessoa M G, Gunter J, Hajarizadeh B, Hajejsseidig O, Hamid S, Hamoudi W, Hatzakis A, Himatt S M, Hofer H, Hrstic I, Hui Y, Hunyady B, Idilman R, Jafri W, Jahis R, Janjua N Z, Jarč uš ka P, Jeruma A, Jonasson J G, Kamel Y, Kao J, Kaymakoglu S, Kershenovich D, Khamis J, Kim Y S, Kondili L, Koutoubi Z, Kraiden M, Krarup H, Lai M, Laleman W, Lao W, Lavanchy D, Lázaro P, Leleu H, Lesi O, Lesmana L A, Li M, Liakina V, Lim Y, Luksic B, Mahomed A, Maimets M, Makara W, Malu A O, Marinho R T, Marotta P, Mauss S, Memon M S, Correa M C M, Mendez-Sanchez N, Merat S, Metwally A M, Mohamed R, Moreno C, Mourad F H, Müllhaupt B, Murphy K, Nde H, Njoum R, Nonkovic D, Norris S, Obekpa S, Oguiche S, Olafsson S, Olftan M, Omede O, Omuemu C, Opere-Sem O, Øvrehus A L H, Owusu-Ofori S, Oyunsuren T S, Papatheodoridis G, Pasini K, Peltekian K M, Phillips R O, Pimenov N, Poustchi H, Prabdial-Sing N, Qureshi H, Ramji A, Razavi-Shearer D, Razavi-Shearer K, Redae B, Reesink H W, Ridruejo E, Robbins S, Roberts L R, Roberts S K, Rosenberg W M, Roudot-Thoraval F, Ryder S D, Safadi R, Sagalova O, Salupere R, Sanai F M, Avila J F S, Saraswat V, Sarmiento-Castro R, Sarrazin C, Schmelzer J D, Schréter I, Seguin-Devaux C, Shah S R, Sharara A I, Sharma M, Shevaldin A, Shiha G E, Sievert W, Sonderup M, Souliotis K, Speiclenė D, Sperl J, Stärkel P, Stauber R E, Stedman C, Struck D, Su T, Sypsa V, Tan S, Tanaka J, Thompson A J, Tolmane I, Tomasiewicz K, Valantinas J, Damme P V, van der Meer A J, van Thiel I, Vierberghe H V, Vince A, Vogel W, Wedemeyer H, Weis N, Wong V W, Yaghi C, Yosry A, Yuén M, Yunhastuti

Global prevalence and genotype distribution of hepatitis C virus infection in 2015: a modelling study

The LANCET Gastroenterology & Hepatology

2(3)

161-176

2017

| | | | | | |
|---|---|---------------------------|--------|---------|------|
| Tada T, Kumada T, Toyoda H, Mizuno K, Sone Y, Akita T, Tanaka J | Progression of liver fibrosis is associated with non-liver-related mortality in patients with nonalcoholic fatty liver disease | Hepatology Communications | 1(i9) | 899-910 | 2017 |
| Nozawa A, Ozeki M, Hori T, Kato H, Ohe N, Fukao T | Fatal progression of Gorham- Stout disease with skull base osteomyelitis and lateral medullary syndrome | Internal Med | Feb 25 | | 2019 |
| Ozeki M, Hashimoto H, Asada R, Saito A, Fujimura T, Kuroda T, Ueno S, Watanabe S, Nosaka S, Miyasaka M, Umezawa A, Matsuoka K, Maekawa T, Yamada Y, Fujino A, Hirakawa S, Furukawa T, Tajiri T, Kinoshita Y, Souzaki R, Fukao T | Efficacy and safety of sirolimus treatment for intractable lymphatic anomalies: a study protocol for an open-label, single-arm, multicenter, prospective study (SILA) | Regen Ther | 10 | 84-91 | 2019 |
| Ueno S, Fujino A, Morikawa Y, Iwanaka T, Kinoshita Y, Ozeki M, Nosaka S, Matsuoka K, Usui N | Indication of tracheostomy for head and neck lymphatic malformation in children - analysis of nationwide survey in Japan | Surg Today | Feb 18 | | 2019 |
| Ozeki M, Fukao T | Generalized lymphatic anomaly and Gorham- Stout disease: overview and recent insights | Advance Wound Care | 7 Jan | | 2019 |
| Ozeki M., Nozawa A., Yasue S., Endo S., Asada R., Hashimoto H., Fukao T | The impact of sirolimus therapy on lesion size, clinical symptoms, and quality of life of patients with lymphatic anomalies | Orphanet J Rare Dis | 14(1) | 141 | 2019 |

| | | | | | |
|--|---|-------------------------|--------|-----------|------|
| Nozawa A., Ozeki M., Matsuoka M., Nakama M., Yasue S., Endo S., Kawamoto N., Ohnishi H., Fukao T | Perampanel Inhibits Neuroblastoma Cell Proliferation Through Down-regulation of AKT and ERK Pathways | Anticancer Res | 39(7) | 3595-3599 | 2019 |
| Nozawa A., Ozeki M., Hori T., Kato H., Ohe N., Fukao T | Fatal Progression of Gorham-Stout Disease with Skull Base Osteomyelitis and Lateral Medullary Syndrome. | Intern Med | 58(13) | 1929-1933 | 2019 |
| Ozeki M., Nozawa A., Kawamoto N., Fujino A., Hirakawa S., Fukao T | Potential biomarkers of kaposiform lymphangiomatosis. | Pediatr Blood Cancer | 66(9) | e27878 | 2019 |
| Ozeki M., Aoki Y., Nozawa A., Yasue S., Endo S., Hori Y., Matsuoka K., Niihori T., Funayama R., Shirota M., Nakayama K., Fukao T | Detection of NRAS mutation in cell-free DNA biological fluids from patients with kaposiform lymphangiomatosis. | Orphanet J Rare Dis | 14(1) | 215 | 2019 |
| Nozawa A., Ozeki M., Yasue S., Endo S., Ohe N., Miyazaki T., Fukao T | Proinflammatory Cytokine Secretion in a Patient With Recurrent Neuroblastoma Related to the Onset of Malignancy-associated Hemophagocytic Lymphohistiocytosis | J Pediatr Hematol Oncol | | | 2019 |
| Nozawa A., Ozeki M., Yasue S., Endo S., Kawamoto N., Ohnishi H., Fumino S., Furukawa T., Tajiri T., Maekawa T., Fujino A., Souzaki R., Fukao T | Immunologic Effects of Sirolimus in Patients With Vascular Anomalies. | J Pediatr Hematol Oncol | | | 2019 |
| Yokoyama M., Ozeki M., Nozawa A., Usui N., Fukao T. | Low-dose sirolimus for a patient with blue rubber bleb nevus syndrome. | Pediatr Int | 62(1) | 112-113 | 2020 |

| | | | | | |
|--|---|----------------------|----------|-----------|------|
| Tanahashi Y, Ozeki M, Kawada H, Goshima S, Fukao T, Matsuo M | Direct-Puncture Lymphatic Embolization in the Prone Position for Chylothorax Caused by Lymphatic Anomaly | J Vasc Interv Radiol | Mar 26 | | 2020 |
| Hori Y, Ozeki M, Hirose K, Matsuoka K, Matsui T, Kohara M, Tahara S, Toyosawa S, Fukao T, Morii E | Analysis of mTOR pathway expression in lymphatic malformation and related diseases | Pathol Int | Feb 18. | | 2020 |
| Ozeki M, Fukao T. | Reply to: Comment on: Potential biomarkers of kaposiform lymphangiomatosis. | Pediatr Blood Cancer | 67(4) | e28156 | 2020 |
| Goto K, Ozeki M, Yasue S, Endo S, Fukao T | A retrospective study of 2 and 3 mg/kg/day propranolol for infantile hemangioma | Pediatr Int | in press | | 2020 |
| Kumagai C, Ozeki M, Nozawa, Kakuda H, Fukao T | Efficacy of sirolimus in an infant with Kasabach-Merritt phenomenon. | Pediatr Int | 60(9) | 887-889 | 2018 |
| Funato M, Ozeki M, Suzuki A, Ishihara M, Kobayashi R, Nozawa A, Yasue S, Endo-Ohnishi S, Fukao T, Itoh Y | Prophylactic Effect of Polaprezinc, a Zinc-L-carnosine, Against Chemotherapy-induced Oral Mucositis in Pediatric Patients Undergoing Autologous Stem Cell Transplantation | Anticancer Res | 38(8) | 4691-4697 | 2018 |
| Ueno S, Fujino A, Morikawa Y, Iwanaka T, Kinoshita Y, Ozeki M, Nosaka S, Matsuoka K, Usui N | Treatment of mediastinal lymphatic malformation in children: an analysis of a nationwide survey in Japan | Surg Today | Feb 26. | | 2018 |
| Kato H, Ozeki M, Fukao T, Matsuo M | Chest imaging in generalized lymphatic anomaly and kaposiform lymphangiomatosis. | Pediatr Int | Jun 20. | | 2018 |

| | | | | | |
|--|--|--------------------------------|--------|---|------|
| 小関 道夫, 深尾 敏幸 | 【頸部腫瘍の診かた】 先天性形成異常 血管 性病変 | 小児内科 | 50(2) | 226-23 0 | 2018 |
| 小関道夫 | 乳児血管腫(プロプラ ノロール)リンパ管奇 形(シロリムス) 知 っておくべき治療可能 な胎児・新生児希少疾 患 | 周産期医学 | 48 | 10 | 2018 |
| 小関道夫 | 患児・家族に寄り添う 血管腫・脈管奇形の医 療 | PEPARS | | | 2019 |
| Matsuzawa-Kinomura Y., Ozeki M., Otsuka H., Orii K., Fukao T | Neonatal dysphonia caused by subglottic infantile hemangioma. | Pediatr in t | 59(8) | 935-93 6 | 2017 |
| Ozeki M., Nozawa A., Kanda K., Hori T., Nagano A., Shimada A., Miyazaki T., Fukao T. | Everolimus for Treatment of Pseudomyogenic Hemangioendothelioma | J Pediatr Hematol On col | 39(6) | e328-e 331, d oi: 1 0.1097 /MPH | 2017 |
| Kato H., Ozeki M., Fukao T., Matsuo M | MR imaging findings of vertebral involvement in Gorham-Stout disease, generalized lymphatic anomaly, and kaposiform lymphangiomatosis | Jpn J Radi ol | 35(10) | 606-61 2 | 2017 |
| Kaneko T, Sasaki S, Baba N, Koh K, Matsui K, Ohjimi H, Hayashi N, Nakano A, Ohki K, Kuwano Y, Morimoto A, Tamaki Z, Kakazu M, Kishi K, Oyama T, Sato A, Kato R, Higuchi T | Efficacy and safety of oral propranolol for infantile hemangioma in Japan | Pediatr In t | 59(8) | 869-87 7 | 2017 |
| 小関 道夫 | 乳児血管腫(いちご状 血管腫)に対する新し い治療法 プロプラノ ロール療法 | 小児科診療 UP-to-DATE | 24 | 226-23 0 | 2017 |

| | | | | | |
|--|--|----------------------|-----|---------|------|
| Yanagisawa R, Nakazawa Y, Matsuda K, Yasumi T, Kanegane H, Ohga S, Morimoto A, Hashii Y, Imaizumi M, Okamoto Y, Saito AM, Horibe K, Ishii E | HLH/LCH committee members of the Japanese Children's Cancer Group. Outcomes in children with hemophagocytic lymphohistiocytosis treated using HLH-2004 protocol in Japan | Int J Hematol | 109 | 206-213 | 2019 |
| Sakamoto K, Morimoto A, Shioda Y, Imamura T, Imashuku S | on behalf of the Japan LCH Study Group (JLSG). Central diabetes insipidus in pediatric patients with Langerhans cell histiocytosis: results from the JLSG-96/02 studies | Pediatr Blood Cancer | 66 | e27454 | 2019 |
| Tanaka T, Yoshioka K, Nishikomori R, Sakai H, Abe J, Yamashita Y, Hiramoto R, Morimoto A, Ishii E, Arakawa H, Kaneko U, Ohshima Y, Okamoto N, Ohara O, Hata I, Shigematsu Y, Kawai T, Yasumi T, Heike T | National survey of Japanese patients with mevalonate kinase deficiency reveals distinctive genetic and clinical characteristics | Mod Rheumatol | 29 | 181-187 | 2018 |
| Hayase T, Matsubara D, Maeda K, Aihara T, Morimoto A | A case of pediatric ovarian dysgerminoma with highly elevated serum neuron specific enolase | Pediatr Int | 60 | 982-983 | 2018 |
| Hoshino A, Takashima T, Yoshida K, Morimoto A, Kawahara Y, Yeh TW, Okano T, Yamashita M, Mitsuiki N, Imai K, Sakatani T, Nakazawa A, Okuno Y, Shiraishi Y, Chiba K, Tanaka H, Miyano S, Ogawa S, Kojima S, Morio T, Kanegane H | Dysregulation of Epstein-Barr virus infection in hypomorphic ZAP70 mutation | J Infect Dis | 218 | 825-834 | 2018 |
| Ishida H, Imamura T, Morimoto A, Fujiwara T, Harigae H | Five-aminolevulinic acid: New approach for congenital sideroblastic anemia | Pediatr Int | 60 | 496-497 | 2018 |

| | | | | | |
|---|--|-------------------------|-------|-----------|------|
| Kawahara Y, Oh Y, Kato T, Zaha K, Morimoto A | Transient Marked Increase of T Cells in WHIM Syndrome After Successful HSCT | J Clin Immunol | 38 | 553-555 | 2018 |
| Kawahara Y, Wada S, Nijima H, Hayase T, Furukawa R, Ashizawa K, Morimoto A | Rhinocerebral mucormycosis with temporal artery thrombosis in an adolescent following HLA-haploidentical stem cell transplantation | J Pediatr Hematol Oncol | 40 | e461-e463 | 2018 |
| Morimoto A, Shioda Y, Imamura T, Kudo K, Kitoh T, Kawaguchi H, Gotto H, Kosaka Y, Tsunemitsu Y, Imashuku S | Intensification of induction therapy and prolongation of maintenance therapy did not improve the outcome of pediatric Langerhans cell histiocytosis with single-system multifocal bone lesions: Results of the Japan Langerhans Cell Histiocytosis Study Group-02 Protocol Study | Int J Hematol | 108 | 192-198 | 2018 |
| Murakami I, Morimoto A, Imashuku S, Gogusev J, Jaubert F, et al. | Merkel cell polyomavirus and Langerhans cell neoplasms | Cell Commun Signal | 16 | 49 | 2018 |
| Kaneko T, Sasaki S, Baban, Koh K, Matsui K, Ohjimi H, Hayashi N, Nakano A, Ohki K, Kuwano Y, Morimoto A, Tamaki Z, Kakazu M, Kishi K, Oyama T, Sato A, Kato R, Higuchi T. | Efficacy and safety of oral propranolol for infantile hemangioma in Japan. | Pediatr Int | 59(8) | 869-877 | 2017 |
| Kawahara Y, Nijima H, Suzuki Y, Furukawa R, Morimoto A. | Successful use of propranolol for congenital hepatic hemangioma with Kasabach-Merritt phenomenon. | Pediatr Int | 59(5) | 634-636 | 2017 |

| | | | | | |
|---|---|----------------------|--------|---|------|
| Kimura S, Seki M, Yoshida K, Shiraishi Y, Akaiyama M, Koh K, Imamura T, Manabe A, Hayashi Y, Kobayashi M, Oka A, Miyano S, Ogawa S, Takita J | NOTCH1 pathway activating mutations and clonal evolution in pediatric T-cell acute lymphoblastic leukemia (T-ALL) | Cancer Sci | Nov 2 | doi: 10.1111/cas.13859. [Epub ahead of print] | 2018 |
| Yabe M, Koike T, Ohtsubo K, Imai E, Morimoto T, Takakura H, Koh K, Yoshida K, Ogawa S, Ito E, Okuno Y, Muramatsu H, Kojima S, Matsuo K, Mori M, Hira A, Takata M, Yabe H. | Associations of complementation group, ALDH2 genotype, and clonal abnormalities with hematological outcome in Japanese patients with Fanconi anemia. | Ann Hematol | Oct 27 | doi: 10.1007/s00277-018-3517-0 | 2018 |
| Sakaguchi H, Muramatsu H, Hasegawa D, Kudo K, Ishida H, Yoshida N, Koh K, Noguchi M, Shiba N, Tokimasa S, Fukuda T, Goto H, Miyamura T, Nakazawa Y, Hashii Y, Inoue M, Atsuta Y | Pediatric AML Working Group of the Japan Society for Hematopoietic Cell Transplantation. Comparison of conditioning regimens for autologous stem cell transplantation in children with acute myeloid leukemia: A nationwide retrospective study in Japan. | Pediatr Blood Cancer | 66 | e27459. doi: 10.1002/pbc.27459 | 2019 |
| Watanabe K, Arakawa Y, Kambe T, Oguma E, Kishimoto H, Koh K | Unrelated allogeneic hematopoietic stem cell transplantation in a patient with Revesz syndrome, a severe variant of dyskeratosis congenita | Pediatr Blood Cancer | 66 | 26:e27476. doi: 10.1002/pbc.27476. | 2019 |
| Watanabe K, Arakawa Y, Oguma E, Uehara T, Yanagi M, Oyama C, Ikeda Y, Sasaki K, Isobe K, Mori M, Hanada R, Koh K | Characteristics of methotrexate-induced stroke-like neurotoxicity | Int J Hematol | 108 | 630-636 | 2018 |
| Ohki K, Koh K, Manabe A, Ohara A, et al. | Clinical and molecular characteristics of MEF2D fusion-positive precursor B-cell acute lymphoblastic leukemia in childhood, including a | Haematologica | Aug 31 | doi: 10.3324/haematol.2017.186320. | 2018 |

| | | | | | |
|---|---|-------------------------------------|---------|---------------------------------|------|
| Taga T, Imamura T, Nakashima K, Maeda N, Watanabe A, Miyajima Y, Sakaguchi S, Sano H, Hasegawa D, Kawasaki H, Adachi S, Takagi M, Koh K, Manabe A, Taki T, Ishida Y | Clinical characteristics of pediatric patients with myeloid sarcoma without bone marrow involvement in Japan | Int J Hematol | 108 | 438-442 | 2018 |
| Tsujimoto S, Osumi T, Uchiyama M, Shirai R, Moriyama T, Nishii R, Yamada Y, Kudo K, Sekiguchi M, Arakawa Y, Yoshida M, Uchiyama T, Terui K, Ito S, Koh K, Takita J, Ito E, Tomizawa D, Manabe A, Kiyokawa N, Yang JJ, Kato M | Diploidy analysis of NUDT15 variants and 6-mercaptopurine sensitivity in pediatric lymphoid neoplasms | Leukemia | Jul 2 | doi: 10.1038/s41375-018-0190-1. | 2018 |
| Tomizawa D, Yoshida M, Kondo T, Miyamura T, Taga T, Adachi S, Koh K, Noguchi M, Kakuda H, Watanabe K, Cho Y, Fukuda T, Kato M, Shibata N, Goto H, Okada K, Inoue M, Hashii Y, Arita Y, Ishida H | Allogeneic hematopoietic stem cell transplantation for children and adolescents with high-risk cytogenetic AML: distinctly poor outcomes of FUS-ERG-positive cases | Bone Marrow Transplantation | June 29 | doi:10.1038/s41409-018-0273-7. | 2018 |
| Koh K, Kato M, Saito AM, Kada A, Kawasaki H, Okamoto Y, Imamura T, Horibe K, Manabe A | Phase II/III study in children and adolescents with newly diagnosed B-cell precursor acute lymphoblastic leukemia: protocol for a nationwide multicenter trial in Japan | Jpn J Clin Oncol | 48 | 684-691 | 2018 |
| Takahashi H, Kajiwara R, Kato M, Hasegawa D, Tomizawa D, Noguchi Y, Koike K, Toyama D, Yabe H, Kajiwara M, Fujimura J, Sotomatsu M, Ota S, Maeda M, Goto H, Kato Y, Mori T, Inukai T, Shimada H, Fukushima K, Ogawa C, Makimoto A, Fukushima T, Ohki K, Koh | Treatment outcome of children with acute lymphoblastic leukemia: the Tokyo Children's Cancer Study Group (TCCSG) Study L04-16. | Int J Hematol [Epub ahead of print] | | | 2018 |

| | | | | | |
|--|--|-------------------------------------|-----------|---------|------|
| Inamura T, Taga T, Takagi M, Kawasaki H, Koh K, Taki T, Adachi S, Manabe A, Ishida Y; Leukemia/Lymphoma Committee; Japanese Society of Pediatric Hematology Oncology (JSPHO). | Nationwide survey of therapy-related leukemia in childhood in Japan. | Int J Hematol [Epub ahead of print] | | | 2018 |
| Nishii R, Moriyama T, Janke LJ, Yang W, Suiter C, Lin TN, Li L, Kihira K, Toyoda H, Hofmann U, Schwab M, Takagi M, Morio T, Manabe A, Khamis MM, Jiang N, Rabin KR, Kato M, Koh K, Yeoh AE, Horii H, Yang JJ. | Preclinical evaluation of NUDT15-guided thiopurine therapy and its effects on toxicity and anti-leukemic efficacy. | Blood [Epub ahead of print] | | | 2018 |
| Kuwatsuka Y, Tomizawa D, Kihara R, Nagata Y, Shiba N, Iijima-Yamashita Y, Shimada A, Deguchi T, Miyachi H, Tawa A, Taga T, Kinoshita A, Nakayama H, Kiyokawa N, Saito AM, Koh K, Goto H, Kosaka Y, Asou N, Ohtake S, Miyawaki S, Miyazaki Y. | Prognostic value of genetic mutations in adolescent and young adults with acute myeloid leukemia. | Int J Hematol | 107(2) | 201-210 | 2018 |
| Tzoneva G, Dieck CL, Oshima K, Ambesi-Impiombato A, Sánchez-Martín M, Madubata CJ, Khiabani H, Yu J, Waanders E, Iacobucci I, Sulis ML, Kato M, Koh K, Paganin M, Basso G, Gastier-Foster JM, Loh ML, Kirschner-Schwabe R. | Clonal evolution mechanisms in NT5C2 mutant-related acute lymphoblastic leukemia. | Mature | 553(7689) | 511-514 | 2018 |

| | | | | | |
|---|--|--------------------------------------|--------|---------------|------|
| Urayama KY, Takagi M, Kawaguchi T, Matsuo K, Tanaka Y, Ayukawa Y, Arakawa Y, Hasegawa D, Yuza Y, Kaneko T, Noguchi Y, Taneyama Y, Ota S, Inukai T, Yanagimachi M, Keino D, Koike K, Toyama D, Nakazawa Y, Kurosawa H, Nakamura K, Moriwaki K, | Regional evaluation of childhood acute lymphoblastic leukemia genetic susceptibility loci among Japanese | Sci Pep | 8(1) | 789 | 2018 |
| Shimada A, Iijima-Yamashita Y, Tawa A, Tomizawa D, Yamada M, Norio S, Watanabe T, Taga T, Iwamoto S, Terui K, Moritake H, Kinoshita A, Takahashi H, Nakayama H, Koh K, Goto H, Kosaka Y, Saito AM, Kiyokawa N, Horibe K, Hara Y, Oki K, | Risk-stratified therapy for children with FLT3-ITD-positive acute myeloid leukemia: results from the JPLSG AML-05 study. | Int J Hematol | 107(5) | 586-595 | 2018 |
| Uryu K, Nishimura R, Kataoka K, Sato Y, Nakazawa A, Suzuki H, Yoshida K, Seki M, Hiwatari M, Isobe T, Shiraishi Y, Chiba K, Tanaka H, Miyano S, Koh K, Hanada R, Oka A, Hayashi Y, Ohira M, Kamijo T, Nagase H, Takimoto T, Tajiri T, Nakagawara A, Ogawa S, Takita J | Identification of the genetic and clinical characteristics of neuroblastomas using genome-wide analysis. | Oncotarget | 8(64) | 107513-107529 | 2017 |
| Amano H, Uchida H, Tanaka Y, Tainaka T, Mori M, Oguma E, Kishimoto H, Kawashima H, Arakawa Y, Hanada R, Koh K. | Excellent prognosis of patients with intermediate-risk neuroblastoma and residual tumor or postchemotherapy. | J Pediatr Surg [Epub ahead of print] | | | 2017 |

| | | | | | |
|--|---|-------------------------------------|--------|-----------|------|
| Mitsui-Sekinaka K, Sekinaka Y, Ogura Y, Honda M, Ohyama R, Oyama C, Isobe K, Mori M, Arakawa Y, Koh K, Hanada R, Nonoyama S, Kawaguchi H. | A pediatric case of acute megakaryocytic leukemia with double chimeric transcripts of CBFA2T3-GLIS2 and DHH-RHEBL1. | Luek Lymphoma [Epub ahead of print] | | | 2017 |
| Nakayama H, Tomizawa D, Tanaka S, Iwamoto S, Shimada A, Saito AM, Yamashita Y, Moritake H, Terui K, Taga T, Matsuo H, Kosaka Y, Koh K, Hosoi H, Kurosawa H, Isoyama K, Horibe K, Mizutani S, Adachi S | Fludarabine, cytarabine, G-CSF and idarubicin for children with relapsed AML | Pediatr Int | 59(10) | 1046-1052 | 2017 |
| Tomizawa D, Tanaka S, Kondo T, Hashii Y, Arai Y, Kudo K, Taga T, Fukuda T, Goto H, Inagaki J, Koh K, Ohashi K, Ozawa Y, Inoue M, Kato K, Tanaka J, Atsuta Y, Adachi S, Ishida H | Allogeneic Hematopoietic Stem Cell Transplantation for Adolescents and Young Adults with Acute Myeloid Leukemia. | Biol Blood Marrow Transplant | 23(9) | 1515-1522 | 2017 |
| Seki M, Kimura S, Isobe T, Yoshida K, Ueno H, Nakajima-Takagi Y, Wang C, Lin L, Kon A, Suzuki H, Shiozawa Y, Kataoka K, Fujii Y, Shiraishi Y, Chiba K, Tanaka H, Shimamura T, Masuda K, Kawamoto H, Ohki K, Kato M, Arakawa Y, Koh K, Hanada R, Moritake H, Akiyama M, Kobayashi R, Deguchi T, Hashii Y, Imamura T, Sato A, Kiyokawa N, Oka A, Hayashi Y, Takagi M, Manabe A, Ohara A, Horibe K, Sanada M, | Recurrent SPI1(PU.1) fusions in high-risk pediatric T cell acute lymphoblastic leukemia. | Nat Genet | 49(8) | 1274-1281 | 2017 |

| | | | | | |
|---|--|------------------------|---------|-----------|------|
| Kaneko T, Sasaki S, Baba N, Koh K, Matsui K, Ohjimi H, Hayashi N, Nakano A, Ohki K, Kuwano Y, Morimoto A, Tamaki Z, Kakazu M, Kishi K, Oyama T, Sato A, Kato R, Higuchi T. | Efficacy and safety of oral propranolol for infantile hemangioma in Japan | Pediatr Int | 59(8) | 869-877 | 2017 |
| Moriyama T, Nishii R, Lin TN, Kihira K, Toyoda H, Jacob N, Kato M, Koh K, Inaba H, Manabe A, Schmiegelow K, Yang JJ, Hori H | The effects of inherited NUDT15 polymorphisms on thiopurine active metabolites in Japanese children with acute lymphoblastic leukemia. | Pharmacogenet Genomics | 27(6) | 236-239 | 2017 |
| Kato I, Nishinaka Y, Nakamura M, Akarca AU, Niwa A, Ozawa H, Yoshida K, Mori M, Wang D, Morita M, Ueno H, Shiozawa Y, Shiraishi Y, Miyano S, Gupta R, Umeda K, Watanabe K, Koh K, Adachi S, Heike T, Saito MK, Sanada M, Ogawa S, Marafioti T, Watanabe A, Nakahata T, Enver T. | Hypoxic adaptation of leukemic cells infiltrating the CNS affords a therapeutic strategy targeting VEGFA. | Blood | 129(23) | 3126-3129 | 2017 |
| 荒川 ゆうき, 康 勝好, 上原 太一, 柳 将人, 小山 千草, 池田 勇八, 佐々木 康二, 渡邊 健太郎, 磯部 清孝, 森 麻希子, 田中 裕次郎, 川 嶋 寛, 小熊 栄二, 岸本 宏志, 花田 良二 | 小児頭蓋外悪性胚細胞腫瘍 単施設における50例の臨床的検討 | 日本小児血液・がん学会雑誌 | 54(3) | 236-240 | 2017 |
| 松岡 諒, 青木 孝浩, 石川 悟, 原 朋子, 南部 隆亮, 萩原 真一郎, 康 勝好, 鍵本 聖一, 井田 博幸 | 虐待との鑑別を要し原発性抗リン脂質抗体症候群が疑われた幼児例 | 日本小児科学会雑誌 | 121(12) | 2002-2007 | 2017 |

| | | | | | |
|--|---|--------------------------------|----------|-----------|------|
| 康 勝好 | AYA世代の造血器腫瘍の治療の現状と展望 AYA世代の急性リンパ性白血病 小児科の立場から、 | 臨床血液 | 58(8) | 1024-1030 | 2017 |
| 櫻井 俊輔, 西野 智彦, 水谷 亮, 掛川 大輔, 櫻谷 浩志, 磯部 清孝, 康 勝好, 川嶋 寛, 清水 健司, 大橋 博文, 河野 智敬, 望月 弘, 藤永 周一郎 | IgA腎症の加療中に褐色細胞腫を発症した14歳男児例 | 日本小児高血圧研究会誌 | 14(1) | 24-31 | 2017 |
| 木下義晶 | 特集 次世代小児外科医に贈る診療のポイント:小児がん編 横紋筋肉腫手術手技 生検を含めて | 小児外科 | 51 巻 5 号 | 502-505 | 2019 |
| 木下義晶 | 特集 外科必携フォローのポイント いつまで何をみるか 仙尾部奇形腫 | 小児外科 | 51 巻 7 号 | 721-724 | 2019 |
| Kawaguchi A, et al. | <u>Distribution analysis of infantile hemangioma or capillary malformation on the head and face in Japanese</u> | J Dermatol | 46 | 849-852 | 2019 |
| Ueno S, Fujino A, Morikawa Y, Iwanaka T, Kinoshita Y, Ozeki M, Nosaka S, Matsuoka K, Usui N | Treatment of mediastinal lymphatic malformation in children: an analysis of a nationwide survey in Japan | Surg Today | 48 | 716-725 | 2018 |
| Souzaki R, Kawakubo N, Miyoshi K, Obata S, Kinoshita Y, Takemoto J, Kohashi K, Oda Y, Taguchi T. | The Utility of Muscle-Sparing Axillar Skin Crease Incision with Thoracoscopic Surgery in Children. | J Laparoendosc Adv Surg Tech A | 28 | 1378-1382 | 2018 |

| | | | | | |
|--|---|-----------------------------|-----|-----------|------|
| Kawakubo N, Harada Y, Ishii M, Souzaki R, Kinoshita Y, Tajiri T, Taguchi T, Yonemitsu Y. | Natural antibody against neuroblastoma of TH-MYCN transgenic mice does not correlate with spontaneous | Biochem Biophys Res Commun. | 503 | 1666-1673 | 2018 |
| Noda Y, Koga Y, Ohta M, Miyazono M, Wakasugi Y, Funakoshi Y, Urabe Y, Kifune M, Ueda T, Oba U, Nakashima K, Souzaki R, Kinoshita Y, Taguchi T, | Survey of Anticancer Drug Exposure to Attendant Families in Pediatric Medical Centers | Gan To Kagaku Ryoho | 45 | 945-948 | 2018 |
| Kawakubo N, Tanaka S, Kinoshita Y, Tajiri T, Yonemitsu Y, Taguchi T. | Sequential actions of immune effector cells induced by viral activation of dendritic cells to eliminate murine neuroblastoma. | J Pediatr Surg. | 53 | 1615-1620 | 2018 |
| 宗崎良太, 河野雄紀, 木下義晶, 田口智章, 神園淳司, 渋井勇一, 孝橋賢一, 小田義直, 鈴木信, 平戸純子 | 悪性腫瘍との鑑別を要した小児尿道カルンクルの2例 | 日本小児泌尿器科学会雑誌 | 27 | 76-79 | 2018 |
| 岩中 剛, 永田公二, 近藤琢也, 三好きな, 江角元史郎, 孝橋賢一, 木下義晶, 田口智章 | 胎児期に胸腔羊水分腔シャント術を行った先天性嚢胞性肺疾患の2例 | 日本小児外科学会雑誌 | 54 | 295-301 | 2018 |
| 木下義晶、田口智章 . | 胎児頸部腫瘍の治療における EXIT の役割 | 小児外科 . | 50 | 267-270 | 2018 |

| | | | | | |
|---|---|-------------------|--------|-----------|------|
| 田尻達郎, 木下 義晶, 鈴木信, 中田光政, 北河徳彦, 新開統子, 金田英秀, 東 真弓, 本多昌平, 福澤太一, 鈴木 完, 小松秀吾, 荒井 勇樹, 脇坂宗親, 近藤知史, 高間 勇一, 栗原 將, 宗崎 良太 | 小児固形悪性腫瘍の予後追跡調査結果の報告 2006~2010年登録症例について | 日小外会誌 . | 54 | 1260-1293 | 2018 |
| Kawaguchi A, Kunimoto K, Inaba Y, Mikita N, Kaminaka C, Kanazawa N, Yamamoto Y, Kakimoto N, Suenaga T, Takeuchi T, Suzuki H, Baba N, Jinnin M. | Distribution Analysis of Infantile Hemangioma or Capillary Malformation on the Head and Face in Japanese Patients | J Dermatol | 46(10) | 849-852 | 2019 |
| Egashira S, Jinnin M, Makino K, Ajino M, Shimozono N, Okamoto S, Tazaki Y, Hirano A, Ide M, Kajihara I, Aoi J, Harada M, Igata T, Masuguchi S, Fukushima S, Ihn H | Recurrent fusion gene ADCK4-NUMBL in cutaneous squamous cell carcinoma mediates cell proliferation | J Invest Dermatol | 139 | 954-957 | 2019 |
| 神人正寿 | これだけはしておきたい血管腫 | Dermatology Today | 31 | 12-17 | 2018 |
| Nakayama, W., Jinnin, M., Tomizawa, Y., Nakamura, K., Kudo, H., Inoue, K., Makino, K., Honda, N., Kajihara, I., Fukushima, S., Ihn, H. | Dysregulated interleukin-23 signalling contributes to the increased collagen production in scleroderma fibroblasts via balancing microRNA expression. | Rheumatology | 56 | 145-155 | 2017 |
| Ueno S, Fujino A, Morikawa Y, Iwanaka T, Kinoshita Y, Ozeki M, Nosaka S, Matsuoka K, Usui N. | Indication of tracheostomy for head and neck lymphatic malformation in children - analysis of nationwide survey in Japan. | Surg Today | 49 | 410-419 | 2019 |

| | | | | | |
|---|--|-----------------------|--------|-------------|------|
| Ozeki M, Nozawa A, Kawamoto N, Fujino A, Hirakawa S, Fukao T. | Potential biomarkers of kaposiform lymphangiomatosis | Pediatr Blood Cancer, | 66 | | 2019 |
| 藤野明浩 | リンパ管腫(嚢胞状リンパ管奇形) | 周産期医学 | 50(2) | 209-213 | 2020 |
| 江口 麻優子,野坂 俊介,植松 悟子,藤野 明浩,金森 豊,岡本 礼子,窪田 満,石黒 精 | Cornelia de Langrae症候群に併発した盲腸捻転:臨床および画像の検討. | 日本小児放射線学会雑誌 | 35(2) | 107-115 | 2019 |
| 藤野明浩 | 【新薬が変える子ども医療-薬物の使い分けと作用秩序】新しく開発された薬 血液疾患・腫瘍性疾患 リンパ管腫症、Gorham病、難治性血管奇形 シロリムス. | 小児内科 | 50(10) | 1500 - 1503 | 2018 |
| 藤野明浩 | 【頸部腫瘍の診かた】先天性形成異常 リンパ管腫(リンパ管奇形) | 小児内科 | 50(2) | 222-225 | 2018 |
| 藤野 明浩 | 【小児外科領域の先端的医療の展開(II):先端治療開発の方向性】血管腫・血管奇形・リンパ管奇形に対する新規薬物療法. | 小児外科 | 49 | 630-634 | 2017 |
| Yuzuriha S Nagai F Noguchi M | How to manage disfiguring scars in involuted infantile hemangioma. | Adv Wound Care | 8 | 221-229 | 2019 |
| 永井史緒、杠 俊介 | 四肢脈管奇形における保存的圧迫療法 患児・家族に寄り添う血管腫・脈管奇形の医療 | PEPARS | 145 | 71-79 | 2019 |
| 永井史緒、杠 俊介、柳澤大輔、岩澤幹直 | 上肢の静脈奇形(海綿状血管腫)に対する治療の選択 | 日手会誌 | 35 | 657-661 | 2019 |

| | | | | | |
|--|--|-------------------------------|----|---------|------|
| Nishioka H Kondoh S, Yuzuriha S | Convex bone deformity after closed reduction of nasal bone fracture | J Plast Reconstr Aesthet Surg | 71 | 85-89 | 2018 |
| Yanagisawa D Yuzuriha S | Stapling technique through transparent dressing to fix skin grafts | Burns Open | 2 | 71-75 | 2018 |
| Hosomi K Nagai F Yuzuriha S | Small-slice thin-thickness skin harvesting in a net pattern for patients with skin vulnerability | Burns Open | 2 | 79-84 | 2018 |
| Yasunaga Y Matsuo K Tanaka Y Yuzuriha S | Near-infrared irradiation increases length of axial pattern flap survival in rats | Eplasty | 17 | e26 | 2017 |
| 杠 俊介 | 顔面瘢痕の治療〔口唇部(鼻唇溝部を除く)〕 | 形成外科 | 60 | 294-303 | 2017 |
| 伴 碧 杠 俊介 松尾 清 伴 緑也 安永能周 常川主裕 永井史緒 前島音郁斗 | 左右差のある腱膜性眼瞼下垂症患者の術後分析 | 形成外科 | 60 | 547-552 | 2017 |
| 村上剛一 倉田和之 村岡理奈 唐澤基央 杠 俊介 藤田研也 影山 徹 山田一尋 | 松本歯科大学病院矯正歯科における過去20年間(1995年~2014年)の口唇裂・口蓋裂患者に関する実態調査 前半10年と後半10年の比較 | 日口蓋誌 | 42 | 19-26 | 2017 |
| 杠 俊介 伴 緑也 | 写真を用いた効果的なプレゼンテーションの仕方と臨床写真の撮り方 | 形成外科 | 60 | 763-774 | 2017 |

| | | | | | |
|--|--|------------------------------------|---------|---------|----------|
| 杠 俊介 | 耳甲介複合組織移植を用いた外鼻形成 | 形成外科 | 60 | S94-101 | 2017 |
| 安永能周 松尾 清 杠 俊介 柳澤大輔 | Rikimaru型大胸筋皮弁で縦隔気管口を形成した女性1例 | 創傷 | 8 | 61-68 | 2017 |
| 西岡 宏 近藤昭二 杠 俊介 福澤正男 | 口角を含む口唇欠損に対し、複数の局所皮弁により再建した2例 | 日形会誌 | 37 | 562-568 | 2017 |
| Hanafusa H, Morisada N, Nomura T, Kobayashi D, Akasaka Y, Ye MJ, Nozu K, Nishimura N, Iijima K, Nakao H. | A girl with CLOVES syndrome with a recurrent PIK3CA somatic mutation and pancreatic steatosis. | Hum Genome Var. | 24 | 31-7 | 2019 |
| Osaki T, Nomura T, Hashikawa K, Terashi H. | Reverse vascular pedicle digital island flap with preservation of the dorsal branch of the digital nerve. | Case Reports Plast Surg Hand Surg. | 22;6(1) | 74-78 | 2019 |
| Kitano D, Osaki T, Nakasone M, Nomura T, Hashikawa K, Terashi H. | Two cases of debulking surgery for lower limb diffuse plexiform neurofibroma with transcatheter arterial embolisation. | Int J Surg Case Rep. | 55 | 132-135 | 2019 |
| 野村正 | リンパ管奇形の診断と治療 . | PAPERS | 145 | 27-35 | 2019 |
| 野村正 , 寺師浩人 | 外鼻の有棘細胞癌 . | PAPERS | 152 | 27-34 | 2019 |
| Nomura T, Nakasone M, Okamoto T, Ejiri H, Osawa S, Hashikawa K, Terashi H | Use of dermal fat grafts for treating anetoderma with lipoatrophy following infantile hemangioma | Pediatr Dermatol. | | | in press |

| | | | | | |
|--|---|--------------------------------------|--------|-----------|------|
| Maruguchi H, Nomura T, Sasaki S, Hashikawa K, Terashi H. | Mature teratoma treated as lymphatic malformation for 5 years: a case report and literature review. | Case Reports Plastic Surg Hand Surg. | 30 | 63-68 | 2019 |
| Otsuki N, Furukawa T, Avinçsal MO, Teshima M, Shinomiya H, Oshikiri T, Nakamura T, Nomura T, Hashikawa K, Nibu KI. | Results of free flap reconstruction for patients aged 80 years or older with head and neck cancer. | Auris Nasus Larynx. | May 3 | | 2019 |
| 野村正, 寺師浩人 | 【STEP UP! Local flap】眼周囲で有用な局所皮弁 - 皮下茎皮弁による再建方法 . | PAPERS | 142 | 33-41 | 2018 |
| 丸口 勇人, 野村 正, 町田 怜央, 村上 英毅, 高須 啓之, 橋川 和信, 寺師 浩人 | 退縮後に摘出術を行った耳下腺乳児血管腫の治療経験 | 日形会誌 | 38, 12 | 652-658 | 2018 |
| 野村正, 寺師浩人 | 【形成外科 珠玉のオペ[2]応用編-次世代に継承したい秘伝のテクニク-】四肢・体幹外科 血管腫 血液貯留型血管奇形に対する手術療法 . | 形成外科 | 61増刊 | S229-S237 | 2018 |
| 倉本康世, 野村正, 江尻浩隆, 川北育子, 櫻井敦, 橋川和信, 寺師浩人 | 静脈奇形に対する硬化療法におけるオレイン酸エタノールアミンとポリドカノールの比較検討 . | 形成外科 | 61 | 450-456 | 2018 |
| 森脇綾, 江尻浩隆, 野村正 | 【レーザー治療の合併症から学ぶ】乳児血管腫に対する早期レーザー治療により潰瘍を生じた1例 . | 形成外科 | 60 | 1359-1363 | 2018 |
| Handa A, Nozaki T, Makidono A, Okabe T, Morita Y, Fujita K, Matsusako M, Kono T, Kurihara Y, Hasegawa D, Kumamoto T, Ogawa C, Yuza Y, Manabe A | Pediatric oncologic emergencies - a clinical and imaging review for pediatricians | Pediatr Int | 61 | 122-139 | 2019 |

| | | | | | |
|---|--|------------------------|------|-----------|------|
| Hagiwara S, Yang A, Takao S, Kaneko Y, Nozaki T, Yoshioka H | New scoring system in assessment of Hoffa's fat pad synovitis -a comparative study with established scoring systems | World J Radiol | 10 | 162-171 | 2018 |
| Suyama Y, Okada M, Nozaki T, Furukawa K | Necrotizing otitis externa | Intern Med | 5886 | 895-896 | 2019 |
| Yabuta M, Nozaki T, Fukuda T, Suzuki K, Kurihara Y, Niimi Y | Generalized lymphatic anomaly associated with multiple paraspinal arteriovenous malformations and renal artery aneurysms | J Vasc Interv Radiol | 29 | 1633-1635 | 2018 |
| Aiga S, Hosoya Y, Nozaki T, Matsusako M | Epipericardial fat necrosis -a rare cause of chest pain in children- | Pediatr Int | 60 | 767-768 | 2018 |
| Okabe T, Nozaki T, Aida N, Starkey J, Enokizono M, Niwa T, Handa A, Numaguchi Y, Kuriahara Y | MR imaging findings in some rare neurologic complications of pediatric cancer | Insights Imaging | 9 | 313-324 | 2018 |
| Kaneko Y, Nozaki T, Yuh H, Schwarzkopf R, Hara T, Yoshioka H | Assessing patterns of T2/T1rho change in grade 1 cartilage lesions of the distal femur using an angle/layer dependent approach | Clin Imaging | 50 | 201-207 | 2018 |
| Hoiruchi S, Nozaki T, Tasaki A, Ohde S, Deshpande GA, Starkey J, Hara T, Kitamura N, Yoshioka H | Comparison between isotropic 3D fat suppressed T2-weighted FSE (3D-T2FS) and conventional 2D fat suppressed proton-weighted FSE (2D-PDF S) shoulder MRI at 3T in patients with shoulder pain | J Comput Assist Tomogr | 42 | 559-565 | 2018 |

| | | | | | |
|---|---|-----------------|----|-------|------|
| Tanio N, Nozaki T, Matsusako M, Starkey J, Suzuki K | Imaging characteristics of subcutaneous amyloid deposits in diabetic patients: the "insulin ball" | Skeletal Radiol | 47 | 85-92 | 2018 |
|---|---|-----------------|----|-------|------|