

## 研究成果の刊行に関する一覧表（総合）

## 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
佐山浩二	Stevens-Johnson症候群	古川福実	皮膚疾患 最新の治療	南江堂	東京	2017	102
藤山幹子	重症薬疹	北村惣一郎	専門家による私の治療	日本医事新報社	東京	2017	965-966
相原道子	感染症治療薬による薬疹の診断と治療	日本感染症学会	感染症専門医テキスト 第I部 解説編	南江堂	東京	2017	312-315
相原道子	アレルギー疾患 薬物アレルギー	福井次矢 高木 誠 小室一成	今日の治療指針 私はこう治療している TODAY'S THERAPY 2017	医学書院	東京	2017	801-803
相原道子	薬疹 重症薬疹の診断基準を満たさないときの治療は？	宮地良樹	専門医でも聞きたい皮膚科診療100の質問	メディカルレビュー社	東京	2017	54-55
相原道子	Stevens-Johnson症候群	古川福実, 佐伯秀久	皮膚疾患 最新の治療2019-2020	南江堂	東京	2019	100
渡邊裕子, 相原道子	中毒性表皮壊死症	水澤英洋, 五十嵐隆, 北川泰久, 高橋和久, 弓倉 整	指定難病ペディア 日本医会誌	図書印刷株式会社	東京	2019	145-146
末木博彦	SJSとEM majorとの鑑別	出光俊郎	皮膚科トラブル対応テキスト	文光堂	東京	2019	39-41
末木博彦	免疫再構築症候群(IRIS)	宮地良樹	All about 皮膚科学	メディカルレビュー社	東京	2019	190-191
末木博彦	薬疹	泉 孝英	ガイドライン 外来診療	日経BP社	東京	2020	337-342
浅田秀夫	薬疹	泉 孝英	ガイドライン 外来診療2017	日経メディカル開発	東京	2017	302-307

浅田秀夫	TARCはDIHSのバイオマーカーになる	宮地良樹 常深祐一郎	WHAT'S NEW in 皮膚科学 2018-2019	メディカルレビュー社	東京	2018	96-97
浅田秀夫	薬剤性過敏症症候群	古川福実 佐伯秀久	皮膚疾患最新の治療2019-2020	南江堂	東京	2018	102
浅田秀夫	EBウイルス感染と薬疹	戸倉新樹	新しい薬疹	文光堂	東京	2019	153-157
橋爪秀夫	薬疹	福井次矢 高木誠 小室一成編	今日の治療指針 私はこう治療している	医学書院	東京	2017	1193-1195
橋爪秀夫	薬疹/薬剤性リンパ節症. 各論	岩月啓氏 大島孝一 島田眞路 菅谷誠 戸倉新樹 中村栄男編	皮膚リンパ腫アトラス	文光堂	東京	2017	157-160
橋爪秀夫	薬疹. B 薬剤性過敏症症候群.	戸倉新樹 藤本学 椛島健治	皮膚免疫アレルギーハンドブック	南江堂	東京	2018	281-286
橋爪秀夫	皮膚疾患. 紅皮症(剥脱性皮膚炎)	福井次矢 高木誠 小室一成	今日の治療指針	医学書院	東京	2018	1249-1250
橋爪秀夫	多形紅斑		日本臨床増刊号 医薬品副作用学(第3版)下	日本臨床社	東京	2019	41-46
橋爪秀夫	紅皮症の鑑別点は何か	戸倉新樹 秋山真志	ここが大事! 高齢者皮膚診療のコツとピットフォール	南江堂	東京	2019	73-78
橋爪秀夫	虫刺され、痒疹	福井次矢 高木誠 小室一成	今日の治療指針 私はこう治療している 2020	医学書院	東京	2019	1279-1280
水川良子, 塩原哲夫	扁平苔癬. エキスパートから学ぶ	秀 道広 青山裕美 加藤則人	皮膚病診療パワーアップ	中山書店	東京	2018	178-181
水川良子, 塩原哲夫	固定薬疹. エキスパートから学ぶ	秀 道広 青山裕美 加藤則人	皮膚病診療パワーアップ	中山書店	東京	2018	202-206
水川良子	固定薬疹の発症機序 - resident memory T細胞を含めて -	戸倉新樹	新しい薬疹	文光堂	東京	2019	170-174
藤山幹子	薬剤性過敏症症候群(DIHS)	秀 道広 青山裕美 加藤則人	皮膚病診療パワーアップ	中山書店	東京	2018	198-201

藤山幹子	中毒性表皮壊死症の診断と治療指針	岡本和文	救急・集中治療最新ガイドライン 2020-'21	総合医学社	東京	2020	447-450
藤山幹子	多形浸出性紅斑(多形紅斑)・環状紅斑	福井次矢 高木誠 小室一成	今日の治療指針 私はこう治療している	医学書院	東京	2020	1282

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
森田栄伸	ステーヴンス・ジョンソン症候群と中毒性表皮壊死融解症(中毒性表皮壊死症)	SRL宝函	38(4)	20-25	2018
中川優生、新原寛之、金子 栄、飛田礼子、森田栄伸	発症早期のステロイドパルス療法で改善した重症薬疹の3例	日本皮膚免疫アレルギー学会雑誌	1(2)	129-136	2018
Komatsu-Fujii T, Chinuki Y, Niihara H, Hayashi K, Ohta M, Okazaki R, Kaneko S, Morita E.	The thymus and activation-regulated chemokine (TARC) level in serum at an early stage of a drug eruption is a prognostic biomarker of severity of systemic inflammation.	Allergol Int	67(1)	90-95	2018
森田栄伸	ステーヴンス・ジョンソン症候群. 指定難病ペディア2019	日本医師会		s143-s144	2019
森田栄伸	薬剤アレルギーと眼症状ー皮膚科からの警鐘ー	MB OCULIS TA	79	52-57	2019
Tashiro Y, Azukizawa H, Asada H, Niihara H, Morita E, Yamauchi T, Mizukawa Y, Kusakabe Y, Numazawa S, Izumi M, Sueki H, Watanabe H	Drug-induced hypersensitivity syndrome/drug reaction with eosinophilia and systemic symptoms due to lamotrigine differs from that due to other drugs.	J Dermatol	46(3)	226-233	2019

Olteanu C, Shear NH, Morita E, Chung WH, Niihara H, Matsukura S, Renata Hashimoto R, Dodiuk- Gad RP	The 10th International Congress on Cutaneous Adverse Drug Reactions, Shimane, Japan, 2018: Focus on New Discoveries.	Drug Safety	42(6)	797-801	2019
Hikino K, Ozeki T, Koido M, Terao C, Kamatani Y, Mizukawa Y, Shiohara T, Tohyama M, Aizukizawa H, Aihara M, Niharaha H, Morita E, Murakami Y, Kubo M, Mushiroda T	HLA-B*51:01 and CYP2C9*3 are risk factors for phenytoin-induced eruption in the Japanese population: analysis of data from the Biobank Japan Project.	Clin Pharmacol Ther	107(5)	1170-1178	2020
Hashizume H, Abe R, Azukizawa H, Fujiyama T, Hama N, Mizukawa Y, Morita E, Nakagawa Y, Nakajima S, Niihara H, Teraki Y, Tohyama M, Watanabe H, Tokura Y	Drug Allergy Database Committee in Japanese Cutaneous Immunology and Allergy Association. Confusion in determination of two types of cutaneous adverse reactions to drugs, maculopapular eruption and erythema multiforme, among the experts: A proposal of standardized terminology.	J Dermatol	47(2)	169-173	2020
Yatsuzuka K, Tachiyama M, Oda F, Hashimoto T, Sayama K	Case of thymoma-associated cutaneous graft-versus-host disease-like disease successfully improved by narrowband ultraviolet B phototherapy.	J Dermatol	45	479-482	2018
Mukaijo J, Kanakawa M, Kawano K, Matsukura S, Hibiya T, Miyake A, Izumi K, Nishie W, Shimizu H, Aihara M	Linagliptin treatment-associated bullous pemphigoid presenting severe mucosal erosions.	Journal of Cutaneous Immunology and Allergy	1(2)	77-78	2018

Kage Y, Yamaguchi Y, Uchida T, Izumi K, Nishie W, Shimizu H, Ishii N, Hamashimoto T, Aihara M	A case of bullous pemphigoid associated with teneligliptin accompanied by severe mucous membrane involvement.	Journal of Dermatology	45(7)	e205-e206	2018
Okamoto-Uchida Y, Nakamura R, Sai K, Imahiro T, Matsunaga K, Aihara M, Saito Y	Effect of Infectious Diseases on the Pathogenesis of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis.	Biol Pharm Bull	40(9)	1576-580	2017
鈴木麻生, 守田希子, 中村和子, 松倉節子, 相原道子, 蒲原毅	免疫グロブリン製剤大量静注療法が奏功した中毒性表皮壊死症	皮膚病診療	39(5)	483-486	2017
遠藤 恵, 種子島智彦, 大川智子, 井上雄介, 相原道子	壊疽性膿皮症の患者に発症したジアフェニルスルホンによる薬剤性過敏症症候群.	皮膚病診療	39(5)	491-494	2017
鹿毛勇太, 磯田祐士, 大川智子, 渡辺裕子, 金岡美和, 相原道子	集学的治療により後遺症を残さず治癒した中毒性表皮壊死症の1例	臨床皮膚科	71(1)	31-35	2017
三村慶子, 中村和子, 乙竹 泰, 佐藤麻起, 森下恵理, 河野真純, 相原道子, 蒲原 毅	高用量ステロイド内服加療を要したメシル酸ガレノキサシンによる多発性固定薬疹の1例	J Environ Dermatol Cutan Allergol	11(2)	169-174	2017
金岡美和, 相原道子	薬疹はどこまでわかったか? 新規薬剤による'薬疹'	皮膚アレルギーフロンティア	15(2)	85-89	2017
渡邊裕子, 山口由衣, 相原道子	特集Ⅱ 薬剤アレルギーの診断と治療の進歩 分子標的治療薬による薬疹	臨床免疫・アレルギー科	67(2)	163-168	2017
鈴木麻生, 相原道子	「薬疹」について	健康教室	68(14)	70-73	2017

<p>Su SC, Chen CB, Chang WC, Wang CW, Fan WL, Lu LY, Nakamura R, Saito Y, Ueta M, Kinoshita S, Sukasem C, Yampayon K, Kijpanyotin P, Nakkam N, Saksit N, Tassaneeyakul W, Aihara M, Lin YJ, Chang CJ, Wu T, Hung SI, Chung WH</p>	<p>HLA alleles and CYP2C9*3 as predictors of phenytoin hypersensitivity in East Asians.</p>	<p>Clinical Pharmacology &amp; Therapeutics</p>	<p>105(2)</p>	<p>476-485</p>	<p>2019</p>
<p>Wang YH, Chen CB, Tassaneeyakul W, Saito Y, Aihara M, Choon SE, Lee HS, Chang MM, Roa FD, Wu CW, Zhang J, Nakkam N, Konyoung P, Okamoto-Uchida Y, Man-Tung Cheung C, Huang JW, Ji C, Cheng B, Chung-Yee Hui R, Chu CY, Chen YJ, Wu CY, Hsu CK, Chiu TM, Ho HC, Lin JY, Yang CH, Chang YC, Su SC, Wang CW, Chung WH; Asian Severe Cutaneous Adverse Reaction Consortium</p>	<p>The Medication Risk of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Asians: The Major or Drug Causality and Comparison to the USA FDA Label.</p>	<p>Clinical Pharmacology &amp; Therapeutics</p>	<p>105(1)</p>	<p>112-120</p>	<p>2019</p>
<p>Okamoto-Uchida Y, Nakamura R, Matsunaga K, Aihara M, Saito Y</p>	<p>Specific association of the rs6500265 and rs9933632 single-nucleotide polymorphisms in Japanese patients with antipyretic and analgesic-related Stevens-Johnson syndrome and toxic epidermal necrolysis with severe ocular involvements.</p>	<p>Pharmacogenetics and Genomics</p>	<p>28(3)</p>	<p>95-98</p>	<p>2018</p>

Mukaijo J, Kan aoka M, Kawan o K, Matsukura S, Hibiya T, Miyake A, Izum i K, Nishie W, Shimizu H, Aih ara M	Linagliptin treatment associated bullous pem phigoid presenting severe m ucosal erosions.	Journal of C utaneous Im munology an d Allergy	1(2)	77-78	2018
Kage Y, Yamag uchi Y, Uchida T, Izumi K, Nis hie W, Shimizu H, Ishii N, Ham shimoto T, Aih ara M	A case of bullous pem phigoid associated with teneligliptin acc ompanied by severe mucous membrane i nvolvement.	Journal of D ermatology	45(7)	e205-e206	2018
高瀬奈緒, 内田敬 久, 小田香世子, 池澤善郎, 相原道 子	ヒドロキシジンパモ酸 塩による急性汎発性発 疹性膿疱症を発症後, 尋常性乾癬へ移行した 1例.	皮膚科の臨床	60(2)	231-235	2018
岡村友紀, 長島真 由美, 岡田里佳, 井上雄介, 河野真 純, 中村和子, 相 原道子, 蒲原 毅	抗EGFR抗体薬投与中 に虫食い状の皮膚潰瘍 を呈した3例	日本皮膚免疫 アレルギー学 会雑誌	1(1)	61-67	2018
佐藤麻起, 乙竹 泰, 森下恵理, 河 野真純, 中村和子, 相原道子, 蒲原 毅	シタフロキサシンによ る光線過敏型薬疹の1 例	日本皮膚免疫 アレルギー学 会雑誌	1(2)	124-128	2018
山口由衣	特集 内科医のための 皮膚疾患アトラス 中 毒疹(薬疹・ウイルス感 染症)をどう対応すべ きか?	診断と治療	107(増)	14-20	2019
渡邊裕子, 相原道 子	皮膚障害.	日本臨牀 医 薬品副作用学 (第3版)上 - 薬 剤の安全使用 アップデート -	77(増3)	415-420	2019
渡邊裕子, 相原道 子	中毒性表皮壊死融解症 (中毒性表皮壊死症)	日本臨牀 医 薬品副作用学 (第3版)下 - 薬 剤の安全使用 アップデート -	77(増4)	12-18	2019
渡邊裕子, 相原道 子	中毒性表皮壊死症	指定難病ペ ディア	148(特1)	145-146	2019

相原道子	アレルギー疾患別に見た治療の現状と展望 薬疹治療 update	日本臨牀	77(1)	137-142	2019
山口由衣	いま注目の薬疹トピックス 薬疹の診断と治療 生物学的製剤による乾癬型薬疹	Visual Dermatology	17(9)	842-847	2019
相原道子	特集 免疫アレルギー領域における指定難病 スチーヴンス・ジョンソン症候群	アレルギーの臨床	38(8)	737-740	2018
相原道子	薬物アレルギー 薬疹の診断と対応 up date	アレルギー	67(10)	1399-1404	2018
高村直子, 相原道子	スペシャリストに聞く 産婦人科でのアレルギー対応法 薬疹と薬物アレルギー	臨床婦人科参加	72(8)	794-800	2018
浅見美穂, 渡邊裕子, 相原道子	乾癬の症状・診断・鑑別診断 薬剤誘発性乾癬	日本臨牀	76(1)	74-79	2018
Ueta M, Nakamura R, Saito Y, Tokunaga K, Sotozono C, Yabe T, Aihara M, Matsunaga K, Kinoshita S	Association of HLA class I and II gene polymorphisms with acetaminophen-related Stevens-Johnson syndrome with severe ocular complications in Japanese individuals.	Human Genome Variations	6	50	2019
Su SC, Chen CB, Chang WC, Wang CW, Fan WL, Lu LY, Nakamura R, Saito Y, Ueta M, Kinoshita S, Sukasem C, Yampayon K, Kijsanayotin P, Nakkam N, Saksit N, Tassaneeyakul W, Aihara M, Lin YJ, Chang CJ, Wu T, Hung SI, Chung WH	HLA alleles and CYP2C9*3 as predictors of phenytoin hypersensitivity in East Asians.	Clin Pharmacol Ther	105(2)	476-485	2019

Wang YH, Chen CB, Tassaneeyakul W, Saito Y, Aihara M, Choon SE, Lee HY, Chang M, Roa FD, Wu CW, Zhang J, Nakkam N, Konyoung P, Okamoto-Uchida Y, Man-Tung Cheung C, Huang JW, Ji C, Cheng B, Chung-Yee Hui R, Chu CY, Chen YJ, Wu CY, Hsu CK, Chiu TM, Ho HC, Lin JY, Yang CH, Chang YC, Su SC, Wang CW, Chung WH; Asian Severe Cutaneous Adverse Reaction Consortium	The Medication Risk of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Asians: The Major Drug Causality and Comparison to the USA FDA Label.	Clin Pharmacol Ther	105(1)	112-120	2019
Asai C, Watanabe Y, Mukaijo J, Okawa T, Yamaguchi Y, Matsumura A, Matsumoto K, Aihara M	A case of toxic epidermal necrolysis occurring after bone marrow transplantation accompanied with engraftment failure.	J Dermatol	46(6)	540-543	2019
Totsuka M, Watanabe Y, Asai C, Takahashi S, Ishikawa H, Takamura N, Hagiwara M, Aihara M	A case of severe bullous erythema including intertrigo-like eruptions with angioedema induced by pegylated liposomal doxorubicin.	J Dermatol	46(6)	535-539	2019
松村康子, 渡邊友也, 金岡美和, 戸塚みちる, 山川浩平, 高奈緒, 蒲原毅, 相原道子	著しい咽頭症状を認められたカルバマゼピンによるStevens-Johnson症候群の1例.	皮膚科の臨床	In press		2020
高橋沙希, 渡邊裕子, 高村直子, 相原道子	高齢発症した中毒性表皮壊死症の1例 - 当科の高齢発症中毒性表皮壊死症の検討 - .	皮膚科の臨床	62(3)	270-275	2020

相原道子	特集：アレルギー疾患 update -最新の治療 動向と展望- II.ア レルギー疾患別に見た治 療の現状と展望 薬疹 治療 update	日本臨床	77(1)	137-142	2019
相原道子	薬疹(DPP-4阻害薬関連 類天疱瘡)	内科 特集 内 科医に求めら れる他科の知 識 専門家が 伝える Do/Do n't	124(3)	1928-1930	2019
渡邊裕子, 相原道 子	皮膚障害	日本臨床 医 薬品副作用学 (第3版)上 - 薬 剤の安全使用 アップデート -	77(3)	415-420	2019
渡邊裕子, 相原道 子	中毒性表皮壊死融解症 (中毒性表皮壊死症)	日本臨床 医 薬品副作用学 (第3版)下 - 薬 剤の安全使用 アップデート -	77(4)	12-18	2019
Sueki H, Mizuk awa Y, Aoyama Y	Immune reconstitutio n inflammatory synd rome in non-HIV im munosuppressed pati ents.	J Dermatol	45	3-9	2018
Watanabe H Sueki H	A docking model of dapsons bound to H LA-B*13:01 explains the risk of dapsons hypersensitivity s yndrome.	J Dermatol Sci	88	320-329	2017
末木博彦	薬疹に対するマネジメ ントー処方医と皮膚科 医の役割を中心にー	高知県医誌	22	12-20	2017
末木博彦	ファーマコゲノミクス による薬疹回避	皮膚アレルギー ーフロンティ ア	15	158-159	2017
末木博彦	発症早期の重症薬疹を 見逃さないコツと鑑別 診断のポイント	臨床皮膚科医 会雑誌	34	537-540	2017
末木博彦	特集：薬物アレルギー をめぐって、重症薬疹	アレルギー・ 免疫	25(5)	620-626	2018

末木博彦	老化による免疫機能の低下と薬疹の発生との関係は？	日本医事新報	4917	62-63	2018
末木博彦	SGLT2阻害薬による皮膚病変	内分泌・糖尿病・代謝内科	47(3)	215-219	2018
末木博彦	特集：リウマチ性疾患診療に関連する皮膚病変の病態・診断・治療. 重症薬疹	リウマチ	61(3)	258-265	2019
田代康哉、渡辺秀晃、末木博彦	ラモトリギンによる薬剤性過敏症候群(DIHS)	Visual Dermatology	17(9)	867-868	2018
Tashiro Y, Azukizawa H, Asada H, Niihara H, Morita E, Yamauchi T, Mizukawa Y, Kusakabe Y, Numazawa S, Izumi M, Sueki H, Watanabe H	Drug-induced hypersensitivity syndrome/drug reaction with eosinophilia and systemic symptoms due to lamotrigine differs from that due to other drugs.	J Dermatol	46(3)	226-233	2019
末木博彦	Non-HIV免疫再構築症候群の病態としての薬疹	臨床皮膚科最近のトピックス	73(5増)	38-43	2019
末木博彦	SGLT2阻害薬による薬疹	Visual Dermatology	19(2)	144-149	2019
Sueki H	Severe Cutaneous Adverse Reactions during Tapering of High-Dose Systemic Steroid Therapy for Autoimmune Diseases: Implications for Non-HIV Immune Reconstitution Inflammatory Syndrome.	Case Rep Dermatol	11(2)	166-174	2019
Nakamura R, Sueki H	Association of HLA-A*11:01 with sulfonamide-related severe cutaneous adverse reactions in Japanese patients.	J Invest Dermatol			pii: S0022-202X(20)30040-3. doi: 10.1016/j.jid.2019.12.025. [Epub ahead of print]
Ito Y, Sueki H	CD14 and CD16 expression in granulomatous skin diseases.	J Cutan Immunol Allergy	17(9)	867-868	2018

鈴木茉莉恵 末木博彦	アバタセプトによる乾癬型薬疹	皮膚臨床	61	1391-1394	2019
新屋光一郎 末木博彦	ST合剤によるStevens-Johnson症候群	皮膚病診療	42(2)	152-155	2020
張田修平 末木博彦	シアナミドによる中毒性表皮壊死症 (TEN) の1例	皮膚臨床	62(3)	276-280	2020
張田修平 末木博彦	Thymoma-associated multiorgan autoimmunity(TAMA)の皮膚病変としてのgraft-versus-host disease (GVHD)-like erythroderma.	臨床皮膚科	73(5増)	10-16	2019
Miyagawa F, Nakamura Y, Ommori R, Miyashita K, Iio H, Miyashita N, Nishikawa M, Himuro Y, Ogawa K, Asada H.	Predominant contribution of CD4 T cells to human herpesvirus 6 (HHV-6) load in the peripheral blood of patients with drug-induced hypersensitivity syndrome and persistent HHV-6 Infection.	Acta Derm Venereol	98(1)	146-148	2018
Kato K, Kawasabe A, Azukizawa H, Hanafusa T, Nakagawa Y, Murota H, Saito S, Takaguchi S, Asada H, Katayama I.	Novel interferon- $\gamma$ enzyme-linked immunosorbent assay using activated cells for identifying hypersensitivity-inducing drug culprits.	J Dermatol Sci	86(3)	222-229	2017
Nakamura-Nishimura Y, Miyagawa F, Miyashita K, Ommori R, Azukizawa H, Asada H.	Serum thymus and activation-regulated chemokine (TARC) is associated with the severity of drug reaction with eosinophilia and systemic symptoms/ drug-induced hypersensitivity syndrome (DRESS/DIHS).	British J Dermatol	178(6)	1430-1432	2018
浅田秀夫	薬剤性過敏症候群とTARC	臨床皮膚科	71(5)	66-69	2017
浅田秀夫	DIHSの早期診断	皮膚アレルギーフロンティア	15(2)	77-80	2017

Nakamura-Nishimura Y, Miyagawa F, Miyashita K, Ommori R, Azukizawa H, Asada H	Serum thymus and activation-regulated chemokine is associated with the severity of drug reaction with eosinophilia and systemic symptoms/drug-induced hypersensitivity syndrome.	Br J Dermatol	178(6)	1430-1432	2018
Ommori R, Park K, Miyagawa F, Azukizawa H, Kanno M, Asada H	Epidermal growth factor receptor (EGFR) inhibitory monoclonal antibodies and EGFR tyrosine kinase inhibitors have distinct effects on the keratinocyte innate immune response.	Br J Dermatol	178(3)	796-797	2018
Miyagawa F, Yamamoto Y, Sugano Y, Ogawa K, Asada H	Predisposition to multi-drug hypersensitivity after the administration of mogamulizumab.	Eur J Dermatol	28(4)	526-528	2018
Miyashita K, Miyagawa F, Nakamura Y, Onmori R, Azukizawa H, Asada H	Up-regulation of Human Herpesvirus 6B-derived microRNAs in the Serum of Patients with Drug-induced Hypersensitivity Syndrome/Drug Reaction with Eosinophilia and Systemic Symptoms.	Acta Derm Venereol	98(6)	612-613	2018
Ogawa K, Mitsui Y, Miyamoto S, Nakamura-Nishimura Y, Nishimura Y, Azukizawa H, Asada H	Facial pustules due to drug-induced hypersensitivity syndrome/drug reaction with eosinophilia and systemic symptoms may histopathologically mimic eosinophilic pustular folliculitis: A case report.	J Cutan Pathol	46(5)	363-367	2019
Miyagawa F, Nakajima A, Ohyama S, Aoki Y, Nishikawa M, Nishimura Y, Hashimoto T, Asada H	Mucosal lichen planus mimicking mucosal lesions in Stevens-Johnson syndrome after nivolumab therapy.	Acta Derm Venereol	99(7)	687-688	2019

Ogawa K, et al	Facial pustules due to drug-induced hypersensitivity syndrome/drug reaction with eosinophilia and systemic symptoms may histopathologically mimic eosinophilic pustular folliculitis: A case report.	J Cutan Patol	46	363-367	2019
Miyagawa F, et al	Mucosal lichen planus mimicking mucosal lesions in Stevens-Johnson syndrome after nivolumab therapy.	Acta Dermatol Venerol	99	687-688	2019
Mitsui Y, et al	Drug-induced hypersensitivity syndrome/drug reaction with eosinophilia and systemic symptoms (DIHS/DRESS) or non-drug-related erythroderma with a persistent human herpesvirus 6 infection.	J Dermatol	47	e44-e46	2019
Nakamura R, et al	Association of HLA-A*11:01 with Sulfonamide-Related Severe Cutaneous Adverse Reactions in Japanese Patients.	J Invest Dermatol			pii: S0022-202X(20)30040-3. doi: 10.1016/j.jid.2019.12.025. [Epub ahead of print]
Miyagawa F, et al	Expression of CD134, a Human Herpesvirus 6 Cellular Receptor, on CD4+ T cells and Th2-type Immune Responses in Drug-induced Hypersensitivity Syndrome/Drug Reaction with Eosinophilia and Systemic Symptoms.	Acta Dermatol Venereol			1;100(6):adv00102. doi: 10.2340/00015555-3465.
Deguchi T, Shimomura Y, Hayashi R, Orime M, Tomiyama K, Abe R.	Cross-reactivity of cephalosporins: allergic immediate hypersensitivity to ceftriaxone in a cefcapene pivoxil-sensitized patient.	Eur J Dermatol	27	187-189	2017

<p>White KD, Abe R, Ardern-Jones M, Beachkofsky T, Bouchard C, Carleton B, Chodosh J, Cibotti R, Davis R, Denny JC, Dodiuk-Gad RP, Ergen EN, Goldman JL, Holmes JH 4th, Hung SI, Lacouture ME, Lehloenyana RJ, Mallal S, Manolio TA, Micheletti RG, Mitchell CM, Mockenhaupt M, Ostrov DA, Pavlos R, Pirmohamed M, Pope E, Redwood A, Rosenbach M, Rosenblum MD, Roujeau JC, Saavedra AP, Saeed HN, Struwing JP, Sueki H, Sukasem C, Sung C, Trubiano JA, Weintraub J, Wheatley L M, Williams K B, Worley B, Chung WH, Shear NH, Phillips EJ.</p>	<p>SJS/TEN 2017: Building Multidisciplinary Networks to Drive Science and Translation.</p>	<p>J Allergy Clin Immunol Pract.</p>	<p>6</p>	<p>38-69</p>	<p>2018</p>
<p>Ito T, Shiromizu T, Ohnishi S, Suzuki S, Mabe K, Hasegawa A, Ujiie H, Fujita Y, Sato Y, Terai S, Kato M, Asaka M, Tomonaga T, Shimizu H, Abe R.</p>	<p>Potential role of extracellular vesicle-mediated antigen presentation in Helicobacter pylori hypersensitivity during eradication therapy.</p>	<p>J Allergy Clin Immunol.</p>	<p>142(2)</p>	<p>672-676</p>	<p>2018</p>
<p>Chen CB, <u>Abe R</u>, Pan RY, Wang CW, Hung SI, Tsai YG, Chung WH</p>	<p>An Updated Review of the Molecular Mechanisms in Drug Hypersensitivity.</p>	<p>J Immunol Res.</p>	<p>6431694</p>		<p>2018</p>

Hama N, Nishimura K, Hasegawa A, Yuki A, Kume H, Adachi J, Kinoshita M, Ogawa Y, Nakajima S, Nomura T, Watanabe H, Mizukawa Y, Tomonaga T, Shimizu H, Abe R	Galectin-7 as a potential biomarker of Stevens-Johnson syndrome/toxic epidermal necrolysis: identification by targeted proteomics using causative drug-exposed peripheral blood cells.	J Allergy Clin Immunol Pract.	7	2894-2897	2019
Hasegawa A, Shinokuma S, Hayashi R, Hama N, Watanabe H, Kinoshita M, Ogawa Y, Abe R	RIP3 as a diagnostic and severity marker for Stevens-Johnson syndrome and toxic epidermal necrolysis.	J Allergy Clin Immunol Pract.	8(5)	1768-1771	2020
Deguchi T, Shimomura Y, Hayashi R, Orime M, Tomiyama K, Abe R.	Cross-reactivity of cephalosporins: allergic immediate hypersensitivity to ceftriaxone in a cefcapene pivoxil-sensitized patient.	Eur J Dermatol.	27	187-189	2017
Hashizume H, Fujiyama T, Umayahara T, Kageyama R, Walls FA, Satoh T.	Repeated <i>Amblyomma testudinarium</i> tick bites are associated with elevated anti-galactose- $\alpha$ -1,3-galactose carbohydrate IgE antibody levels: A retrospective cohort study in a single institute.	J Am Acad Dermatol	78(6)	1135-1141	2018
Kaneko Y, Kagayama R, Hashizume H.	Agranulocytosis associated with voriconazole-induced hypersensitivity syndrome.	J Dermatol	45(5)	e118-e119	2018
Watanabe H, Watanabe Y, Tashiro Y, Mushiroda T, Ozeki T, Hashizume H, Sueki H, Yamamoto T, Utsunomiya-Tate N, Gouda H, Kusakabe Y.	A docking model of dapsone bound to HLA-B*13:01 explains the risk of dapsone hypersensitivity syndrome.	J Dermatol Sci	88	320-9	2017

Hashizume H, Kageyama R, Kaneko Y.	Short course of cyclosporine A as a treatment option for drug-induced hypersensitivity syndrome: case reports and review of the literature.	J Dermatol	45(6)	e169-e170	2018
塩原哲夫, 狩葉子, 水川良子, 佐山浩二, 橋本公二, 藤山幹子, 相原道子, 池澤善郎, 松節子, 末木博彦, 飯島正文, 渡辺秀晃, 森田栄伸, 新原寛之, 浅田秀夫, 小豆澤宏明, 宮川史, 椛島健司, 中島沙子, 野村尚史, 橋爪秀夫, 阿部理一郎, 高橋勇人, 青山裕子, 黒沢美智子, 薙田泰誠, 外園千恵, 木下茂, 上田真由美	重症多形滲出性紅斑ガイドライン作成委員会. 重症多形滲出性紅斑ステイヴンス・ジョンソン症候群・中毒性表皮壊死症診療ガイドライン	日本眼科学会雑誌	121	42-86	2017
橋爪秀夫	中毒性表皮壊死症(TEN)	皮膚科救急診療マニュアル. 皮膚病診療 2017年増刊号	39	31	2017
橋爪秀夫	Stevens-Johnson症候群	皮膚科救急診療マニュアル. 皮膚病診療 2017年増刊号	39	32	2017
橋爪秀夫	薬剤性過敏症症候群(DIHS)	皮膚科救急診療マニュアル. 皮膚病診療 2017年増刊号	39	33	2017
橋爪秀夫	急性汎発性発疹性膿疱症(AGEP)	皮膚科救急診療マニュアル. 皮膚病診療 2017年増刊号	39	34	2017
橋爪秀夫	手足症候群	皮膚科救急診療マニュアル. 皮膚病診療 2017年増刊号	39	35	2017

橋爪秀夫	その他の薬疹(ウイルス性急性発疹症との鑑別)	皮膚科救急診療マニュアル. 皮膚病診療 2017年増刊号	39	36	2017
橋爪秀夫	1. HHV-6検査の実施と解釈. 疾患別・知っておきたい皮膚科の検査とその評価法.	疾患別・知っておきたい皮膚科の検査とその評価法. 皮膚科の臨床 5月臨時増刊号	59	117-121	2017
Kaneko Y, Kagayama R, Hashizume H.	Agranulocytosis associated with voriconazole-induced hypersensitivity syndrome.	J Dermatol	45	e118-e119	2018
Nakamura E, Majima Y, Hashizume H, Tokura Y, Nakano H.	Dominant dystrophic epidermolysis bullosa pruriginosa with a COL7A1 exon 87 c.6898C>T mutation.	Clin Exp Dermatol	44(1)	82-84	2019
Samotij D, Szczech J, Kushner CJ, Mowla MR, Danczak-Pazdrowska A, Antiga E, Chasset F, Furukawa F, Hasegawa M, Hashizume H, Islam A, Ikeda T, Lesiak A, Polanska A, Misery L, Szepietowski JC, Tsuruta D, Adamski Z, Werth VP, Reich A	Prevalence of Pruritus in Cutaneous Lupus Erythematosus: Brief Report of a Multicenter, Multinational Cross-Sectional Study.	Biomed Res Int	3491798	doi: 10.1155/2018/3491798	2018
Miyazawa, Hidehiko; Shimauchi, Takatoshi; Hashizume, Hideo; Masuda, Yurika; Aoshima, Masahiro; Ito, Taisuke; Tokura, Yoshiki,	Voriconazole-photoinduced polyomavirus-negative Merkel cell carcinoma.	J Dermatol	46(8)	e287-e288	2019
Kaneko Y, Kitano S, Umayahara T, Kageyama R, Hashizume H.	Tick anaphylaxis in Japan	J Cutan Immunol Allergol	2(2)	53-54	2019

橋爪秀夫	Alpha-galと獣肉アレルギー	アレルギーの臨床	38	1303-1306	2018
橋爪秀夫	Progress in drug allergy 研究成果が診療をこう変えた.	日本臨床皮膚科医会雑誌	35	475-481	2018
影山玲子、兼子泰一、橋爪秀夫、鈴木陽子.	サンシシによる色素沈着型薬疹の3例.	皮膚病診療	40	571-574	2018
影山玲子、兼子泰一、橋爪秀夫	腎不全が出現し死の転帰をたどった薬剤性過敏症症候群の2例	皮膚病診療	41	253-256	2019
Hashizume H, Abe R, Azukizawa H, Fujiyama T, Hama N, Mizukawa Y, Morita E, Nakagawa Y, Nakajima S, Niihara H, Teraki Y, Toyama M, Watanabe H, Tokura Y	Confusion in determination of two types of cutaneous adverse reactions to drugs, maculopapular eruption and erythema multiforme, among the experts: a proposal of standardized terminology.	J Dermatol	47	169-173	2020

<p>Noguchi E, Akiyama M, Yagami A, Hirota T, Okada Y, Kato Z, Kishikawa R, Fukutomi Y, Hide M, Morita E, Aihara M, Hiragun M, Chinuki Y, Okabe T, Ito A, Adachi A, Fukunaga A, Kubota Y, Aoki T, Aoki Y, Nishioka K, Adachi T, Kanazawa N, Miyazawa H, Sakai H, Kozuka T, Kitamura H, Hashizume H, Kanegane C, Masuda K, Sugiyama K, Tokuda R, Furuta J, Hishigashimoto I, Kato A, Seishima M, Tajiri A, Tomura A, Taniguchi H, Kojima H, Tanaka H, Sakai A, Morii W, Nakamura M, Kamatani Y, Takahashi A, Kubo M, Tamari M, Saito H, Matsunaga K</p>	<p>HLA-DQ and RBFORX1 as susceptibility genes for an outbreak of hydrolyzed wheat allergy.</p>	<p>J Allergy Clin Immunol</p>	<p>144</p>	<p>1354-1363</p>	<p>2019</p>
<p>Kaneko Y, Kitano S, Umayahara T, Kageyama R, Hashizume H</p>	<p>Tick anaphylaxis in Japan.</p>	<p>J Cutan Immunol Allergy</p>	<p>2</p>	<p>53-54</p>	<p>2019</p>
<p>Kageyama R, Fujiiyama T, Satoh T, Keneko Y, Kitano S, Tokura Y, Hashizume H</p>	<p>The contribution made by skin-infiltrating basophils to the development of alpha-gal syndrome.</p>	<p>Allergy</p>	<p>74</p>	<p>1805-1807</p>	<p>2019</p>
<p>Nakamura E, Majima Y, Hashizume H, Tokura Y, Nakano H</p>	<p>Dominant dystrophic epidermolysis bullosa pruriginosa with a COL7A1 exon 87 c.6898C&gt;T mutation.</p>	<p>Clin Exp Dermatol</p>	<p>44</p>	<p>82-84</p>	<p>2019</p>

Miyazawa H, Shimizu T, Hamauchi T, Hashizume H, Magasuda Y, Aoshima M, Ito T, Tokura Y	Voriconazole-photoinduced polyomavirus-negative Merkel cell carcinoma.	J Dermatol	46	e287-e288	2019
橋爪秀夫	マダニ刺咬症のヒトにおける免疫応答	日本衛生動物学会雑誌	70	141-144	2019
影山玲子, 兼子泰一, 橋爪秀夫	腎不全が出現し死の転帰をたどった薬剤性過敏症症候群の2例	皮膚診療	41	253-256	2019
橋爪秀夫	専門医が教える 薬疹、薬剤性皮膚障害 巻頭言	調剤と情報	25	2447	2019
橋爪秀夫	第1回 薬疹とは	調剤と情報	25	2448-2453	2019
渡辺秀晃 橋爪秀夫	第2回 多形紅斑型薬疹と播種状紅斑丘疹型薬疹	調剤と情報	25	2588-2592	2019
Wakamatsu T, H, Ueta M, Tokunaga K, Okada Y, Loureiro R, Costa KA, Sallum JM, Milhomens JA, Inoue C, Sotozono C, Gomes JA, Kinoshita S.	Human Leukocyte Antigen Class I Genes Associated With Stevens-Johnson Syndrome and Severe Ocular Complications Following Use of Cold Medicine in a Brazilian Population.	JAMA Ophthalmol	135(4)	355-360	2017
Ueta M, Sawai H, Shingaki R, Kawai Y, Sotozono C, Kojima K, Yoon KC, Kim MK, Seo KY, Joo CK, Nagasaki M, Kinoshita S, Tokunaga K.	Genome-wide association study using the ethnicity-specific Japanese array: identification of new susceptibility loci for cold medicine-related Stevens-Johnson syndrome with severe ocular complications.	J Hum Genet	62(4)	485-489	2017
松本佳保里、福岡秀記、富田晃正、峠岡理沙、稲富勉、上田真由美、外園千恵	急性期に川崎病との鑑別を要したStevens-Johnson症候群の1例	日眼会誌	122(9)	705-710	2018
吉岡 諒、福岡秀記、米田一仁、外園千恵	白内障手術後の前囊縁白色塊から術後真菌性眼内炎の診断に至ったStevens-Johnson症候群の1例	日眼会誌	122(12)	928-933	2018

Sotozono C, Ueta M, Yokoi N	Severe Dry Eye With Combined Mechanisms is Involved in the Ocular Sequelae of SJS/TEN at the Chronic Stage.	Invest Ophthalmol Vis Sci	59(14)	80-86	2018
外園千恵	難治性眼表面疾患	日医師会誌	148(5)	883-887	2019
Kitazawa K, Hikichi T, Nakamura T, Nakamura M, Sotozono C, Masui S, Kinoshita S.	Direct Reprogramming Into Corneal Epithelial Cells Using a Transcriptional Network Comprising PAX6, OVOL2, and KLF4.	Cornea	38(Suppl 1)	S34-S41	2019
Bains KK, Fukuda H, Hammond GM, Sotozono C, Quantock AJ.	Recovering vision in corneal epithelial stem cell deficient eyes.	Contact Lens Anterior Eye.	42(4)	350-358	2019
Ueta M, Nakamura R, Saito Y, Tokunaga K, Sotozono C, Yabe T, Aihara M, Matsunaga K, Kinoshita S.	Association of HLA class I and II gene polymorphisms with acetaminophen-related Stevens-Johnson syndrome with severe ocular complications in Japanese individuals.	Hum Genome Var.	6	50	2019
Nakae M, Tamagawa-Mineoka R, Masuda K, Ueta M, Sotozono C, Katoh N.	Stevens - Johnson syndrome and toxic epidermal necrolysis cases treated at our hospital over the past 10 years.	Journal of Cutaneous Medicine and Surgery	2(1)	25-30	2019
Nakatani K, Ueta M, Khor SS, Hitomi Y, Okuda Y, Masuyama A, Wada Y, Sotozono C, Kinoshita S, Inokubo H, Tokunaga K.	Identification of HLA-A*02:06:01 as the primary disease susceptibility HLA allele in cold medicine-related Stevens-Johnson syndrome with severe ocular complications by high-resolution NGS-based HLA typing.	Sci Rep.	9(1)	16240	2019
Ueta M, Sotozono C, Nishigaki H, Ohsako S, Yokoi N, Mizushima K, Naito Y, Kinoshita S.	Gene expression analysis of conjunctival epithelium of patients with Stevens-Johnson syndrome in the chronic stage.	BMJ Open Ophthalmol.	4(1)	e000254	2019

Mieno H, Ueta M, Yamada K, Yamanaka Y, Nakayama T, Watanabe A, Kinoshita S, Sotomoto C.	Expression of prostaglandin E2 receptor 3 in the eyelid epithelium of patients with Stevens- Johnson syndrome/toxic epidermal necrolysis.	Br J Ophthalmol.			pii: bjophthalmol-2018-313587. doi: 10.1136/bjophthalmol-2018-313587. [Epub ahead of print]
蒔田泰誠	ファーマコゲノミクス	臨床免疫・アレルギー科	69	73-77	2018
Ujiie H, Muramatsu K, Mushiroda T, Ozeki T, Miyoshi H, Iwata H, Nakamura A, Nomoto H, Cho KY, Sato N, Nishimura M, Ito T, Izumi K, Nishie W, Shimizu H	HLA-DQB1*03:01 as a Biomarker for Genetic Susceptibility to Bullous Pemphigoid Induced by DPP-4 Inhibitors	J Invest Dermatol	138(5)	1201-1204	2018
Watanabe H, et al.	A docking model of dapsone bound to HLA-B*13:01 explains the risk of dapsone hypersensitivity syndrome	J Dermatol Sci	88	320-329	2017
蒔田泰誠	重症薬疹は予防できるかー薬理遺伝学検査の可能性ー	臨床精神医学	47巻増刊号	42-46	2018

<p>Mushiroda T, Takahashi Y, Onuma T, Yamamoto Y, Kamei T, Hoshida T, Takeda K, Otsuka K, Okazaki M, Watanabe M, Kanemoto K, Oshima T, Watanabe A, Minami S, Saito K, Tani H, Shimoto Y, Hara M, Saitoh S, Kinoshita T, Kato M, Yamada N, Akamatsu N, Fukuchi T, Ishida S, Yasumoto S, Takahashi A, Ozeki T, Furuta T, Saito Y, Izumida N, Kano Y, Shiohara T, Kubo M; GENCAT Study Group</p>	<p>Association of HLA-A*31:01 Screening With the Incidence of Carbamazepine-Induced Cutaneous Adverse Reactions in a Japanese Population</p>	<p>JAMA Neuro</p>	<p>75</p>	<p>842-849</p>	<p>2018</p>
<p>Phillips EJ, Sukkasem C, Whirl-Carrillo M, Müller DJ, Dunne nberger HM, Chantratrata W, Goldspiel B, Chen YT, Carleton BC, George AL Jr, Mushiroda T, Klein T, Gammal RS, Pirmohamed M</p>	<p>Implementation Consortium Guideline for HLA Genotype and Use of Carbamazepine and Oxcarbazepine: 2017 Update.</p>	<p>Clin Pharmacol Ther</p>	<p>103</p>	<p>574-581</p>	<p>2018</p>

Nakamura R, Ozeki T, Hirayama N, Sekine A, Yamashita T, Mashimo Y, Mizukawa Y, Shiohara T, Watanabe H, Sueki H, Ogawa K, Asada H, Kaniwa N, Tsukagoshi E, Matsunaga K, Niihara H, Yamaguchi Y, Aihara M, Mushiroda T, Saito Y, Morita E.	Association of HLA-A*11:01 with Sulfonamide-Related Severe Cutaneous Adverse Reactions in Japanese Patients	J Invest Dermatol			pii: S0022-202X(20)30040-3. doi: 10.1016/j.jid.2019.12.025.
Hikino K, Ozeki T, Koido M, Terao C, Kamatani Y, Mizukawa Y, Shiohara T, Tohyama M, Atsukizawa H, Aihara M, Nihara H, Morita E, Murakami Y, Kubo M, Mushiroda T	HLA-B*51:01 and CYP2C9*3 Are Risk Factors for Phenytoin-Induced Eruption in the Japanese Population: Analysis of Data From the Biobank Japan Project	Clin Pharmacol Ther	107(5)	1170-1178	2020
Cho M, Nonomura Y, Kaku Y, Dainichi T, Otsuka A, Kabashima K.	Generalized Lichen Nitidus Following Anti-PD-1 Antibody Treatment.	JAMA Dermatology	154(3)	367-369	2018
Komori T, Otsuka A, Irie H, Honoriguchi A, Honda T, Kabashima K.	Drastic effect on distant lung metastatic melanoma by sequential administration of nivolumab with ipilimumab/radiation combination therapy.	Journal of Dermatol	45(1)	e7-e8	2018
Komori T, Otsuka A, Kaku Y, Irie H, Honda T, Hirata M, Kikutaoka TR, Kabashima K.	Total cell necrosis of metastatic malignant melanoma at the regional lymph node in a patient treated with nivolumab.	Journal of Dermatol	45(1)	e11-e12	2018

Kitayama N, Nakamizo S, Nonomura Y, Kaku Y, Endo Y, Dapinichi T, Okurama M, Hida T, Yamashita T, Otsuka A, Kabashima K.	Case of diffuse paronychia and bronchiolitis developed in a patient with epidermodysplasia verruciformis.	Journal of Dermatology	44(12)	e363-e364	2017
Ono S, Egawa G, Kitoh A, Dainichi T, Otsuka A, Nakajima S, Honda T, Kabashima K.	Local inflammation exacerbates cutaneous manifestations in a murine autoimmune pemphigus model.	Journal of Allergy and Clinical Immunology	139(6)	2026-2028.e5.	2017
Takeuchi A, Egawa G, Nomura T, Kabashima K	Contact leukoderma induced by rotigotine transdermal patch (Neupro®).	Eur J Dermatol	29(2)	215-217	2019
Honda T, Egawa G, Kabashima K	Antigen presentation and adaptive immune responses in skin.	Int Immunol	31(7)	423-429	2019
Komatsu-Fujii T, Nomura M, Otsuka A, Ishida Y, Doi K, Matsumoto S, Muto M, Kabashima K	Response to imatinib in vaginal melanoma with KIT p.Val559 Gly mutation previously treated with nivolumab, pembrolizumab and ipilimumab.	J Dermatol	46(6)	e203-e204	2019
Komori T, Otsuka A, Cho M, Honda T, Kabashima K	Nail pitting and splinter hemorrhage possibly induced by zolpidem.	J Dermatol	46(5)	e151-e152	2019
Adachi A, Komine M, Tsuda H, Nakajima S, Kabashima K, Ohtsuki M	Differential expression of alarmins: IL-33 as a candidate marker for early diagnosis of toxic epidermal necrolysis.	J Allergy Clin Immunol Pract	Jan;7(1)	325-327	2019
Oiwa T, Honda T, Otsuka A, Kabashima K	Three cases of facial erythema with dryness and pruritus in psoriasis patients during treatment with IL-17 inhibitors.	J Eur Acad Dermatol Venerol	32(4)	e122-e123	2018

Goto K, Nomura T, Kogame T, Irie H, Kaku Y, Dainichi T, Kabashima K	Improvement of erosive pustular dermatosis of the scalp following discontinuation of chemotherapy with afatinib.	Eur J Dermatol	28(2)	258-259	2018
Hashizume H, Abe R, Azukizawa H, Fujiyama T, Hama N, Mizukawa Y, Moriyama E, Nakagawa Y, Nakajima S, Niihara H, Terakura Y, Toyama M, Watanabe H, Tokura Y	Drug Allergy Database Committee in Japanese Cutaneous Immunology and Allergy Association. Confusion in determination of two types of cutaneous adverse reactions to drugs, maculopapular eruption and erythema multiforme, among the experts: A proposal of standardized terminology.	J Dermatol.	47(2)	169-173	2020
Hama N, Nishimura K, Hasegawa A, Yuki A, Kume H, Adachi E, Kinoshita M, Ogawa Y, Nomura T, Watanabe H, Mizukawa Y, Tomonaga T, Shimizu H, Abe R	Galectin-7 as a potential biomarker of Stevens-Johnson syndrome/toxic epidermal necrolysis: identification by targeted proteomics using causative drug-exposed peripheral blood cells.	J Allergy Clin Immunol Pract.	7(8)	2894-2897	2019
Adachi E, Egawa G, Kabashima K	Case of capecitabine-induced severe erosional radiation recall dermatitis in a patient with breast cancer.	J Dermatol.	46(10)	e354-e355	2019
Honda T, Egawa G, Kabashima K	Antigen presentation and adaptive immune responses in skin.	Int Immunol	31(7)	423-429	2019
Komori T, Otsuka A, Cho M, Honda T, Kabashima K	Nail pitting and splinter hemorrhage possibly induced by zolpidem.	J Dermatol.	46(5)	e151-e152	2019
Takimoto R, Honda T, Kataoka TR, Ueshima C, Otsuka A, Kabashima K	DIHS/DRESS-like eruption possibly induced by amoxicillin during treatment with nivolumab.	Eur J Dermatol	29(2)	228-229	2019

Takeuchi A, Egawa G, Nomura T, Kabashima K	Contact leukoderma induced by rotigotine transdermal patch (Neupro®).	Eur J Dermatol.	29(2)	215-217	2019
Kabashima K, Honda T, Ginhoux F, Egawa G	The immunological anatomy of the skin.	Nat Rev Immunol.	19(1)	19-30	2019
Kato M, Nitta K, Kano Y, Yamada M, Ishii N, Hashimoto T, Ohyama M	Case of phenylephrine hydrochloride induced periorbital contact dermatitis with fulminant keratoconjunctivitis causing pseudomembrane formation.	J Dermatol	45	e27-28	2018
水川良子	私は思う 固定薬疹の発症機序 なぜ同じ部位に再発するのか	アレルギーの臨床	37	1055-1057	2017
水川良子	スキルアップのためのQ&A. 薬疹におけるステロイドの始め方と減らし方を教えてください.	皮膚アレルギーフロンティア	15	47	2017
Nitta K, Hayakawa J, Ohyama M	A case of coxsackievirus-induced acute generalized exanthematous pustulosis with unique periadnexal eosinophilic infiltration.	Dermatologica Scandinavica	36(2)	113-114	2018
水川良子	【これが皮膚科診療スペシャリストの目線！ 診断・検査マニュアル 不変の知識と最新の情報】 紅斑とは 多彩な臨床症状から	Derma	268	29-34	2018
Mitsui S, Katayama C, Aoyama Y, Mizukawa Y, Kuyama M, Kawakami Y	Local desensitization and progression of multiple fixed drug eruption.	Eur J Dermatol	28(3)	378-38	2018
Ushigome U, Mizukawa Y, Kimishima M, Yamazaki Y, Takahashi R, Kano Y, Shiohara T	Monocytes are involved in the balance between regulatory T cells and Th17 cells in severe drug eruptions.	Clin Exp Allergy	48(11)	1453-1463	2018

Mizukawa Y, Hirahara K, Kaneko Y, Shiohara T	Drug-induced hypersensitivity syndrome (DiHS)/drug reaction with eosinophilia and systemic syndrome (DRESS) severity score: a useful tool for assessing disease severity and predicting fatal cytomegalovirus disease.	J Am Acad Dermatol	80(3)	670-678	2018
水川良子	多種多様な薬剤を服用して現れる薬疹患者への対応－診断の極意：被疑薬を絞るには－	Derma	275	93-98	2018
Tashiro Y, Azukizawa H, Asada H, Niihara H, Morita E, Yamauchi T, Mizukawa Y, Kusakabe Y, Numazawa S, Izumi M, Sueki H, Watanabe H	Drug-induced hypersensitivity syndrome/drug reaction with eosinophilia and systemic symptoms due to lamotrigine differs from that due to other drugs.	J Dermatol	46(3)	226-233	2019
Shimoda-Komatsu Y, Mizukawa A, Takayama N, Ohyama M	Cutaneous adverse events induced by azacitidine in myelodysplastic syndrome patients: Case reports and a lesson from published work review	J Dermatol	47(4)	363-368	2020
Nakamura R, Ozeki T, Hirayama N, Sekine A, Yamashita T, Mashimo Y, Mizukawa Y, Shiohara T, Watanabe H, Sueki H, Ogawa K, Asada H, Kaniwa N, Tsukagoshi E, Matsunaga K, Niihara H, Yamaguchi Y, Aihara M, Muroda T, Saito Y, Morita E	Association of HLA-A*11:01 with Sulfonamide-Related Severe Cutaneous Adverse Reactions in Japanese Patients	J Invest Dermatol			pii: S0022-202X(20)30040-3. doi: 10.1016/j.jid.2019.12.025. [Epub ahead of print]

Hikino K, Ozeki T, Koido M, Terao C, Kamae Y, Mizukawa Y, Shiohara T, Tohyama M, Azukizawa H, Aihara M, Nihara H, Morita E, Murakami Y, Kubo M, Mushiroda T	HLA-B*51:01 and CYP2C9*3 Are Risk Factors for Phenytoin-Induced Eruption in the Japanese Population: Analysis of Data From the Biobank Japan Project	Clin Pharmacol Ther	107(5)	1170-1178	2020
水川良子	水川良子：薬剤師のための特別講義！ 専門医が教える薬疹，薬剤性皮膚障害 第5回 固定薬疹	調剤と情報	26(4)	84-87	2020
Hashizume H, Abe R, Azukizawa H, Fujiyama T, Hama N, Mizukawa Y, Morita E, Nakajima Y, Nakajima S, Niihara H, Teraki Y, Tohyama M, Watanabe H, Tokura Y, Drug Allergy Database Committee in Japanese Cutaneous Immunology and Allergy Association	Confusion in determination of two types of cutaneous adverse reactions to drugs, maculopapular eruption and erythema multiforme, among the experts: A proposal of standardized terminology	J Dermatol	47(2)	169-173	2020
水川良子，塩原哲夫	薬剤性過敏症候群－臨床から診断，治療，非HIV感染者の免疫再構築症候群の概念をふまえて－	日化療会誌	67(6)	620-627	2019
水川良子，倉田麻衣子	写真で学ぶアレルギー－これがDiHSを疑う初期臨床症状だ！	皮アレルギーフロンテ	17(2)	134	2019
Takada-Takatori Y, Nakagawa S, Kimata R, Nao Y, Mizukawa Y, Urushida T, Izumi Y, Akaike A, Tsuchida K, Kume T	Donepezil modulates amyloid precursor protein endocytosis and reduction by up-regulation of SNX33 expression in primary cortical neurons	Sci Rep	9(1)	11922	2019

佐藤洋平, 水川良子, 堀江千穂, 平原和久, 狩野葉子, 塩原哲夫	人工透析患者に生じた多発性固定薬疹の1例	臨皮	73(7)	480-484	2019
Hama N, Nishimura K, Hasegawa A, Yuki A, Kume H, Adachi J, Kinoshita M, Ogawa Y, Nishikajima S, Nomura T, Watanabe H, Mizukawa Y, Tomonaga T, Shimizu H, Abe R	Galectin-7 as a potential biomarker of Stevens-Johnson syndrome/toxic epidermal necrolysis: identification by targeted proteomics using causative drug-exposed peripheral blood cells	J Allergy Clin Immunol Pract	7(8)	2894-2897	2019
Shiohara T, Mizukawa Y	Drug-induced hypersensitivity syndrome (DiHS)/drug reaction with eosinophilia and systemic symptoms (DRESS): An update in 2019	Allergol Int	68(3)	301-308	2019
Risa Fukuda, Takeshi Ouchi, Ikuko Hirai, Takeru Funakoshi, Aki Honda, Keiji Tanese, Akiko Tanikawa, Masayuki Amagai, Hayato Takahashi	Non-pigmenting fixed drug eruption with mixed features of acute generalized exanthematous pustulosis induced by pseudoephedrine: a case report.	Contact Dermatitis	77(2)	123-126	2017
Nomura H, Takahashi H, Suzuki S, Kurihara Y, Chubachi S, Kawada I, Yasuda H, Betsuyaku T, Amagai M, Funakoshi T	Unexpected recalcitrant course of drug-induced erythema multiforme-like eruption and interstitial pneumonia sequentially occurring after nivolumab therapy.	J Dermatol	44(7)	818-821	2017
Iriki H, Ouchi T, Ito H, Sawada M, Mukai M, Nomura H, Baba Y, Adachi T, Funakoshi T, Amagai M, Takahashi H	A case of lamotrigine-induced drug adverse reaction under tocilizumab treatment with clinical and virological features of drug-induced hypersensitivity syndrome.	J Dermatol	45(6)	738-741	2018

Iriki H, Ouchi T, Ito H, Sawada M, Mukai M, Nomura H, Baba Y, Adachi T, Funakoshi T, Amagai M, Takahashi H	A case of lamotrigine-induced drug adverse reaction under tocilizumab treatment with clinical and virological features of drug-induced hypersensitivity syndrome.	J Dermatol	Jun;45(6)	738-741	2018
Yamagami J, Nakamura Y, Nagao K, Funakoshi T, Takahashi H, Tanikawa A, Hachiya T, Yamamoto T, Ishida-Yamamoto A, Tanaka T, Fujimoto N, Nishigori C, Yoshida T, Ishii N	Hashimoto T, Amagai M. Vancomycin Mediates IgA Autoreactivity in Drug-Induced Linear IgA Bullous Dermatitis.	J Invest Dermatol	Jul;138(7)	1473-1480	2018
Fukasawa T, Takahashi H, Kameyama N, Fukuda R, Furuhashi S, Tanemura N, Amagai M, Urushihara H	Development of an electronic medical record-based algorithm to identify patients with Stevens-Johnson syndrome and toxic epidermal necrolysis in Japan	PLOS ONE	14	e0221130	2019
Yagasaki K, Takahashi H, Ouchi T, Yamagami J, Hamamoto Y, Amagai M, Kodomatsu H	Patient voice on management of facial dermatological adverse events with targeted therapies: a qualitative study	J Patient Rep Outcomes	3	27	2019
Yatsuzuka K, Tachibana M, Oda F, Hashimoto T, Sayama K	Case of thymoma-associated cutaneous graft-versus-host disease-like disease successfully improved by narrowband ultraviolet B phototherapy.	J Dermatol	45	479-482	2018
Shiraishi, Masunaga T, Tohyama M, Sayama K	A Case of Perforating Folliculitis Induced by Vemurafenib.	Acta Derm Venereol.	99	230-231	2019
Shiraishi K, Sayama K	Pemphigus foliaceus induced by topical imiquimod treatment.	Int J Dermatol.	57	e155-e157	2018

Tohyama M, Hamada M, Harada D, Kozuki T, Nogami N, Monden N, Kajiwara T, Nishinaga T.	Clinical features and treatment of epidermal growth factor inhibitor-related late-phase papulopustular rash.	J Dermatol	47	121-127	2020
原田泰枝、藤山幹子、松本圭子、泉健太郎、西江渉、佐山浩二.	水疱性類天疱瘡と糖尿病、DPP-4阻害薬との関連性—施設における検討—.	西日本皮膚科	81	418-423	2019
Shiraishi K, Masunaga T, Tohyama M, Sayama K.	A Case of perforating folliculitis induced by vemurafenib.	Acta Derm Venereol.	99	230-231	2019
Habu M, Tohyama M, Sayama K.	Two cases of eczematous eruptions caused by everolimus.	J Cutan Immunol Allergy	2	135-138	2019
藤山幹子	多形紅斑	月刊薬事	61	54-58	2019
藤山幹子	薬剤性過敏症症候群とHHV-6	消化器・肝臓内科	137	365-370	2019
藤山幹子	薬剤性過敏症症候群	病理と臨床	137	1201-1208	2019
藤山幹子	薬剤性過敏症症候群	日本臨床 医薬品副作用学 (下)	77増刊4	19-23	2019
新原寛之	Loop mediated isothermal amplification (LAMP)にてHLA-A*3101を迅速検出したカルバマゼピンによるDIHSの2例	皮膚病診療	41(3)	225-228	2019
白築 理恵、他	セフェム系抗菌薬によるアナフィラキシープリックテストと好塩基球活性化試験を施行した症例	皮膚病診療	42	P156-159	2019
森田 栄伸	【眼科医のための皮膚疾患アトラス】 薬剤アレルギーと眼症状 皮膚科からの警鐘	OCULISTA	79	P52-57	2019
Nakamura R, et al	Association of HLA-A*11:01 with Sulfonamide-Related Severe Cutaneous Adverse Reactions in Japanese Patients.	J Invest Dermatol			pii: S0022-202X(20)30040-3. doi: 10.1016/j.jid.2019.12.025. [Epub ahead of print]