

雑誌（英文）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Hirai T, Yoshii T, Ushio S, Mori K, Maki S, Katsumi K, Nagoshi N, Takeuchi K,	Clinical characteristics in patients with ossification of the posterior longitudinal ligament: A prospective multi-institutional cross-sectional study.	Sci Rep	10(1)	5532	2020
Yoshii T, Morishita S, Inose H, Yuasa M, Hirai T, Okawa A, Fushimi K, Fujiwara T.	Comparison of Perioperative Complications in Anterior Decompression with Fusion and Posterior Decompression with Fusion for Cervical Ossification of the Posterior Longitudinal Ligament: Propensity Score Matching Analysis Using a Nation-Wide Inpatient Database.	Spine			2020
Oshima Y, Doi T, Kato S, Taniguchi Y, Matsubayashi Y, Nakajima K, Oguchi F, Oka H, Hayashi N, Tanaka S.	Association between ossification of the longitudinal ligament of the cervical spine and arteriosclerosis in the carotid artery.	Sci Rep	10(1)	3369	2020
Haga N, Nakashima Y, Kitoh H, Kamizono J, Katagiri T, Saijo H, Tsukamoto S, Shinoda Y, Sawada R, Nakahara Y	Fibrodysplasia ossificans progressiva: review and research activities in Japan.	Pediatr Int	62(1)	3-13	2020

Endo T, Takahata M, Koike Y, Iwasaki N.	Clinical characteristics of patients with thoracic myelopathy caused by ossification of the posterior longitudinal ligament.	J Bone Miner Metab.	38(1)	63-69	2020
Kato S, Murakami H, Demura S, Yoshioka K, Yokogawa N, Takaki S, Oku N, Tsuchiya H.	Indication for anterior spinal cord decompression via a posterolateral approach for the treatment of ossification of the posterior longitudinal ligament in the thoracic spine: a prospective cohort study.	Eur Spine J	29(1)	113-121	2020
Ohba T, Hatsushika K, Ebata S, Koyama K, Akaike H, Yokomichi H, Masuyama K, Haro H.	Risk Factors and Assessment Using an Endoscopic Scoring System for Early and Persistent Dysphagia After Anterior Cervical Decompression and Fusion Surgery	Clin Spine Surg.	Epub ahead of print		2020
Wada K, et al.	Prevalence of cervical canal stenosis in farmers: Epidemiological study based on radiographic parameter of spinal cord injury patients.	J Orthop Sci	25	206-12	2020
Yamada T, Yoshii T, Ushio S, Taniyama T, Hirai T, Inose H, Sakai K, Shindo S, Arai Y, Okawa A.	Surgical outcomes for distal-type cervical spondylotic amyotrophy: a multicenter retrospective analysis of 43 cases.	Eur Spine J.	28(10)	2333-2341	2019

Mori K, Yoshii T, Hirai T, Nagoshi N, Takeuchi K, Ushio S, Iwanami A, Yamada T, Seki S, Tsugi T, Fujiyoshi K, Furukawa M, Nishimura S, Wada K, Furuya T, Matsuyama Y, Hasegawa T, Takeshita K, Kimura A, Abematsu M, Haro H, Ohba T, Watanabe M, Katoh H, Watanabe K, Ozawa H, Kanno H, Imagama S, Ando K, Fujibayashi S, Koda M, Yamazaki M, Matsumoto M, Nakamura M, Okawa A, Kawaguchi Y.	The characteristics of the patients with radiologically severe cervical ossification of the posterior longitudinal ligament of the spine: A CT-based multicenter cross-sectional study.	J Orthop Sci.	2658(19)	30313-6.	2019
Hirai T, Yoshii T, Inose H, Yuasa M, Yamada T, Ushio S, Onuma H, Hirai K, Kobayashi Y, Utagawa K, Hashimoto J, Kawabata A, Sakai K, Kato T, Kawabata S, Okawa A.	Is Modified K-line a Powerful Tool of Surgical Decision Making for Patients With Cervical Spondylotic Myelopathy?	Clin Spine Surg.	32(9)	351-356	2019

Yoshii T, Egawa S, Hirai T, Kaito T, Mori K, Koda M, Chikuda H, Hasegawa T, Imagama S, Yoshida M, Iwasaki M, Okawa A, Kawaguchi Y.	A systematic review and meta-analysis comparing anterior decompression with fusion and posterior laminoplasty for cervical ossification of the posterior longitudinal ligament.	J Orthop Sci.	25(1)	58-65.	2019
Nakajima H, Watanabe S, Honjoh K, Kitade I, Sugita D, Matsumine A.	Long-term Outcome of Anterior Cervical Decompression With Fusion for Cervical Ossification of Posterior Longitudinal Ligament Including Postsurgical Remnant Ossified Spinal Lesion.	Spine (Phila Pa 1976)	44(24)	E1452-E1460	2019
Kawaguchi Y, Kitajima I, Nakano M, Yasuda T, Seki S, Suzuki K, Yahara Y, Makino H, Ujihara Y, Ueno T, Kimura T.	Increase of the serum FGF-23 in ossification of the posterior longitudinal ligament.	Global Spine J.	9(5)	492-498	2019
Kawaguchi Y, Nakano M, Yasuda T, Seki S, Suzuki K, Yahara Y, Makino H, Kobayashi K, Kimura T.	Clinical impact of ossification of the posterior longitudinal ligament progression after cervical laminoplasty.	Clin Spine Surg.	32(3)	E133-E139	2019

Kadone H, Kubota S, Abe T, Noguchi H, Miura K, Koda M, Shimizu Y, Hada Y, Sankai Y, Suzuki K, Yamazaki M.	Muscular activity modulation during postoperative walking with hybrid assistive limb (HAL) in a patient with thoracic myelopathy due to ossification of posterior longitudinal ligament: a case report,	Frontiers in Neurology,	doi: 10.3389/fneur.2020.00102 , 2020.		2019
Kimura A	Impact of K-Line (-) in the Neck-Flexion Position on Patient-reported Outcomes After Cervical Laminoplasty For Patients With Ossification of the Posterior Longitudinal Ligament.	Clinical Spine Surgery	32	382-386	2019
Yoshida G, Ando M, Imagama S, Kawabata S, Yamada K, Kanchiku T, Fujiwara Y, Tadokoro N, Takahashi M, Wada K, Yamamoto N, Kobayashi S, Ushirozako H, Kobayashi K, Yasuda A, Shinomiya K, Tani T, Matsuyama Y.	Alert Timing and Corresponding Intervention with Intraoperative Spinal Cord Monitoring for High Risk Spinal Surgery	SPINE	44(8)	E470-E479	2019
Yoshida G, Imagama S, Kawabata S, Yamada K, Kanchiku T, Fujiwara Y, Tadokoro N, Takahashi M, Wada K, Yamamoto N, Ushirozako H, Kobayashi K, Yasuda A, Ando M, Tani T, Matsuyama Y.	Adverse Events Related to Transcranial Electric Stimulation for Motor-evoked Potential Monitoring in High-risk Spinal Surgery	SPINE	44(20)	1435-1440	2019

Nakahara Y, Kitoh H, Nakashima Y, Toguchida J, Haga N	The longitudinal study of activities of daily living and quality of life in Japanese patients with fibrodysplasia ossificans progressiva.	Disabil Rehabil	41(6)	699-704	2019
Hsiao EC, DiRocco M, Cali A, Zasloff M, AI Mukaddam M, Pignolo R, Grunwald Z, Netelenbos C, Keen R, Baujat G, Brown M, Cho TJ, DeCunto C, Delai P, Haga N, Morhart R, Scott C, Zhang K, Diecidue RJ, Friedman CS, Kaplan F, Eekhoff EMW	Special considerations for clinical trials in fibrodysplasia ossificans progressiva (FOP)	Br J Pharm	85	1199-1207	2019
Katsumi K, Hirano T, Watanabe K, Ohashi M. Mizouchi T, Wakasugi M, Makino T, Yamazaki A, Endo N.	A novel concept of posterior decompression and instrumented fusion with selective lordotic correction for cervical ossification of the posterior longitudinal ligament.	Journal of Clinical Neuroscience	68	312-316	2019
Eto T, Aizawa T, Kanno H, Hashimoto K, Itoi E, Ozawa H.	Several pathologies cause delayed postoperative paralysis following posterior decompression and spinal fusion for thoracic myelopathy caused by ossification of the posterior longitudinal ligament.	J Orthop Sci		doi: 10.1016/j.jos.2019.08.004.	2019

Kitamura M, Maki S, Koda M, Furuya T, et al.	Longitudinal diffusion tensor imaging of patients with degenerative cervical myelopathy following decompression surgery.	J Clin Neurosci	pii: S0967-5868(19)30593-4		2019
Takenaka S, Kan S, Seymour B, Makino T, Sakai Y, Kushioka J, Tanaka H, Watanabe Y, Shibata M, Yoshikawa H, Kaito T	Towards prognostic functional brain biomarkers for cervical myelopathy: A resting-state fMRI study.	Sci Rep	9(1)	10456	2019
Nagashima K, Koda M, Abe T, Kumagai H, Miura K, Fujii K, Noguchi H, Funayama T, Miyamoto T, Mannoji C, Furuya T, Yamazaki M.	Implant failure of pedicle screws in long-segment posterior cervical fusion is likely to occur at C7 and is avoidable by concomitant C6 or T1 buttress pedicle screws.	J Clin Neurosci.	63	106-109	2019
Ushirozako H, Yoshida G, Koayashi S, Hasegawa T, Yamato Y, Yasuda T, Banno T, Arima H, Oe S, Mihara Y, Togawa D, Matsuyama Y	Impact of total propofol dose during spinal surgery: anesthetic fade on transcranial motorevoked potentials.	J Neurosurg Spine	8	1-9	2019

Yoshii T, Hirai T, Iwanami A, Nagoshi N, Takeuchi K, Mori K, Yamada T, Seki S, Tsuiji T, Fujiyoshi K, Furukawa M, Nishimura S, Wada K, Koda M, Furuya T, Matsuyama Y, Hasegawa T, Takeshita K, Kimura A, Abematsu M, Haro H, Ohba T, Watanabe M, Katoh H, Watanabe K, Ozawa H, Kanno H, Imagama S, Aneo K, Fujibayashi S, Matsumoto M, Nakamura M, Yamazaki M, Okawa A, Kawaguchi Y	Co-existence of ossification of the nuchal ligament is associated with severity of ossification in the whole spine in patients with cervical ossification of the posterior longitudinal ligament -A multi-center CT study.	J Orthop Sci	24(1)	35-41	2019
Okada E, Shimizu K, Kato M, Fukuda K, Kaneko S, Ogawa J, Yagi M, Fujita N, Tsuiji O, Suzuki S, Nagoshi N, Tsuiji T, Nakamura M, Matsumoto M, Watanabe K.	Spinal fractures in patients with diffuse idiopathic skeletal hyperostosis: Clinical characteristics by Fracture level.	Journal of Orthopaedic Science (JOS)	18	393-399	2019

Okada E, Yoshii T, Yamada T, Watanabe K, KatsumiK, Hiyama A, Watanabe M, Nakagawa Y, Okada M, Endo T, Shiraishi Y, Takeuchi K, Matsunaga S, Maruo K, Sakai K, Kobayashi S, Ohba T, Wada K, Ohya J, Mori K, Tsushima M, Nishimura H, Tsui T, Okawa A, Matsumoto M, Watanabe K	Spinal fractures in patientswith Diffuse idiopath icskeletal hyper ostosis:A nation wide multi-institu tionsurvey.	Journal of Orthopaedic Science (JOS)	18	30388-9	2019
Mori K, Yayama T, Nishizawa K, Nakamura A, Mimura T, Imai S	Aortic pulsation p revents the develo pment of ossificat ion ofanterior lon gitudinal ligament towardthe aortain patients with diff use idiopathic ske letalhyperostosis (DISH) in Japanes e: Results ofchest CT-based cross-sec tiona study.	J Orthop Sci.	24(1)	30-34.	2019
Matsushita M, Kitoh H, Mishima K, Yamashita S, Haga N, Fujiwara S, Ozono K, Kubota T, Kitaoka T, Ishiguro N	Physical,mental and social problems of adolescent and adul t patients with ac hondroplasia.	Calcif Tissue Int		in press	2019
Murata K, Endo K, Suzuki H, Matsuoka Y, Nishimura H, Takamatsu T, Yamamoto K	Spinal sagittal ali gnment and trapezoi dal deformity in pati ents with degenerat ive cervical spondyl olisthesis	Scientific Report s			2019 in Pre ss

