

(資料5) 構造化抄録を作成した 88 論文

1. Berthon A, et al. Age-dependent effects of Armc5 haploinsufficiency on adrenocortical function. *Hum Mol Genet.* 26(18):3495-507, 2017. PubMed: 28911199.
2. Hu Y, et al. Armc5 deletion causes developmental defects and compromises T-cell immune responses. *Nat Commun.*8:13834, 2017. PubMed: 28169274.
3. Albiger NM, et al. A multicenter experience on the prevalence of ARMC5 mutations in patients with primary bilateral macronodular adrenal hyperplasia: from genetic characterization to clinical phenotype. *Endocrine.* 55(3):959-68, 2017. PubMed: 27094308.
4. Lodish M, Stratakis CA. A genetic and molecular update on adrenocortical causes of Cushing syndrome. *Nat Rev Endocrinol.* 12(5):255-62, 2016. PubMed: 26965378.
5. Drougat L, et al. Genetics of primary bilateral macronodular adrenal hyperplasia: a model for early diagnosis of Cushing's syndrome? *Eur J Endocrinol.* 173(4):M121-31, 2015. PubMed: 26264719.
6. Correa R, et al. The ARMC5 gene shows extensive genetic variance in primary macronodular adrenocortical hyperplasia. *Eur J Endocrinol.* 173(4):435-40, 2015. PubMed: 26162405.
7. El Ghorayeb N, et al. Multiple aberrant hormone receptors in Cushing's syndrome. *Eur J Endocrinol.* 173(4):M45-60, 2015. PubMed: 25971648.
8. Espiard S, et al. ARMC5 Mutations in a Large Cohort of Primary Macronodular Adrenal Hyperplasia: Clinical and Functional Consequences. *J Clin Endocrinol Metab.* 100(6):E926-35, 2015. PubMed: 25853793.
9. Li J, Yang CH. Diagnosis and treatment of adrenocorticotrophic hormone-independent macronodular adrenocortical hyperplasia: A report of 23 cases in a single center. *Exp Ther Med.* 9(2):507-12, 2015. PubMed: 25574224.
10. Fragoso MC, et al. Genetics of primary macronodular adrenal hyperplasia. *J Endocrinol.* 224(1):R31-43, 015. PubMed: 25472909.
11. Elbelt U, et al. Molecular and clinical evidence for an ARMC5 tumor syndrome: concurrent inactivating germline and somatic mutations are associated with both primary

macronodular adrenal hyperplasia and meningioma. *J Clin Endocrinol Metab.* 100(1):E119-28, 2015. PubMed: 25279498.

12. Gagliardi L, et al. ARMC5 mutations are common in familial bilateral macronodular adrenal hyperplasia. *J Clin Endocrinol Metab.* 99(9):E1784-92, 2014. PubMed: 24905064.
13. Alencar GA, et al. ARMC5 mutations are a frequent cause of primary macronodular adrenal Hyperplasia. *J Clin Endocrinol Metab.* 99(8):E1501-9, 2014. PubMed: 24708098.
14. Faucz FR, et al. Macronodular adrenal hyperplasia due to mutations in an armadillo repeat containing 5 (ARMC5) gene: a clinical and genetic investigation. *J Clin Endocrinol Metab.* 99(6):E1113-9, 2014. PubMed: 24601692.
15. Lacroix A. Heredity and cortisol regulation in bilateral macronodular adrenal hyperplasia. *N Engl J Med.* 369(22):2147-9, 2013. PubMed: 24283229.
16. Louiset E, et al. Intraadrenal corticotropin in bilateral macronodular adrenal hyperplasia. *N Engl J Med.* 369(22):2115-25, 2013. PubMed: 24283225.
17. Assie G, et al. ARMC5 mutations in macronodular adrenal hyperplasia with Cushing's syndrome. *N Engl J Med.* 369(22):2105-14, 2013. PubMed: 24283224.
18. Vezzosi D, et al. Phosphodiesterase 11A(PDE11A) gene defects in patients with ACTH-independent macronodular adrenal hyperplasia (AIMAH): functional variants may contribute to genetic susceptibility of bilateral adrenal tumors. *J Clin Endocrinol Metab.* 97(11):E2063-9, 2012. PubMed: 22996146.
19. Rauschecker M, Stratakis CA. Molecular genetics of adrenocortical tumor formation and potential pharmacologic targets. *Minerva Endocrinol.* 37(2):133-9, 2012. PubMed: 22691887.
20. Almeida MQ, et al. Integrated genomic analysis of nodular tissue in macronodular adrenocortical hyperplasia: progression of tumorigenesis in a disorder associated with multiple benign lesions. *J Clin Endocrinol Metab.* 96(4):E728-38, 2011. PubMed: 21252250.
21. Assie G, et al. Systematic analysis of G protein-coupled receptor gene expression in adrenocorticotropin-independent macronodular adrenocortical hyperplasia identifies novel targets for pharmacological control of adrenal Cushing's syndrome. *J Clin Endocrinol Metab.* 95(10):E253-62, 2010. PubMed: 20660048.

22. de Groot JW, et al. Aberrant expression of multiple hormone receptors in ACTH-independent macronodular adrenal hyperplasia causing Cushing's syndrome. *Eur J Endocrinol*. 163(2):293-9, 2010. PubMed: 20460422.
23. Lacroix A, et al. Aberrant G-protein coupled receptor expression in relation to adrenocortical overfunction. *Clin Endocrinol (Oxf)*. 73(1):1-15, 2010. PubMed: 19719763.
24. Gagliardi L, et al. Familial vasopressin-sensitive ACTH-independent macronodular adrenal hyperplasia (VPs-AIMAH): clinical studies of three kindreds. *Clin Endocrinol (Oxf)*. 70(6):883-91, 2009. PubMed: 19018784.
25. Louiset E, et al. Expression of vasopressin receptors in ACTH-independent macronodular bilateral adrenal hyperplasia causing Cushing's syndrome: molecular, immunohistochemical and pharmacological correlates. *J Endocrinol*. 196(1):1-9, 2008. PubMed: 18180312.
26. Albiger NM, et al. Food-dependent Cushing's syndrome: from molecular characterization to therapeutical results. *Eur J Endocrinol*. 157(6):771-8, 2007. PubMed: 18057385.
27. Bourdeau I, et al. 17q22-24 chromosomal losses and alterations of protein kinase a subunit expression and activity in adrenocorticotropin-independent macronodular adrenal hyperplasia. *J Clin Endocrinol Metab*. 91(9):3626-32, 2006. PubMed: 16772351.
28. Lee S, et al. Ectopic expression of vasopressin V1b and V2 receptors in the adrenal glands of familial ACTH-independent macronodular adrenal hyperplasia. *Clin Endocrinol (Oxf)*. 63(6):625-30, 2005. PubMed: 16343095.
29. Christopoulos S, Bourdeau I, Lacroix A. Clinical and subclinical ACTH-independent macronodular adrenal hyperplasia and aberrant hormone receptors. *Horm. Res*. 64: 119-131, 2005. PubMed: 16215323
30. Bertherat J, et al. In vivo and in vitro screening for illegitimate receptors in adrenocorticotropin-independent macronodular adrenal hyperplasia causing Cushing's syndrome: identification of two cases of gonadotropin/gastric inhibitory polypeptide-dependent hypercortisolism. *J Clin Endocrinol Metab*. 90(3):1302-10, 2005. PubMed: 15585558.
31. Fragoso MCBV, et al. Cushing's syndrome secondary to adrenocorticotropin-independent

macronodular adrenocortical hyperplasia due to activating mutations of GNAS1 gene. *J Clin Endocrinol Metab.* 88: 2147-2151, 2003. PubMed: 12727968.

32. Cartier D, et al. Overexpression of serotonin-4 receptors in cisapride-responsive adrenocorticotropin-independent bilateral macronodular adrenal hyperplasia causing Cushing's syndrome. *J Clin Endocrinol Metab.* 88: 248-254, 2003. PubMed: 12519861.
33. Mune T, et al. Eutopic overexpression of vasopressin V1a receptor in adrenocorticotropin-independent macronodular adrenal hyperplasia. *J Clin Endocrinol Metab.* 87: 5706-5713, 2002. PubMed: 12466375.
34. Nies C, et al. Familial ACTH-independent Cushing's syndrome with bilateral macronodular adrenal hyperplasia clinically affecting only female family members. *Exp Clin Endocrinol Diabetes.* 110(6):277-83, 2002. PubMed: 12373631.
35. Lacroix A, Hamet P, Boutin JM. Leuprolide acetate therapy in luteinizing hormone-dependent Cushing's syndrome. *N Engl J Med.* 341: 1577-1581, 1999. PubMed: 10564687.
36. Swain JM, et al. Corticotropin-independent macronodular adrenal hyperplasia: a clinicopathologic correlation. *Arch Surg.* 133(5):541-5, 1998; discussion 545-6. PubMed: 9605918.
37. Lebrethon MC, et al. Food-dependent Cushing's syndrome: characterization and functional role of gastric inhibitory polypeptide receptor in the adrenals of three patients. *J Clin Endocrinol Metab.* 83: 4514-4519, 1998. PubMed: 9851802.
38. Lacroix A, et al. Propranolol therapy for ectopic beta-adrenergic receptors in adrenal Cushing's syndrome. *N Engl J Med.* 337: 1429-1434, 1997. PubMed: 9358140.
39. Wada N, et al. Adrenocorticotropin-independent bilateral macronodular adrenocortical hyperplasia: immunohistochemical studies of steroidogenic enzymes and post-operative course in two men. *Eur J Endocrinol.* 134(5):583-7, 1996. PubMed: 8664979.
40. de Herder WW, et al. Food-dependent Cushing's syndrome resulting from abundant expression of gastric inhibitory polypeptide receptors in adrenal adenoma cells. *J Clin Endocrinol Metab.* 81: 3168-3172, 1996. PubMed: 8784063.
41. Horiba N, et al. Lysine vasopressin stimulation of cortisol secretion in patients with adrenocorticotropin-independent macronodular adrenal hyperplasia. *J Clin Endocrinol*

Metab. 80(8):2336-41, 1995. PubMed: 7629226.

42. Findlay JC, et al. Familial adrenocorticotropin-independent Cushing's syndrome with bilateral macronodular adrenal hyperplasia. *J Clin Endocrinol Metab.* 76(1):189-91, 1993. PubMed: 8380604.
43. Sasano H, Suzuki T, Nagura H. ACTH-independent macronodular adrenocortical hyperplasia: immunohistochemical and in situ hybridization studies of steroidogenic enzymes. *Mod Pathol.* 7(2):215-9, 1994. PubMed: 8008746.
44. Reznik Y, et al. Food-dependent Cushing's syndrome mediated by aberrant adrenal sensitivity to gastric inhibitory polypeptide. *N Engl J Med.* 327: 981-986, 1992. PubMed: 1325609.
45. Lacroix A, et al. Gastric inhibitory polypeptide-dependent cortisol hypersecretion--a new cause of Cushing's syndrome. *N Engl J Med.* 327: 974-980, 1992. PubMed: 1325608.
46. Hamet P, et al. Cushing syndrome with food-dependent periodic hormonogenesis. *Clin Invest Med.* 10: 530-533, 1987. PubMed: 2831001.
47. Kirschner MA, et al. Cushing's syndrome: nodular cortical hyperplasia of adrenal glands with clinical and pathological features suggesting adrenocortical tumor. *J Clin Endocrinol.* 24: 947-955, 1964. PubMed: 14228534.
48. Aiba M, et al. Adrenocorticotrophic hormone-independent bilateral adrenocortical macronodular hyperplasia as a distinct subtype of Cushing's syndrome: enzyme histochemical and ultrastructural study of four cases with a review of the literature. *Am J Clin Path.* 96: 334-340, 1991. PubMed: 1652202.
49. Candida Barisson Villares Fragoso M, et al. Genetics of primary macronodular adrenal hyperplasia. *Presse Med.* 2018 Jul - Aug;47(7-8 Pt2):e139-e149. PubMed PMID: 30075949.
50. Zhang Q, et al. Whole-genome sequencing revealed armadillo repeat containing 5 (ARMC5) mutation in a Chinese family with ACTH-independent macronodular adrenal hyperplasia. *Endocr J.* 2018 Mar 28;65(3):269-279. PubMed PMID: 29279458.
51. Cavalcante IP, et al. The role of ARMC5 in human cell cultures from nodules of primary macronodular adrenocortical hyperplasia (PMAH). *Mol Cell Endocrinol.* 2018 Jan 15;460:36-46. PubMed PMID: 28676429.

52. Cavalcante IP, et al. High 18F-FDG uptake in PMAH correlated with normal expression of Glut1, HK1, HK2, and HK3. *Acta Radiol.* 2016 Mar;57(3):370-7. PubMed PMID: 25766729.
53. Julia-Sanchis MLL, et al. Two cases of Cushing's syndrome due to primary bilateral macronodular adrenal hyperplasia secondary to aberrant adrenal expression of hormone receptors. *Clin Biochem.* 2018 Sep;59:86-89. PubMed PMID: 29936051.
54. Jin P, et al. Extensive ARMC5 genetic variance in primary bilateral macronodular adrenal hyperplasia that started with exophthalmos: a case report. *J Med Case Rep.* 2018 Jan 18;12(1):13. PubMed PMID: 29343284; PubMed Central PMCID: PMC5773017.
55. Simforoosh N, et al. Staged Bilateral Laparoscopic Adrenalectomy for Infantile ACTH-independent Cushing's Syndrome (Bilateral Micronodular Non-pigmented Adrenal Hyperplasia): A Case Report. *Urol J.* 2017 Aug 29;14(5):5030-5033. PubMed PMID: 28853111.
56. Jarial KDS, et al. Primary bilateral adrenal nodular disease with Cushing's syndrome: varying aetiology. *BMJ Case Rep.* 2017 Jul 24;2017. pii: bcr-2017-220154. PubMed PMID: 28739615.
57. Berthon A, et al. Analysis of ARMC5 expression in human tissues. *Mol Cell Endocrinol.* 2017 Feb 5;441:140-145. PubMed PMID: 27568465.
58. Suzuki S, et al. GERMLINE DELETION OF ARMC5 IN FAMILIAL PRIMARY MACRONODULAR ADRENAL HYPERPLASIA. *Endocr Pract.* 2015 Oct;21(10):1152-60. PubMed PMID: 26214113.
59. Ravikumar A, Levine AC. Genetic basis of bilateral macronodular hyperplasia. *Endocr Pract.* 2015 Apr;21(4):390-4. PubMed PMID: 25536975.
60. Su HC, et al. Classification, diagnosis and treatment of ACTH-independent macronodular adrenal hyperplasia. *Can Urol Assoc J.* 2013 Sep-Oct;7(9-10):E594-7. PubMed PMID: 24069103
61. Parthvi R, et al. Preoperative Ketoconazole Therapy for Primary Bilateral Adrenocorticotrophic Hormone-Independent Macronodular Adrenal Hyperplasia Syndrome. *Am J Ther.* 2017 Sep/Oct;24(5):e613-e614. PubMed PMID: 28079539.
62. Guerin C, et al. Bilateral adrenalectomy in the 21st century: when to use it for hypercortisolism? *Endocr Relat Cancer.* 2016 Feb;23(2):R131-42. PubMed PMID: 26739832.

63. Debillon E, et al. Unilateral Adrenalectomy as a First-Line Treatment of Cushing's Syndrome in Patients With Primary Bilateral Macronodular Adrenal Hyperplasia. *J Clin Endocrinol Metab.* 2015 Dec;100(12):4417-24. PubMed PMID: 26451908.
64. Xu Y, et al. The role of unilateral adrenalectomy in corticotropin-independent bilateral adrenocortical hyperplasias. *World J Surg.* 2013 Jul;37(7):1626-32. PubMed PMID: 23592061.
65. Ito K, et al. Laparoscopic enucleation of macronodules in a patient with ACTH-independent macronodular adrenal hyperplasia 7 years after unilateral adrenalectomy: consideration of operative procedure. *Urol Int.* 2013;90(3):253-8. PubMed PMID: 23486077.
66. Karapanou O, et al. Adrenocorticotrophic hormone independent macronodular adrenal hyperplasia due to aberrant receptor expression: is medical treatment always an option? *Endocr Pract.* 2013 May-Jun;19(3):e77-82. PubMed PMID: 23425648.
67. Kobayashi T, et al. Usefulness and limitations of unilateral adrenalectomy for ACTH-independent macronodular adrenal hyperplasia in a patient with poor glycemic control. *Intern Med.* 2012;51(13):1709-13. PubMed PMID: 22790131.
68. Yoshida M, et al. Assessment of long-term efficacy and safety of metyrapone monotherapy in a patient with ACTH-independent macronodular adrenal hyperplasia. *Endocrine.* 2012 Feb;41(1):160-1. PubMed PMID: 22038492.
69. Hamajima T, et al. Unilateral adrenalectomy can be an alternative therapy for infantile onset Cushing's syndrome caused by ACTH-independent macronodular adrenal hyperplasia with McCune-Albright syndrome. *Endocr J.* 2010;57(9):819-24. PMID: 20543510.
70. Oki K, et al. Improvement of hypercortisolism by β -blocker therapy in subclinical Cushing's syndrome associated with ACTH-independent macronodular adrenocortical hyperplasia. *Endocrine.* 2009 Dec;36(3):372-6. PubMed PMID: 19813002.
71. Lee S, et al. Role of unilateral adrenalectomy in ACTH-independent macronodular adrenal hyperplasia. *World J Surg.* 2009 Jan;33(1):157-8; author reply 159. PubMed PMID: 18825451.
72. Iacobone M, et al. The role of unilateral adrenalectomy in ACTH-independent macronodular adrenal hyperplasia (AIMAH). *World J Surg.* 2008 May;32(5):882-9. PubMed PMID: 18214589.

73. Kubo N, et al. Simultaneous bilateral laparoscopic adrenalectomy for adrenocorticotrophic hormone-independent macronodular adrenal hyperplasia: report of a case. *Surg Today*. 2006;36(7):642-6. PubMed PMID: 16794802.
74. Porpiglia F, et al. Bilateral adrenalectomy for Cushing's syndrome: a comparison between laparoscopy and open surgery. *J Endocrinol Invest*. 2004 Jul-Aug;27(7):654-8. PubMed PMID: 15505989.
75. Ogura M, et al. Unilateral adrenalectomy improves insulin resistance and diabetes mellitus in a patient with ACTH-independent macronodular adrenal hyperplasia. *Endocr J*. 2003 Dec;50(6):715-21. PubMed PMID: 14709842.
76. Lamas C, et al. Ipsilateral adrenalectomy an alternative treatment for ACTH-independent macronodular adrenal hyperplasia?: Long-term follow-up of four cases. *Eur J Endocrinol*. 2002 Feb;146(2):237-40. PubMed PMID: 11834434.
77. Nagai M, et al. Adrenocorticotrophic hormone-independent bilateral adrenocortical macronodular hyperplasia treated with mitotane. *Intern Med*. 1999 Dec;38(12):969-73. PubMed PMID: 10628936.
78. Tokumoto M, et al. A case of Adrenocorticotrophic hormone -independent bilateral adrenocortical macronodular hyperplasia concomitant with primary aldosteronism. *BMC Surg*. 2017 Sep 6;17(1):97. PubMed PMID: 28877721.
79. Miyata M, et al. A marked difference in the vasopressin responsiveness between the adrenal glands in a patient with adrenocorticotropin-independent macronodular adrenal hyperplasia. *Intern Med*. 2013;52(10):1073-8. PubMed PMID: 23676593.
80. Iwata M, et al. A rare case of adrenocorticotrophic hormone (ACTH)-independent macroadrenal hyperplasia showing ectopic production of ACTH. *Intern Med*. 2012;51(16):2181-7. PubMed PMID: 22892500.
81. Yoshida M, et al. A case of ACTH-independent macronodular adrenal hyperplasia associated with multiple endocrine neoplasia type 1. *Endocr J*. 2011;58(4):269-77. PubMed PMID: 21415556.
82. Hayakawa E, et al. A rare case of ACTH-independent macronodular adrenal hyperplasia associated with aldosterone-producing adenoma. *Intern Med*. 2011;50(3):227-32. PubMed PMID: 21297325.

83. Sato M, et al. A case of adrenocorticotropin-independent bilateral adrenal macronodular hyperplasia (AIMAH) with primary hyperparathyroidism (PHPT). *Endocr J*. 2006 Feb;53(1):111-7. PubMed PMID: 16543680.
84. Mannelli M, et al. Cushing's syndrome in a patient with bilateral macronodular adrenal hyperplasia responding to cisapride: an in vivo and in vitro study. *J Clin Endocrinol Metab*. 2003 Oct;88(10):4616-22. PubMed PMID: 14557431.
85. Lefebvre H, et al. Intraadrenal adrenocorticotropin production in a case of bilateral macronodular adrenal hyperplasia causing Cushing's syndrome. *J Clin Endocrinol Metab*. 2003 Jul;88(7):3035-42. PubMed PMID: 12843140.
86. Miyamura N, et al. A case of ACTH-independent macronodular adrenal hyperplasia: simultaneous expression of several aberrant hormone receptors in the adrenal gland. *Endocr J*. 2003 Jun;50(3):333-40. PubMed PMID: 12940463.
87. Nakamura Y, et al. Case of adrenocorticotrophic hormone-independent macronodular adrenal hyperplasia with possible adrenal hypersensitivity to angiotensin II. *Endocrine*. 2001 Jun;15(1):57-61. PubMed PMID: 11572327.
88. Doppman JL, et al. CT and MR imaging of massive macronodular adrenocortical disease: a rare cause of autonomous primary adrenal hypercortisolism. *J Comput Assist Tomogr*. 1991 Sep-Oct;15(5):773-9. Review. PubMed PMID: 1653280.