

2017-2019年 研究成果の刊行一覧表

【2017年度】

書籍

| 著者氏名 | 論文 タイトル | 書籍全体の 編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|-------------|---|-------------------------------|---|----------|-----|----------|-----|
| Fukushima W | Descriptive and analytic epidemiology of idiopathic osteonecrosis of the femoral head in Japan. | Washio M, Kobashi G, editors. | Epidemiological Studies of Specified Rare and Intractable Disease | Springer | | in press | |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|--|---------|-----------|------|
| Abrams JY, Belay ED, Uehara R, Maddox RA, Schonberger LB, Nakamura Y. | Cardiac complications, earlier treatment, and initial disease severity in Kawasaki disease. | Journal of Pediatrics | 188 | 64-69 | 2017 |
| Abrams JY, Blase JL, Belay EB, Uehara R, Maddox RA, Schonberger LB, Nakamura Y. | Increased Kawasaki disease incidence associated with higher precipitation and lower temperatures, Japan, 1991-2004. | Pediatr Infect Dis J | 37(6) | 526-530 | 2018 |
| Ishido T, Horita N, Takeuchi M, Kawagoe T, Shibuya E, Yamane T, Hayashi T, Meguro A, Ishido M, Minegishi K, Yoshimi R, Kirino Y, Kato S, Arimoto J, Ishigatubo Y, Takeno M, Kurosawa M, Kaneko T, Mizuki N | Clinical manifestations of Behçet's disease depending on sex and age: results from Japanese nationwide registration. | Rheumatology DOI:10.1093/rheumatology/kex285 | 56(11) | 1918-1927 | 2017 |
| Kuriyama N, Miyajima M, Nakajima M, Kurosawa M, Fukushima W, Watanabe Y, Ozaki E, Hirota Y, Tamakoshi A, Mori E, Kato T, Tokuda T, Urae A, Arai H | Nationwide epidemiologic survey of idiopathic normal pressure hydrocephalus (iNPH) in Japan: The Epidemiological and clinical characteristics | Brain and Behavior DOI: 10.1002/brb3.635 | 27:7(3) | e00635 | 2017 |
| Makino N, Nakamura Y, Yashiro M, Sano T, Ae R, Kosami K, Kojo T, Aoyama Y, Kotani K, | Epidemiological observations of Kawasaki disease in Japan, 2013-2014. | Pediatrics International | 60(6) | 581-587 | 2018 |

| | | | | | |
|--|--|---|--------|---------|------|
| Yanagawa H. | | | | | |
| Miyamoto K, Fujihara K, Kira JI, Kuriyama N, Matsui M, Tamakoshi A, Kusunoki S | Nationwide epidemiological study of neuromyelitis optica in Japan | J Neurol Neurosurg Psychiatry DOI:10.1136/jnnp-2017-317321 | 89(6) | 667-668 | 2018 |
| Nakamura Y. | Kawasaki disease: epidemiology and the lessons from it. | Int J Rheum Dis | 21(1) | 16-19 | 2018 |
| Nakamura Y, Yashiro M, Yamashita M, Aoyama N, Otaki U, Ozeki Y, Sano T, Kojo T, Ae R, Aoyama Y, Makino N, Kotani K. | Cumulative incidence of Kawasaki disease in Japan. | Pediatrics International | 60(1) | 19-22 | 2018 |
| Ohmichi T, Kondo M, Tokuda T, Itsukage M, Koizumi H, Matsushima S, Kuriyama N, Ishii K, Mori E, Yamada K, Toshiki M. | Usefulness of the Convexity Apparent Hyper-perfusion (CAPPAH) Sign in 123I-iodoamphetamine Brain Perfusion Single Photon Emission Computed Tomography for the Diagnosis of Idiopathic Normal Pressure Hydrocephalus. | J Neurosurg | 130(2) | 398-405 | 2018 |
| Ozeki Y, Yamada F, Kishimoto T, Yashiro M, Nakamura Y. | Epidemiologic features of Kawasaki disease: Winter versus summer. | Pediatrics International | 59 | 821-825 | 2017 |
| Ryusuke Ae, Tsuyoshi Hamaguchi, Yosikazu Nakamura, Masahito Yamada, Tadashi Tsukamoto, Hidehiro Mizusawa, Ermias D. Belay, Lawrence B. Schonberger | Update: Dura Mater Graft-Associated Creutzfeldt-Jakob Disease — Japan, 1975–2017 | MMWR: Morbidity and Mortality Weekly Report DOI:10.15585/mmwr.mm6709a3 | 67(9) | 274-278 | 2018 |
| Shimazaki C, Hata H, Iida S, Ueda M, Katoh N, Sekishima Y, Ikeda S, Yazaki M, Fukushima W, Ando Y. | Nationwide Survey of 741 Patients with Systemic Amyloid Light-chain Amyloidosis in Japan. | Intern Med. DOI:10.2169/internalmedicine.9206-17 | 57(2) | 181-187 | 2018 |
| Sudo D, Nakamura Y. | Nationwide surveys show that the incidence of recurrent Kawasaki disease in Japan has hardly changed over the last 30 years. | Acta Paediatrica | 106 | 796-800 | 2017 |
| Tanaka K, Miyake Y, Fukushima W, Kiyohara | Vitamin D receptor gene polymorphisms, smoking, | Neuroscience Letters | 643 | 97-102 | 2017 |

| | | | | | |
|---|---|---|--------|-----------|------|
| C, Sasaki S, Tsuboi Y, Oeda T, Shimada H, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M, Nakamura Y. | and risk of sporadic Parkinson's disease in Japan. | DOI:10.1016/j.neulet.2017.02.037 | | | |
| Yamashita M, Ae R, Yashiro M, Aoyama Y, Sano T, Makino N, Nakamura Y. | Difference in risk factors for subtypes of acute cardiac lesions resulting from Kawasaki disease. | Pediatric Cardiology | 38 | 375-380 | 2017 |
| 藤井ちひろ、栗山長門 | 多発性硬化症の疫学 Epidemiology of Multiple Sclerosis | 医学のあゆみ | 255(5) | 353-356 | 2015 |
| 福島若葉 | 特発性大腿骨頭壊死症の疫学 : ステロイド関連を中心 | 整形・災害外科 | 60(11) | 1355-1362 | 2017 |
| 長谷川俊史 , 鈴木康夫 , 木畑鉄弘 , 守分正 , 大淵典子 , 大賀正一 , 中村好一 | 川崎病の疫学 : Yamaguchi Study の結果から | 臨床免疫・アレルギー科 | 68(6) | 617-622 | 2017 |
| 小林大介、川村 孝 | 地域における臨床研究のすすめ (総論) | 月刊地域医学 | 31 | 778-781 | 2017 |
| 中村好一 | 川崎病の原因究明(明日の医療を読み解く 50 の未解決課題) | Medical Tribune | 50(31) | 16 | 2017 |
| 氏家英之, 岩田浩明, 山下淳, 名嘉眞武国, 青山裕美, 池田志孝, 石井文人, 岩月啓氏, 黒沢美智子, 澤村大輔, 谷川瑛子, 鶴田大輔, 西江 涉, 藤本 亘, 天谷雅行, 清水 宏 | 類天疱瘡(後天性表皮水疱症を含む)診療ガイドライン | 日本皮膚科学会雑誌 DOI:10.14924/dermatol.127.1483 | 127(7) | 1483-1521 | 2017 |
| 屋代真弓 , 牧野伸子 , 中村好一 , 柳川洋 | 第 24 回川崎病全国調査成績 | 小児科診療 | 81(2) | 271-274 | 2018 |

【2018 年度】

書籍

| 著者氏名 | 論文 タイトル | 書籍全体の 編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|-------------|--|------------------------------------|---|----------|------|------|-------|
| Fukushima W | Descriptive and analytic epidemiology of idiopathic osteonecrosis of the femoral head in Japan. In | Washio M, Kobashi G, editors | Epidemiological Studies of Specified Rare and Intractable Disease | Springer | アメリカ | 2018 | 33-45 |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|--|-------|-----------|------|
| Akehi Y, Toshihiko Yanase T, Kawamura K, et al. | High prevalence of diabetes in patients with primary aldosteronism (PA) associated with subclinical hypercortisolism and prediabetes more prevalent in bilateral than unilateral PA: a large multicenter cohort study in Japan. | Diabetes Care | 42(5) | 938-945 | 2019 |
| Fujita H, Terui T, Hayama K, Akiyama M, Ikeda S, Mabuchi T, Ozawa A, Kanekura T, Kurosawa M, Komine M, Nakajima K, Sano S, Nemoto O, Muto M, Imai Y, Yamanishi K, Aoyama Y, Iwatsuki K, | Japanese Dermatological Association Guidelines Development Committee for the Guidelines for the Management and Treatment of Generalized Pustular Psoriasis.: Japanese guidelines for the management and treatment of generalized pustular psoriasis: The new pathogenesis and treatment of GPP. | Journal of Dermatology DOI: 10.1111/1346-8138.14523 | 45 | 1235-1270 | 2018 |
| Katabami T, Kawamura T, et al. | Clinical and biochemical outcomes after adrenalectomy | J Hypertens DOI:10.1097/HJH.00000000000 | 37(7) | 1513-1520 | 2019 |

| | | | | | |
|--|--|--|--------|-----------|------|
| | and medical treatment in patients with unilateral primary aldosteronism. | 0002070 | | | |
| Kobayashi S, Kubo T, Iwamoto Y, Fukushima W, Sugano N. | Nationwide multicenter follow-up cohort study of hip arthroplasties performed for osteonecrosis of the femoral head. | Int Orthop DOI:10.1007/s00264-018-3980-1 | 42(7) | 1661-1668 | 2018 |
| Kobayashi Y, Ohfuri S, Kondo K, Fukushima W, Sasaki S, Kamata N, Yamagami H, Fujiwara Y, Suzuki Y, Hirota Y | Japanese Case-Control Study Group for Ulcerative Colitis. Association between dietary iron and zinc intake and development of ulcerative colitis: A case-control study in Japan. | J Gastroenterol Hepatol DOI:10.1111/jgh.14642 | 34(10) | 1703-1710 | 2019 |
| Kurosawa M, Uehara R, Takagi A, Aoyama Y, Iwatsuki K, Amagai M, Nagai M, Nakamura Y, Inaba Y, Yokoyama K, Ikeda S | Results of a nationwide epidemiologic survey of autosomal recessive congenital ichthyosis and ichthyosis syndromes in Japan. | The Journal of the American Academy of Dermatology DOI:10.1016/j.jaad.2018.07.056 | 81(5) | 1086-1092 | 2019 |
| Mano H, Fujiwara S, Takamura K, Kitoh H, Takayama S, Ogata T, Hashimoto S, Haga N. | Congenital limb deficiency in Japan: a cross-sectional nationwide survey on its epidemiology. | Musculoskelet Disord. DOI:10.1186/s12891-018-2195-3 | 19(1) | 262 | 2018 |
| Murase C, Takeichi T, Shibata A, Nakatomi M, Kinoshita F, Kubo A, Nakajima K, Ishii N, Amano H, Masuda K., Kawakami H, Kanekura T, Washio K, Asano M, Teramura K, Akasaka E, Tohyama M, Hatano Y, Ochiai T, Moriwaki S, Sato T, Ishida-Yamamoto A, Kurosawa M, Ikeda S, Akiyama M: | Cross-sectional survey on disease severity in Japanese patients with harlequin ichthyosis/ichthyosis: Syndromic forms and quality-of-life analysis in a subgroup. | Journal of Dermatological Science: DOI:10.1016/j.jdermsci.2018.08.008 | 92(2) | 127-133 | 2018 |
| Nakajima M, Miyajima M, Ogino I, Akiba C, Kawamura K, Kurosawa M, Kuriyama N, Watanabe Y, Fukushima | Shunt intervention for possible idiopathic normal pressure hydrocephalus improves patient | Frontiers in Neurology DOI: 10.3389/fneur.2018.00421 | 9 | 421 | 2018 |

| | | | | | |
|--|--|---|--------|-----------|------|
| W, Mori E, Kato T, Sugano H, Karagiozov K, Arai H | outcomes: a nationwide hospital-based survey in Japan. | | | | |
| Ohno Y, Sone M, Kawamura T, et al | Prevalence of cardiovascular disease and its risk factors in primary aldosteronism: a multicenter study in Japan. | Hypertension DOI: 10.1161/HYPERTENSI ONAHA.117.10263 | 71(3) | 530-537 | 2018 |
| Sawada H, Oeda T, Kawamura T, et al. | Early use of donepezil against psychosis and cognitive decline in Parkinson's disease: a randomised controlled trial for 2 years. | J Neurol Neurosurg Psychiatry | 89(12) | 1332-1340 | 2018 |
| Shimazaki C, Hata H, Iida S, Ueda M, Katoh N, Sekijima Y, Ikeda S, Yazaki M, Fukushima W, Ando Y. | Nationwide Survey of 741 Patients with Systemic Amyloid Light-chain Amyloidosis in Japan. | Intern Med DOI: 10.2169/internalmedicine.9206-17 | 57(2) | 181-187 | 2018 |
| Sugiura K, Ojima T, Urano T, Kobayashi T. | The incidence and prognosis of thromboembolism associated with oral contraceptives: Age-dependent difference in Japanese population. | J Obstet Gynaecol Res DOI:10.1111/jog.13706 | 44(9) | 1766-1772 | 2018 |
| Suwa A, Horita N, Ishido T, Takeuchi M, Kawagoe T, Shibuya E, Yamane T, Hayashi T, Meguro A, Ishido M, Minegishi K, Yoshimi R, Kirino Y, Kato S, Arimoto J, Fukumoto T, Ishigatsubo Y, Kurosawa M, Kaneko T, Takeno M, Mizuki N | The ocular involvement did not accompany with the genital ulcer or the gastrointestinal symptoms at the early stage of Behçet's disease. | Modern Rheumatology DOI:10.1080/14397595.2018.1457424 | 29(2) | 357 - 362 | 2019 |
| Suzuki T, Horita N, Takeuchi M, Ishido T, Mizuki Y, Mizuki R, Kawagoe T, Shibuya E, Yuta K, Yamane T, Hayashi T, Meguro A, Ishido M, Minegishi K, Yoshimi R, Kirino Y., Kato S, Arimoto J, Fukumoto T, Ishigatsubo Y, Kurosawa M, Takeno | Clinical features of early-stage possible Behçet's disease patients with a variant-type major organ involvement in Japan. | Modern Rheumatology DOI:10.1080/14397595.2018.1494501 | 29(4) | 640-646 | 2019 |

| | | | | | |
|--|--|-------------------------|-------|-------------|------|
| M, Kaneko T, Mizuki N | | | | | |
| Takeda M, Yamamoto K, Kawamura T, et al | Clinical characteristics and postoperative outcomes of primary aldosteronism in the elderly. | J Clin Endocrinol Metab | 103 | 3620-3629 | 2018 |
| Umakoshi H, Tsuiki M, Kawamura T, et al. | Correlation between lateralization index of adrenal venous sampling and standardized outcome in primary aldosteronism. | J Endocr Soc | 2 | 893-902 | 2018 |
| Yoon BH, Jones LC, Chen CH, Cheng EY, Cui Q, Drescher W, Fukushima W, Gangji V, Goodman SB, Ha YC, Hernigou P, Hungerford M, Iorio R, Jo WL, Khanduja V, Kim H, Kim SY, Kim TY, Lee HY, Lee MS, Lee YK, Lee YJ, Mont MA, Sakai T, Sugano N, Takao M, Yamamoto T, Koo KH. | Etiologic Classification Criteria of ARCO on Femoral Head Osteonecrosis Part 1: Glucocorticoid-Associated Osteonecrosis. | J Arthroplasty | 34(1) | 163-168.el | 2019 |
| Yoon BH, Jones LC, Chen CH, Cheng EY, Cui Q, Drescher W, Fukushima W, Gangji V, Goodman SB, Ha YC, Hernigou P, Hungerford M, Iorio R, Jo WL, Khanduja V, Kim H, Kim SY, Kim TY, Lee HY, Lee MS, Lee YK, Lee YJ, Mont MA, Sakai T, Sugano N, Takao M, Yamamoto T, Koo KH. | Etiologic Classification Criteria of ARCO on Femoral Head Osteonecrosis Part 2: Alcohol-Associated Osteonecrosis. | J Arthroplasty | 34(1) | 169-174.el. | 2019 |
| 岳野光洋, 石戸岳仁, 堀田信之, 黒澤美智子,他 | 日本人ベーチェット病の疫学:疫学から病因へ | リウマチ科 | 60 | 322-329 | 2018 |
| 川村 孝 | 臨床研究のデザインとデータ分析のための疫学の手法 | 日本社会精神医学会雑誌 | 27 | 207-211 | 2018 |
| 川村 孝 | 研究方法論:疫学を用いたエビデンスの作り方 | 理学療法京都 | 48 | 45-48 | 2018 |
| 黒澤美智子, 横山和仁 | 難病のある人の就労支援 | 産業医学ジャーナル | 41 | 99-103 | 2018 |

【2019年度】

書籍

| 著者氏名 | 論文 タイトル | 書籍全体の 編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|----------------|-----------------------|---|-----------------------------|-------------------------|-----|------|-------|
| 石戸岳仁,黒澤 美智子 | 疫学(症状、 重症度の変 遷) | 厚生労働科 学研究費補 助金(難治性 疾患政策研 究事業)ペー チエット病 に関する調 査研究班、厚 生労働科学 研究費補助 金(難治性疾 患政策研究 事業)難治性 炎症性腸管 障害に関す る調査研究 班 編集 | ベーチェット病診療ガ イドライン 2020 | 診断と治 療社 | 東京 | 2020 | 42-46 |
| 川村孝 | 臨床研究の教 科書 第2版 | | 臨床研究の 教科書 第2版 | 医学書院 2020.5月 刊行予定 | 東京 | 2020 | |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|-------------------------|-------|-----------|------|
| Ae R, Abrams JY, Maddox RA, Schonberger LB, Nakamura Y, Shindo A, Kuwabara M, Makino N, Matsubara Y, Kosami K, Sasahara T, Belay ED. | Platelet count variation and risk for coronary artery abnormalities in Kawasaki disease. | Pediatr Infect Dis J | 39(3) | 197-203 | 2020 |
| Akehi Y, Yanase T, Kawamura T, et al. | High prevalence of diabetes in patients with primary aldosteronism (PA) associated with subclinical hypercortisolism and prediabetes more prevalent in bilateral than unilateral PA: A large, multicenter cohort study in Japan. | Diabetes Care | 42 | 938 - 945 | 2019 |

| | | | | | |
|---|--|---|-------|---------------------------------------|------|
| Fujii T, Sato T, Kawamura T, et al. | Human atrial natriuretic peptide for acute kidney injury in adult critically ill patients: A multicenter prospective observational study. | J Crit Care | 51 | 229 - 235 | 2019 |
| Izawa J, Komukai S, Kawamura T, et al. | Pre-hospital advanced airway management for adults with out-of-hospital cardiac arrest: nationwide cohort study. | BMJ | 364 | I430 | 2019 |
| Kaneko S, Takegami Y, Seki T, Fukushima W, Sakai T, Ando W, Ishiguro N, Sugano N. | Surgery trends for osteonecrosis of the femoral head: a fifteen-year multi-center study in Japan. | Int Orthop DOI: 10.1007/s00264-020-04480-6 | 44(4) | 761-769 | 2020 |
| Kato H, Takeuchi M, Horita N, Ishido T, Mizuki R, Kawagoe T, Shibuya E, Yuda K, Ishido M, Mizuki Y, Hayashi T, Meguro A, Kirino Y, Minegishi K, Nakano H, Yoshimi R, Kurosawa M, Fukumoto T, Takeno M, Hotta K, Kaneko T, Mizuki N. | HLA-A26 is a Risk Factor for Behçet's Disease Ocular Lesions. | Mod Rheumatol | 18 | 1-16 | 2019 |
| Kido S, Ae R, Kosami K, Matsubara Y, Makino N, Sasahara T, Kuwabara M, Aoyama Y, Yashiro M, Yanagawa H, NakamuraY | Seasonality differs by IVIG responsiveness in patients with Kawasaki disease. | Pediatr Int | 61(6) | 539-543 | 2019 |
| Kishimori T, Kiguchi T, Kawamura T, et al. | Public-access automated external defibrillator pad application and favorable neurological outcome after out-of-hospital cardiac arrest in public locations: A prospective population-based propensity score-matched study. | Int J Cardiol. | | doi.org/10.1016/j.ijcard.2019.07.061. | 2019 |
| Kishimori T, Matsuyama | Intra-aortic balloon | Resuscitation | | doi.org/10. | 2019 |

| | | | | | |
|--|--|---|--------|-----------------------------------|------|
| T, Kawamura T, et al. | pump and survival with favorable neurological outcome after out-of-hospital cardiac arrest: a multicenter, prospective propensity score-matched study. | | | 1016/j.resuscitation.2019.07.002. | |
| Kobayashi Y, Ohfuji S, Kondo K, Fukushima W, Sasaki S, Kamata N, Yamagami H, Fujiwara Y, Suzuki Y, Hirota Y | Japanese Case-Control Study Group for Ulcerative Colitis. Association between dietary iron and zinc intake and development of ulcerative colitis: A case-control study in Japan. | J Gastroenterol Hepatol DOI:10.1111/jgh.14642 | 34(10) | 1703-10 | 2019 |
| Kondo K, Ohfuji S, Watanabe K, Yamagami H, Fukushima W, Ito K, Suzuki Y, Hirota Y | Japanese Case-Control Study Group for Crohn's disease. The association between environmental factors and the development of Crohn's disease with focusing on passive smoking: A multicenter case-control study in Japan. | PLoS One DOI:10.1371/journal.pone.0216429 | 14(6) | e0216429. | 2019 |
| Kurosawa M, Uehara R, Takagi A, Aoyama Y, Iwatsuki K, Amagai M, Nagai M, Nakamura Y, Inaba Y, Yokoyama K, Ikeda S | Results of a nationwide epidemiological survey of autosomal recessive congenital ichthyosis and ichthyosis syndromes in Japan. | J Am Acad Dermatol DOI: 10.1016/j.jaad.2018.07.056. | 81(5) | 1086-1092 | 2019 |
| Makino N, Nakamura Y, Yashiro M, Kosami K, Matsubara Y, Ae R, Aoyama Y, Yanagawa H. | The nationwide epidemiologic survey of Kawasaki disease in Japan, 2015-2016. | Pediatrics International | 61(4) | 397 - 403 | 2019 |
| Matsubara Y, Matsubara D, Ae R, Kosami K, Aoyama Y, Yashiro M, Makino N, Matsubara S, Nakamura Y. | Cumulative incidence of Kawasaki disease with cardiac sequelae in Japan. | Pediatr Int | | in press | 2020 |
| Minikel EV, Vallabh SM, Orseth MC, Brandel JP, Haik S, Laplanche JL, Zerr I, Parchi P, Capellari S, Safar J, Kenny J, Fong JC, Takada LT, Ponto C, | Age of onset in genetic prion disease and the design of preventive clinical trials. | Neurology | 93(2) | e125-134 | 2019 |

| | | | | | |
|--|---|--|----------|------------------|--------------|
| Hermann P, Knipper T, Stehmann C, Kitamoto T, Ae R, Hamaguchi T, Sanjo N, Tsukamoto T, Mizusawa H, Collins SJ, Chiesa R, Roiter I, de Pedro-Cuesta J, Calero M, Geschwind MD, Yamada M, Nakamura Y, Mead S. | | | | | |
| Mitani Y, Tsuda E, Kato H, Higaki T, Fujiwara M, Ogawa S, Satoh F, Nakamura Y, Takahashi, K Ayusawa, M Kobayashi T, Ichida F, Matsushima M, Kamada M, Suda K, Ohashi H, Sawada H, Komatsu T, Waki K, Shinoda M, Tsunoda R, Yokoi H, Hamaoka K. | Emergence and characterization of acute coronary syndrome in adults after confirmed or missed history of Kawasaki disease in Japan: A Japanese nationwide survey. | Frontiers in Pediatrics DOI:10.3389/fped.2019.00275. | 7 | 275 | 2019 |
| Mizuki Y, Horita N, Horie Y, Takeuchi M, Ishido T, Mizuki R, Kawagoe T, Shibuya E, Yuda K, Ishido M, Minegishi K, Yoshimi R, Kirino Y, Kato S, Arimoto J, Fukumoto T, Kurosawa M, Kitaichi N, Takeno M, Kaneko T, Mizuki N. | The influence of HLA-B51 on clinical manifestations among Japanese patients with Behçet's disease: A nationwide survey. | Mod Rheumatol. DOI:10.1080/14397595.2019.1649103 | 6 | 1-7 | 2019 |
| Murakami Y, Nishiwaki Y, Oba M, Asakura K, Ohfuki S, Fukushima W, Suzuki Y, Nakamura Y. | Estimated prevalence of ulcerative colitis and Crohn's disease in Japan in 2014: an analysis of a nationwide survey. | J Gastroenterol DOI:10.1007/s00535-019-01603-8 with erratum J gastroenterol DOI: 10.1007/s00535-019-01637-y | 54 55 | 1070-1077 131 | 2019 2020 |
| Nakajima M, Kuriyama N, Miyajima M, Ogino I, Akiba C, Kawamura K, Kurosawa M, Watanabe Y, Fukushima W, Mori E, Kato T, Sugano H, Tange Y, Karagiozov K, Arai H. | Background Risk Factors Associated with Shunt Intervention for Possible Idiopathic Normal Pressure Hydrocephalus: A Nationwide Hospital- | J Alzheimers Dis. DOI :10.3233/JAD-180955 | 68(2) | 735-744 | 2019 |

| | Based Survey in Japan. | | | | |
|--|---|---|--------|-----------|------|
| Oba MS, Murakami Y , Nishiwaki Y, Asakura K, Ohfiji S, Fukushima W, Nakamura Y, Suzuki Y. | Estimated prevalence of Cronkhite-Canada syndrome, chronic enteropathy associated with SLCO2A1 gene, and intestinal Behçet's disease in Japan in 2017: A nationwide survey. | J Epidemiology DOI:10.2188/jea.JE20190349 | | in press | 2020 |
| Ohfiji S, Furuichi Y, Akahoshi T, Kage M, Obara K, Hashizume M, Matsuura T, Fukushima W, Nakamura Y. | Japanese periodical nationwide epidemiologic survey of aberrant portal hemodynamics. | Hepatol Res. DOI:10.1111/hepr.13343 | 49(8) | 890-901 | 2019 |
| Sakai K, Ueda M, Fukushima W, Tamaoka A, Shoji M, Ando Y, Yamada M. | Nationwide survey on cerebral amyloid angiopathy in Japan. | Eur J Neurol. DOI:10.1111/ene.14031 | 26(12) | 1487-1493 | 2019 |
| Sudo D, Makino N, Nakamura Y. | Recurrent Kawasaki disease and cardiac complications: nationwide surveys in Japan. | Arch Dis Child | | in press | 2020 |
| Suwa A, Horita N, Ishido T, Takeuchi M, Kawagoe T, Shibuya E, Yamane T, Hayashi T, Meguro A, Ishido M, Minegishi K, Yoshimi R, Kirino Y, Kato S, Arimoto J, Fukumoto T, Ishigatsubo Y, Kurosawa M, Kaneko T, Takeno M, Mizuki N. | The ocular involvement did not accompany with the genital ulcer or the gastrointestinal symptoms at the early stage of Behçet's disease. | Mod Rheumatol. DOI:10.1080/14397595.2018.1457424 | 29(2) | 357-362 | 2019 |
| Tanaka A, Mori M, Matsumoto K, Ohira H, Tazuma S, Takikawa H. | Increase trend in the prevalence and male-to-female ratio of primary biliary cholangitis, autoimmune hepatitis, and primary sclerosing cholangitis in Japan. | Hepatol Res DOI: 10.1111/hepr.13342 | 49 | 881 - 889 | 2019 |
| Tsuda E, Yashiro M, Nakamura Y. | Cardiac valvular lesions due to Kawasaki disease: A Japanese nationwide survey. | J Pediatr | 218 | 78-84 | 2020 |
| Ujiie H, Iwata H1, Yamagami J, Nakama T, Aoyama Y, Ikeda S, Ishii | Committee for Guidelines for the Management of | J Dermatol DOI: 10.1111/1346-8 | 46(12) | 1102-1135 | 2019 |

| | | | | | |
|---|--|-----------|-------------|-----------|------|
| N, Iwatsuki K, Kurosawa M, Sawamura D, Tanikawa A, Tsuruta D, Nishie W, Fujimoto W, Amagai M, Shimizu H | Pemphigoid Diseases (Including Epidermolysis Bullosa Acquisita). Japanese guidelines for the management of pemphigoid (including epidermolysis bullosa acquisita). | 138.15111 | | | |
| 野村裕一,屋代真弓,益田君教,中村好一. | 不全型川崎病の増加には積極的診断や治療が容認される認識の浸透が関与する | 日小児科学誌 | 123 (11) | 1634-1639 | 2019 |