

別紙4

研究成果の刊行に関する一覧表レイアウト

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Goto Y, Mano T, et al.	Pilot Study of Repetitive Transcranial Magnetic Stimulation in Patients With Chemotherapy-Induced Peripheral Neuropathy.	J Clin Neurosci	73	101-107	2020
Hosomi K, Mano T.	A randomized controlled trial of 5 daily sessions and continuous trial of 4 weekly sessions of repetitive transcranial magnetic stimulation for neuropathic pain.	Pain.	161	351-360	2020
Matsugi A, et al.	Cerebellum-mediated trainability of eye and head movements for dynamic gazing.	PLoS One.	14		2019
Ikenaka K, et al.	A behavior-based drug screening system using a <i>Caenorhabditis elegans</i> model of motor neuron disease.	Sci Rep.			2019
・ Hideshima M, et al.	A clinicopathological study of ALS with L126S mutation in the SOD1 gene presenting with isolated inferior olivary hypertrophy .	Neuropathology.			2019

Hayashi K, Shibata M.	Factors influencing outcomes among patients with whiplash-associated disorder: A population-based study in Japan.	PLoS One.	14		2019
Yamasaki HR, Miyai I, et al.	Organization of functional modularity in sitting balance response and gait performance after stroke.	Clin Biomech (Bristol, Avon). 2019.	2		2019
Kokura Y, et al.	Weight gain is associated with improvement in activities of daily living in underweight rehabilitation in patients: a nationwide survey.	Eur J Clin Nutr.	73 (12)	1601-1604	2019
Fujimoto H, et al.	Fujimoto H, et al. Neurofeedback-induced facilitation of the supplementary motor area affects postural stability.	Neurophotonics.	4	045003.	2017
Yamadera M, et al.	Response to the Letter: Confirmation of stroke-like lesions on MRI is a prerequisite for their histopathological assessment.	Neuropathology.	28		2019
• Hasuike Y, et al.	Bile acid abnormality induced by intestinal dysbiosis might explain lipid metabolism in Parkinson's disease.	Med Hypotheses.	134	109436	2019
Hashizume A, Katsuno M, Suzuki K, Banno H, Takeuchi Y, Kawashima M, Suga N, Mano T, Araki A, Hijikata Y, Hirakawa A, Sobue G; JASMITT study group.	Efficacy and safety of leuprorelin acetate for subjects with spinal and bulbar muscular atrophy: pooled analyses of two randomized-controlled trials.	J Neurol.	266(5)	1211-1221	2019

Akhtar RS, <u>Mano T.</u>	High serum neurofilament light chain predicts a worse fate in early parkinsonism.	Neurology.	92(13)	595-596	2019
Fukuma R, Yanagisawa T, Yokoi H, Hirata M, Yoshimine T, <u>Saitoh Y</u> , Kamitani Y, Kishima H.	Training in Use of Brain-Machine Interface-Controlled Robotic Hand Improves Accuracy Decoding Two Types of Hand Movements.	Front Neurosci.	12	478	2018
Yanagisawa T, Fukuma R, Seymour B, <u>Hosomi K</u> , Kishima H, Shimizu T, Yokoi H, Hirata M, Yoshimine T, Kamitani Y, <u>Saitoh Y</u> .	MEG-BMI to Control Phantom Limb Pain.	Neurol Med Chir (Tokyo)	58(8)	327-333	2018
<u>Saitoh Y</u>	[(6)Spinal Cord Stimulation:An Update].	No Shinkei Geka	46(6)	535-546	2018
Adachi T, Nakae A, Maruo T, Shi K, Maeda L, <u>Saitoh Y</u> , Shibata M, Sasaki J.	The Relationships Between Pain-Catastrophizing Subcomponents and Multiple Pain-Related Outcomes in Japanese Outpatients with Chronic Pain: A Cross-Sectional Study.	Pain Pract.	19(1)	27-36	2019
Shimizu T, <u>Hosomi K</u> , Maruo T, Goto Y, Shimokawa T, Haruhiko K, <u>Saitoh Y</u> .	Repetitive transcranial magnetic stimulation accuracy as a spinal cord stimulation outcome predictor in patients with neuropathic pain.	J Clin Neurosci.	53	100-105	2018

Ikenaka K, Atsuta N, Maeda Y, Hotta Y, Nakamura R, Kawai K, Yokoi D, Hirakawa A, Taniguchi A, Morita M, Mizoguchi K, <u>Mochizuki H</u> , Kimura K, Katsuno M, Sobue G.	Increase of arginine dimethylation correlates with the progression and prognosis of ALS.	Neurology.	92(16)	e1868-e18 77	2019
Nakamura S, Oba M, Suzuki M, Takahashi A, Yamamuro T, Fujiwara M, Ikenaka K, Minami S, Tabata N, Yamamoto K, Kubo S, Tokumura A, Akamatsu K, Miyazaki Y, Kawabata T, Hamasaki M, Fukui K, Sango K, Watanabe Y, Takabatake Y, Kitajima TS, Okada Y, <u>Mochizuki H</u> , Isaka Y, Antebi A, Yoshimori T.	Suppression of autophagic activity by Rubicon is a signature of aging.	Nat Commun.	10(1)	847	2019
Shimamura M, Shinzaki S, Ikenaka K, Konaka K, Hirozawa D, Ishikura T, Hidemitsu M, Nakano T, Kitano T, Takehara T, <u>Mochizuki H</u> .	Analysis of PEG-J associated complications in 14 adult patients treated with levodopa-carbidopa intestinal gel.	Rinsho Shinkeiga ku.	59(3)	153-156	2019

Takeuchi M, Miwa K, Tanaka M, Zhou Y, Todo K, Sasaki T, Sakaguchi M, Kitagawa K, and <u>Mochizuki H.</u>	A 9-Year Longitudinal Study of Basilar Artery Diameter.	JAHA.	8(5)	e011154	2019
Kanki H, Sasaki T, Matsumura S, Yokawa S, Yukami T, Shimamura M, Sakaguchi M, Furuno T, Suzuki T, <u>Mochizuki H.</u>	β -arrestin-2 in PAR-1-biased signaling has a crucial role in endothelial function via PDGF- β in stroke.	Cell Death Dis.	10(2)	100	2019
Takasugi J, Miwa K, Watanabe Y, Okazaki S, Todo K, Sasaki T, Sakaguchi M, <u>Mochizuki H.</u>	Cortical Cerebral Microinfarcts on 3T Magnetic Resonance Imaging in Patients With Carotid Artery Stenosis.	Stroke.	50(3)	639-644	2019
Nakamori M, Junn E, <u>Mochizuki H.</u> , Mouradian MM.	Nucleic Acid-Based Therapeutics for Parkinson's Disease.	Neurotherapeutics.			2019
Adachi T, Sunohara M, Enomoto K, Sasaki K, Sakaue G, Fujita Y, Mizuno Y, Okamoto Y, Miki K, Yukioka M, Nitta K, Iwashita N, Kitagawa H, <u>Shibata M</u> , Sasaki J, Jensen MP, Fukui S.	Japanese cross-cultural validation study of the Pain Stage of Change Questionnaire.	Pain Rep.	4(2)	e711	2019

Yamada K, Kubota Y, Shimizu Y, <u>Shibata M</u> , Morotomi N.	Association of sleep sufficiency and duration with chronic pain prevalence: A population-based cross-sectional study.	J Psychosom Res.	120	74-80	2019
Miki K, Nakae A, Shi K, Yasuda Y, Yamamori H, Fujimoto M, Ikeda M, <u>Shibata M</u> , Yukioka M, Hashimoto R.	Frequency of mental disorders among chronic pain patients with or without fibromyalgia in Japan.	Neuropsychopharmacol Rep.	38(4)	167-174	2018
Adachi T, Enomoto K, Yamada K, Inoue D, Nakanishi M, Takahashi N, Nishigami T, <u>Shibata M</u> .	Evaluating the psychometric properties of two-item and four-item short forms of the Japanese Pain Self-Efficacy Questionnaire: a cross-sectional study.	J Anesth.	33(1)	58-66	2019