

. 研究成果の刊行に関する一覧

書籍

| 著者氏名 | 論文タイトル 名 | 書籍全体の 編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|--|--|---|---------------------------------|------------|-----|------|---------|
| 大友耕太郎 岡本奈美, 門 野夕峰, 亀田 秀人, 川上 純, 岸本暢 将, 小林茂人, 田村直人, 辻 成佳, 富田哲 也, 中島康 晴, 中村好 一, 森雅亮, 森田明里, 山 村昌弘 | 分担執筆 | 富田哲也, 田村直人, 門野夕峰, 亀田秀人, 小林茂人, 辻成佳 | 脊椎関節炎診 療の手引き | 治療と診 断社 | 東京 | 2020 | 1-147 |
| 田村直人 | SLE に対してシ クロホスファミ ド間欠静注療法 をどう行うか? | 厚生労働科学 研究費補助金 難治性疾患等 政策研究事業 自己免疫疾患 に関する調査 研究(自己免 疫班) | 全身性エリテ マトーデス診 療ガイドライ ン | 南山堂 | 東京 | 2019 | 231-235 |
| 田村直人 | SLE に対してカ ルシニューリン 阻害薬をどう使 うか? | 厚生労働科学 研究費補助金 難治性疾患等 政策研究事業 自己免疫疾患 に関する調査 研究(自己免 疫班) | 全身性エリテ マトーデス診 療ガイドライ ン | 南山堂 | 東京 | 2019 | 240-243 |
| 田村直人 | SLE に対してリ ツキシマブをど う使うか? | 厚生労働科学 研究費補助金 難治性疾患等 政策研究事業 自己免疫疾患 に関する調査 研究(自己免 疫班) | 全身性エリテ マトーデス診 療ガイドライ ン | 南山堂 | 東京 | 2019 | 244-247 |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|----------------|-------|---------------------|------|
| Dougados M, Wei JC, Landewé R, Sieper J, Baraliakos X, Van den Bosch F, Maksymowych WP, Ermann J, Walsh JA, <u>Tomita T</u> , Deodhar A, van der Heijde D, Li X, Zhao F, Bertram CC, Gallo G, Carlier H | Gensler LS COAST-V and COAST-W Study Groups. Efficacy and safety of ixekizumab through 52 weeks in two phase 3, randomised, controlled clinical trials in patients with active radiographic axial spondyloarthritis (COAST-V and COAST-W). | Ann Rheum Dis. | | Epub ahead of print | 2019 |
| Kishimoto M, Yoshida K, Ichikawa N, Inoue H, Kaneko Y, Kawasaki T, Matsui K, Morita M, Suda M, Tada K, Takizawa N, <u>Tamura N</u> , Taniguchi A, Taniguchi Y, Tsuji S, Haji Y, Rokutanda R, Yanaoka H, Cheung PP, Gu J, Kim TH, Luo SF, Okada M, López Medina C, Molto A, Dougados M, Kobayashi S, van der Heijde D, <u>Tomita T</u> | Clinical characteristics of patients with spondyloarthritis in japan in comparison with other regions of the world. | J Rheumatol | 46(8) | 896-903 | 2019 |
| van der Heijde, Song IH, Pangan A, Deodhar A, Van den Bosch F, Maksymowych WP, Kim TH, <u>Kishimoto M</u> , Everding A, Sui Y, Wang X, Chu AD, Sieper J | Efficacy and safety of upadacitinib in patients with active ankylosing spondylitis (SELECT-AXIS 1): a multicentre, randomised, double-blind, placebo-controlled, phase 2/3 trial. | Lancet | 394 | 2108-2117 | 2019 |

別添 5

| | | | | | |
|--|---|-----------------|-------|------------------|------|
| Tam LS, Wei JC, Aggarwal A, Baek HJ, Cheung PP, Chiowchanwisawikit P, Dans L, Gu J, Hagino N, <u>Kishimoto M</u> , Reyes HM, Soroosh S, Stebbings S, Whittle S, Yeap SS, Lau CS | 2018 APLAR axial spondyloarthritis treatment recommendations. | Int J Rheum Dis | 22(3) | 340-356 | 2019 |
| Kishimoto M, Taniguchi A, Fujishige A, Kaneko S, Haemmerle S, Porter BO, Kobayashi S | Efficacy and safety of secukinumab in Japanese patients with active ankylosing spondylitis: 24-week results from an open-label phase 3 study (MEASURE 2-J) | Mod Rheumatol | | online published | 2019 |
| Kishimoto M, Yoshida K, Ichikawa N, Inoue H, Kaneko Y, Kawasaki T, Matsui K, Morita M, Suda M, Tada K, Takizawa N, Tamura N, Taniguchi A, Taniguchi Y, Tsuji S, Haji Y, Rokutanda R, Yanaoka H, Cheung PP, Gu J, Kim TH, Luo SF, Okada M, Medina CL, Molto A, Dougados M, Kobayashi S, van der Heijde D, <u>Tomita T</u> | Clinical characteristics of spondyloarthritis patients in Japan in comparison to other regions of the world. | J Rheumatol | 46(8) | 896-903 | 2019 |
| Kawakami H, Nagao Y, Hirano H, Matsumoto Y, Abe N, Tsuboi R, Kanno Y, <u>Okubo Y</u> | Evaluation of the efficacy of granulocyte and monocyte adsorption apheresis on skin manifestation and joint symptoms of patients with pustulotic arthro-osteitis. | J Dermatol | 46 | 144-148 | 2019 |
| Masuda-Kuroki K, Murakami M, Kishibe M, Kobayashi S, <u>Okubo Y</u> , Yamamoto T, Terui T, Sayama K. | Diagnostic histopathological features distinguishing palmoplantar pustulosis from pompholyx. | J Dermatol | 46 | 399-408 | 2019 |

別添 5

| | | | | | |
|--|---|-------------------|-------|---------------------|------|
| Tobita R, Egusa C, Maeda T, Abe N, Sakaai N, Suzuki S, Kawashima H, Hokinbara S, Ko J, <u>Okubo Y</u> | A novel CARD14 variant, homozygous c.526G>C (p.Asp176His), in an adolescent Japanese patient with palmoplantar pustulosis. | Clin Exp Dermatol | 44 | 694–696 | 2019 |
| Terui T, Kobayashi S, <u>Okubo Y</u> , Murakami M, Zheng R, Morishima H, Goto R, Kimura T. | Efficacy and Safety of Guselkumab in Japanese Patients With Palmoplantar Pustulosis: A Phase 3 Randomized Clinical Trial. | JAMA Dermatol | | Epub ahead of print | 2019 |
| Matsumoto Y, Harada K, Maeda T, Egusa C, Hirano H, <u>Okubo Y</u> , Tsuboi R | Molecular detection of fungal and bacterial DNA from pustules in patients with palmoplantar pustulosis: special focus on Malassezia species. | Clin Exp Dermatol | | Epub ahead of print | 2019 |
| Kameda H, Fujii T, Nakajima A, Koike R, Sagawa A, Kanbara K, Tomita T, Harigai M, Suzuki Y | Japan College of Rheumatology subcommittee on the guideline for the use of methotrexate in patients with rheumatoid arthritis. | Mod Rheumatol | 29(1) | 31-40 | 2019 |
| Hara R, Umebayashi H, Takei S, Okamoto N, Iwata N, Yamasaki Y, Nakagishi Y, Kizawa T, Kobayashi I, Imagawa T, Kinjo N, Amano N, Takahashi Y, Mori M, Itoh Y, Yokota S | Intravenous abatacept in Japanese patients with polyarticular-course juvenile idiopathic arthritis: results from a phase III open-label study | Pediatr Rheumatol | | Online J | 2019 |
| Yasumura J, Yashiro M, Okamoto N, Shabana K, Umebayashi H, Iwata N, Okura Y, Kubota T, Shimizu M, Tomiita M, Nakagishi Y, Nishimura K, Hara R, Mizuta M, Yasumi T, Yamaide F, Wakiguchi H, Kobayashi M, Mori M | Clinical features and characteristics of uveitis associated with juvenile idiopathic arthritis in Japan: first report of the pediatric rheumatology association of Japan (PRAJ) | Pediatr Rheumatol | 17 | 15-24 | 2019 |

別添 5

| | | | | | |
|--|---|-------------------|-------|---------------------|------|
| Okamoto N, Yokota S, Takei S, et al | Clinical practice guidance for juvenile idiopathic arthritis (JIA) 2018 | Mod Rheumatol | 29(1) | 41-59 | 2019 |
| Yasumura J, Yashiro M, <u>Okamoto N</u> , Shabana K, Umebayashi H, Iwata N, Okura Y, Kubota T, Shimizu M, Tomiita M, Nakagishi Y, Nishimura K, Hara R, Mizuta M, Yasumi T, Yamaide F, Wakiguchi H, Kobayashi M, Mori M | Clinical features and characteristics of uveitis associated with juvenile idiopathic arthritis in Japan: first report of the pediatric rheumatology association of Japan (PRAJ) | Pediatr Rheumatol | | Online J | 2019 |
| Nakashima Y, Kondo M, Shono E, Ishii H, Kuroda K, Maeyama A, Harada H, Maekawa M, Shimanuchi T, Nagamine R, Jojima H, Yoshizawa S, Tsuru T, Otsuma T, Miyahara H, Suematsu E, Wada K, Yoshizawa S, Inoue Y, Fukuda T, Ikemura S, Haraguchi A | Suppression of joint destruction with subcutaneous tocilizumab for Japanese patients with rheumatoid arthritis in clinical practice | Mod Rheumatol | | Epub ahead of print | 2019 |
| Fujikawa K, Kawahiri SY, Endo Y, Mizokami A, Tsukada T, Mine M, Uetani M, <u>Kawakami A</u> | Diagnostic efficacy of ultrasound detection of enthesitis in peripheral spondyloarthritis | Mod Rheum | | Epub ahead of print | 2019 |
| Kawashiri SY, Fujikawa K, Nishino A, Takatani A, Kawakami A, Shimizu T, Umeda M, Fukui S, Igawa T, Koga T, Iwamoto N, Ichinose K, Tamai M, Nakamura H, Origuchi T, Mizokami A | Combination of ultrasound and power Doppler-verified synovitis and seropositivity accurately identifies patients with early rheumatoid arthritis | Int J Rheum Dis | 22(5) | 842-851 | 2019 |