

研究成果の刊行に関する一覧表（令和元年度）

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年 (西暦)	ページ
森 雅亮	結核. 若年性特 発性関節炎		小児科診療ガ イドライン— 最新の診療指 針—(第4版)	総合医学社	東京	2019	152. 534-540
川畑 仁人	血管炎症候群	住田 孝之	EXPERT 膠原 病・リウマチ 改訂第4版	診断と治療社	東京	2019	253-266
川畑 仁人	再発性多発軟骨 炎	福井 次矢, 高木 誠, 小 室 一成	今日の治療指 針 2020	医学書院	東京	2020	902-903
房間 美恵	抗リウマチ薬の 患者指導のポイ ント	佐野 統	抗リウマチ薬 ガイドブック	フジノメディ カル出版	大阪	2019	147-155
房間 美恵	リウマチ性疾患 患者の看護	竹末 芳生, 一木 薫, 佐 野 統, 東 直人	看護学テキス ト 感染症/ア レルギー/膠原 病	南江堂	東京	2019	281-285
房間 美恵		房間 美恵, 武内 勤	関節リウマチ 看護ガイドブ ック	羊土社	東京	2019	3, 14-15, 181-187, 228-231
宮前 多佳子	【膠原病、痛風 の痛み】小児自 己免疫性疾患 若年性特発性関 節炎.		ペインクリニ ック	真興交易(株) 医書	東京	2019	40(11) 1417-1422
宮前 多佳子	【小児リウマチ 性疾患の Transition-小児 リウマチ医が内 科/整形リウマチ 医に繋げたいこ と】小児リウマ チ性疾患の移行 支援の現況と課 題は何か?		分子リウマチ 治療	先端医学社	東京	2019	12(3) 138-142
宮前 多佳子	成人に達した小 児期発症リウマ チ性疾患症例に 対するクリニック での対応. 小 児科		小児科	金原出版株式 会社	東京	2019	60(3) 275-282

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年 (西暦)
Kakutani T, Nunokawa T, Hashimoto A, Matsui T.	Anti-Tumor Necrosis Factor α Therapy Induced Severe Lupus Nephritis in a Patient With Rheumatoid Arthritis.	J Clin Rheumatol.	2020 Feb 6. doi: 10.1097/RHU.00000000000001278. [Epub ahead of print]		2020
Nogi S, Hashimoto A, Matsui T.	Marked Effectiveness of Intravenous Immunoglobulin Therapy Against Intractable Lower Leg Ulcers in Two Patients With Rheumatoid Vasculitis.	J Clin Rheumatol.	2020 Feb 3. doi: 10.1097/RHU.00000000000001337. [Epub ahead of print]		2020
Matsumoto T, Matsui T, Hirano F, Tohma S, Mori M.	Disease activity, treatment and long-term prognosis of adult juvenile idiopathic arthritis patients compared with rheumatoid arthritis patients.	Mod Rheumatol.	30(1)	78-84	2020
Oka S, Furukawa H, Shimada K, Hashimoto A, Komiya A, Tsunoda S, Saisho K, Tsuchiya N, Katayama M, Shinohara S, Matsui T, Fukui N, Sano H, Migita K, Tohma S.	Association of HLA-DRB1 genotype with younger age onset and elder age onset rheumatoid arthritis in Japanese populations.	Medicine.	98(48)	e18218	2019
Yokoyama N, Kawasaki A, Matsushita T, Furukawa H, Kondo Y, Hirano F, Sada KE, Matsumoto I, Kusaoi M, Amano H, Nagaoka S, Setoguchi K, Nagai T, Shimada K, Sugii S, Hashimoto A, Matsui T, Okamoto A, Chiba N, Suematsu E, Ohno S, Katayama M, Migita K, Kono H, Hasegawa M, Kobayashi S, Yamada H, Nagasaka K, Sugihara T, Yamagata K, Ozaki S, Tamura N, Takasaki Y, Hashimoto H, Makino H, Arimura Y, Harigai M, Sato S, Sumida T, Tohma S, Takehara K, Tsuchiya N.	Association of NCF1 Polymorphism With Systemic Lupus Erythematosus and Systemic Sclerosis but Not With ANCA-associated Vasculitis in a Japanese Population.	Sci Rep.	9(1)	16366	2019
Hashimoto A, Matsui T, Urata Y, Tohma S.	Reactivation of hepatitis B (HB) in rheumatoid arthritis patients who are HB carriers: A multicenter, prospective, observational study in Japan.	Hepatol Res.	49(10)	1249-1250	2019

Furukawa H, Oka S, Shimada K, Hashimoto A, Komiya A, Matsui T, Fukui N, Tohma S.	Serum Metabolomic Profiles of Rheumatoid Arthritis Patients With Acute-Onset Diffuse Interstitial Lung Disease.	Biomark Insights.	14: 1177271919870472. eCollection 2019.		2019
Namba N, Kawasaki A, Sada KE, Hirano F, Kobayashi S, Yamada H, Furukawa H, Shimada K, Hashimoto A, Matsui T, Nagasaka K, Sugihara T, Suzuki A, Yamagata K, Sumida T, Tohma S, Homma S, Ozaki S, Hashimoto H, Makino H, Arimura Y, Harigai M, Tsuchiya N; Japan Research Committee of the Ministry of Health, Labour, and Welfare for Intractable Vasculitis (JPVAS).	Association of MUC5B promoter polymorphism with interstitial lung disease in myeloperoxidase-antineutrophil cytoplasmic antibody-associated vasculitis.	Ann Rheum Dis.	78(8)	1144-1146	2019
Furukawa H, Oka S, Shimada K, Hashimoto A, Komiya A, Matsui T, Tohma S.	Role of Deleterious Rare Alleles for Acute-Onset Diffuse Interstitial Lung Disease in Collagen Diseases.	Clin Med Insights Circ Respir Pulm Med.	13:1179548419866443. eCollection 2019.		2019
Furukawa H, Oka S, Kawasaki A, Hidaka M, Shimada K, Kondo Y, Ihata A, Matsushita T, Matsumoto T, Hashimoto A, Matsumoto I, Komiya A, Kobayashi K, Osada A, Katayama M, Okamoto A, Setoguchi K, Kono H, Hamaguchi Y, Matsui T, Fukui N, Tamura H, Takehara K, Nagaoka S, Sugii S, Sumida T, Tsuchiya N, Tohma S.	Human leukocyte antigen in Japanese patients with idiopathic inflammatory myopathy.	Mod Rheumatol.	2019 Jul 18. doi: 10.1080/14397595.2019.1637593. [Epub ahead of print]		2019
Yajima N, Tsujimoto Y, Fukuma S, Sada KE, Shimizu S, Niihata K, Takahashi R, Asano Y, Azuma T, Kameda H, Kuwana M, Kohsaka H, Sugiura-Ogasawara M, Suzuki K, Takeuchi T, Tanaka Y, Tamura N, Matsui T, Mimori T, Fukuhara S, Atsumi T.	The development of quality indicators for systemic lupus erythematosus using electronic health data: a modified RAND appropriateness method.	Mod Rheumatol.	2019 Jun 26. doi: 10.1080/14397595.2019.1621419. [Epub ahead of print]		2019
Kakutani T, Hashimoto A, Tominaga A, Kodama K, Nogi S, Tsuno H, Ogihara H, Nunokawa T, Komiya A, Furukawa H, Tohma S, Matsui T.	Related factors, increased mortality and causes of death in patients with rheumatoid arthritis-associated interstitial lung disease.	Mod Rheumatol.	2019 Jun 7. doi: 10.1080/14397595.2019.1621462. [Epub ahead of print]		2019
松井 利浩	JAK 阻害薬と帯状疱疹	リウマチ科	62(1)	49-54	2019

<p>Tsuda S, Sameshima A, Sekine M, Kawaguchi H, Fujita D, Makino S, Morinobu A, Murakawa Y, Matsui K, Sugiyama T, Watanabe M, Suzuki Y, Nagahori M, Murashima A, Atsumi T, Oku K, Mitsuda N, Takei S, Miyamae T, Takahashi N, Nakajima K, Saito S; Ministry of Health Labour and Welfare Working Group for “Guideline for The Treatment of Rheumatoid Arthritis or Inflammatory Bowel Disease Bearing Women in Child-bearing Age”.</p>	<p>Pre-conception status, obstetric outcome and use of medications during pregnancy of systemic lupus erythematosus (SLE), rheumatoid arthritis (RA) and inflammatory bowel disease (IBD) in Japan: Multi-center retrospective descriptive study.</p>	<p>Mod Rheumatol.</p>	<p>2019 Sep 24. doi: 10.1080/14397595.2019.1661592. [Epub ahead of print]</p>		<p>2019</p>
<p>Saito J, Yakuwa N, Takai C, Kaneko K, Goto M, Nakajima K, Yamatani A, Murashima A.</p>	<p>Abatacept concentrations in maternal serum and breast milk during breastfeeding and an infant safety assessment:a case study.</p>	<p>Rheumatology (Oxford).</p>	<p>58(9)</p>	<p>1692-1694</p>	<p>2019</p>
<p>Saito J, Yakuwa N, Kaneko K, Takai C, Goto M, Nakajima K, Yamatani A, Murashima A.</p>	<p>Tocilizumab during pregnancy and lactation: drug levels in maternal serum, cord blood, breast milk and infant serum.</p>	<p>Rheumatology (Oxford).</p>	<p>58(8)</p>	<p>1505-1507</p>	<p>2019</p>
<p>Saito J, Yakuwa N, Kaneko K, Nakajima K, Takai C, Goto M, Yamatani A, Murashima A.</p>	<p>Clinical application of the dried milk spot method for measuring tocilizumab concentrations in the breast milk of patients with rheumatoid arthritis.</p>	<p>Int J Rheum Dis.</p>	<p>22(6)</p>	<p>1130-1137</p>	<p>2019</p>
<p>Shimizu M, Mizuta M, Okamoto N, Yasumi T, Iwata N, Umabayashi H, Okura Y, Kinjo N, Kubota T, Nakagishi Y, Nishimura K, Mohri M, Yashiro M, Yasumura J, Wakiguchi H, Mori M.</p>	<p>Tocilizumab modifies clinical and laboratory features of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis.</p>	<p>Pediatr Rheumatol Online J.</p>	<p>18(1)</p>	<p>2</p>	<p>2020</p>
<p>Tanaka Y, Kuwana M, Fujii T, Kameda H, Muro Y, Fujio K, Itoh Y, Yasuoka H, Fukaya S, Ashihara K, Hirano D, Ohmura K, Tabuchi Y, Hasegawa H, Matsumiya R, Shirai Y, Ogura T, Tsuchida Y, Ogawa-Momohara M, Narazaki H, Inoue Y, Miyagawa I, Nakano K, Hirata S, Mori M.</p>	<p>2019 Diagnostic criteria for mixed connective tissue disease (MCTD): From the Japan research committee of the ministry of health, labor, and welfare for systemic autoimmune diseases.</p>	<p>Mod Rheumatol.</p>	<p>2020 Jan 7. doi: 10.1080/14397595.2019.1709944. [Epub ahead of print]</p>		<p>2020</p>

Kobayashi I, Akioka S, Kobayashi N, Iwata N, Takezaki S, Nakaseko H, Sato S, Nishida Y, Nozawa T, Yamasaki Y, Yamazaki K, Arai S, Nishino I, Mori M.	Clinical practice guidance for juvenile dermatomyositis (JDM) 2018-Update.	Mod Rheumatol.	2020 Feb 3. doi: 10.1080/14397595.2020.1718866. [Epub ahead of print]		2020
Yamazaki S, Shimbo A, Akutsu Y, Takase H, Morio T, Mori M.	Importance of pediatric rheumatologists and transitional care for juvenile idiopathic arthritis-associated uveitis: a retrospective series of 9 cases.	Pediatr Rheumatol Online J.	18(1)	26	2020
Kizawa T, Umebayashi H, Mori M.	Clinical Guidance for Abatacept of Juvenile Idiopathic Arthritis.	Mod Rheumatol.	in press		2020
Yamazaki K, Mori M.	External validation of the EULAR/ACR idiopathic inflammatory myopathies classification criteria with Japanese paediatric cohort.	Rheumatology.	in press		2020
Okamoto N, Yokota S, Takei S, Okura Y, Kubota T, Shimizu M, Nozawa T, Iwata N, Umebayashi H, Kinjo N, Kunishima T, Yasumura J, Mori M.	Clinical practice guidance for juvenile idiopathic arthritis (JIA) 2018.	Mod Rheumatol.	29(1)	41-59	2019
Yasumura J, Yashiro M, Okamoto N, Shabana K, Umebayashi H, Iwata N, Okura Y, Kubota T, Shimizu M, Tomiita M, Nakagishi Y, Nishimura K, Hara R, Mizuta M, Yasumi T, Yamaide F, Wakiguchi H, Kobayashi M, Mori M.	Clinical features and characteristics of uveitis associated with juvenile idiopathic arthritis in Japan: first report of the pediatric rheumatology association of Japan (PRAJ).	Pediatr Rheumatol Online J.	17(1)	15	2019
Hara R, Umebayashi H, Takei S, Okamoto N, Iwata N, Yamasaki Y, Nakagishi Y, Kizawa T, Kobayashi I, Imagawa T, Kinjo N, Amano N, Takahashi Y, Mori M, Itoh Y, Yokota S.	Intravenous abatacept in Japanese patients with polyarticular-course juvenile idiopathic arthritis: results from a phase III open-label study.	Pediatr Rheumatol Online J.	17(1)	17	2019
Hanaoka H, Iida H, Kiyokawa T, Takakuwa Y, Kawahata K.	Hydroxychloroquine improves the disease activity and allows the reduction of the corticosteroid dose regardless of background treatment in Japanese patients with systemic lupus erythematosus.	Intern Med.	58(9)	1257-1262	2019

Hanaoka H, Iida H, Kiyokawa T, Takakuwa Y, Kawahata K.	Glucocorticoid, immunosuppressant, hydroxychloroquine monotherapy, or no therapy for maintenance treatment in systemic lupus erythematosus without major organ manifestations.	Clin Rheumatol.	38(10)	2785-2791	2019
Iida H, Hanaoka H, Okada Y, Kiyokawa T, Takakuwa Y, Yamada H, Okazaki T, Ozaki S, Yamaguchi K, Nakajima Y, Kawahata K.	A low perfusion-metabolic mismatch in 99m Tl and 123 I-BMIPP scintigraphy predicts poor prognosis in systemic sclerosis patients with asymptomatic cardiac involvement.	Int J Rheum Dis.	22(6)	1008-1015	2019
Kamiya M, Mizoguchi F, Takamura A, Kimura N, Kawahata K, Kohsaka H.	A new in vitro model of polymyositis reveals CD8+ T cell invasion into muscle cells and its cytotoxic role.	Rheumatology (Oxford).	59(1)	224-232	2020
Okumura T, Horie Y, Lai CY, Lin HT, Shoda H, Natsumoto B, Fujio K, Kumaki E, Okano T, Ono S, Tanita K, Morio T, Kanegane H, Hasegawa H, Mizoguchi F, Kawahata K, Kohsaka H, Moritake H, Nuno H, Waki H, Tamaru SI, Sasako T, Yamauchi T, Kadowaki T, Tanaka H, Kitanaka S, Nishimura K, Ohtaka M, Nakanishi M, Otsu M.	Robust and highly efficient hiPSC generation from patient non-mobilized peripheral blood-derived CD34+ cells using the auto-erasable Sendai virus vector.	Stem Cell Res Ther.	10(1)	185	2019
Ohshima M, Kawahata K, Kanda H, Yamamoto K.	Sinus bradycardia after intravenous pulse methylprednisolone therapy in patients with systemic lupus erythematosus.	Mod Rheumatol.	29(4)	700-703	2019
Ando T, Yamasaki Y, Takakuwa Y, Iida H, Asari Y, Suzuki K, Uchida M, KOTOKU N, Tanabe Y, Chosokabe M, Takahashi M, Suzuki K, Akashi Y J., Yamada H, Kawahata K.	Concurrent onset of acute lupus myocarditis, pulmonary arterial hypertension and digital gangrene in a lupus patient: a possible role of vasculitis to the rare disorders.	Modern rheumatology Case Reports.	4(1)	21-27	2019
Takada K, Katada Y, Ito S, Hayashi T, Kishi J, Itoh K, Yamashita H, Hirakata M, Kawahata K, Kawakami A, Watanabe N, Atsumi T, Takasaki Y, Miyasaka N.	Impact of adding tacrolimus to initial treatment of interstitial pneumonitis in polymyositis/dermatomyositis: a single-arm clinical trial.	Rheumatology (Oxford).	59(5)	1084-1093	2019

Kiyokawa T, Hanaoka H, Iida H, Ishimori K, Takakuwa Y, Okazaki T, Ozaki S, Kawahata K.	High plasma mycophenolate acid concentration in the early phase of induction therapy predicts good renal outcome in lupus nephritis.	Mod Rheumatol.	2019 Jun 13. doi: 10.1080/14397595.2019.1623435. [Epub ahead of print]		2019
Takakuwa Y, Hanaoka H, Kiyokawa T, Iida H, Fujimoto H, Yamasaki Y, Yamada H, Kawahata K.	Low-dose Rituximab as induction therapy for ANCA-associated vasculitis.	Clin Rheumatol.	38(4)	1217-1223	2019
Hanaoka H, Iida H, Kiyokawa T, Takakuwa Y, Kawahata K.	Low additive effect of hydroxychloroquine on Japanese patients with systemic lupus erythematosus taking calcineurin inhibitor.	Int J Rheum Dis.	22(3)	468-472	2019
Takakuwa Y, Hanaoka H, Kiyokawa T, Iida H, Ishimori K, Uekusa T, Yamada H, Kawahata K.	Adult-onset Still disease-associated interstitial lung disease represents severe phenotype of the disease with higher rate of hemophagocytic syndrome and relapse.	Clin Exp Rheumatol.	37 Suppl 121(6)	23-27	2019
Uchida M, Ooka S, Goto Y, Suzuki K, Fujimoto H, Ishimori K, Matsushita H, Takakuwa Y, Kawahata K.	Anti-IL-10 antibody in systemic lupus erythematosus.	Open Access Rheumatol.	11	61-65	2019
高桑 由希子, 大岡 正道, 山崎 宜興, 内田 麻理奈, 安藤 貴泰, 黒川 真奈絵, 川畑 仁人	Microscopic polyangiitis associated with progressive colorectal cancer and lung squamous cell carcinoma.	臨床リウマチ	31(4)	321-327	2019
川畑仁人, 安藤貴泰	関節リウマチの病態	Medical Practice.	36(7)	1045-1049	2019
Murakami K, Sekiguchi M, Hirata S, Fujii T, Matsui K, Morita S, Ohmura K, Kawahito Y, Nishimoto N, Mimori T, Sano H.	Predictive factors for structural remission using abatacept.	Mod Rheumatol.	29(3)	406-412	2019
Kaneshita S, Kida T, Yokota I, Nagahara H, Takahiro Seno T, Wada M, Kohno M, Kawahito Y.	Risk Factors for cytomegalo-virus disease with cytomegalovirus reactivation in patients with rheumatic disease.	Mod Rheumatol.	30(1)	109-115	2020
谷口 大吾, 妹尾 高宏, 小田 良, 遠山 将吾, 川人 豊, 徳永 大作, 久保 俊一	関節リウマチに対する漢方併用の有用性	日本東洋医学会雑誌	70(3)	254-259	2019
Kojima M, Nakayama T, Tsutani K, Igarashi A, Kojima T, Suzuki S, Miyasaka N, Yamanaka H.	Epidemiological characteristics of rheumatoid arthritis in Japan:Prevalence estimates using a nationwide population-based questionnaire survey.	Mod Rheumatol.	2019 Nov 14. doi: 10.1080/14397595.2019.1682776. [Epub ahead of print]		2019
房間 美恵, 中原 英子, 金子 祐子, 竹内 勤	炎症性関節炎患者に対する患者教育についての EULAR リコメンデーション	臨床リウマチ	31(3)	181-187	2019

Miyamae T, Hanaya A, Kawamoto M, Tani Y, Kawaguchi Y, Yamanaka H.	Diagnostic Rate of Autoinflammatory Diseases Evaluated by Fever Patterns in Pediatric- and Adult-Onset Patients.	J Clin Rheumatol.	26(2)	60-62	2020
Miyamae T, Tani Y, Kishi T, Yamanaka H, Singh G.	Updated version of Japanese Childhood Health Assessment Questionnaire (CHAQ).	Mod Rheumatol.	2019 Sep 19. doi: 10.1080/14397595.2019.1660027. [Epub ahead of print]		2019
Tsuda S, Sameshima A, Sekine M, Kawaguchi H, Fujita D, Makino S, Morinobu A, Murakawa Y, Matsui K, Sugiyama T, Watanabe M, Suzuki Y, Nagahori M, Murashima A, Atsumi T, Oku K, Mitsuda N, Takei S, Miyamae T, Takahashi N, Nakajima K, Saito S; Ministry of Health Labour and Welfare Working Group for “Guideline for The Treatment of Rheumatoid Arthritis or Inflammatory Bowel Disease Bearing Women in Child-bearing Age”.	Pre-conception status, obstetric outcome and use of medications during pregnancy of systemic lupus erythematosus (SLE), rheumatoid arthritis (RA) and inflammatory bowel disease (IBD) in Japan: Multi-center retrospective descriptive study.	Mod Rheumatol.	2019 Sep 24. doi: 10.1080/14397595.2019.1661592. [Epub ahead of print]		2019
Ebina K, Hashimoto M, Yamamoto W, Hirano T, Hara R, Katayama M, Onishi A, Nagai K, Son Y, Amuro H, Yamamoto K, Maeda Y, Murata K, Jinno S, Takeuchi T, Hirao M, Kumanogoh A, Yoshikawa H.	Drug tolerability and reasons for discontinuation of seven biologics in elderly patients with rheumatoid arthritis -The ANSWER cohort study.	PLoS One.	14(5)	e0216624	2019
Yamamoto H, Nakajima T, Kawahara R, Nakabo S, Hashimoto M, Yamamoto W, Masuda I, Ito H, Mimori T, Fujii Y.	Evaluation of risk factors for atherosclerosis using carotid ultrasonography in Japanese patients with rheumatoid arthritis.	Int J Rheum Dis.	22(7)	1312-1318	2019
Minamino H, Katsushima M, Yoshida T, Hashimoto M, Fujita Y, Shirakashi M, Yamamoto W, Murakami K, Murata K, Nishitani K, Tanaka M, Ito H, Inagaki N, Matsuda S.	Increased circulating adiponectin is an independent disease activity marker in patients with rheumatoid arthritis: A cross-sectional study using the KURAMA database.	PLoS One.	15(3)	e0229998	2020
中村 めぐみ, 谷村 浩子, 松尾 絹絵, 島原 範芳, 佐浦 隆一	リウマチの作業療法の要点 SARAH エクササイズ・プログラムを中心に	関節外科	39	263-270	2020

島原 範芳, 佐藤 信治, 赤松 和紀, 中村 めぐみ, 佐浦 隆一	【高齢者におけるリウマチと膠原病】高齢関節リウマチ患者に対するリハビリテーション医療の実際	Geriatric Medicine.	57	1181-1184	2019
中村 めぐみ, 谷村 浩子, 荒木 泰子, 佐浦 隆一	関節リウマチの手に効果的なハンドエクササイズプログラム Strengthening and Stretching for Rheumatoid Arthritis of the Hand(SARAH) の紹介 セラピストによる活用にむけて	森ノ宮医療大学紀要	13	45-62	2019