

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
和田誠、川人豊	消化管障害・肝機能障害・腎機能障害出現時のマネジメント	宮坂信之	リウマチ科	科学評論社	東京	62(6) 2019	509-517
川人豊	抗リウマチ薬の特徴と適正使用.MTX以外の免疫抑制薬	佐野 統	抗リウマチ薬ガイドブック	フジメディカル出版	大阪	2019	33-37
川人豊	従来型抗リウマチ薬	中原英子 金子裕子	関節リウマチ看護ガイドブック	羊土社	東京	2019	76
岸本暢将、岡田正人	単行本	岸本暢将、岡田正人	関節リウマチの診かた、考え方 ver3	中外医学社	東京	2019	単行本
鈴木康夫、佐々木則子、佐々翔、若林孝之	合併症/併存症をもつ関節リウマチ患者のマネジメント、リンパ増殖性疾患・リンパ腫	大井一弥、折井孝男、丸山徹、室井延行	薬局	南山堂	東京	2019	71-77
鈴木康夫	関節リウマチに対するメトトレキサート治療はどこに向かうのか	宮坂信之	炎症と免疫	先端医学社	東京	2019	258-261
中山健夫	診療ガイドラインに関する基本知識	門脇 孝、小室 一成、宮地 良樹 (監修)	日常診療に活かす診療ガイドラインUP-TO-DATE 2018-2019 -	株式会社 メディカルレビュー社	東京	2018	10-15
西田圭一郎、鉄永倫子、原田遼三、井上真一郎	関節リウマチ：感染症を景気に関節痛の増悪、両下肢麻痺に至ったケース	牛田享宏、福井 聖、川崎元敬	慢性疼痛ケースカンファレンス	MEDICAL VIEW社	東京	2020	381-390
小橋靖子、西田圭一郎	関節手術時の看護	房間見恵、竹内 勤 監修、中原英子、金子祐子 編	関節リウマチ看護ガイドブック	羊土社	東京	2019	244-247

藤田 慎一郎、西田圭一郎	関節リウマチとリハビリテーション	房見恵、竹内 勤 監修、中原英子、金子祐子 編	関節リウマチ看護ガイドブック	羊土社	東京	2019	111-119
藤井 隆夫	3 抗リウマチ薬の特徴と適正使用 .生物学的製剤	佐野 統	実臨床に活かす抗リウマチ薬ガイドブックだから、これを選ぶ、こう使う	フジメディカル出版	大阪	2019	38-45
松下 功	正常関節の構造と関節リウマチにおける関節の変化	中原英子、金子祐子編	関節リウマチ看護ガイドブック	羊土社	東京	2019	27-31

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Harigai M, Winthrop K, Takeuchi T, Hsieh T, Chen Y, Smolen JS, Burmester G, Wallis C, Wu W, Dickson C, Liao R, Genovese M.	Evaluation of hepatitis B virus in clinical trials of baricitinib in rheumatoid arthritis.	RMD Open.	6(1)	e001095	2020
Yamanaka H, Tanaka E, Nakajima A, Furuya T, Ikari K, Taniguchi A, Inoue E, Harigai M.	A large observational cohort study of rheumatoid arthritis, IORRA:Providing context for today's treatment options.	Modern Rheumatology	30(1)	1-6	2020
Harigai M, Takeuchi T, Smolen JS, Winthrop KL, Nishikawa A, Rooney TP, Saifan C, Issa M, Isaka Y, Akashi N, Ishii T, Tanaka Y.	Safety profile of baricitinib in Japanese patients with active rheumatoid arthritis with over 1.6 years median time in treatment: An integrated analysis of Phases 2 and 3 trials.	Modern Rheumatology	30(1)	36-43	2020

Kasai S, Sakai R, Koyama R, Kohsaka H, Miyasaka N, Harigai M.	Higher risk of hospitalized infection, cardiovascular disease, and fracture in patients with rheumatoid arthritis determined using the Japanese health insurance database.	Modern Rheumatology	29(5)	788-794	2019
Harigai M, Ishiguro N, Inokuma S, Mimori T, Ryu J, Takei S, Takeuchi T, Tanaka Y, Takasaki Y, Yamashita H, Yoshizawa Y, Chinen I, Nakao T, Koike T.	Safety and effectiveness of abatacept in Japanese non-elderly and elderly patients with rheumatoid arthritis in an all-cases post-marketing surveillance.	Modern Rheumatology	29(5)	747-755	2019
Nakayama M, Furuya T, Inoue E, Tanaka E, Ikari K, Nakajima A, Taniguchi A, Yamanaka H.	Factors Associated With Decreasing Serum 25(OH)D Among Japanese Patients With Rheumatoid Arthritis: Results From the IORRA Cohort Study	Modern Rheumatology	29(3)	430-435	2019
Furuya T, Inoue E, Tanaka E, Maeda S, Ikari K, Taniguchi A, Yamanaka H.	Age and female gender associated with periodontal disease in Japanese patients with rheumatoid arthritis: Results from self-reported questionnaires from the IORRA cohort study.	Modern Rheumatology	30(3)	465-470	2020
Oh K, Furuya T, Inoue E, Tanaka E, Ikari K, Taniguchi A, Yamanaka H, Okazaki K, Harigai M.	A simple screening test to assess risk of falls in Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study.	Modern Rheumatology		1-4	2020
Takanashi S, Kaneko Y, Takeuchi T.	CDAI and DAS28 in the management of rheumatoid arthritis in clinical practice.	Ann Rheum Dis	79(5)	671-674	2020

Tanaka Y, Kameda H, Saito K, Kaneko Y, Tanaka E, Yasuda S, Tamura N, Fujio K, Fujii T, Kojima T, Anzai T, Hamada C, Fujino Y, Matsuda S, Kohsaka H.	Response to tocilizumab and work productivity in patients with rheumatoid arthritis: 2-year follow-up of FIRST ACT-SC study.	Mod Rheumatol.		1-11	2020
Kato M, Kaneko Y, Tanaka Y, Inoo M, Kobayashi-Haraoka H, Amao K, Miyata M, Murakami Y, Yasuoka H, Hirata S, Nagasawa H, Tanaka E, Miyasaka N, Yamanaka H, Yamamoto K, Yokota I, Atsumi T, Takeuchi T.	Predictive value of serum amyloid A levels for requirement of concomitant methotrexate in tocilizumab initiation: A post hoc analysis of the SURPRISE study.	Mod Rheumatol.	30(3)	442-449	2020
Kondo Y, Suzuki K, Inoue Y, Sakata K, Takahashi C, Takeshita M, Kassai Y, Miyazaki T, Morita R, Niki Y, Kaneko Y, Yasuoka H, Yamaoka K, Yoshimura A, Takeuchi T.	Significant association between joint ultrasonographic parameters and synovial inflammatory factors in rheumatoid arthritis.	Arthritis Res Ther.	21(1)	14	2019
Inamo J, Kaneko Y, Sakata K, Takeuchi T.	Impact of subclinical synovitis in ankles and feet detected by ultrasonography in patients with rheumatoid arthritis.	Int J Rheum Dis.	22(1)	62-97	2019
Murakami K, Sekiguchi M, Hirata S, Fujii T, Matsui K, Morita S, Ohmura K, Kawahito Y, Nishimoto N, Mimori T, Sano H and the ABROAD study investigators.	Predictive factors for structural remission using abatacept. : Results from the ABROAD study	Mod Rheumatol.	29(3)	406-412	2019.
Inoue T, Kohno M, Nagahara H, Murakami K, Sagawa T, Kasahara A, Kaneshita S, Kidada T, Fujioka K, Wada M, Nakada H, Hla T, Kawahito Y.	Upregulation of sphingosine-1-phosphate receptor 3 on fibroblast-like synoviocytes is associated with the development of collagen-induced arthritis via increased interleukin-6 production.	PLoS One.	14(6)	e0218090	2019.

Kaneshita S, Kida T, Yokota I, Nagahara H, Takahiro Seno T, Wada M, Kohno M, Kawahito Y.	Risk Factors for cytomegalovirus disease with cytomegalovirus reactivation in patients with rheumatic disease.	Mod Rheumatol.	30(1)	109-115	2020.
岸本暢将, 多田弥生, 岡田正人	乾癬から見た肥満と代謝疾患	日本内科学会雑誌	第108巻(4)	708-714	2019
Kishimoto M, Yoshida K, Ichikawa N, et al.	Clinical characteristics of spondyloarthritis patients in Japan in comparison to other regions of the world	J Rheumatol	46(8)	896-903	2019
van der Heijde, Song IH, Pangan A, Deodhar A, Van den Bosch F, Maksymowych WP, Kivimäki TH, Kishimoto M, et al.	Efficacy and safety of upadacitinib in patients with active ankylosing spondylitis (SELECT-AXIS 1): a multicentre, randomised, double-blind, placebo-controlled, phase 2/3 trial.	Lancet	394	2108-2117	2019
Lau CS, Chia F, Dansie L, Harrison A, Hsieh TY, Jain R, Jung SM, Kishimoto M, et al.	Update of the APLAR recommendations for treatment of rheumatoid arthritis.	Int J Rheum Dis	22(3)	357-375	2019
Kida T, Umemura A, Kaneshita S, Sagawa R, Inoue T, Toyama S, Wada M, Kohno M, Oda R, Inaba T, Ito H Y, Kawahito Y.	Effectiveness and safety of chronic hepatitis C treatment with direct-acting antivirals in patients with rheumatic diseases: A case-series.	Mod Rheumatol		1-7	2019
Sobue Y, Kojima T, Funahashi K, Okui N, Takahashi N, Asai S, Terabe K, Nishiume T, Suzuki M, Yokota Y, Ohashi Y, Ishiguro N.	Relationship between disease activity of rheumatoid arthritis and development of locomotoric syndrome: A five-year longitudinal cohort study.	Mod Rheumatol.		1-17	2020

Hattori K, Hirano Y, Kanayama Y, Hattori Y, Kato T, Takahashi N, Ishiguro N, Kojima T.	Efficacy of add-on iguratimod in patients with rheumatoid arthritis who inadequately respond to either tocilizumab or tumor necrosis factor alpha inhibitors.	Mod Rheumatol.		1-8	2020
Takemoto T, Takahashi N, Kida D, Kaneko A, Hirano Y, Fujibayashi T, Kanayama Y, Hanabayashi M, Yabe Y, Takagi H, Oguchi T, Kato T, Funahashi K, Matsumoto T, Sobue Y, Nishiume T, Suzuki M, Yokota Y, Terabe K, Asai S, Ishiguro N, Kojima T.	Improvement in matrix metalloproteinase-3 independently predicts low disease activity at 52 weeks in bio-switch rheumatoid arthritis patients treated with abatacept.	Clin Exp Rheumatol.		Online ahead of print	2020
Suzuki M, Takahashi N, Sobue Y, Ohashi Y, Kishimoto K, Hattori K, Ishiguro N, Kojima T.	Hyaluronan suppresses enhanced cathepsin K expression via activation of NF-kappaB with mechanical stress loading in a human chondrocytic HCS-2/8 cells.	Sci Rep.	10(1)	216	2020
Hattori K, Hirano Y, Kanayama Y, Takahashi N, Ishiguro N, Kojima T.	Predictors of denosumab efficacy in treating osteoporosis in patients with rheumatoid arthritis: a Japanese multicenter study.	Nagoya J Med Sci.	81(4)	571-585	2019
Suzuki M, Takahashi N, Kida D, Hirano Y, Kato T, Yabe Y, Oguchi T, Fujibayashi T, Hanabayashi M, Asai S, Ishiguro N, Kojima T.	Clinical effectiveness and safety of additional administration of rituximab in rheumatoid arthritis patients with an inadequate response to abatacept: A retrospective cohort study.	Int J Rheum Dis.	22(12)	2199-2205	2019

Sobue Y, Kojima T, Funahashi K, Okui N, Mizuno M, Takahashi N, Asai S, Asai N, Matsumoto T, Nishiume T, Suzuki M, Ishiguro N.	Relationship between rheumatoid arthritis and locomotive syndrome: validation of the 25-question Geriatric Locomotive Function Scale in patients with rheumatoid arthritis.	Nagoya J Med Sci.	81(3)	453-462	2019
Asai N, Asai S, Takahashi N, Ishiguro N, Kojima T.	Factors associated with osteophyte formation in patients with rheumatoid arthritis undergoing total knee arthroplasty.	Mod Rheumatol.		Online ahead of print	2019
Asai S, Takahashi N, Asai N, Yamashita S, Terabe K, Matsumoto T, Sobue Y, Nishiume T, Suzuki M, Ishiguro N, Kojima T.	Characteristics of patients with rheumatoid arthritis undergoing primary total joint replacement: A 14-year trend analysis (2004-2017).	Mod Rheumatol.		Online ahead of print	2019
Ogawa Y, Takahashi N, Kaneko A, Hirano Y, Kanayama Y, Yabe Y, Oguchi T, Fujibayashi T, Takagi H, Hanabayashi M, Funahashi K, Hayashi M, Tsuboi S, Asai S, Asai N, Matsumoto T, Sobue Y, Ishiguro N, Kojima T.	Association between seropositivity and discontinuation of tumor necrosis factor inhibitors due to ineffectiveness in rheumatoid arthritis.	Clin Rheumatol.	38(10)	2757-2763	2019
Takahashi N, Kojima T, Kida D, Kaneko A, Hirano Y, Fujibayashi T, Yabe Y, Takagi H, Oguchi T, Hanabayashi M, Kato T, Funahashi K, Hayashi M, Tsuboi S, Kanayama Y, Sobue Y, Asai N, Matsumoto T, Watanabe T, Asai S, Ishiguro N.	Concomitant methotrexate has little effect on clinical outcomes of abatacept in rheumatoid arthritis: a propensity score matching analysis.	Clin Rheumatol.	38(9)	2451-2459	2019

Kojima M, Nakayama T, Tsutani K, Igarashi A, Kojima T, Suzuki S, Miyasaka N, Yamana H.	Epidemiological characteristics of rheumatoid arthritis in Japan: Prevalence estimates using a nationwide population-based questionnaire survey.	Mod Rheumatol.		1-7	2019
Nakano K, Saito K, Nawata A, Hanami K, Kubo S, Miyagawa I, Fujino Y, Nakayama S, Tanaka Y.	Clinical aspects in patients with rheumatoid arthritis complicated with lymphoproliferative disorders without regression after methotrexate withdrawal and treatment for arthritis after regression of lymphoproliferative disorders	Modern Rheumatology		1-17	2020
Suzuki Y, Sugiyama N, Fukuma Y, Sugiyama N, Takeshi Kokubo T.	Safety and effectiveness of high-dose methotrexate (over 8mg/week) in 2838 Japanese patients with rheumatoid arthritis: a postmarketing surveillance report.	Mod Rheumatol	Vol.30	24-35	2019
Kameda H, Fujii T, Nakajima A, Koike R, Sagawa A, Kanbe K, Tomita T, Harigai M, Suzuki Y, Japan College of Rheumatology subcommittee on the guideline for the use of methotrexate in patients with rheumatoid arthritis.	Japan College of Rheumatology guideline for the use of methotrexate in patients with rheumatoid arthritis,	Mod Rheumatol	29(1)	31-40	2019

Nogi S, Sato S, Sasaki S, Tomomatsu K, Narayama C, Ikeda M, Nakamura N, Suzuki Y.	Iatrogenic immunodeficiency-associated latent Epstein-Barr virus-related lymphomatoid granulomatosis initial presenting as unusual gynecocological manifestations in a case of rheumatoid arthritis- a case report and review.	Mod Rheumatol. Case Reports	3(1)	5-9	2019
Murata K, Hashimoto M, Yamamoto W, Son Y, Amuro H, Nagai K, Takeuchi T, Katayama M, Maeda Y, Ebina K, Hara R, Jinno S, Onishi A, Murakami K, Tanaka M, Ito H, Mimori T, Matsuda S.	The family history of rheumatoid arthritis in anti-cyclic citrullinated peptide antibody-positive patient is not a predictor of poor clinical presentation and treatment response with modern classification criteria and treatment strategy: the ANSWER cohort study.	Rheumatology international	40(2)	217-225	2020
Doi K, Ito H, Tomizawa T, Murata K, Hashimoto M, Tanaka M, Mimori T, Matsuda S.	Oral steroid decreases the progression of joint destruction of large joints in the lower extremities in rheumatoid arthritis.	Medicine	98(47)	e17968	2019
Ishikawa Y, Hashimoto M, Ito H, Tanaka M, Yukawa N, Fujii T, Yamamoto W, Mimori T, Terao C.	Anti-nuclear antibody development is associated with poor treatment response to biological disease-modifying anti-rheumatic drugs in patients with rheumatoid arthritis.	Seminars in arthritis and rheumatism	49(2)	204-210	2019
Ishikawa Y, Ikari K, Hashimoto M, Ohmura K, Tanaka M, Ito H, Taniguchi A, Yamanaoka H, Mimori T, Terao C.	Shared epitope defines distinct associations of cigarette smoking with levels of anti-citrullinated protein antibody and rheumatoid factor.	Annals of the rheumatic diseases	78(11)	1480-1487	2019

Kawahara R, Nakabo S, Shimizu M, Yamamoto H, Sasai T, Nishida Y, Funakoshi S, Gonda Y, Taniguchi M, Nakajima T, Hiwa R, Hashimoto M, Tomizawa T, Azukizawa M, Nishitani K, Murata K, Tanaka M, Ito H, Mimori T, Fujii Y.	Feasibility of patient-oriented ultrasound joint selection: Cross-sectional observational study on rheumatoid arthritis.	Modern rheumatology		Online ahead of print	2019
Matsuo T, Hashimoto M, Ito I, Kubo T, Uozumi R, Furu M, Ito H, Fujii T, Tanaka M, Terao C, Kono H, Mori M, Hamaguchi M, Yamamoto W, Ohmura K, Morita S, Mimori T.	Interleukin-18 is associated with the presence of interstitial lung disease in rheumatoid arthritis: a cross-sectional study.	Scandinavian journal of rheumatology	48(2)	87-94	2019
Murata K, Ito H, Hashimoto M, Nishitani K, Murakami K, Tanaka M, Yamamoto W, Mimori T, Matsuda S.	Elderly onset of early rheumatoid arthritis is a risk factor for bone erosions, refractory to treatment: KURAMA cohort.	International journal of rheumatic diseases	22(6)	1084-1093	2019
Okahata A, Ito H, Furu M, Ishikawa M, Fujii T, Hashimoto M, Tanaka M, Morita Y, Azukizawa M, Tomizawa T, Doi K, Nishitani K, Murata K, Yoshitomi H, Mimori T, Matsuda S.	Soluble Lectin-like Oxidized Low-Density Lipoprotein Receptor 1 Predicts the Changes of Rheumatoid Factor Titers in Rheumatoid Arthritis.	Journal of clinical rheumatology		Online ahead of print	2019
Tomizawa T, Ito H, Murata K, Hashimoto M, Tanaka M, Murakami K, Nishitani K, Azukizawa M, Okahata A, Doi K, Saito M, Furu M, Hamaguchi M, Mimori T, Matsuda S.	Distinct biomarkers for different bones in osteoporosis with rheumatoid arthritis.	Arthritis research & therapy	21(1)	174	2019
中山健夫	診療ガイドラインの今・これから	東京女子医科大学雑誌	88(Extra1)	E2-E9	2018
上田佳代、五十嵐稔子、中山健夫	根拠に基づく医療(EBM)や診療ガイドラインとの上手な付き合い方	助産雑誌	72(12)	916-22	2018

中山健夫	エビデンスに基づくリスク・ベネフィットのコミュニケーション：SDM 共有意思決定に向けて	薬学雑誌	138(3)	331-4	2018
西田圭一郎	関節リウマチ	月刊ナーシング	40巻3号	40-43	2020
松山宜之、中原龍一、那須義久、岡佳純、千田益生、西田圭一郎	RA手指変形 MCP関節人工関節置換術のリハビリテーションについて	MB Med Reha	244	1-7	2020
松山宜之、中原龍一、那須義久、西田圭一郎	RA手のリハビリテーション	臨床リウマチ	31	259-265	2019
西田圭一郎	リウマチ性疾患・感染症	整形外科	70巻7号	801-807	2019
佐藤康晴、祇園由佳、西田圭一郎、吉野正	その他の医原性免疫不全関連リンパ増殖性疾患	病理と臨床・別冊	37巻4号	360-363	2019
Tsuji H, Tetsunaga T, Tetsunaga T, Nishida K, Misawa H, Ozaki T	The factors driving self-efficacy in intractable chronic pain patients: a retrospective study	J Orthop Surg Res	14(1)	473	2019
Ito H, Tsuji S, Nakayama M, Mochida Y, Nishida K, Ishikawa H, Kojima T, Matsumoto T, Kubota A, Mochizuki T, Sakuraba K, Matsushita I, Nakajima A, Hara R, Haraguchi A, Matsubara T, Kanbe K, Nakagawa N, Hamaguchi M, Momohara S, and JOSRA cons	Does abatacept increase postoperative adverse events in rheumatoid arthritis compared with conventional synthetic disease-modifying drugs?	J Rheumatol	47(4)	502-509	2019
Horita M, Nishida K, Hasei J, Furumatsu T, Sakurai M, Onodera Y, Fukuda K, Salter DM, Ozaki T	Involvement of ADAM12 in chondrocyte differentiation by regulation of TGF- β 1-induced IGF-1 and RUNX-2 expression	Calcif Tissue Int	105(1)	97-106	2019
Horita M, Nishida K, Ozaki T	Prevalence of and risk factors for the progression of upper cervical lesions in patients with rheumatoid arthritis	Acta Med Okayama	73(3)	235-240	2019

Hiranaka T, Nishida K, Konishiike T, Ozaki T, Mikasa M	Tuberosity-overlapping fixation on the humeral shaft in the humeral head replacement surgery	Acta Med Okayama	73(4)	299-305	2019
Yukawa K, Mokuda S, Kohno H, Oi K, Kuranobu T, Tokunaga T, Yoshida Y, Yamana J, Iwahashi M, Hirata S, Yamana S, Sugiyama E.	Serum CXCL10 levels are associated with better responses to abatacept treatment of rheumatoid arthritis.	Clin Exp Rheumatol.		Online ahead of print	2020
Yamaguchi A, Hirata S, Kubo S, Fukuyo S, Hanami K, Nakano K, Nakayamada S, Saito K, Tanaka Y.	5-year remission rate after the discontinuation of adalimumab in patients with rheumatoid arthritis: Long-term follow-up results of the HONOR study.	Mod Rheumatol.		Online ahead of print	2020
Trimova G, Yamagata K, Iwata S, Hirata S, Zhang T, Uemura F, Satoh M, Bilin N, Nakayamada S, Maksymowych WP, Tanaka Y.	Tumour necrosis factor alpha promotes secretion of 14-3-3beta by inducing necroptosis in macrophages.	Arthritis Res Ther	22(1)	24	2020
Tokunaga T, Mokuda S, Kohno H, Yukawa K, Kuranobu T, Oi K, Yoshida Y, Hirata S, Sugiyama E.	TGFbeta1 Regulates Human RANKL-Induced Osteoclastogenesis via Suppression of NFATc1 Expression.	Int J Mol Sci.	21(3)	pii: E800	2020
Tanaka Y, Oba K, Koike T, Miyasaka N, Mimori T, Takeuchi T, Hirata S, Tanaka E, Yasuoka H, Kaneko Y, Murakami K, Koga T, Nakano K, Amano K, Ushio K, Atsumi T, Iynoo M, Hatta K, Mizuki S, Nagaoka S, Tsunoda S, Dobashi H, Horie N, Sato N.	Sustained discontinuation of infliximab with a raising-dose strategy after obtaining remission in patients with rheumatoid arthritis: the RRRR study, a randomised controlled trial.	Ann Rheum Dis.	79(1)	94-102.	2020
Kuranobu T, Mokuda S, Oi K, Tokunaga T, Yukawa K, Kohno H, Yoshida Y, Hirata S, Sugiyama E.	Activin A Expressed in Rheumatoid Synovial Cells Downregulates TNFalpha-Induced CXCL10 Expression and Osteoclastogenesis.	Pathobiology.		Online ahead of print	2020

Oi K, Tokunaga T, Kurano T, Yukawa K, Kohno H, Yoshida Y, Mokuda S, Hirata S, Sugiyama E.	Tumour necrosis factor alpha augments the inhibitory effects of CTLA-4-Ig on osteoclast generation from human monocytes via induction of CD80 expression.	Clin Exp Immunol.	196(3)	392-402	2019
Tsuji H, Ikari K, Ohmura K, Yano K, Furuhashi M, Hashimoto M, Ito H, Fujii T, Yamamoto W, Taniguchi A, Yamamoto H, Mimori T, and Terao C.	Significant joint-destructive association of HLA-DRB1*04:05 independent of DAS28 in rheumatoid arthritis	Ann Rheum Dis.	78(2)	284-286	2019
Kameda H, Fujii T, Nakajima A, Koike R, Sagawa A, Kanbe K, Tomita T, Harigai M, Suzuki Y, and Japan College of Rheumatology subcommittee on the guideline for the use of methotrexate in patients with rheumatoid arthritis	Japan College of Rheumatology guideline for the use of methotrexate in patients with rheumatoid arthritis	Mod Rheumatol.	29	31-40	2019
Mimori T, Harigai M, Atsumi T, Fujii T, Kuwana M, Matsuno H, Momohara S, Takei S, Tamura N, Takasaki Y, Yamamoto K, Ikeuchi S, Kushimoto S, and Koike T	Safety and effectiveness of iguratimod in patients with rheumatoid arthritis: Final report of a 52-week, multicenter postmarketing surveillance study	Mod Rheumatol.	29	314-323	2019
Ishigooka N, Fujii T, Abe H, Murakami K, Nakashima R, Hashimoto M, Yoshifuji H, Tanaka M, Ito H, Ohmura K, Morita S, and Mimori T	Predicting factors for disappearance of anti-citrullinated vimentin antibodies in sera of patients with rheumatoid arthritis	Mod Rheumatol	30(3)	450-247	2020
Torii M, Hashimoto M, Hanai A, Fujii T, Furuhashi M, Ito H, Uozumi R, Hamaguchi M, Terao C, Yamamoto W, Uda M, Nin K, Morita S, Arai H, and Mimori T	Prevalence and factors associated with sarcopenia in patients with rheumatoid arthritis	Mod Rheumatol.	29	589-595	2019

Tsuji H, Hashimoto M, Harada T, Tanaka M, Ito H, Murakami K, Ohmura K, Fujii T, and Mimori T	Persistent anemia and hypoalbuminemia in rheumatoid arthritis patients with low serum triiodothyronine level	Mod Rheumatol.		1-8	2019
Nakagami Y, Sugihara G, Takei N, Fujii T, Hashimoto M, Murakami K, Furu M, Ito H, Uda M, Torii M, Nishin K, Murai T, and Mimori T	Effect of physical state on pain mediated through emotional health in rheumatoid arthritis	Arthritis Care Res.	71(9)	1216-1223	2019
Murakami I, Murakami K, Hashimoto M, Tanaka M, Ito H, Fujii T, Torii M, Ikeda K, Kuwabara A, Tanaka K, Yoshida A, Akizuki S, Nakashima R, Yoshifuji H, Ohmura K, Usui T, Morita S, and Mimori T	Intake frequency of vegetables or seafoods negatively correlates with disease activity of rheumatoid arthritis	PLoS One	15	e0228852	2020
松下 功	関節リウマチの画像診断	臨床リウマチ	31	88-97	2019
松下 功	薬物の特性とその効果的処方 抗リウマチ薬	MB Orthop	32	155-162	2019
元村 拓, 松下 功, 平岩利仁, 関 英子, 木村友厚	関節リウマチ患者における長期の骨密度変化	臨床リウマチ	31	98-103	2019
Kaneko Y, Kawahito Y, Kojima M, Nakayama T, Hirata S, Kishimoto M, Endo H, Seto Y, Ito H, Nishida K, Matsushita I, Kojima T, Kamatani N, Tsubutani K, Igarashi A, Hasegawa M, Miyasaka N, Yamanaka H.	Efficacy and safety of tacrolimus in patients with rheumatoid arthritis - A systematic review and meta-analysis	Mod Rheumatol		Online ahead of print	2020
Saito J, Yakuwa N, Takai C, Kaneko K, Goto M, Nakajima K, Yamatani A, Murashima A.	Abatacept concentrations in maternal serum and breast milk during breastfeeding and an infant safety assessment: a case study.	Rheumatology	58(9)	1692-1694	2019

Saito J, Yakuwa N, Kaneko K, Takai C, Goto M, Nakajima K, Yamatani A, Murashima A.	Tocilizumab during pregnancy and lactation: drug levels in maternal serum, cord blood, breast milk and infant serum.	Rheumatology	58(8)	1505-1507	2019
Saito J, Yakuwa N, Kaneko K, Nakajima K, Takai C, Goto M, Yamatani A, Murashima A.	Clinical application of the dried milk spot method for measuring tocilizumab concentrations in the breast milk of patients with rheumatoid arthritis.	Int J Rheum Dis.	22(6)	1130-1137	2019
Tsuda S, Sameshima A, Sekine M, Kawaguchi H, Fujita D, Makino S, Morinobu A, Murakawa Y, Matsui K, Sugiyama T, Watanabe M, Suzuki Y, Nagahori M, Murashima A, Atsumi T, Oku K, Mitsuda N, Takei S, Miyamae T, Takahashi N, Nakajima K, Saito S; Ministry of Health Labour and Welfare Working Group for "Guideline for The Treatment of Rheumatoid Arthritis or Inflammatory Bowel Disease Bearing Women in Child-bearing Age".	Pre-conception status, obstetric outcome and use of medications during pregnancy of systemic lupus erythematosus (SLE), rheumatoid arthritis (RA) and inflammatory bowel disease (IBD) in Japan: Multi-center retrospective descriptive study.	Mod Rheumatol.		Online ahead of print	2019
Saito J, Kaneko K, Yakuwa N, Kawasaki H, Yamatani A, Murashima A	Rivaroxaban Concentration in Breast Milk During Breastfeeding: A Case Study.	Breastfeed Med.	14(10)	748-751	2019
Onishi A, Kamitsuji S, Nishida M, Uemura Y, Takahashi M, Saito T, Yoshida Y, Kobayashi M, Kawate M, Nishimura K, Misaki K, Nobuhara Y, Nakazawa T, Hatachi S, Tsuji G, Morinobu A, Kumagai S.	Genetic and clinical prediction models for the efficacy and hepatotoxicity of methotrexate in patients with rheumatoid arthritis: a multicenter cohort study.	Pharmacogenomics J.		Online ahead of print	2019

Yatomi A, Mori S, Kawachi H, Shono A, Shimoyama S, Tanaka H, Okano T, Inoue T, Jimbo N, Morinobu A, Hirata KI.	Predominant Involvement of the Aortic Root in a Patient with Anti-neutrophil Cytoplasmic Antibody-associated Vasculitis: Congestive Heart Failure due to Subacute Severe Aortic Regurgitation and Reversible Conduction Disturbance.	Intern Med.	59(5)	663-671	2019
Kageyama G, Onishi A, Ueda Y, Naka I, Tsuchida K, Okano T, Akashi K, Nishimura K, Sendo S, Saegusa J, Morinobu A.	Subjective well-being among rheumatoid arthritis patients.	Int J Rheum Dis	22(10)	1863-1870	2019
Sendo S, Saegusa J, Yamada H, Nishimura K, Morinobu A.	Tofacitinib facilitates the expansion of myeloid-derived suppressor cells and ameliorates interstitial lung disease in SKG mice.	Arthritis Res Ther	21(1)	184	2019
Waki D, Onishi A, Morinobu A.	Large vessel vasculopathy in a patient with systemic lupus erythematosus: a case report.	J Med Case Rep	13 (1)	189	2019
Takahashi S, Saegusa J, Onishi A, Morinobu A.	Biomarkers identified by serum metabolomic analysis to predict biologic treatment response in rheumatoid arthritis patients.	Rheumatology (Oxford)	58(12)	2153-2161	2019
Ueda Y, Saegusa J, Okano T, Sendo S, Yamada H, Nishimura K, Morinobu A.	Additive effects of inhibiting both mTOR and glutamine metabolism on the arthritis in SKG mice.	Sci Rep.	9	6374	2019
Yamasaki G, Okano M, Nakayama K, Jimbo N, Sendo S, Tamada N, Misaki K, Shinkura Y, Yanaka K, Tanaka H, Akashi K, Morinobu A, Yokozaki H, Emoto N, Hirata KI.	Acute Pulmonary Hypertension Crisis after Adalimumab Reduction in Rheumatoid Vasculitis.	Intern Med.	58(4)	593-601	2019

Shono A, Mori S, Nakamura K, Yatomi A, Takada H, Tanaka H, Okano T, Morinobu A, Hirata KI.	Glucocorticoid-Sensitive Paroxysmal Atrial Fibrillation, Sick Sinus Syndrome, and Mitral Regurgitation in a Patient with Malignant Rheumatoid Vasculitis.	Intern Med	58(21)	3093-3098	2019
Shimizu M, Umebayashi H, Mori M.	Tocilizumab modifies clinical and laboratory features of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis.	Pediatr Rheumatol	18	2-8	2020
Matsumoto T, Matsui T, Hirano F, Tohma S, Mori M.	Disease activity, treatment and long-term prognosis of adult juvenile idiopathic arthritis patients compared with rheumatoid arthritis patients.	Mod Rheumatol	30(1)	78-84	2020
Tanaka Y, Kuwana M, Fujii T, Kameda H, Muro Y, Fujio K, Itoh Y, Yasuoka H, Fukaya S, Ashihara K, Hirano D, Ohmura K, Tabuchi Y, Hasegawa H, Matsumiya R, Shirai Y, Ogura T, Tsuchida Y, Ogawa-Momohara M, Narazaki H, Inoue Y, Miyagawa I, Nakano K, Hirata S, Mori M.	2019 Diagnostic criteria for mixed connective tissue disease (MCTD): From the Japan research committee of the ministry of health, labor, and welfare for systemic autoimmune diseases.	Mod Rheumatol		Online ahead of print	2019
Kobayashi I, Akioka S, Kobayashi N, Iwata N, Takezaki S, Nakaseko H, Sato S, Nishida Y, Nozawa T, Yamasaki Y, Yamazaki K, Arai S, Nishino I, Mori M.	Clinical practice guideline for juvenile dermatomyositis (JDM) 2018-Update.	Mod Rheumatol	30(3)	411-423	2019

Yamazaki S, Shimbo A, Akutsu Y, Takase H, Morio T, Mori M.	Importance of pediatric rheumatologists and transitional care for juvenile idiopathic arthritis-associated uveitis: a retrospective series of 9 cases.	Pediatr Rheumatol.	18(1)	26	2020
Kizawa T, Umebayashi H, Mori M.	Clinical Guidance for Abatacept of Juvenile Idiopathic Arthritis.	Mod Rheumatol			2020
Yamazaki K, Mori M.	External validation of the EULAR/ACR idiopathic inflammatory myopathies classification criteria with Japanese paediatric cohort.	Rheumatology			2020
Okamoto N, Yokota S, Takei S, Okura Y, Kubota T, Shimizu M, Nozawa T, Iwata N, Umebayashi H, Kinjo N, Kunishima T, Yasumura J, Mori M.	Clinical practice guidance for juvenile idiopathic arthritis (JIA) 2018.	Mod Rheumatol	29(1)	41-59	2019
Yasumura J, Yashiro M, Okamoto N, Shabana K, Umebayashi H, Iwata N, Okura Y, Kubota T, Shimizu M, Tomiita M, Nakagishi Y, Nishimura K, Hara R, Mizuta M, Yasumi T, Yamaide F, Wakiguchi H, Kobayashi M, Mori M.	Clinical features and characteristics of uveitis associated with juvenile idiopathic arthritis in Japan: first report of the pediatric rheumatology association of Japan (PRAJ).	Pediatr Rheumatol	17(1)	15-24	2019
Hara R, Umebayashi H, Takei S, Okamoto N, Iwata N, Yamasaki Y, Nakagishi Y, Kizawa T, Kobayashi I, Imagawa T, Kinjo N, Amano N, Takahashi Y, Mori M, Itoh Y, Yokota S.	Intravenous abatacept in Japanese patients with polyarticular-course juvenile idiopathic arthritis: results from a phase III open-label study.	Pediatr Rheumatol Online J.	17(1)	17	2019

Miyamae T, Hanaya A, Kawamoto M, Tani Y, Kawaguchi Y, Yamanaka H.	Diagnostic Rate of Autoinflammatory Diseases Evaluated by Fever Patterns in Pediatric- and Adult-Onset Patients.	J Clin Rheumatol.	26(2)	60-62	2020
Tani Y, Kishi T, Miyamae T, Kawamoto M, Kawaguchi Y, Taniguchi A, Yamanaka H.	The evaluation of gene polymorphisms associated with autoinflammatory syndrome in patients with palindromic rheumatism complicated by intermittent hydrarthrosis.	Clin Rheumatol.	39	841-845	2020
Miyamae T, Tani Y, Kishi T, Yamanaka H, Singh G.	Updated version of Japanese Childhood Health Assessment Questionnaire (CHAQ).	Mod Rheumatol.	19	1-5	2019