

令和元年度厚生労働科学研究費補助金（地域医療基盤開発推進研究事業）
「新規及び既存の放射線診療に対応する放射線防護の基準策定のための研究」（19IA1004）
（研究代表者：細野 眞）

研究成果の刊行に関する一覧表

書籍

著者氏名	論文 タイトル名	書籍全体の 編集者名	書 籍 名	出版社名	出版地	出版年	ページ
五十嵐博, 高橋 康幸, 星 弦太, 諸澄邦彦, 米持 圭太, 渡辺真由 美		山口一郎 (監修), 高橋康幸 (編集), 五十嵐博 (編集)	診療用放射線 事務 手続き・安全管理・ 日常点検	医療科学 社	東京	2019	

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nishida T, Hayashi S, Takenaka M, <u>Hosono M</u> , Kogure H, Hasatani K, Yamaguchi S, Maruyama H, Doyama H, Ihara H, Yoshio T, Nagaike K, Yamada T, Yakushijin T, Takagi T, Tsumura H, Kurita A, Asai S, Ito Y, Kuwai T, Hori Y, Maetani I, Ikezawa K, Iwashita T, Matsumoto K, Inada M	Multicentre prospective observational study protocol for radiation exposure from gastrointestinal fluoroscopic procedures (REX-GI study)	BMJ Open	10(e033604)	1-8	2020
Matsubara N, Kimura G, Uemura H, Uemura H, Nakamura M, Nagamori S, Mizokami A, Kikukawa H, <u>Hosono M</u> , Kinuya S, Krissel H, Siegel J, Kakehi Y	A randomized, double-blind, comparison of radium-223 and placebo, in combination with abiraterone acetate and prednisolone, in castration-resistant metastatic prostate cancer: subgroup analysis of Japanese patients in the ERA 223 study	Int J Clin Oncol	25(4)	720-731	2020
細野 眞	医療被ばくをめぐる動向	京府医大誌	129(2)	153-157	2020
<u>Hosono M</u> , Ikebuchi H, Kinuya S, Yanagida S, Nakamura Y, Yamada T, Sakaguchi K, Sugano H, Kojima K, Hatazawa J	Manual on the proper use of yttrium-90-labeled anti-P-cadherin antibody injection for radionuclide therapy in clinical trials (Second Edition)	Ann Nucl Med	33(11)	787-805	2019
Yonekura Y, Mattsson S, Flux G, Bolch WE, Dauer LT, Fisher DR, Lassmann M, Palm S, <u>Hosono M</u> , Doruff M, Divgi C, Zanzonico P	Radiological protection in therapy with radiopharmaceuticals	Ann ICRP	48(1)	5-95	2019
<u>Hosono M</u>	Perspectives for concepts of individualized radionuclide therapy, molecular radiotherapy, and theranostic approaches	Nuclear Medicine and Molecular Imaging	53(3)	167-171	2019

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Otani T, <u>Hosono M</u> , Kanagaki M, Onishi Y, Matsubara N, Kawabata K, Kimura H	Evaluation and optimization of new PET reconstruction algorithm, Bayesian penalized likelihood reconstruction, for lung cancer assesement according to lesion size	Am J Roentgenology	213(2)	W50-W56	2019
<u>Hosono M</u> , Ikebuchi H, Nakamura Y, Yanagida S, Kinuya S	Introduction of the targeted alpha therapy (with Radium-223) into clinical practice in Japan: learnings and implementation	Ann Nucl Med	33(3)	211-221	2019
<u>Hosono M</u>	Radiation protection in therapy with radiopharmaceuticals	International Journal of Radiation Biology	95(10)	1427-1430	2019
Uemura H, Uemura H, Nagamori S, Wakumoto Y, Kimura G, Kikukawa H, Yokomizo A, Mizokami A, Kosaka T, Masumori N, Kawasaki Y, Yonese J, Nasu Y, Fukasawa S, Sugiyama T, Kinuya S, <u>Hosono M</u> , Yamaguchi I, Akagawa T, Matsubara N	Three year follow up of a phase II study of radium-223 dichloride in Japanese patients with symptomatic castration-resistant prostate cancer and bone metastases	Int J Clin Oncol	24(5)	557-566	2019
Ooe K, Watabe T, Kamiya T, Yoshimura T, <u>Hosono M</u> , Shinohara A, Hatazawa J	Quantitative measurement of ^{219}Rn radioactivity in exhaled breath from patients with bone metastasis of castration-resistant prostate cancer treated with $^{223}\text{RaCl}_2$	EJNMMI Physic	6(13)	1-11	2019
<u>山口一郎</u>	国際機関による職業放射線防護に関する外部評価サービスの紹介	医療放射線防護	(81)	25-27	2019
<u>山口一郎</u>	医療放射線の安全管理を説明する担当者を国際原子力機関はどう規定しているか？	医療放射線防護	(82)	44-46	2020
Kodama T, Saito Y, Hatanaka S, Hariu M, Shimbo M, <u>Takahashi T</u>	Commissioning of the Mobius3D independent dose verification system for tomotherapy	Journal of Applied Clinical Medical Physics	20(5)	12-20	2019

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Mizuno N, Yamauchi R, Kawamori J, Itazawa T, Shimbo M, Nishimura K, Yamano T, Hatanaka S, Hariu M, <u>Takahashi T</u>	Evaluation of a new commercial automated planning software for tangential breast intensity-modulated radiation therapy	Radiological Physics and Technology	12(3)	249-259	2019
Soda R, Hatanaka S, Hariu M, Shimbo M, Yamano T, Nishimura K, Kondo S, Utsumi N, <u>Takahashi T</u>	Evaluation of geometrical uncertainties on localized prostate radiotherapy of patients with bilateral metallic hip prostheses using 3D-CRT, IMRT and VMAT: A planning study	J Xray Sci Technol	28(2)	243-254	2020
兼安祐子, 藤原久也, 西村哲夫, 加藤真吾, 大野達也, 櫻井英幸, 楮本智子, 生島仁史, 宇野 隆, 徳丸直郎, 播磨洋子, 五味弘道, 喜多みどり, 野田真永, 高橋健夫, 新部 譲, 戸板孝文	子宮頸癌患者に対する日本語版QOL調査票の開発	日本婦人科腫瘍学会雑誌	36(4)	682-691	2018
Gonoi W, Okuma H, Hayashi TY, <u>Akahane M</u> , Nakai Y, Tateishi R, Mizuno S, Suzuki Y, Mitsuda M, Matsuda K, Nakagawa K, Isayama H, Miyagawa K, Koike K, Abe O	Development of pancreatic cancer during observation for hepatocellular carcinoma: A retrospective cohort study	Saudi J Gastroenterol	25(6)	390-396	2019
<u>Akahane M</u> , Kusakabe M, Murakami M, Shirouzu I, Terasaki M, Kazaoka J, Sasaki H, Yamada H	Fishbone migration to bile ducts after pancreaticoduodenectomy: a case series	Abdom Radiol (NY)	44(4)	1217-1222	2019
Fujiwara K, Tsuji AB, Sudo H, Sugyo A, Akiba H, Iwanari H, Kusano-Arai O, Tsumoto K, Momose T, Hamakubo T, <u>Higashi T</u>	¹¹¹ In-labeled anti-cadherin17 antibody D2101 has potential as a noninvasive imaging probe for diagnosing gastric cancer and lymph-node metastasis	Ann Nucl Med	34(1)	13-23	2020

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kimura H, Yagi Y, Mikamo M, Maeda K, Kagawa S, Arimitsu K, <u>Higashi T</u> , Nishii R, Ono M, Nakamoto Y, Togashi K, Kusuhara H, Saji H	Evaluation of transporter-mediated hepatobiliary transport of newly developed ¹⁸ F-labeled pitavastatin derivative, PTV-F1, in rats by PET imaging	Drug Metab Pharmacokin	34(5)	317-324	2019
Nakamoto R, Okuyama C, Ishizu K, <u>Higashi T</u> , Takahashi M, Kusano K, Kagawa S, Yamauchi H	Diffusely Decreased Liver Uptake on FDG PET and Cancer-Associated Cachexia With Reduced Survival	Clin Nucl Med	44(8)	634-642	2019
Matsumoto H, Yoshii Y, Baden A, Kaneko E, Hashimoto H, Suzuki H, Kawamura K, Zhang MR, <u>Higashi T</u> , Kurihara H	Preclinical Pharmacokinetic and Safety Studies of Copper-Diacetyl-Bis(N ⁴ -Methylthiosemicarbazone) (Cu-ATSM): Translational Studies for Internal Radiotherapy	Transl Oncol	12(9)	1206-1212	2019
Okuyama C, <u>Higashi T</u> , Ishizu K, Nakamoto R, Takahashi M, Kusano K, Kagawa S, Yamauchi H	Bone Pseudometastasis on ¹⁸ F-FDG PET in Japanese Patients With Esophageal Cancer	Clin Nucl Med	44(10)	771-776	2019
Sudo H, Tsuji AB, Sugyo A, Nagatsu K, Minegishi K, Ishioka NS, Ito H, Yoshinaga K, <u>Higashi T</u>	Preclinical Evaluation of the Acute Radiotoxicity of the α -Emitting Molecular-Targeted Therapeutic Agent ²¹¹ At-MABG for the Treatment of Malignant Pheochromocytoma in Normal Mice	Transl Oncol	12(7)	879-888	2019
Yamauchi H, Kagawa S, Takahashi M, Oishi N, Ono M, <u>Higashi T</u>	Misery perfusion and amyloid deposition in atherosclerotic major cerebral artery disease	Neuroimage Clin	22	101762	2019
Yoshii Y, Matsumoto H, Yoshimoto M, Oe Y, Zhang MR, Nagatsu K, Sugyo A, Tsuji AB, <u>Higashi T</u>	⁶⁴ Cu-Intraperitoneal Radioimmunotherapy: A Novel Approach for Adjuvant Treatment in a Clinically Relevant Preclinical Model of Pancreatic Cancer	J Nucl Med	60(10)	1437-1443	2019

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Sugyo A, Aung W, Tsuji AB, Sudo H, Takashima H, Yasunaga M, Matsumura Y, Saga T, <u>Higashi T</u>	Anti-tissue factor antibody-mediated immuno-SPECT imaging of tissue factor expression in mouse models of pancreatic cancer	Oncol Rep	41(4)	2371-2378	2019
Sudo H, Tsuji AB, Sugyo A, Saga T, Kaneko MK, Kato Y, <u>Higashi T</u>	Therapeutic efficacy evaluation of radioimmunotherapy with ⁹⁰ Y-labeled anti-podoplanin antibody NZ-12 for mesothelioma	Cancer Sci	110(5)	1653-1664	2019
Yoh T, Seo S, Morino K, Fuji H, Ikeno Y, Ishii T, Taura K, Nakamoto Y, <u>Higashi T</u> , Kaido T, Uemoto S	Reappraisal of Prognostic Impact of Tumor SUVmax by ¹⁸ F-FDG-PET/CT in Intrahepatic Cholangiocarcinoma	World J Surg	43(5)	1323-1331	2019
Yamauchi H, Kagawa S, Takahashi M, Higashi T	Long-term hemodynamic changes and blood pressure in atherosclerotic major cerebral artery disease	J Cereb Blood Flow Metab	39(2)	324-331	2019
Chusin T, <u>Matsubara K</u> , Takemura A, Okubo R, Ogawa Y	Validation of Mammographic X-Ray Spectra Generated Using Particle and Heavy Ion Transport Code System	Phys Med Biol	65(6)	065004	2020
Kobayashi M, Asada Y, Haba T, Matsunaga Y, <u>Matsubara K</u> , Minami K	OPTIMISATION OF SWALLOWING CT EXAMINATION: DOSE REDUCTION AND IMAGE QUALITY	Radiat Prot Dosimetry	185(4)	421-431	2019
Suzuki A, <u>Matsubara K</u> , Chusin T, Sasa Y	EYE LENS DOSES OF RADIOLOGY TECHNOLOGISTS WHO ASSIST PATIENTS DURING RADIOGRAPHY	Radiat Prot Dosimetry	185(3)	275-281	2019
Okubo R, <u>Matsubara K</u> , Chusin T, Hibino T, Ito Y	Feasibility of the new copper pipe method for evaluating half-value layer in computed tomography: A measurement and Monte Carlo simulation study	J Appl Clin Med Phys	20(12)	186-192	2019
Kawashima H, Ichikawa K, Hanaoka S, Matsubara K	Optimizing image quality using automatic exposure control based on the signal-difference-to-noise ratio: a phantom study	Australas Phys Eng Sci Med	42(3)	803-810	2019

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
<u>Matsubara K</u> , Nagata H, Okubo R, Ogawa Y, Chusin T, Hirose A	Axial absorbed dose distributions during abdominal computed tomography acquisitions: Measurement and the Monte Carlo simulation study	J Phys Conf Ser	1248	012020	2019
Hara T, Niwa S, Urikura A, <u>Matsubara K</u> , Hoshino T, Nishimaru E, Taniguchi T	Assessment of longitudinal beam property and contrast uniformity for 256- and 320-row area detector computed tomography scanners in the 160-mm nonhelical volume-acquisition mode	J Appl Clin Med Phys	20(8)	164-170	2019
Kawashima H, Ichikawa K, <u>Matsubara K</u> , Nagata H, Takata T, Kobayashi S	Quality evaluation of image-based iterative reconstruction for CT: Comparison with hybrid iterative reconstruction	J Appl Clin Med Phys	20(6)	199-205	2019
Fukuda A, Lin PP, Ichikawa N, <u>Matsubara K</u>	Estimation of primary radiation output for wide-beam computed tomography scanner	J Appl Clin Med Phys	20(6)	152-159	2019
Karim MKA, Rahim NA, <u>Matsubara K</u> , Hashim S, Mhareb MHA, Musa Y	The effectiveness of bismuth breast shielding with protocol optimization in CT Thorax examination	J Xray Sci Technol	27(1)	139-147	2019
市川 尚, 松原孝祐, 福田篤志, 山本裕之	可搬型FPDを用いたCT装置におけるビーム幅測定の精度評価	日放技学誌	76(2)	161-167	2020
廣澤文香, 松原孝祐, 竹井泰孝, 小林育夫	オーバーテーブル式X線管形TV装置を用いたERCP検査における放射線防護具使用時の術者被ばく低減効果	日放技学誌	76(1)	54-63	2020
南 和芳, 松原孝祐, 林 勇樹, 藤原康人, 森元勝浩, 小島敏典	心電同期 CT 撮影においてボウタイフィルタとポジショニングが断面内線量分布と画質に及ぼす影響	日放技学誌	75(6)	536-545	2019