

表1 2017年度～2019年度サリドマイド胎芽症者の健診結果総括①

	性別	年齢	障害区分情報など	身長	体重	BMI	腹囲	体脂肪率
	M/F		上肢・聴力・混合	(cm)	(kg)	(kg/m <sup>2</sup> )	(cm)	normal range ♂15-19 ♀20-25
N1	M	56	聴覚・言語・拇指(混合)	172.9	72.3	24.2	97.0	24.4
N2	M	55	上肢	169.5	50.5	17.6	71.0	11.7
N3	M	55	上肢	168.8	63.4	22.3	87.0	24.5
N4	M	54	聴覚	170.7	72.8	25.0	92.0	27.6
N5	F	55	上肢	151.0	41.8	18.3	81.0	22.3
N6	M	56	聴覚	162.3	60.9	23.1	86.0	26.1
N7	M	55	上肢	170.3	64.9	22.4	83.0	22.8
N8	M	58	聴覚	163.2	59.4	22.3	71.2	19.0
N9	F	57	聴覚	160.2	86.0	33.5	110.0	48.4
N10	F	55	上肢	152.0	48.3	20.9	80.0	33.6
N11	M	58	上肢	175.8	69.6	22.5	89.0	24.4
N12	F	56	上肢	145.9	37.2	17.5	65.0	15.6
N13	M	54	上肢	143.6	44.7	21.7	74.0	15.8
N14	F	57	上肢	145.9	50.3	23.6	78.0	34.3
N15	M	56	聴覚	163.4	64.9	24.3	98.0	28.2
N16	M	60	上肢	162.3	60.9	23.1	70.5	18.1
N17	M	56	上肢	146.1	48.4	22.7	75.0	23.2
N18	M	57	上肢	163.0	48.0	18.1	66.5	9.9
N19	F	57	上肢	159.5	49.4	19.4	70.0	21.8
N20	F	56	上肢	151.6	70.8	30.8	95.0	45.3
N21	M	59	上肢	163.7	64.1	23.9	90.0	25.3
N22	M	59	上肢	162.9	51.7	19.5	70.2	15.9
K1	F	55	聴覚	148.0	48.5	22.1	73.0	30.4
K2	F	55	上肢	156.2	61.7	25.3	99.0	33.2
K3	M	55	聴覚	170.9	66.5	22.8	81.0	22.5
K4	F	56	聴覚	157.6	55.3	22.3	81.0	34.4
K5	F	55	上肢	144.7	48.1	23.0	76.0	37.9
K6	F	54	上肢	145.6	47.7	22.5	85.5	29.4
K7	M	55	上肢	167.2	58.9	21.1	82.0	18.9
K8	M	55	聴覚	161.5	58.8	22.5	80.0	21.8
K9	F	56	上肢	144.9	41.6	19.8	75.5	23.5
K10	F	57	上肢	152.0	53.1	23.0	85.0	35.4
K11	F	56	聴覚	165.4	49.5	18.1	81.0	26.3
K12	F	56	上肢	150.2	46.5	20.6	68.0	26.5
K13	M	55	上肢	168.1	53.9	19.1	76.0	18.3
K14	F	59	上下肢(重度)	ND	27	ND	61.0	ND

K15	M	56	上肢	170.2	64.3	22.2	87.0	19.2
K16	F	56	聴覚	165.0	63.1	23.2	87.5	33.3
K17	M	57	上肢	169.3	63.2	22.0	85.0	17.9
K18	F	56	上肢	160.2	45.3	17.7	66.0	20.7
K19	F	57	上肢	152.5	42.7	18.4	71.0	24.4
K20	F	58	聴覚	156.7	50.5	20.6	72.5	27.9
K21	F	58	聴覚	153.2	66.5	28.3	96.5	44.1
K22	M	57	聴覚	167.4	60.8	21.7	78.5	20.3
T1	F	55	上肢	160.5	51.6	20.0	ND	24.6
T2	F	55	上肢	152.5	57.8	24.9	ND	38.6
T3	F	57	上肢	162.6	59.8	22.6	ND	26.1
T4	F	55	上肢	164.1	49.9	18.5	ND	22.3
T5	M	55	聴覚	168.9	68.9	24.2	ND	28.2
T6	F	54	上肢	151.4	49.7	21.7	ND	27.2
T7	M	55	上肢	165.6	60.2	22.0	ND	18.0
T8	M	56	聴覚	168.7	65.2	22.9	ND	22.2
T9	M	56	上肢	135	45.8	25.1	ND	ND
T10	F	56	上肢	147.6	69.9	32.1	ND	46.1
T11	F	57	上肢	152.9	49.7	21.3	ND	24.2
T12	F	55	聴覚	146.7	51.2	23.8	ND	30.9
T13	F	57	聴覚	149.7	47.3	21.1	ND	28.8
T14	M	55	上肢	165.0	57.4	21.1	ND	14.0
T15	M	57	上肢	155.9	58.6	24.1	ND	17.1
T16	M	57	上肢	171.6	66.7	22.7	ND	ND
T17	M	58	上肢	174.1	79.6	26.3	ND	ND
T18	M	57	上肢	167.0	75.8	27.2	ND	32.0
T19	M	58	上肢	165.3	65.9	24.1	ND	20.4
T20	F	57	上肢	158.7	56.5	22.4	ND	24.9
T21	M	56	上肢	162.1	64.1	24.4	ND	21.6
平均値		56.1		159.7	56.1	22.2	80.6	25.5
標準偏差		1.4		7.7	10.6	3.1	10.6	9.2
最大値		60		175.8	86.0	33.5	110.0	48.4
最小値		54		143.6	27.0	17.5	61.0	9.9

ND:未施行または実施不可