

表3 2017年度～2019年度サリドマイド胎芽症者の健診結果総括③

	性別	TC	HDL-C	LDL-C	TG	FBS	HbA1C (NGSP)	メタボ リック症 候群	脂肪肝	Cr (クレアチ ニン)	eGFR	UA (尿酸)	尿 蛋白	尿糖	尿 潜血
	M/F	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(mg/dL)	(%)			(mg/dL)	(mL/min/1.7 3m <sup>2</sup> )	(mg/dL)			
N1	M	221	47	150	158	83	5.4		○	0.64	99.6	7.2	±	-	-
N2	M	229	70	144	82	92	5.5			0.89	69.8	4.7	-	-	-
N3	M	220	43	149	158	ND	6.4			0.65	98.4	7.8	-	-	-
N4	M	207	49	84	271	89	5.5	○	○	1.13	54.0	3.7	1+	-	-
N5	F	182	73	99	88	122	6.3		○	0.54	89.1	5.2	-	-	-
N6	M	224	73	137	68	108	5.8			0.66	96.3	6.1	-	-	-
N7	M	222	46	149	193	92	5.2		○	0.76	82.9	5.7	-	-	-
N8	M	228	76	134	88	114	6.1			0.89	68.7	7.5	-	-	-
N9	F	236	57	170	124	102	6.0			0.83	55.1	7.3	-	-	-
N10	F	141	41	97	77	141	6.6			0.65	72.7	5.8	-	-	-
N11	M	205	50	132	181	113	6.6			0.67	93.8	7.0	-	-	-
N12	F	265	75	176	75	92	5.9	○	○	0.47	103.1	5.1	-	-	-
N13	M	163	84	74	59	72	4.8			0.93	66.2	8.6	-	-	-
N14	F	205	60	139	56	93	5.7			0.53	90.0	4.4	-	-	-
N15	M	228	52	164	155	90	4.7	○	○	0.51	127.6	5.3	1+	-	1+
N16	M	212	42	124	438	201	8.1		○	0.79	77.5	5.4	-	4+	-
N17	M	208	43	144	113	109	6.1			0.67	94.7	5.4	-	-	-
N18	M	163	78	76	69	119	5.7			0.65	97.4	4.3	-	-	-
N19	F	266	114	118	51	89	5.8			0.64	73.2	4.5	-	-	-
N20	F	201	55	138	82	96	5.7	○		0.71	65.7	5.4	-	-	-
N21	M	236	118	103	116	111	5.2	○	○	0.57	111.3	7.7	-	-	-
N22	M	225	70	145	107	102	5.9			0.81	75.8	5.1	-	-	-
K1	F	159	60	80	113	149	6.8		○	0.73	64.0	5.0	ND	ND	-
K2	F	232	58	155	113	107	6.2	○	○	0.69	67.8	7.8	ND	ND	-
K3	M	197	63	117	105	99	5.6		○	0.87	71.5	7.1	ND	ND	-
K4	F	275	104	153	79	112	5.7			0.72	64.7	4.0	ND	ND	-
K5	F	228	81	127	108	94	6.0		△	0.55	87.3	5.6	ND	ND	-
K6	F	296	61	207	161	134	6.9		△	0.44	112	6.2	ND	ND	2+
K7	M	211	65	114	210	96	5.8		○	0.81	77.3	5.9	ND	ND	-
K8	M	204	65	125	58	111	5.9			0.78	80.6	4.4	ND	ND	-

K9	F	232	54	151	323	107	6.0		○	0.65	72.3	5.8	ND	ND	-
K10	F	207	60	128	191	89	5.8		○	0.56	84.7	5.6	ND	ND	±
K11	F	241	46	162	228	91	5.8			0.67	70.0	4.5	ND	ND	-
K12	F	277	130	151	55	100	5.7			0.57	83.5	5.3	ND	ND	-
K13	M	229	106	122	50	115	5.6			0.50	131.1	5.1	ND	ND	-
K14	F	353	112	226	49	84	5.6			0.40	121.2	7.1	ND	ND	2+
K15	M	211	84	111	94	103	5.1			0.63	101.3	7.2	ND	ND	-
K16	F	145	65	71	85	104	5.4			0.77	60.1	4.5	ND	ND	-
K17	M	160	75	64	131	161	6.8	○		0.69	91.2	3.8	ND	ND	-
K18	F	264	95	153	132	90	5.6			0.56	85.2	4.2	ND	ND	-
K19	F	181	84	90	72	96	5.5			0.55	86.4	4.3	ND	ND	-
K20	F	240	79	150	94	91	5.8			0.63	74.1	3.5	ND	ND	-
K21	F	262	48	175	315	94	6.1	○	○	0.58	81.1	6.0	ND	ND	-
K22	M	159	39	106	70	103	5.7			1.29	46.0	7.1	ND	ND	-
T1	F	242	62	129	253	102	6.2		○	1.24	35.9	6.0	-	-	-
T2	F	225	57	143	127	94	5.4		○	0.59	80.8	4.7	-	-	-
T3	F	199	70	98	153	70	5.5			0.57	83.1	7.7	-	-	-
T4	F	213	46	151	80	89	5.4			0.57	84.0	3.5	-	-	-
T5	M	220	41	133	232	112	6.5		○	1.00	61.4	7.6	-	-	-
T6	F	262	60	180	111	106	5.7		○	0.62	77.0	5.5	-	-	-
T7	M	135	60	59	78	97	5.4		○	0.85	73.4	7.7	-	-	±
T8	M	208	62	133	66	105	5.9			0.97	63.2	6.9	±	-	-
T9	M	125	54	58	69	135	6.3		○	1.04	58.5	5.8	-	-	-
T10	F	253	52	178	113	117	6.1		○	0.71	65.7	7.3	-	-	-
T11	F	226	54	151	80	111	5.9			0.77	59.8	5.9	-	-	1+
T12	F	226	54	153	99	101	6.2		○	0.69	68.1	7.1	-	-	-
T13	F	223	79	110	83	90	5.5			0.81	56.6	5.1	-	-	2+
T14	M	134	44	74	76	106	5.4		○	0.83	75.3	6.8	-	-	-
T15	M	172	36	95	185	95	5.4			0.74	84.5	4.8	-	-	-
T16	M	200	59	122	95	98	5.5	ND	○	0.94	65.1	5.7	1+	-	-
T17	M	172	45	94	167	130	6.6	ND	○	0.89	68.7	4.2	±	±	-
T18	M	232	59	123	248	216	9.5	ND	○	0.93	65.8	7.1	±	1+	-
T19	M	194	53	122	96	144	6.8	ND	○	0.86	71.3	6.6	-	-	-
T20	F	221	58	138	125	109	5.8	ND	○	0.65	72.0	4.8	-	-	2+

T21	M	227	53	130	219	118	5.5	ND	○	1.03	59.2	6.9	-	-	-
平均値		218.3	67.5	131.0	129.7	104.6	5.66			0.70	80.9	5.7			
標準偏差		40.7	21.6	34.8	80.5	21.9	0.66			0.17	18.2	1.3			
最大値		353	130	226	438	201	7.4			1.24	131.1	8.6			
最小値		135	39	59	49	70	5.2			0.44	35.9	3.5			

\* メタボリック症候群の有無は、日本8学会合同基準による。 脂肪肝の有無は、腹部超音波検査による。