

厚生労働省科学研究費補助金

女性の健康の包括的支援総合研究事業

多様な世代の女性に対する情報メディアを通じた
アプローチの実践と情報発信基盤の構築に向けた研究

令和2年度～令和4年度 総合研究報告書

研究代表者 藤井 知行

令和5（2023）年 5月

目 次

I. 総括研究報告		
多様な世代の女性に対する情報メディアを通じたアプローチの実践と 情報発信基盤の構築に向けた研究	-----	1
藤井 知行		
II. 研究成果の刊行に関する一覧表	-----	24

研究報告書

厚生労働科学研究費補助金 (女性の健康の包括的支援総合研究事業)

総合研究報告書

多様な世代の女性に対する情報メディアを通じた
アプローチの実践と情報発信基盤の構築に向けた研究

研究代表者：藤井 知行 東京大学医学部附属病院

研究要旨

日本人は長寿化しており、『人生 100 年時代』と言われるようになって久しい。要介護期間が男性よりも長い女性の健康寿命を延長させることにより、女性の QOL (生活の質) が向上するだけでなく、現役世代による介護に伴う経済的、肉体的、精神的な負担を軽減することが期待できる。高齢化、労働者不足が急速に進む本邦では、女性の健康寿命の延長は喫緊の課題である。女性の健康には性成熟期に卵巣から分泌される性ホルモンが大きな影響を与えており、閉経前後で女性の健康状況は大きく変化する。こうした女性特有の健康問題についての知識を一般に普及させ、女性が健康的な生活をより長く送ることができるように啓蒙することは、女性の健康寿命延長に向けた有効な施策である。

本研究では「女性の健康リテラシーに関する基盤を構築すること」を目標として、多診療科で共同して女性の健康に関する最新でかつ信頼性の高い情報を収集し、Web サイトの形式で一般公開し、その閲覧状況を詳細に解析した。女性の健康に関する情報をより効率的に提供するための課題を明らかとした。また女性の健康についてアドバイスができる「女性の健康相談員」を養成するために、診療科横断的な女性の健康に関する教育カリキュラムを作成し、Web サイトで一般公開し知識の普及に努めた。

研究分担者氏名・所属研究機関名及び所属研究機関における職名

大須賀穰：東京大学 医学部附属病院 女性外科教授

秋下雅弘：東京大学 医学部附属病院 老年病科教授

春名めぐみ：東京大学 大学院医学系研究科 母性看護学・助産学教授

市橋香代：東京大学 医学部附属病院 精神神経科特任講師

菊池昭彦：埼玉医科大学 医学部総合医療センター 産婦人科教授

田中栄：東京大学医学部附属病院整形外科学教授

対馬ルリ子：医療法人社団 ウィミンズ・ウェルネス対馬ルリ子女性ライフクリニック銀座 理事長・院長

鈴木真理：政策研究大学院大学保健管理センター教授

平池修：東京大学医学部附属病院女性診療科・産科准教授

若尾文彦：国立がん研究センターがん対策情報センター センター長

A. 研究目的

日本人は長寿化しており、『人生 100 年時代』と言われるようになって久しい。一般的に女性の平均寿命は男性より長い。我が国ではその差は約 7 年である。一方で、平均寿命から寝たきりや認知症など要介護状態の期間を差し引いた健康寿命期間を男女で比較すると、日本人女性は男性よりも 4 年しか長くない。つまり要介護平均期間は男性の 9 年間に対し女性は 12 年間であり、女性は男性よりも要介護期間が長い。女性の健康寿命を延長させることにより、女性の QOL (生活の質) が向上するだけでなく、現役世代による介護に伴う経済的、肉体的、精神的な負担を軽減することが期待できる。高齢化、労働者不足が急速に進む本邦では、女性の健康寿命の延長は喫緊の課題である。

女性の健康には、性成熟期に卵巣から分泌される性ホルモンが大きく影響する。50 歳前後で閉経すると、性ホルモンが低下し生活習慣病が急激に増加する。例えば、50 歳前では脂質異常症の患者数は男性の方が女性よりも多いが、50 歳以降では女性の方が男性よりも多くなる。また高齢期女性の多くは骨粗鬆症、認知症など高齢期特有の問題を抱え、結果としてフレイル (加齢により心身が老い衰えた状態) で過ごす期間が男性よりも長くなる。これらの女性特有の性ホルモンの変化にともなう健康問題についての知識を一般に普及させることで、女性の健康寿命が延長することが期待できる。

これまでの我が国の健康支援において、女性の健康に対する政策は十分でなかった。女性の健康に関する情報提供基盤が十分に構築されていないために、性ホルモンのダイナミックな変化に影響を受ける女性の健康特性が国民に十分に認識されていないことがその要因の一つであると我々は考えている。そこで「女性の健康リテラシーに関する基盤構築」を第一の目標として研究を進めた。産婦人科医師が中心となり内科、整形外科、小児科、老年病科などの多診療科の専門医師と共同して、女性の健康に関する最新でかつ信頼性の高い情報を収集した。収集した情報は Web サイトの形式で、インターネット上で一般公開している。インターネット上に一般公開する Web サイトは印刷物とは異なり、どのような情報が、いつ、どこで、どのような経路で、何回、

どれくらいの時間、閲覧されていたかを評価することができる。毎月、サイト毎にユーザー解析を行うことにより、ユーザーが求めている情報つまり現状で提供が不十分で、ニーズがあると考えられる情報を明らかにすることができる。

女性特有の疾患には、複数の診療科による集学的な治療を必要とする診療科横断的なものがある。そのような診療科横断的な疾患の場合、従来の医学の枠組みでは情報提供体制・診療体制を整備することが困難である。そのような疾患は、社会に認知されにくく、予防や治療に関する国民の理解は不十分になる。例えば神経性やせ症などの摂食障害は精神科的疾患であるが、栄養不良による骨量の低下に伴う易骨折性、内分泌機能の低下に伴う発育障害や性発達障害、嘔吐に伴う胃液の逆流による酸蝕症 (細菌の関与がない酸による化学的な歯質の溶解) や齲歯など様々な症状を合併する。逆に、これらの緒症状を契機として摂食障害と診断されるケースもある。したがって摂食障害の患者やその家族には、精神科医だけでなく、産婦人科医、整形外科医、小児科医、内分泌・代謝内科医、歯科医など複数の診療科の医師や看護師による診療と支援が必要となる。現状では、摂食障害そのものに対する情報提供や診療体制は整備されつつあるが、それぞれの診療科専門医による診療科縦断的なものにとどまっている。

このような現状を打開するために、「女性の健康相談員」を養成することが有効であると考えた。「女性の健康相談員」は専門的な医療者ではないが、複雑な病態を呈する女性特有の疾患について、教育機関や職場などで啓蒙活動を行ったり、実際に相談にのったりすることが期待される。非医療者を対象として医師が作成、監修、一般公開する女性の健康教育に関する e ラーニングはこれまでない。我々は「女性の健康相談員」を養成するための教育プログラムを作成し、インターネット上で一般公開し、情報提供をするとともに効果的な情報提供のあり方を明らかにする。

B. 研究方法

平成 27 年度に立ち上げた女性の健康に関する多彩な情報を提供する「女性の健康推進室ヘルスケラボ (<https://w-health.jp>)」をベースとして、令和 2 年度から 3 年間 Web サイトの

内容を更新して、閲覧についての解析を行なった。本研究のプラットフォームである本サイトに掲載されている記事に関して評価するために、毎月のセッション数およびページビューPV数を集計、解析した。より広く情報提供を行うために、SEO (Search Engine

Optimization : 検索サイトにおける検索結果で自らのサイトを多く露出するために行う作業) 対策を継続的に行った。解析に関してはグーグルアナリティクスでデータを抽出した。本研究を行うにあたり、これらアクセスに関する情報 (性別および年齢層、利用デバイス、新規訪問もしくはリピート訪問、利用時間帯、ユーザー訪問と PV 数、訪問頻度、流入経路、訪問あたりの滞在時間と PV 数) を解析した。また今年度は新たにセルフチェックサイトの解析を行った。とくにアクセス数の多い5つのセルフチェックサイト (月経前緊張症候群、摂食障害、うつ症状、月経困難症、更年期障害) についてユーザー特性を分析した。令和4年6月1日から令和5年2月26日までの期間のセルフチェックサイトのデータを収集し解析した。これらの情報は機器そのものから得られる属性だけであるため、個人を識別できるような個人情報を含まないことから倫理面に関して問題点はない。

女性の健康管理に関して熟知し女性の健康についてアドバイスできる人材 (女性の健康相談員) を養成することを目的として、教育カリキュラムの作成を行なった。令和2年度、3年度に日本産科婦人科学会の女性のヘルスケアアドバイザー養成プログラムを一部活用し、不足している内容を追加、古くなっているデータを更新することにより、eラーニングシステムを構築した。作成したeラーニングのカリキュラムは、主に企業、自治体、教育機関などで女性の健康増進・向上に役立てることとし、令和4年度に動画形式で一般公開した。

C. 研究結果

- 1) 女性を対象とした情報提供 HP 「女性の健康推進室ヘルスラボ」とそのアクセス内容に関する研究

本 HP はライフステージ別女性の健康ガイドという大項目から、小児期・思春期、成人期、更年期、老年期、妊娠・出産、という小項目に移動出来るようにしている。「お知らせ一覧」 (<http://w-health.jp/information/>) に時事ニュースや社会の変化に対応した新規記事を追加した。特に検索されることの多いキーワードに関する女性の健康関連の記事や、ニュースなどで話題となった健康関連の出来事に関する解説記事を中心に新規情報を追加した。

アクセスに関する解析

平成28年3月に HP が開設されて以来、令和4年12月末日までの HP へのアクセスに関するデータを解析し、デバイス別セッション数および年齢別月間セッション数からみたユーザー属性を検討した。

利用ユーザー属性として性別および年齢層、利用デバイス、新規訪問もしくはリピート訪問、利用時間帯を調査した。メインユーザーは女性で、25~44歳だった。利用デバイスはモバイルが9割、PCが1割だった。新規訪問が9割で、リピート訪問が1割だった。利用時間帯は平日に集中しており、週前半から週後半にかけて下落していた。19時から23時のアクセスが4割で、13時から18時のアクセスが2.5割だった。男女及び年代による1訪問あたりの PV 数、平均滞在時間に大きな差は見られなかった。一方、デバイスではこれらに大きな差があり、PCユーザーはスマホユーザーと比較して1訪問あたりの PV 数は多く、平均滞在時間も長かった。新規ユーザーとリピートユーザーの比較では、1訪問あたりの PV 数に差はなかったが、平均滞在時間はリピートユーザーで長かった。利用時間による差はなかった。これらの傾向に3年間大きな変化はなかった。

アクセスおよび回遊状況として、ユーザー訪問と PV 数、訪問頻度、流入経路、訪問あたりの滞在時間と PV 数を調査した。ユーザー訪問と PV 数は令和元年から令和2年にかけて上昇傾向だったが、令和2年5月から急激に減少し、下降トレンドが持続した。令和2年11月から再度緩やかな上昇となり、令和3

年9月にピークを迎えた。その後は令和4年12月までは60万回程度で大きな増減なく推移した。訪問ユーザーの月あたりの平均訪問回数は1.1回だった。9割が自然検索による流入でそのうち9割をGoogle/Yahooの検索エンジン経由であった。SNSからの流入は1割以下だった。訪問あたりの平均滞在時間は1分以内が8割を占めた。1訪問あたりのPV数は平均2回だった。

セルフチェックサイトの解析

令和4年6月1日から令和5年2月26日までの期間のセルフチェックサイトのアクセス数を調査したところ、月経前緊張症候群、摂食障害が上位3位で、そのほかに月経困難症が7位、更年期障害が9位だった。これら5つのセルフチェックサイトについて解析した。月経前緊張症候群についてはセルフチェックを受けた84/9%が「月経前緊張症候群の可能性が高い」という結果となっており、自覚症状がありサイトでチェックするユーザーのほとんどが月経前緊張症候群の可能性があるという結果だった。さらに、月経前緊張症候群のセルフチェックをした10761人のうちセルフチェック後に、サイト内の月経前緊張症候群の記事のリンクをクリックしたユーザーが4000人いた。月経前緊張症候群についてはセルフチェックを受けることにより関連する記事を読覧する動機づけになることがわかった。

摂食障害については、女性の方が男性よりも「摂食障害の可能性が高い」ユーザーが多かった。摂食障害のセルフチェックをした6933人のユーザーのうち、セルフチェック後に「摂食障害」の記事にリンクしたユーザーは500人とどまった。地域別には、東京、大阪、愛知などの大都市圏のユーザーであった。

うつ症状については、男女差はほとんどなかった。一方でセルフチェックを受けた後に、「不眠症」「フレイル」「更年期障害」などの他のセルフチェックに遷移していた。うつ症状に関連した諸症状が多く、うつ症状のような気持ちや気分に関するセルフチェックを受けるユーザーは、その他の気持ちや気分に関する他のセルフチェックも比較しているこ

とが推測された。

月経困難症については、セルフチェックを受けた59.5%が「婦人科を受診しましょう」という結果となっていた。セルフチェックの後には「子宮内膜症」「子宮筋腫」など月経困難症の原因となる疾患に関する記事にリンクしていた。セルフチェックを受けることにより、関連する記事を読覧する動機づけになることがわかった。またセルフチェックを受けた後に、「月経前緊張症候群」のセルフチェックの記事に遷移しているユーザーが1000人いた。月経困難症に関心のあるユーザーは月経前緊張症候群にも関心があることがわかった。

更年期障害については、セルフチェックを回答したユーザーの年齢層は、35-40歳が最多で、ついで25-34歳、45-54歳、18-24歳だった。一般的に更年期障害をきたす45-54歳よりも若年の35-40歳のユーザーが最も更年期障害に関心を持っていることがわかった。セルフチェックの結果については、「食事、運動などに注意を払い、生活様式などにも無理をしないようにしましょう」という結果が39.5%で、最も強い症状が想定される「医師の診察を受け、生活指導、カウンセリング、薬物療法を受けた方がいいでしょう」の27.9%を上回った。

2) 健康支援教育プログラムと健康相談員の養成を目的としたeラーニングシステム構築

女性の健康相談員のeラーニングシステム

令和2年度、3年度に情報収集、作成した「女性の健康相談員」養成のための教育プログラムを令和4年度に動画で一般公開した。当初の計画では、カリキュラムを基礎的講座と専門的講座に分類した上で、基礎と専門の修了証を発行する予定であった。Webサイト上で修了証を発行する場合には個人情報登録したり、IDやパスワードを発行するなどの個人情報管理が必要となるため、本研究の枠組みでの実施は困難と判断した。

月経困難症、月経前緊張症候群・月経前不快気分障害、乳がん検診、更年期障害不定愁

訴、子宮がん検診、合併症を持つ女性の妊娠、妊娠中・後にみられる症状への対応、女性のキャリア形成・維持とダイバーシティー、骨粗鬆症、原発性無月経・思春期の月経異常とその治療、摂食障害に対する適切な対応、リプロダクティブ・ヘルス/ライツと安全な中絶、女性アスリートのヘルスケア、血管運動神経症状、不眠・うつ・認知症、腰痛関連、排尿関連症状、外陰搔痒・性器萎縮、動脈硬化症に関連した症状、女性に多くみられるがん、加齢と妊孕性、避妊、日常診療で遭遇しうる若年女性の性感染症、性暴力被害・ハラスメント・DV、プレコンセプションケア、OC/LEP、思春期早発症の計 26 講座を動画形式で公開した。

D. 考察

「女性の健康リテラシーの基盤構築」を主目標とする我々の活動は、女性の健康に関する情報提供を行う Web サイトと女性特有の疾患に関する e ラーニングを作成、運用、評価することにより、女性の健康を支える全ての人に対する啓発を行なった。信頼性の高い情報を、定期的に更新して一般公開することにより、女性の健康に関する意識が高まり、理解が深まることが期待される。一方で、Web サイト上でより多くの人に情報提供するために、その特性を理解した対策が必要であり、本研究によりその対策が明らかとなった。

本サイトは自然検索からの流入がほとんどであるが、SEO 対策が十分とはいえず、専門家が作成した信憑性の高い情報内容にも関わらず自然検索からの流入を逃していた。SEO 対策としては、女性の健康関連で特に頻繁に検索されているキーワードを調査し、タイトルや見出しに埋め込むこと、新しいコンテンツの作成をすること、タイトルや見出しを再設定することが考えられる。ユーザーが検索しているキーワードを基に記事の構成を行い、執筆者が異なる場合でも、タイトルや見出しの設定を統一できる体制を構築することも重要である。

SNS からの流入が少ないことも問題の一つである。令和 3 年度、4 年度に Instagram や

Facebook のアカウントを作成し、Web サイトへの誘導を試みたが、SNS からの流入増には至らなかった。Instagram や Facebook についてはそのインターフェイスの特性に合わせた情報改変が必要であることが要因の一つである。一方で、動画投稿サイト YouTube で紹介されることが時折あり、YouTube 経由の流入が散発的に見られていた。影響力のある YouTube 投稿者とのコラボレーションは検討の余地はある。

「女性の健康ガイド」「女性のがん」「女性の病気と悩み Q&A」は検索数の多いキーワードであるが、それらのキーワードで Google や Yahoo などの検索における本サイトの表示順位は低い。これらの検索数が多いキーワードで高い検索順位を獲得することにより多くの流入を期待する。これらの記事については今後改善していく必要がある。

サイト上で用いる用語の選択も重要である。「生理」という用語は学術的に用いられることはなく、「月経」と記載されることが多い。本サイトにおいても「月経痛」と記載していたが、ユーザーが「生理痛」で検索した場合には本サイトの検索順位が大幅に低下していた。またがんについては「癌」「がん」「ガン」などと表記されることがあるが、本サイトでは「がん」で統一している。

「癌」や「ガン」でユーザーが検索した場合にも検索順位は大幅な低下していた。このように正しい医学用語よりも国民に受け入れられている用語で記載し、情報をより多くの人に届けることが重要である。記事を作成する場合にはインパクトの大きなキーワードを意識して作成することが重要である。

キーワードを見出しに記載することも重要である。本文の中に検索数が多いキーワードが含まれていても、見出しに含まれていない場合には、検索順位が大きく低下することがある。記事毎に見出しの付け方を統一することも有効であろう。各段落で何が記載されているのかわかるような見出しをつけたり、重要情報には太字などを用いて強調したりすることも重要である。

類似記事を提供している他の Web サイトを参考にして、検索数の多いキーワードを狙っ

た新規コンテンツの作成も有効であるとされている。日本産科婦人科学会のウェブサイトでは「前置胎盤」の検索数が多く、令和4年度には本サイトでも前置胎盤の記事を新規作成し、多く閲覧されている。このような取り組みは今後も続けていく必要があるだろう。

本サイトは、サイト内で「回遊」することが少ないことも明らかとなった。探している情報に辿り着きにくかったり、記載されている情報が理解されにくかったり、関連情報が得られにくかったり、モバイルデバイスのユーザーには閲覧しづらかったりすることが考えられた。対応策として、サイト内検索で想定されるキーワードでの検索対応を可能にし、関連しない情報は表示しないことは有効であると考えている。また、各段落で何が記載されているのか見出しをつけたり、重要情報には太字を用いて強調するなどの対応が必要である。スマホユーザーがメインであるため、あまり長文の記事とせず、簡潔で平易な文章での情報提供を心がける。実際に本サイト内の記事ページの場合には、スマホユーザーはPCユーザーと比較して、直帰率が高く回遊率は低く、1ページあたりのPV数は少なく、平均滞在時間も短かった。特にその傾向は健康に関する記事、トップ画面で大きかった。デバイスに違いは明らかであり、モバイルユーザー向けインターフェイスの改善は重要である。ファーストビューで比較すると、PCではスマホに比べて見える範囲も広く、記事のおおよその内容はすぐに理解できる。一方で、スマホでは記事の全体像がわかりにくく、自分が見たいコンテンツがあるのかをすぐに判断しづらい。目次を用いて一見して記事の全体像を伝え、ユーザーが必要とする情報をすぐに見つけられるように改善すべきであると考えられた。冒頭に記事の要約を掲載することも有用であろう。

今後さらに分析を深めるに当たっては、現在のGoogle Analyticsでは見られない指標（クリックや動画再生等のイベント設定）を調査できるように工夫したり、ユーザーがスマホからページのどの部分までスクロールしたか（スクロール深度）を計測可能としたり、ユーザーがサイト内で動画を再生したかの計測

を可能にすることも有用である。またダッシュボード環境を整備したりすることも重要である。必要なデータをすぐに確認できるダッシュボード環境を整備することにより、定期的にデータの確認、改善ができる体制となり、記事の分析、改善、効果検証というPDCAサイクルが回るようになる。

ヘルスケアラボの長期的な数値トレンドを解析すると、Google社のアルゴリズムアップデートが流入者数の変動に深く関わっていることは明白である。2020年初頭から徐々にPV数が増加していたことは新型コロナウイルス感染拡大による国民の健康関心度の上昇が起因していたと考えられるが、2019年9月、2020年5月、12月、2021年7月のアルゴリズムアップデートでは新型コロナウイルス以上の大きなトレンドの転換が発生していた。新型コロナウイルス発生後から、2020年5月までのPV数の上昇は、新型コロナウイルスによる国民の健康関心度の上昇に起因している可能性も考えられる一方で、2020年5月からのアップデートで流入数は著しく下落しており、新型コロナウイルスによる変化以上にアルゴリズムアップデートの影響を受けていると考えられた。本サイトへのGoogle検索からの流入は全体の7割以上を占めており、その影響は非常に大きい。Google社のアルゴリズムアップデートがあった場合には、どのような影響があったか調査し、PV数を増加させるために適切に対応する必要があることが明らかとなった。

比較的多数のユーザーが閲覧しているセルフチェックサイトについて解析することにより、各症状に関心のあるユーザーに必要な疾患情報を明らかにすることができた。月経前緊張症候群のセルフチェックを受けたユーザーは月経前緊張症候群や月経前不快感障害について詳しく知りたい人が多いと考えられた。また摂食障害については男性よりも女性に摂食障害の可能性のある人が多く、しかもセルフチェック後に摂食障害の記事を見ている人が多かった。うつ病については、男女差はなかった。一方で、セルフチェックを受けた後には、「不眠症」「フレイル」「更年期障害」などの他のセルフチェックに遷移して

おり、さらに他のセルフチェックも受けていた。このことから「うつ病」のように心にかかる症状に関心のあるユーザーはうつ病以外にも気持ちの変化を伴う諸症状と類似した他のセルフチェックを比較していることが考えられた。更年期障害については、29歳以下の更年期とは無関係な年代のユーザーにも回答されており、家族が自身の母親や職場の先輩などのことを心配してチェックしている可能性があることがわかった。全てのセルフチェックにおいて、「セルフチェック」のトップページに遷移していた。セルフチェックできないにリンクがある場合には積極的にリンクに遷移していた。「セルフチェック」は必要なユーザーに必要な記事を提供する上で有効な「入口」となり、啓発という観点からセルフチェック結果のページ内に関連記事として紹介することは効率的な情報提供ほうである。

国立成育医療研究センターが行った令和3年度の新型コロナウイルス感染症流行下の子どもの心の実態調査で摂食障害の一つの「神経性やせ症」がコロナ禍で増加したまま高止まりしていることも報告されている。本サイト内で運用していたヘルスケアラボ健康相談窓口でも、摂食障害に関する問い合わせが3分の2以上を占めていた。また摂食障害に関する記事の閲覧数は常に上位を占めていた。社会的な背景として、「新型コロナウイルス」で起きた4つの変化が影響していると考えられる。一つは、「黙食」が普及し、1人で食べることの推奨され食事の様式が変化したことが挙げられる。食事時間の楽しみが減り、学生や児童では食欲が低下したことが報告されている。次に、通常の生活に戻った時の身体的変化への恐怖である。学校や会社、友人など久しぶりに「リアル」で会う人々からの身体的評価に対して敏感になったことが考えられる。次に、実家への帰省が減少し、シングル女性が親と離れていることによる変化である。食への家族からの心配や情報から離れたことにより、正しい栄養管理ができなくなったことが考えられる。最後はWebやSNSなど配信動画への接触が増えたことである。日本人にとって身近な韓国などを中心

としたアイドル文化への憧れから、アイドルを見る機会が増え、自身と対比し、憧れと現実の間で悩み食えることに対する恐怖を感じてしまったことが考えられる。摂食障害は長期的にも女性の健康に負の影響を与える可能性があり、正しい情報を迅速に提供する必要がある。

女性の健康相談員育成を目標とした、eラーニングサイトについては、令和2年からの2年間をかけて情報収集を行なった。診療科横断的であることに重点を置き、小児科や精神科、整形外科、内分泌内科の専門医が教材を作成もしくは監修をした。本来は講座を受講することにより修了証を発行するなどの機能を持たせることを予定したが、個人情報管理に関する懸念もあったため、断念した。学校や企業の健康部門の担当者に講座を紹介し、閲覧してもらったり学校内や企業内で情報共有してもらうことを目標とした。動画形式で公開したが、音声はつけることができなかった。今後視聴者により深く理解してもらうために、講師による音声をつけた講義形式の動画スライドとすることも検討している。

E. 結論

性ホルモンに強い影響を受ける女性特有の健康に関する正しい情報をより多くの国民に届けることを目的とした本研究で、Webサイトによる情報提供の実行可能性が確認された。一方で、Webサイトの閲覧数は検索サイトのアルゴリズムに大きく影響を受けるなど従来の書籍や講演会などとは異なるWebサイトの特徴も明らかとなった。より効率的に情報提供をするためには情報が正しいというだけでは不十分で、Webサイトの閲覧状況を定期的に解析し、サイトの形式や用語の選択などを更新し続ける必要がある。

F. 健康危険情報

特記事項なし

G. 研究発表

1.論文発表

藤井 知行

- 1) Nose-Ogura S, Yoshino O, Kamoto-Nakamura H, Kanatani M, Harada M, Hiraike

- O, Saito S, Fujii T, Osuga Y. Age and menstrual cycle may be important in establishing pregnancy in female athletes after retirement from competition. *Phys Sportsmed*. 2023 Apr 10:1-6. doi: 10.1080/00913847.2023.2199687. Online ahead of print.
- 2) Nose-Ogura S, Yoshino O, Nakamura-Kamoto H, Kanatani M, Harada M, Hiraike O, Saito S, Fujii T, Osuga Y. Medical issues for female athletes returning to competition after childbirth. *Phys Sportsmed*. 2023 Mar 10:1-7. doi: 10.1080/00913847.2023.2188395. Online ahead of print.
- 3) Yano E, Iriyama T, Hanaoka S, Sayama S, Ichinose M, Toshimitsu M, Seyama T, Sone K, Kumasawa K, Nagamatsu T, Kobayashi K, Fujii T, Osuga Y. Anatomical identification of ischial spines applicable to intrapartum transperineal ultrasound based on magnetic resonance imaging of pregnant women. *J Matern Fetal Neonatal Med*. 2022 Dec;35(25):9736-9741. doi: 10.1080/14767058.2022.2051007. Epub 2022 Mar 14.
- 4) Fukano M, Aisaka K, Nose-Ogura S, Fujii T, Torii S. Progressive Changes in Lumbopelvic Alignment during the Three Month-Postpartum Recovery Period. *Int J Environ Res Public Health*. 2022 May 10;19(10):5807. doi: 10.3390/ijerph19105807.
- 5) Kasuya M, Akiba N, Iriyama T, Sayama S, Kubota K, Toshimitsu M, Seyama T, Sone K, Kumasawa K, Nagamatsu T, Fujii T, Osuga Y. The impact of fetal growth restriction in diagnosing preeclampsia on the severity of maternal features. *J Obstet Gynaecol Res*. 2022 Apr;48(4):912-919. doi: 10.1111/jog.15152. Epub 2022 Mar 3.
- 6) Sayama S, Iriyama T, Nakayama T, Seyama T, Sone K, Kumasawa K, Nagamatsu T, Suzuki K, Fujii T, Osuga Y. Prenatal diagnosis of pyriform sinus fistula using ultrasonography by detecting the communication to the pharynx. *Taiwan J Obstet Gynecol*. 2022 Mar;61(2):385-387. doi: 10.1016/j.tjog.2022.02.035.
- 7) Tamaru S, Jwa SC, Ono Y, Seki H, Matsui H, Fujii T, Iriyama T, Doi K, Sameshima H, Naruse K, Kobayashi H, Yoshida R, Nishi H, Hirata Y, Fukushima K, Hirakawa T, Nakano Y, Asakawa Y, Tsunoda Y, Oda T, Nii S, Fujii T, Kinoshita K, Kamei Y. Feasibility of a mobile cardiotocogram device for fetal heart rate self-monitoring in low-risk singleton pregnant women. *J Obstet Gynaecol Res*. 2022 Feb;48(2):385-392. doi: 10.1111/jog.15118. Epub 2021 Dec 5.
- 8) Mimura N, Nagamatsu T, Morita K, Taguchi A, Toya T, Kumasawa K, Iriyama T, Kawana K, Inoue N, Fujii T, Osuga Y. Suppression of human trophoblast syncytialization by human cytomegalovirus infection. *Placenta*. 2022 Jan;117:200-208. doi: 10.1016/j.placenta.2021.12.011. Epub 2021 Dec 11.
- 9) Machino H, Kaneko S, Komatsu M, Ikawa N, Asada K, Nakato R, Shozu K, Dozen A, Sone K, Yoshida H, Kato T, Oda K, Osuga Y, Fujii T, von Keudell G, Saloura V, Hamamoto R. The metabolic stress-activated checkpoint LKB1-MARK3 axis acts as a tumor suppressor in high-grade serous ovarian carcinoma. *Commun Biol*. 2022 Jan 11;5(1):39. doi: 10.1038/s42003-021-02992-4.
- 10) Sayama S, Iriyama T, Takeda N, Yamauchi H, Toshimitsu M, Seyama T, Sone K, Kumasawa K, Nagamatsu T, Fujii T, Osuga Y. Proposed Management Policy for Pregnant Women with Loeys-Dietz Syndrome Following Prophylactic Aortic Root Replacement Based on Experience from a Tertiary Care Center. *Int Heart J*. 2022;63(1):176-179. doi: 10.1536/ihj.21-341.
- 11) Kanda R, Miyagawa Y, Wada-Hiraike O, Hiraike H, Nagasaka K, Ryo E, Fujii T, Osuga Y, Ayabe T. Ulipristal acetate simultaneously provokes antiproliferative and

- proinflammatory responses in endometrial cancer cells. *Heliyon*. 2021 Dec 29;8(1):e08696. eCollection 2022 Jan.
- 12) Matsui H, Iriyama T, Sayama S, Inaoka N, Suzuki K, Yoshikawa M, Ichinose M, Sone K, Kumasawa K, Nagamatsu T, Fujisawa T, Naguro I, Ichijo H, Fujii T, Osuga Y. Elevated placental histone H3K4 methylation via upregulated histone methyltransferases SETD1A and SMYD3 in preeclampsia and its possible involvement in hypoxia-induced pathophysiological process. *Placenta*. 2021 Nov;115:60-69.
- 13) Oda H, Nagamatsu T, Cabral H, Miyazaki T, Iriyama T, Kawana K, Fujii T, Osuga Y. Thrombomodulin promotes placental function by up-regulating placental growth factor via inhibition of high-mobility-group box 1 and hypoxia-inducible factor 1 α . *Placenta*. 2021 Aug;111:1-9.
- 14) Yamaguchi K, Matsumoto Y, Suzuki R, Nishida H, Omata D, Inaba H, Kukita A, Tanikawa M, Sone K, Oda K, Osuga Y, Maruyama K, Fujii T. Enhanced antitumor activity of combined lipid bubble ultrasound and anticancer drugs in gynecological cervical cancers. *Cancer Sci*. 2021 Jun;112(6):2493-2503.
- 15) Kawata A, Taguchi A, Baba S, Miyamoto Y, Tanikawa M, Sone K, Tsuruga T, Mori M, Oda K, Kawana K, Osuga Y, Fujii T. A low preoperative albumin-to-globulin ratio is a negative prognostic factor in patients with surgically treated cervical cancer. *Int J Clin Oncol*. 2021 May;26(5):980-985.
- 16) Ikeda Y, Adachi K, Tomio K, Eguchi-Kojima S, Tsuruga T, Uchino-Mori M, Taguchi A, Komatsu A, Nagamatsu T, Oda K, Kawana-Tachikawa A, Uemura Y, Igimi S, Osuga Y, Fujii T, Kawana K. A Placebo-Controlled, Double-Blind Randomized (Phase IIB) Trial of Oral Administration with HPV16 E7-Expressing *Lactobacillus*, GBLB101c, for the Treatment of Cervical Intraepithelial Neoplasia Grade 2 (CIN2). *Vaccines (Basel)*. 2021 Apr 1;9(4):329.
- 17) Oda H, Nagamatsu T, Schust DJ, Cabral H, Miyazaki T, Iriyama T, Kawana K, Osuga Y, Fujii T. Recombinant Thrombomodulin Attenuates Preeclamptic Symptoms by Inhibiting High-Mobility Group Box 1 in Mice. *Endocrinology*. 2021 Apr 1;162(4):bqaa248.
- 18) Wada M, Kukita A, Sone K, Hamamoto R, Kaneko S, Komatsu M, Takahashi Y, Inoue F, Kojima M, Honjoh H, Taguchi A, Kashiyaama T, Miyamoto Y, Tanikawa M, Tsuruga T, Mori-Uchino M, Wada-Hiraike O, Osuga Y, Fujii T. Epigenetic Modifier SETD8 as a Therapeutic Target for High-Grade Serous Ovarian Cancer. *Biomolecules*. 2020 Dec 16;10(12):1686. doi: 10.3390/biom10121686.
- 19) Toyohara Y, Sone K, Nishida H, Taguchi A, Miyamoto Y, Tanikawa M, Mori M, Tsuruga T, Matsumoto Y, Oda K, Osuga Y, Fujii T. Desensitization strategy for hypersensitivity reactions to carboplatin in five patients with gynecological cancer. *J Obstet Gynaecol Res*. 2020 Nov;46(11):2298-2304. doi: 10.1111/jog.14443.
- 20) Kojima M, Sone K, Oda K, Hamamoto R, Kaneko S, Oki S, Kukita A, Kawata A, Honjoh H, Kawata Y, Kashiyaama T, Sato M, Taguchi A, Miyamoto Y, Tanikawa M, Tsuruga T, Nagasaka K, Wada-Hiraike O, Osuga Y, Fujii T. The histone methyltransferase SMYD2 is a novel therapeutic target for the induction of apoptosis in ovarian clear cell carcinoma cells. *Oncol Lett*. 2020 Nov;20(5):153. doi: 10.3892/ol.2020.12014.
- 21) Samejima T, Nagamatsu T, Akiba N, Fujii T, Sayama S, Kawana K, Taguchi A, Kumasawa K, Iriyama T, Osuga Y, Fujii T. Secretory leukocyte protease inhibitor and progranulin as possible regulators of cervical remodeling in pregnancy. *J Reprod Immunol*. 2020 Nov 1;143:103241. doi: 10.1016/j.jri.2020.103241. Online ahead of

print.

- 22) Tanimura K, Saito S, Nakatsuka M, Nagamatsu T, Fujii T, Fukui A, Deguchi M, Sasagawa Y, Arase N, Arase H, Yamada H. The β 2 -Glycoprotein I/HLA-DR Complex As a Major Autoantibody Target in Obstetric Antiphospholipid Syndrome. *Arthritis Rheumatol.* 2020 Nov;72(11):1882-1891. doi: 10.1002/art.41410.
 - 23) Taguchi A, Nagasaka K, Plessy C, Nakamura H, Kawata Y, Kato S, Hashimoto K, Nagamatsu T, Oda K, Kukimoto I, Kawana K, Carninci P, Osuga Y, Fujii T. Use of Cap Analysis Gene Expression to detect human papillomavirus promoter activity patterns at different disease stages. *Sci Rep.* 2020 Oct 22;10(1):17991. doi: 10.1038/s41598-020-75133-2.
 - 24) Nabeshima T, Fujii T, Nagamatsu T, Hashimoto A, Seyama T, Kubota K, Sayama S, Nakayama T, Kumasawa K, Iriyama T, Osuga Y, Fujii T. Polyhydramnios is associated with postnatal dysphagia determining short-term prognosis of the newborn with 22q11.2 deletion syndrome - A case series analysis. *Taiwan J Obstet Gynecol.* 2020 Sep;59(5):744-747. doi: 10.1016/j.tjog.2020.07.021.
 - 25) Kumasawa K, Iriyama T, Nagamatsu T, Osuga Y, Fujii T. Pravastatin for preeclampsia: From animal to human. *J Obstet Gynaecol Res.* 2020 Aug;46(8):1255-1262. doi: 10.1111/jog.14295.
 - 26) Sone K, Eguchi S, Asada K, Inoue F, Miyamoto Y, Tanikawa M, Tsuruga T, Mori-Uchino M, Matsumoto Y, Hiraike-Wada O, Oda K, Osuga Y, Fujii T. Usefulness of biopsy by office hysteroscopy for endometrial cancer: A case report. *Mol Clin Oncol.* 2020 Aug;13(2):141-145. doi: 10.3892/mco.2020.2053.
- 大須賀 穰
- 1) Elsherbini M, Koga K, Hiraoka T, Kumasawa K, Maki E, Satake E, Taguchi A, Makabe T, Takeuchi A, Izumi G, Takamura M, Harada M, Hirata T, Hirota Y, Wada-Hiraike O, Osuga Y. Establishment of a novel mouse model of adenomyosis suitable for longitudinal and quantitative analysis and perinatal outcome studies. *Sci Rep.* 2022;12(1):17515. doi: 10.1038/s41598-022-22413-8.
 - 2) Elsherbini M, Koga K, Maki E, Kumasawa K, Satake E, Taguchi A, Makabe T, Takeuchi A, Izumi G, Takamura M, Harada M, Hirata T, Hirota Y, Wada-Hiraike O, Osuga Y. Impact of Chronic Exposure to Endometriosis on Perinatal Outcomes: Establishment of a Mouse Model. *Biomedicines.* 2022;10(10):2627. doi:10.3390/biomedicines10102627.
 - 3) Uehara M, Hiraike O, Hirano M, Harada M, Koga K, Yoshimura N, Tanaka S, Osuga Y. Evaluation of atherosclerosis-related biomarkers during perimenopause: A prospective cohort study in women with endometriosis. *J Obstet Gynaecol Res.* 2022;48(12):3160-3170. doi: 10.1111/jog.15447.
 - 4) Harada T, Taniguchi F, Kitajima M, Kitawaki J, Koga K, Momoeda M, Mori T, Murakami T, Narahara H, Osuga Y, Yamaguchi K. Clinical practice guidelines for endometriosis in Japan (The 3rd edition). *J Obstet Gynaecol Res.* 2022;48(12):2993-3044. doi: 10.1111/jog.15416.
 - 5) Uehara M, Wada-Hiraike O, Koga K, Yamamoto N, Hirano M, Harada M, Hirota Y, Osuga Y. Prediction of the final menstrual period in women taking Dienogest using estradiol and follicle-stimulating hormone values: a case-control study. *Endocr J.* 2022;69(12):1437-1445. doi: 10.1507/endocrj.EJ22-0158.
 - 6) Ishizaka A, Taguchi A, Tsuruga T, Maruyama M, Kawata A, Miyamoto Y, Tanikawa M, Ikemura M, Sone K, Mori M, Koga K, Ushiku T, Oda K, Osuga Y. Endometrial cancer with concomitant endometriosis is

- highly associated with ovarian endometrioid carcinoma: a retrospective cohort study. *BMC Womens Health*. 2022;22(1):332. doi: 10.1186/s12905-022-01917-5.
- 7) Nagashima N, Hirata T, Arakawa T, Neriishi K, Sun H, Harada M, Hirota Y, Koga K, Wada-Hiraike O, Osuga Y. Long-term conservative management of symptomatic bladder endometriosis: A case series of 17 patients. *Taiwan J Obstet Gynecol*. 2022;61(4):606-611. doi: 10.1016/j.tjog.2022.02.044.
- 8) doi: 10.1016/j.tjog.2022.02.044.
- 9) Sun H, Hirata T, Koga K, Arakawa T, Nagashima N, Neriishi K, Elsherbini M, Maki E, Izumi G, Harada M, Hirota Y, Wada-Hiraike O, Osuga Y. Elevated phosphorylation of estrogen receptor α at serine-118 in ovarian endometrioma. *F S Sci*. 2022;3(4):401-409. doi: 10.1016/j.xfss.2022.04.004.
- 10) Hirakawa T, Yotsumoto F, Shirasu N, Kiyoshima C, Urushiyama D, Yoshikawa K, Miyata K, Kurakazu M, Koga KA, Aoki M, Nabeshima K, Koga KS, Osuga Y, Komatsu H, Taniguchi F, Harada T, Yasunaga S, Miyamoto S. Trophic and immunomodulatory effects of adipose tissue derived stem cells in a preclinical murine model of endometriosis. *Sci Rep*. 2022;12(1):8031. doi: 10.1038/s41598-022-11891-5.
- 11) Uehara M, Wada-Hiraike O, Hirano M, Koga K, Yoshimura N, Tanaka S, Osuga Y. Relationship between bone mineral density and ovarian function and thyroid function in perimenopausal women with endometriosis: a prospective study. *BMC Womens Health*. 2022;22(1):134. doi: 10.1186/s12905-022-01711-3.
- 12) Hiraoka T, Hirota Y, Aikawa S, Iida R, Ishizawa C, Kaku T, Hirata T, Fukui Y, Akaeda S, Matsuo M, Shimizu-Hirota R, Takeda N, Osuga Y. Constant Activation of STAT3 Contributes to the Development of Adenomyosis in Females. *Endocrinology*. 2022;163(5):bqac044. doi: 10.1210/endocr/bqac044.
- 13) Yamada M, Ishikawa T, Iwasa T, Oishi H, Osuka S, Oka K, Ono S, Ono M, Orisaka M, Kanasaki H, Kawano Y, Kawamura K, Kishi H, Kimura F, Kuroda S, Kuwahara A, Kobayashi H, Komiya A, Saito H, Sato K, Sato S, Shiraishi K, Shirasawa H, Suzuki T, Takai Y, Takae S, Takahashi T, Takiuchi T, Tachibana M, Tamura I, Tamura H, Jwa SC, Baba T, Harada M, Hirata T, Fukui A, Fukuda Y, Fukuhara S, Maruyama T, Yumura Y, Yoshino O, Hirota Y, Tsujimura A, Kuji N, Osuga Y. Guidelines for Reproductive Medicine in Japan. *Reprod Med Biol*. 2022 Aug 24;21(1):e12483. doi:10.1002/rmb2.12483.
- 14) Harada T, Osuga Y, Suzuki Y, Fujisawa M, Fukui M, Kitawaki J. Relugolix, an oral gonadotropin-releasing hormone receptor antagonist, reduces endometriosis-associated pain compared with leuprorelin in Japanese women: a phase 3, randomized, double-blind, noninferiority study. *Fertil Steril*. 2022 Mar;117(3):583-592.
- 15) Kunitomi C, Harada M, Sanada Y, Kusamoto A, Fujio K, Takai Y, Furui T, Kitagawa Y, Yamada M, Watanabe C, Tsugawa K, Nishiyama H, Hosoi H, Miyachi M, Sugiyama S, Maeda Y, Kawai A, Hamatani T, Fujio K, Suzuki N, Osuga Y. The possible effects of the Japan Society of Clinical Oncology Clinical Practice Guidelines 2017 on the practice of fertility preservation in female cancer patients in Japan. 2022. 21(1). E12453
- 16) Kunitomi C, Harada M, Kusamoto A, Azhary JMK, Nose E, Koike H, Xu Z, Urata Y, Takahashi N, Wada-Hiraike O, Hirota Y, Koga K, Fujii T, Osuga Y. Induction of aryl hydrocarbon receptor in granulosa cells by endoplasmic reticulum stress contributes to pathology of polycystic ovary syndrome. *Mol Hum Reprod* 2021, gaab003.
- 17) Fukui Y, Hirota Y, Aikawa S, Ishizawa C, Iida R, Kaku T, Hirata T, Akaeda S, Hiraoka

- T, Matsuo M, Osuga Y. Uterine Receptivity is Reflected by LIF Expression in the Cervix. *Reprod Sci* 2021 Dec, in press.
- 18) Satake E, Koga K, Takamura M, Izumi G, Elsherbini M, Taguchi A, Makabe T, Takeuchi A, Harada M, Hirata T, Hirota Y, Wada-Hiraike O, Osuga Y. The roles of polymorphonuclear myeloid-derived suppressor cells in endometriosis. *J Reprod Immunol*. 2021 Nov;148:103371.
- 19) Kusamoto A, Harada M, Azhary JMK, Kunitomi C, Nose E, Koike H, Xu Z, Urata Y, Kaku T, Takahashi N, Wada-Hiraike O, Hirota Y, Koga K, Fujii T, Osuga Y. Temporal relationship between alterations in the gut microbiome and the development of polycystic ovary syndrome-like phenotypes in prenatally androgenized female mice. *FASEB J*. 2021 Nov;35(11):e21971.
- 20) Ono Y, Kawakita T, Yoshino O, Sato E, Kano K, Ohba M, Okuno T, Ito M, Koga K, Honda M, Furue A, Hiraoka T, Wada S, Iwasa T, Yokomizo T, Aoki J, Maeda N, Unno N, Osuga Y, Hirata S. Sphingosine 1-Phosphate (S1P) in the Peritoneal Fluid Skews M2 Macrophage and Contributes to the Development of Endometriosis. *Biomedicines*. 2021 Oct 22;9(11):1519.
- 21) Yamamoto N, Wada-Hiraike O, Hirano M, Hirata T, Harada M, Hirota Y, Koga K, Fujii T, Osuga Y. Ovarian reserve may influence the outcome of bone mineral density in patients with long-term use of dienogest. *SAGE Open Med*. 2021, 9, 20503121211005992.
- 22) Harada M, Osuga Y. Does polycystic ovary syndrome independently affect oncologic and reproductive outcomes in patients with endometrial cancerreceiving fertility-sparing treatment? *J Gynecol Oncol*. 2021Sep 32(5) E80.
- 23) Shimamoto K, Hirano M, Wada-Hiraike O, Goto R, Osuga Y. Examining the association between menstrual symptoms and health-related quality of life among working women in Japan using the EQ-5D. *BMC Womens Health*. 2021 Sep 7;21(1):325.
- 24) Fukuoka K, Hirata T, Koga K, Morimoto C, Osuga Y. An Unusual Imaging Appearance of Peritoneal Endometriosis Presenting a Pelvic Multilocular Tumor. *J Minim Invasive Gynecol*. 2021 Sep;28(9):1561-63.
- 25) Makabe T, Koga K, Nagabukuro H, Asada M, Satake E, Taguchi A, Takeuchi A, Miyashita M, Harada M, Hirata T, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y. Use of selective PGE2 receptor antagonists on human endometriotic stromal cells and peritoneal macrophages. *Mol Hum Reprod* 2021, 27, gaaa077.
- 26) Hirata T, Koga K, Taniguchi F, Takazawa N, Honda R, Tanaka T, Kurihara M, Nakajima J, Yoshimura K, Kitade M, Narahara H, Kitawaki J, Harada T, Katabuchi H, Horie S, Osuga Y. National survey of bladder endometriosis cases in Japan. *J Obstet Gynaecol Res*. 2021, 47, 1451-61.
- 27) 大須賀 穰. 生殖医学の発展を期待して. *ファルマシア*. 58 巻 1 号, 5, 2022.
- 28) 浦田 陽子, 大須賀 穰. 【少子化時代における就労女性の不妊治療】 就労女性のための不妊治療と保険適用. *産科と婦人科*. 88 巻 12 号, 1397-1400, 2021.
- 29) 大須賀 穰. ホルモン Q&A: 不妊治療の保険適用をめぐる最近の話題を教えてください. *HORMONE FRONTIER IN GYNECOLOGY*. 28 巻 3 号, 244-245, 2021.
- 30) 芦川 すが, 泉 玄太郎, 森嶋 かほる, 浦田 陽子, 能瀬 さやか, 廣田 泰, 甲賀 かをり, 平池 修, 大須賀 穰, 術中に他科との連携を要した良性疾患に対する腹腔鏡下手術症例の検討. *関東連合産科婦人科学会誌*, 2021, 58, 679-84
- 31) 矢野 倫子, 泉 玄太郎, 竹内 亜利砂, 森嶋 かほる, 浦田 陽子, 能瀬 さやか, 廣田 泰, 甲賀 かをり, 平池 修, 藤井 知行, 大須賀 穰, 当院における子宮鏡下選択的卵管通水法の効果についての検討. *産科と婦人科*, 2021, 88, 639-42

秋下 雅弘

- 1) Lyu W, Tanaka T, Son BK, Yoshizawa Y, Akishita M, Iijima K. Associations of Nutrition-Related, Physical, and Social Factors and Their Combinations with Sarcopenia in Community-Dwelling Older Adults: Kashiwa Cohort Study. *Nutrients*. 2022 Aug 27;14(17):3544. doi: 10.3390/nu14173544.
- 2) Akishita M, Suzuki S, Inoue H, Akao M, Atarashi H, Ikeda T, Koretsune Y, Okumura K, Shimizu W, Tsutsui H, Toyoda K, Hirayama A, Yasaka M, Yamaguchi T, Teramukai S, Kimura T, Morishima Y, Takita A, Yamashita T. Frailty screening index and atrial fibrillation outcomes in the All Nippon AF In the Elderly registry. *Geriatr Gerontol Int*. 2022 Oct;22(10):899-902. doi: 10.1111/ggi.14458. Epub 2022 Aug 19.
- 3) Yamanaka T, Kidana K, Mizuki M, Hattori Y, Hamada S, Akishita M. Sex differences in places of home care. *Geriatr Gerontol Int*. 2022 Sep;22(9):813-814. doi: 10.1111/ggi.14444. Epub 2022 Jul 25.
- 4) Hattori Y, Hamada S, Yamanaka T, Kidana K, Iwagami M, Sakata N, Tamiya N, Kojima T, Ogawa S, Akishita M. Drug prescribing changes in the last year of life among homebound older adults: national retrospective cohort study. *BMJ Support Palliat Care*. 2022 Jul 13;bmjspcare-2022-003639. doi: 10.1136/spcare-2022-003639.
- 5) Kazawa K, Akishita M, Ikeda M, Iwatsubo T, Ishii S. Experts' perception of support for people with dementia and their families during the COVID-19 pandemic. *Geriatr Gerontol Int*. 2021 Nov 9. Epub ahead of print.
- 6) ○Handa N, Mitsutake S, Ishizaki T, Nakabayashi T, Akishita M, Tamiya N, Yoshie S, Iijima K. Associations of coprescribed medications for chronic comorbid conditions in very old adults with clinical dementia: a retrospective cohort study using insurance claims data. *BMJ Open*. 2021;11(7):e043768.
- 7) ○Yamada Y, Kojima T, Umeda-Kameyama Y, Ogawa S, Eto M, Akishita M. Outcomes of anticoagulant prescribing for older patients with atrial fibrillation depends on disability level provided by long-term care insurance. *Arch Gerontol Geriatr*. 2021;96:104434.
- 8) ○Kazawa K, Kubo T, Ohge H, Akishita M, Ishii S. Preparedness guide for people with dementia and caregivers in COVID-19 pandemic. *Geriatr Gerontol Int*. 2021;21(7):593-595.
- 9) Umeda-Kameyama Y, Kameyama M, Tanaka T, Son BK, Kojima T, Fukasawa M, Iizuka T, Ogawa S, Iijima K, Akishita M. Screening of Alzheimer's disease by facial complexion using artificial intelligence. *Aging (Albany NY)*. 2021;13(2):1765-1772.
- 10) ○Suzuki Y, Sakakibara M, Shiraishi N, Komiya H, Akishita M, Kuzuya M. Use of Anti-Dementia Drugs Reduces the Risk of Potentially Inappropriate Medications: A Secondary Analysis of a Nationwide Survey of Prescribing Pharmacies. *Dement Geriatr Cogn Disord*. 2020 Dec 4:1-7. Online ahead of print.
- 11) ○Kojima T, Mizokami F, Akishita M. Geriatric management of older patients with multimorbidity. *Geriatr Gerontol Int*. 2020;20:1105-1111.
- 12) Nomura K, Eto M, Ogawa S, Kojima T, Iijima K, Nakamura T, Araki A, Ouchi Y, Akishita M. Association between low muscle mass and metabolic syndrome in elderly Japanese women. *PLoS One*. 2020;15:e0243242.
- 13) Japan Geriatrics Society Subcommittee on End-of-Life Issues and New Coronavirus Countermeasure Team, Kuzuya M, Aita K, Katayama Y, Katsuya T, Nishikawa M, Hirahara S, Miura H, Yanagawa M, Arai H, Iijima K, Okochi J, Kozaki K, Yamaguchi Y, Rakugi H, Akishita M. The Japan Geriatrics Society consensus statement "recommendations for older persons to

- receive the best medical and long-term care during the COVID-19 outbreak-considering the timing of advance care planning implementation". *Geriatr Gerontol Int.* 2020;20:1112-1119.
- 14) Japan Geriatrics Society Subcommittee on End-of-Life Issues, Kuzuya M, Aita K, Katayama Y, Katsuya T, Nishikawa M, Hirahara S, Miura H, Rakugi H, Akishita M. Japan Geriatrics Society "Recommendations for the Promotion of Advance Care Planning": End-of-Life Issues Subcommittee consensus statement. *Geriatr Gerontol Int.* 2020;20:1024-1028.
- 15) Okumura K, Akao M, Yoshida T, Kawata M, Okazaki O, Akashi S, Eshima K, Tanizawa K, Fukuzawa M, Hayashi T, Akishita M, Lip GYH, Yamashita T; ELDERCARE-AF Committees and Investigators. Low-Dose Edoxaban in Very Elderly Patients with Atrial Fibrillation. *N Engl J Med.* 2020;383:1735-1745.
- 16) ○Hattori Y, Abe T, Kojima T, Hamada S, Ogawa S, Ura N, Akishita M. Potential prescribing omissions may have no influence on cause of death in care-dependent older adults with percutaneous endoscopic gastrostomy tube. *Geriatr Gerontol Int.* 2020;20:961-966.
- 17) Umeda-Kameyama Y, Kameyama M, Kojima T, Ishii M, Kidana K, Yakabe M, Ishii S, Urano T, Ogawa S, Akishita M. Cognitive function has a stronger correlation with perceived age than with chronological age. *Geriatr Gerontol Int.* 2020;20:779-784.
- 18) Wada-Isoe K, Kikuchi T, Umeda-Kameyama Y, Mori T, Akishita M, Nakamura Y. Validation of the Neuropsychiatric Inventory Based on Item Response Theory. *J Alzheimers Dis Rep.* 2020;4:151-159.
- 19) ○Hosoi T, Yamana H, Tamiya H, Matsui H, Fushimi K, Akishita M, Yasunaga H, Ogawa S. Association between comprehensive geriatric assessment and short-term outcomes among older adult patients with stroke: A nationwide retrospective cohort study using propensity score and instrumental variable methods. *EClinicalMedicine.* 2020;23:100411.
- 20) Suthuvoravut U, Takahashi K, Murayama H, Tanaka T, Akishita M, Iijima K. Association between Traditional Japanese Diet Washoku and Sarcopenia in Community-Dwelling Older Adults: Findings from the Kashiwa Study. *J Nutr Health Aging.* 2020;24:282-289.
- 21) ○Ishizaki T, Mitsutake S, Hamada S, Teramoto C, Shimizu S, Akishita M, Ito H. Drug prescription patterns and factors associated with polypharmacy in >1 million older adults in Tokyo. *Geriatr Gerontol Int.* 2020;20:304-311.
- 22) ○Hamada S, Kojima T, Maruoka H, Ishii S, Hattori Y, Okochi J, Akishita M. Utilization of drugs for the management of cardiovascular diseases at intermediate care facilities for older adults in Japan. *Arch Gerontol Geriatr.* 2020;88:104016.
- 23) ○Hashimoto R, Fujii K, Shimoji S, Utsumi A, Hosokawa K, Tochino H, Sanehisa S, Akishita M, Onda M. Study of pharmacist intervention in polypharmacy among older patients: Non-randomized, controlled trial. *Geriatr Gerontol Int.* 2020;20:229-237.
- 24) ○Kojima T, Matsui T, Suzuki Y, Takeya Y, Tomita N, Kozaki K, Kuzuya M, Rakugi H, Arai H, Akishita M. Risk factors for adverse drug reactions in older inpatients of geriatric wards at admission: Multicenter study. *Geriatr Gerontol Int.* 2020;20:144-149.
- 春名 めぐみ
- 1) ugawara C, Yamana H, Sasagawa E, et al. Factors Associated with Surgical Treatment in Postpartum Women with Mastitis or Breast Abscess: A Retrospective Cohort Study. *Breastfeed Med.* 2022;17(3):233-238. doi:10.1089/bfm.2021.0244
- 2) Murakami M, Yonezawa K, Shimizu S, Haruna M, Sasagawa E, Usui Y. Newborn-

- oriented and environmental factors for newborns' skin barrier functions. *Jpn J Nurs Sci.* 2022;19(2):e12457. doi:10.1111/jjns.12457
- 3) Shiraishi M, Matsuzaki M, Tsunematsu R, Watanabe S, Kobayashi R, Haruna M. Effects of Individual Dietary Intervention on Nutrient Intake in Postpartum Japanese Women: A Randomized Controlled Trial. *Nutrients.* 2021;13(9):3272. Published 2021 Sep 19. doi:10.3390/nu13093272
 - 4) Hikita N, Batsaikhan E, Sasaki S, Haruna M, Yura A, Oidovsuren O. Factors Related to Lacking Knowledge on the Recommended Daily Salt Intake among Medical Professionals in Mongolia: A Cross-Sectional Study. *Int J Environ Res Public Health.* 2021;18(8):3850. Published 2021 Apr 7. doi:10.3390/ijerph18083850
 - 5) Shimizu S, Yonezawa K, Haruna M, et al. Relationship between the skin barrier function of 2-week-old infants after bathing and facial skin problems during the first 6 weeks of life: A prospective observational cohort study [published online ahead of print, 2021 Feb 28]. *Jpn J Nurs Sci.* 2021;e12408. doi:10.1111/jjns.12408
 - 6) 中西愛海, 春名めぐみ, 米澤かおり, 笹川恵美, 疋田直子(2021). 乳児の皮膚トラブルの評価項目に関する文献レビュー. *日本助産学会誌* 35(1):3-10.
 - 7) 春名めぐみ他, 我部山 キヨ子 / 武谷 雄二編. 妊婦への支援. 助産学講座 6 助産診断・技術学Ⅱ[1] 妊娠期 (第5版), 2021年2月, 医学書院.
- 市橋 香代
- 1) Ichihashi K, Hashimoto N, Yamada H, Ohi K, Yasui-Furukori N, Fukumoto K, Tsuboi T, Usami M, Furihata R, Takaesu Y, Hishimoto A, Muraoka H, Katsumoto E, Nagasawa T, Ochi S, Komatsu H, Kikuchi S, Takeshima M, Onitsuka T, Tamai S, Kubota C, Inada K, Watanabe K, Kawasaki H, Hashimoto R. Satisfaction with web-based courses on clinical practice guidelines for psychiatrists: Findings from the "Effectiveness of Guidelines for Dissemination and Education in Psychiatric Treatment (EGUIDE)" project. *Neuropsychopharmacol Rep.* 2023 Mar;43(1):23-32. doi: 10.1002/npr2.12300. Epub 2022 Nov 28. PMID: 36444167; PMCID: PMC10009432.
 - 2) Kageyana M, Koide K, Saita R, Iwasaki-Motegi R, Ichihashi K, Nemoto K, Sakae S, Yokoyama K. A randomized controlled study of an e-learning program (YURAIKU-PRO) for public health nurses to support parents with severe and persistent mental illness and their family members. *BMC Nursing.* 2022 Dec 5;21(1):342. doi: 10.1186/s12912-022-01129-0. PMID: 36471361
 - 3) Kyou Y, Yasui-Furukori N, Hasegawa N, Ide K, Ichihashi K, Hashimoto N, Hori H, Shimizu Y, Imamura Y, Muraoka H, Iida H, Ohi K, Yasuda Y, Ogasawara K, Numata S, Iga JI, Tsuboi T, Ochi S, Kodaka F, Furihata R, Onitsuka T, Makinodan M, Komatsu H, Takeshima M, Kubota C, Hishimoto A, Atake K, Yamagata H, Kido M, Nagasawa T, Usami M, Kishimoto T, Kikuchi S, Matsumoto J, Miura K, Yamada H, Watanabe K, Inada K, Hahimoto R. The characteristics of discharge prescriptions including pro re nata psychotropic medications for patients with schizophrenia and major depressive disorder from the survey of the "Effectiveness of guidelines for dissemination and education in psychiatric treatment (EGUIDE)" project. *Ann Gen Psychiatry.* 2022 Dec 26;21(1):52. doi: 10.1186/s12991-022-00429-8. PMID: 36567327; PMCID: PMC9791735.
 - 4) Kirihara K, Fujioka M, Suga M, Kondo S, Ichihashi K, Koshiyama D, Morita K, Ikegame T, Tada M, Araki T, Jinde S, Taniguchi K, Hosokawa T, Sugishita K, Dogan S, Marumo K, Itokawa M, Kasai K. Betaine supplementation improves positive symptoms in schizophrenia. *Schizophr Res.* 2022 Dec;250: 120-122. doi:

- 10.1016/j.schres.2022.11.009. Epub 2022 Nov 16. PMID: 36401992.
- 5) Okada T, Hori H, Hasegawa N, Murata A, Kyou Y, Kodaka F, Iida H, Ochi S, Takaesu Y, Tsuboi T, Iga JI, Ichihashi K, Muraoka H, Furihata R, Yasui-Furukori N, Usami M, Onitsuka T, Ogasawara K, Tagata H, Takeshima M, Ohi K, Numata S, Hashimoto N, Yamada H, Makinodan M, Komatsu H, Hishimoto A, Yamagata H, Kido M, Kubota C, Atake K, Yamada H, Nagasawa T, Matsumoto J, Miura K, Inada K, Watanabe K, Suda S, Hashimoto R. Second-Generation Antipsychotic Monotherapy Contributes to the Discontinuation of Anticholinergic Drugs in Hospitalized Patients With Schizophrenia. *J Clin Psychopharmacol.* 2022 Nov-Dec 01;42(6):591-593. doi: 10.1097/JCP.0000000000001604. Epub 2022 Oct 3. PMID: 36193896.
- 6) Fukumoto K, Kodaka F, Hasegawa N, Muraoka H, Hori H, Ichihashi K, Yasuda Y, Iida H, Ohi K, Ochi S, Ide K, Hashimoto N, Usami M, Nakamura T, Komatsu H, Okada T, Nagasawa T, Furihata R, Atake K, Kido M, Kikuchi S, Yamagata H, Kishimoto T, Makinodan M, Horai T, Takeshima M, Kubota C, Asami T, Katsumoto E, Hishimoto A, Onitsuka T, Matsumoto J, Miura K, Yamada H, Yasui-Furukori N, Watanabe K, Inada K, Otsuka K, Hashimoto R. Development of an individual fitness score (IFS) based on the depression treatment guidelines of in the Japanese Society of Mood Disorders. *Neuropsychopharmacol Rep.* 2022 Nov 16. doi: 10.1002/npr2.12301. Epub ahead of print. PMID: 36394160.
- 7) Tsuboi T, Takaesu Y, Hasegawa N, Ochi S, Fukumoto K, Ohi K, Muraoka H, Okada T, Kodaka F, Igarashi S, Iida H, Kashiwagi H, Hori H, Ichihashi K, Ogasawara K, Hashimoto N, Iga JI, Nakamura T, Usami M, Nagasawa T, Kido M, Komatsu H, Yamagata H, Atake K, Furihata R, Kikuchi S, Horai T, Takeshima M, Hirano Y, Makinodan M, Matsumoto J, Miura K, Hishimoto A, Numata S, Yamada H, Yasui-Furukori N, Inada K, Watanabe K, Hashimoto R. Effects of electroconvulsive therapy on the use of anxiolytics and sleep medications: a propensity score-matched analysis. *Psychiatry Clin Neurosci.* 2022 Oct 10. doi: 10.1111/pcn.13489. Epub ahead of print. PMID: 36215112.
- 8) Iida H, Iga J, Hasegawa N, Yasuda Y, Yamamoto T, Miura K, Matsumoto J, Murata A, Ogasawara K, Yamada H, Hori H, Ichihashi K, Hashimoto N, Ohi K, Yasui-Furukori N, Tsuboi T, Nakamura T, Usami M, Furihata R, Takaesu Y, Iwamoto K, Sugiyama N, Kishimoto T, Tsujino N, Yamada H, Hishimoto A, Nemoto K, Atake K, Muraoka H, Katsumoto E, Oishi S, Inagaki T, Ito F, Imamura Y, Kido M, Nagasawa T, Numata S, Ochi S, Iwata M, Yamamori H, Fujita J, Onitsuka T, Yamamura S, Makinodan M, Fujimoto M, Takayanagi Y, Takezawa K, Komatsu H, Fukumoto K, Tamai S, Yamagata H, Kubota C, Horai T, Inada K, Watanabe K, Kawasaki H, Hashimoto R. Unmet needs of patients with major depressive disorder - Findings from the 'Effectiveness of Guidelines for Dissemination and Education in Psychiatric Treatment (EGUIDE)' project: A nationwide dissemination, education, and evaluation study. *Psychiatry Clin Neurosci.* 2020 Dec;74(12):667-669. doi: 10.1111/pcn.13143. Epub 2020 Oct 9. PMID: 32881226; PMCID: PMC7756454.
- 9) Ichihashi K, Hori H, Hasegawa N, Yasuda Y, Yamamoto T, Tsuboi T, Iwamoto K, Kishimoto T, Horai T, Yamada H, Sugiyama N, Nakamura T, Tsujino N, Nemoto K, Oishi S, Usami M, Katsumoto E, Yamamori H, Tomita H, Suwa T, Furihata R, Inagaki T, Fujita J, Onitsuka T, Miura K, Matsumoto J, Ohi K, Matsui Y, Takaesu Y, Hashimoto N, Iga J, Ogasawara K, Yamada H, Watanabe K, Inada K, Hashimoto R. Prescription patterns

- in patients with schizophrenia in Japan: First-quality indicator data from the survey of "Effectiveness of Guidelines for Dissemination and Education in psychiatric treatment (EGUIDE)" project. *Neuropsychopharmacol Rep.* 2020 Sep;40(3):281-286. doi: 10.1002/npr2.12122. Epub 2020 Jun 30. PMID: 32602667; PMCID: PMC7722678.
- 10) Hori H, Yasui-Furukori N, Hasegawa N, Iga JI, Ochi S, Ichihashi K, Furihata R, Kyo Y, Takaesu Y, Tsuboi T, Kodaka F, Onitsuka T, Okada T, Murata A, Kashiwagi H, Iida H, Hashimoto N, Ohi K, Yamada H, Ogasawara K, Yasuda Y, Muraoka H, Usami M, Numata S, Takeshima M, Yamagata H, Nagasawa T, Tagata H, Makinodan M, Kido M, Katsumoto E, Komatsu H, Matsumoto J, Kubota C, Miura K, Hishimoto A, Watanabe K, Inada K, Kawasaki H, Hashimoto R. Prescription of Anticholinergic Drugs in Patients With Schizophrenia: Analysis of Antipsychotic Prescription Patterns and Hospital Characteristics. *Front Psychiatry.* 2022 May 17;13:823826. doi: 10.3389/fpsy.2022.823826. PMID: 35656353; PMCID: PMC9152135.
- 11) Furihata R, Otsuki R, Hasegawa N, Tsuboi T, Numata S, Yasui-Furukori N, Kashiwagi H, Hori H, Ochi S, Muraoka H, Onitsuka T, Komatsu H, Takeshima M, Hishimoto A, Nagasawa T, Takaesu Y, Nakamura T, Asami T, Miura K, Matsumoto J, Ohi K, Yasuda Y, Iida H, Ogasawara K, Hashimoto N, Ichihashi K, Yamada H, Watanabe K, Inada K, Hashimoto R. Hypnotic medication use among inpatients with schizophrenia and major depressive disorder: results of a nationwide study. *Sleep Med.* 2022;89:23-30.
- 12) Ogasawara K, Numata S, Hasegawa N, Nakataki M, Makinodan M, Ohi K, Takeshima M, Tsuboi T, Hashimoto N, Onitsuka T, Muraoka H, Hori H, Ichihashi K, Inagaki T, Yasui-Furukori N, Hishimoto A, Sugiyama N, Fukumoto K, Nagasawa T, Matsumoto J, Takaesu Y, Furihata R, Nemoto K, Nakamura T, Usami M, Miura K, Fujimoto M, Tagata H, Yamada H, Komatsu H, Ochi S, Atake K, Katsumoto E, Kido M, Kishimoto T, Suwa T, Yamamura S, Iga JI, Iida H, Inada K, Watanabe K, Hashimoto R. Subjective assessment of participants in education programs on clinical practice guidelines in the field of psychiatry. *Neuropsychopharmacol Rep.* 2022.
- 13) Onitsuka T, Hirano Y, Nakazawa T, Ichihashi K, Miura K, Inada K, Mitoma R, Yasui-Furukori N, Hashimoto R. Toward recovery in schizophrenia: Current concepts, findings, and future research directions. *Psychiatry Clin Neurosci.* 2022.
- 14) Ichihashi K, Kyou Y, Hasegawa N, Yasui-Furukori N, Shimizu Y, Hori H, Hashimoto N, Ide K, Imamura Y, Yamada H, Ochi S, Iga JI, Takaesu Y, Ohi K, Tsuboi T, Iida H, Yamagata H, Hishimoto A, Horai T, Usami M, Makinodan M, Nagasawa T, Komatsu H, Kido M, Muraoka H, Atake K, Takeshima M, Kubota C, Inagaki T, Tamai S, Kishimoto T, Furihata R, Matsumoto J, Miura K, Inada K, Watanabe K, Kasai K, Hashimoto R. The characteristics of patients receiving psychotropic pro re nata medication at discharge for the treatment of schizophrenia and major depressive disorder: A nationwide survey from the EGUIDE project. *Asian J Psychiatr.* 2022;69:103007.
- 15) Hashimoto N, Yasui-Furukori N, Hasegawa N, Ishikawa S, Numata S, Hori H, Iida H, Ichihashi K, Furihata R, Murata A, Tsuboi T, Takeshima M, Kyou Y, Komatsu H, Kubota C, Ochi S, Takaesu Y, Usami M, Nagasawa T, Hishimoto A, Miura K, Matsumoto J, Ohi K, Yamada H, Inada K, Watanabe K, Shimoda K, Hashimoto R. Characteristics of discharge prescriptions for patients with schizophrenia or major depressive disorder: Real-world evidence from the Effectiveness of Guidelines for Dissemination and Education (EGUIDE) psychiatric treatment

- project. Asian Journal of Psychiatry. 2021;63:102744
- 16) Yagi Y, Takahashi Y, Ogata Y, Yamana H, Kumakura Y, Ichihashi K, Kasai K, Kondo S. Oral corticosteroid dosage and clinical presentation of psychiatric conditions after steroid use: A consultation-liaison psychiatry service's experience. Neuropsychopharmacol Rep. 2021;41:471-475.
- 17) Ichihashi, et al. Prescription patterns in patients with schizophrenia in Japan: First-quality indicator data from the survey of "Effectiveness of Guidelines for Dissemination and Education in psychiatric treatment (EGUIDE)" project. Neuropsychopharmacol Rep. 2020 Sep;40(3):281-286. doi: 10.1002/npr2.12122.
- 18) 96. Ichihashi, et al. The characteristics of patients receiving psychotropic pro re nata medication at discharge for the treatment of schizophrenia and major depressive disorder: A nationwide survey from the EGUIDE project. Asian J Psychiatr. 2022 Mar;69:103007. doi: 10.1016/j.ajp.2022.103007.
- 19) 市橋香代. ナラティブのまなざしが医療実践の文化にもたらすもの. N:ナラティブとケア 14; 29-34. 2023/1
- 20) 市橋香代. 頓服薬についての意思決定で考慮すべきこと. 臨床精神薬理 25(11);1249-1254. 2022/11.
- 21) 橋本亮太、市橋香代. 家族・当事者も一緒に作った統合失調症薬物治療ガイドライン 2022. 月刊みんなねっと. 2022年9月号, 6-9.
- 22) 市橋香代. 【小学校 5,6 年生～中学生の診療を依頼されたときに】 10 代の子どもが経験する精神や行動上の困難について. 精神科 40(6);841-846. 2022/6.
- 23) 市橋香代. 【マイナーエマージェンシー外来診療・一人当直に強くなる!いざというときの対処法】 精神・神経科的 minor emergency せん妄. Medical Practice 39 巻臨増;189-191.2022/4.
- 24) 稲垣中, 佐藤英樹, 稲田健, 市橋香代, 中川敦夫, 古郡規雄, 橋本亮太, 日本神経精神薬理学会統合失調症薬物治療ガイドライン改訂版作成タスクフォースブラッシュアップチーム. わが国で実施された臨床試験と使用成績調査の結果から見た抗精神病薬による統合失調症薬物治療の安全性. 臨床精神薬理 24;1153-1169.2021.
- 25) 稲垣中、佐藤英樹、稲田健、市橋香代、中川敦夫、古郡規雄、橋本亮太. 我が国で実施された臨床試験と使用成績調査の結果から見た抗精神病薬による統合失調症薬物治療の安全性. 臨床精神薬理. 24(11);1249-1254. (2021.11)
- 26) 市橋香代, 橋本亮太. 【向精神薬の出口戦略】 当事者・家族・支援者と作り上げる出口戦略. 臨床精神薬理. 24:911-918.2021/9.
- 27) 松原 丈二, 増田 康隆, 小畑 聡美, 青木 智乃紳, 熊倉 陽介, 山名 隼人, 市橋 香代, 近藤 伸介, 笠井 清登. 東京大学医学部附属病院において救急搬送後に精神科医が診察を行った患者の特徴 精神科急性期医師配置加算新設に伴って明らかになった救急診察の実態報告. 自殺予防と危機介入 41(1). 32-38. 2021/3.
- 28) 市橋 香代, 相沢 隆司, 山田 悠平. 【わが国の clozapine のモニタリングにおける残された課題】 クロザピン治療はどのように我が国の統合失調症を持つ当事者・家族に届いているのか. 臨床精神薬理 24(3) 287-293. 2021/03.
- 29) 市橋 香代, 萩原 瑞希. 【脳と心臓 心と心臓】 循環器疾患とメンタルヘルス. 心臓 53(1) 5-29. 2021/1.
- 30) 市橋香代. ナラティブ・アプローチ In 日本ブリーフサイコセラピー学会編 ブリーフセラピー入門. 2020.11.25. 遠見書房.
- 31) 市橋 香代, 堀 輝, 長谷川 尚美, 安田 由華, 山本 智也, 渡邊 衡一郎, 稲田 健, 橋本亮太. 日本における統合失調症入院患者の処方調査 EGUIDE プロジェクト初年度介入前の調査より. 日本神経精神薬理学会年会・日本生物学的精神医学会年

会・日本精神薬学会総会・学術集会合同
年会プログラム・抄録集 50 回・42 回・4
回 193. (2020.8)

- 32) 市橋 香代. 【精神科医に求められること・できること・すべきこと-周辺職種との棲み分け-】 学校での問題行動・不登校精神科医にできること、すべきこと. 精神科治療学 35(8). 839-844. (2020.8)

菊池 昭彦

- 1) Haga M, Kanai M, Ishiguro A, Nishimura E, Minamitani Y, Iwatani A, Nishiguchi R, Miyahara N, Oka S, Sasaki A, Motojima Y, Saito K, Itoh K, Era S, Yabe S, Kikuchi A, Fuji M, Matsumoto M, Namba F, Sobajima H, Tamura M, Kabe K: Changes in in-hospital survival and long-term neurodevelopmental outcomes of extremely preterm infants: A retrospective study of a Japanese tertiary center. *J Pediatr.* 2023 Apr;255:166-174.e4. doi: 10.1016/j.jpeds.2022.
- 2) Ishii K, Horikoshi T, Kanai M, Ishiguro A, Iwamoto Y, Ishido H, Kikuchi A, Masutani S: Transient Recovery of Complete Atrioventricular Block Due to Maternal Anti-SS-A Antibody Through Antenatal Steroid Administration After 27 Weeks of Gestation. *Cureus.* 2023 Mar 15;15(3):e36203. doi: 10.7759/cureus.36203.
- 3) Nakamura E, Matsunaga S, Kikuchi A, Takai Y: Comparative retrospective study on the validity of point of care testing device for massive obstetric hemorrhage: dry-hematology vs thromboelastography, *Am J Obstet Gynecol MFM* 5:100778, 2023.
- 4) Samejima K, Takai Y, Matsunaga S, Nagai T, Kikuchi A: The safety and effectiveness of elective laparoscopic surgery for benign ovarian cysts during pregnancy – Comparison with emergency surgery. *J Obstet Gynaecol Res* 48:2603-2609, 2022.
- 5) Maeda T, Shioyama A, Tairabune T, Takeda R, Sanbe A, Kikuchi A, Kudo K, Chiba T: Physiologic changes in serotonin

concentrations in breast milk during lactation. *Nutrition* 79-80:110969, 2020 Nov-Dec;79-80:110969. doi: 10.1016/j.nut.2020.110969.

- 6) Kanasugi T, Sasaki Y, Haba G, Oyama R, Kikuchi A: Successive monochorionic twin pregnancies after assisted reproductive technology complicated by repeated twin reversed arterial perfusion sequence. *Congenital Anomalies* 60; 89-90, 2020 May;60(3):89-90. doi: 10.1111/cga.12349..
- 7) 齋藤隼、鮫島浩輝、佐藤翔、魚谷隆弘、松永茂剛、長井智則、齋藤正博、菊池昭彦、高井泰：卵巣成熟奇形腫破裂により、化学性腹膜炎・術後腹腔内膿瘍を発生し、治療に難渋した 1 例、埼玉産科婦人科学会雑誌、52:73-78, 2022
- 8) 清水元治、黒瀬喜子、高橋葉子、宮澤祐樹、沢田圭佑、江良澄子、赤堀太一、矢部慎一郎、小野義久、松永茂剛、長井智則、齋藤正博、菊池昭彦、田丸淳一、高井泰：妊娠中に転移性卵巣腫瘍の診断に至った直腸癌既往妊娠の 1 例、埼玉産科婦人科学会雑誌、52:23-28, 2022
- 9) 宮下大輔、赤堀太一、黒瀬喜子、魚谷隆弘、松永茂剛、長井智則、齋藤正博、菊池昭彦、高井泰：帝王切開癒痕部妊娠の中絶手術後に発生した子宮動静脈奇形に対し子宮摘出に至った 1 例、埼玉産科婦人科学会雑誌、52:100-105, 2022

対馬 ルリ子

- 1) Yutaka Osuga, Kazuhiro Shirasu, Ruriko Tsushima, Ken Ishitani, Short-term efficacy and safety of early medical abortion in Japan: A multicenter prospective study. *Reproductive Medicine and Biology.* Volume22, Issue1. 2023
- 2) 対馬ルリ子. 男女の更年期障害とその予防や対策. 人事院月報. 882;2-7. 2023.
- 3) 対馬ルリ子. 「人生 100 年時代」生涯健康は健診と相談の習慣から ～女性が輝くための特性を生かした健康習慣～. 総合診療. 50(2);48-57. 2023.
- 4) 対馬ルリ子. 経口妊娠中絶薬の治験について. 東京思春期保健研究会 News

- Letter. 156(3) 2022
- 5) 対馬ルリ子. 妊娠・出産・育児期に特有の健康課題. 産業保健と看護. 14(1);31-35.2022/1/10.
 - 6) 対馬ルリ子. わが国の中絶・避妊の現状と課題. 医学のあゆみ. 281(7);739-742. 2022.
 - 7) 対馬ルリ子. ガールスカウト日本連盟「ジェンダー」に関する女性高校生調査報告より. 東京思春期保健研究会 News Letter. 157(4).2022.
 - 8) 対馬ルリ子. 女性のウェルネスからみるフェムテックの活用. 産婦人科の実際. 71(13);15-21. 2022.
 - 9) 対馬ルリ子. 女性のライフステージとホルモンの変化. Rp+. 21(1);38-45.2022/1/5.
 - 10) 対馬ルリ子. 女性とスポーツ医学. 東京産婦人科医会会誌 第316号 159(2).2021/10
 - 11) 対馬ルリ子. 産婦人科医が考える女性の理想体型 -女性のやせの問題(女子ホルモンと栄養) -. 日本アンチエイジング歯科学会誌.14;18-23.2021/12
 - 12) Ono Y, Takeuchi T, Tsushima R, Nakamura Y, Hashizume M, Factors related to aggravation of menopausal disorders - Focusing on somatosensory amplification -. Journal of Japanese Society of Psychosomatic Obstetrics and Gynecology. 2021;25(3) 175-182. doi: 10.18977/jspog.25.3_175.
 - 13) 対馬ルリ子. 更年期障害, 総合診療.31(3);334-336.2021/3/15. 医学書院
 - 14) 対馬ルリ子. PMS (月経前症候群)、PMDD (月経前気分不快症候群) は当然のことではなく深刻な病気 ためらわずに健診を受けにきて. Health&Joy, 3月号;18-19.2020/3.
- 鈴木 眞理
- 1) 鈴木眞理. やせ願望と神経性やせ症. 体育の科学 72(9). 608-612. (2022.9)
 - 2) 鈴木眞理. 神経性やせ症 学校での適切な支援をめざして. よぼう医学 (公益財団法人東京都予防医学協会) 547. 6-9(2023.1)
 - 3) 鈴木眞理. やせ (過激なダイエット・偏食含む). 四訂栄養教諭論 第2版一理論と実際.159-162.2022
 - 4) 鈴木眞理. 摂食障害. 心療内科学—診断から治療まで—.236-239.2022.
 - 5) 鈴木眞理. 摂食障害など栄養障害のある若年者の治療は?もう悩まない! 骨粗鬆症診療 あなたの疑問にお答えします. 129-136.2022.
 - 6) 鈴木眞理. 自律訓練法. 臨床心理学中事典.220-221.2022
 - 7) 鈴木眞理/加太脇隆・下村伊一朗編集. 神経性やせ症. 最新ガイドラインに基づく代謝・内分泌疾患 診療指針. 240-246.2021/9/25
 - 8) 鈴木(堀田)眞理/松下正明監修・神庭重信編集主幹・久住一郎編集. 行動症または摂食症群の治療 身体医学的管理と治療 (身体治療). 食行動症または摂食症群 精神疾患の臨床. 380-390.2021/7/30.
 - 9) 小原千郷, 菅原彩子, 西園マーハ文, 鈴木(堀田)眞理. オンライン上で行う摂食障害の啓発活動の試みとその課題—当事者の発表動機と発表の影響に着目して—人間科学研究 (文教大学人間科学部) 42; 71-80. 2021.
 - 10) 鈴木眞理. 一般社団法人日本摂食障害協会の活動. 臨床栄養 139(5);657-662. 2021/10
 - 11) 鈴木(堀田)眞理. 日本女性のやせと健康問題. 健康医学 (一般財団法人健康医学協会) 51; 34-36 .2021/4/22
- 平池 修
- 1) Working conditions contribute to fertility-related quality of life: a cross-sectional study in Japan. Maeda E, Hiraike O, Sugimori H, Kinoshita A, Hirao M, Nomura K, Osuga Y. Reprod Biomed Online. 2022 Dec;45(6):1285-1295
 - 2) Evaluation of atherosclerosis-related biomarkers during perimenopause: A prospective cohort study in women with endometriosis. Uehara M, Hiraike O, Hirano

- M, Harada M, Koga K, Yoshimura N, Tanaka S, Osuga Y. *J Obstet Gynaecol Res.* 2022 Dec;48(12):3160-3170.
- 3) A nationwide survey of the use of the laparoscopic power morcellator. Hiraie O, Koga K, Taniguchi F, Harada T, Takeshita T, Shiota M, Osuga Y; Laparoscopic power morcellator Research Committee in Japan Society of Gynecologic and Obstetric Endoscopy and Minimally Invasive Therapy (JSGOE). *J Obstet Gynaecol Res.* 2022 Nov 7. doi: 10.1111/jog.15492
 - 4) Elevated phosphorylation of estrogen receptor α at serine-118 in ovarian endometrioma. Sun H, Hirata T, Koga K, Arakawa T, Nagashima N, Neriishi K, Elsherbini M, Maki E, Izumi G, Harada M, Hirota Y, Wada-Hiraie O, Osuga Y. *F S Sci.* 2022 Nov;3(4):401-409.
 - 5) Impact of Chronic Exposure to Endometriosis on Perinatal Outcomes: Establishment of a Mouse Model. Elsherbini M, Koga K, Maki E, Kumasawa K, Satake E, Taguchi A, Makabe T, Takeuchi A, Izumi G, Takamura M, Harada M, Hirata T, Hirota Y, Wada-Hiraie O, Osuga Y. *Biomedicines.* 2022 Oct 19;10(10):2627.
 - 6) Relationship between somatic symptoms with menstruation and intention to leave work among university hospital nurses in Japan: a cross-sectional study. Ota Y, Nomura K, Hirayama J, Maeda E, Komatsu J, Nakamura M, Yamada R, Ishikawa H, Kobayashi T, Shirakawa H, Aisaka K, Ono M, Hiraie H, Hiraie O, Okinaga H. *Int Arch Occup Environ Health.* 2022 Aug 1. doi: 10.1007/s00420-022-01905-0.
 - 7) Long-term conservative management of symptomatic bladder endometriosis: A case series of 17 patients. Nagashima N, Hirata T, Arakawa T, Neriishi K, Sun H, Harada M, Hirota Y, Koga K, Wada-Hiraie O, Osuga Y. *Taiwan J Obstet Gynecol.* 2022 Jul;61(4):606-611.
 - 8) Relationship between bone mineral density and ovarian function and thyroid function in perimenopausal women with endometriosis: a prospective study. Uehara M, Wada-Hiraie O, Hirano M, Koga K, Yoshimura N, Tanaka S, Osuga Y. *BMC Womens Health.* 2022 Apr 27;22(1):134.
- 若尾 文彦
- 1) Saito Y, Shimoi T, Iwata S, Maejima A, Abe K, Udagawa R, Yonemori K, Furukawa T, Wakao F. Impact of relative dose intensity of trabectedin with pegfilgrastim support: a single-centre retrospective study. *Journal of Chemotherapy.* 2023 Jan 12;1-8. doi: 10.1080/1120009X.2022.2164116.
 - 2) Sezai I, Taniguchi C, Yoshimi I, Hirano T, Wakao F. How Self-Efficacy toward, Perceived Importance of, and Beliefs about Smoking Cessation Support Impact-Related Behaviors in Japanese Nursing Professionals. *International Journal of Environmental Research and Public Health.* 2022 Feb 17;19(4):2304. doi: 10.3390/ijerph19042304
 - 3) Taniguchi C, Sezai I, Yoshimi I, Hirano T, Wakao F. Effectiveness of a smoking cessation educational program for Japanese nurses on subsequent changes of behavior in delivering smoking cessation counseling. *Tobacco Induced Diseases.* 2022 Feb 17;19(4):2304. doi: 10.3390/ijerph19042304.
 - 4) Ln J, Nakamura Y, Mikami H, Kusakabe M, Saruki N, Wakao F, Nagase H. Matters of data openness and KapWeb, a web tool of multi - cancer survival analysis for cancer survivors. *Cancer Science.* 2021 May;112(5):2060-2062. doi: 10.1111/cas.14788.
 - 5) Yamaki C, Takayama T, Hayakawa M, Wakao F. Users' evaluation of Japan's cancer information services: process, outcomes, satisfaction and independence. *BMJ Open Quality.* 2021 Dec;10(4):e001635. doi: 10.1136/bmjopen-2021-001635.
 - 6) Takayama T, Yamaki C, Hayakawa M, Higashi T, Toh Y, Wakao F. Development of a New Tool for Better Social Recognition of

- Cancer Information and Support Activities Under the National Cancer Control Policy in Japan. *Journal of Public Health Management and Practice*. 2021 Mar-Apr;27(2):E87-E99. doi: 10.1097/PHH.0000000000001155.
- 7) Toh Y, Inoue Y, Hayakawa, M, Yamaki C, Takeuchi, H, Ohira M, Matsubara H, Doki Y, Wakao, F, Takayama T. Creation and provision of a question and answer resource for esophageal cancer based on medical professionals' reports of patients' and families' views and preferences. *Esophagus*. 2021 Oct;18(4):872-879. doi: 10.1007/s10388-021-00857-7.
- 8) 若尾文彦. がん医療に関する情報の信頼性. *日本信頼性学会誌*.44(2):86-91.2022
- 9) 早川雅代、渡部乙女、下井辰徳、一家綱邦、高山智子、若尾文彦. 科学的根拠が不十分ながん免疫療法の情報収集から受療までの患者の気持ちと医師の悩みに関する質的調査. *日本ヘルスコミュニケーション学会雑誌*.13(1);40-51.2022
- 10) 力武諒子、渡邊ともね、山元遥子、市瀬雄一、新野真理子、松木明、太田将仁、坂根純奈、伊藤ゆり、東尚弘、若尾文彦. がん診療連携拠点病院等の指定要件関連の詳細に関する実態. *病院*.5;436-441.2022
- 11) 齋藤義正、高橋宏和、若尾文彦. がん対策推進基本計画に基づいたがん化学療法チーム研修の役割. *日本公衆衛生雑誌*.69(7);527-535.2022
- 12) 力武諒子、渡邊ともね、山元遥子、市瀬雄一、新野真理子、松木明、太田将仁、坂根純奈、伊藤ゆり、東尚弘、若尾文彦. がん診療連携拠点病院等の指定要件に関する調査. *厚生の指標*.69(6);15-21.2022
- 13) 谷水正人、青儀健二郎、下井辰徳、加藤雅志、若尾文彦、中釜 斉. 抗がん剤外来治療は採算せいが確保されていないー全国がんセンター協議会加盟 32 病院の外来通院治療と入院治療の粗利額比較分析ー日本医療マネジメント学会雑誌 22(4);183-188.2022.
- 14) 若尾文彦. がん診療連携拠点病院等と地域との連携について. *癌と化学療法*. 48(6);749-752.2021.
- 15) 助友裕子、東 尚弘、若尾文彦. 外部講師活用型がん教育の推進における 教育委員会担当者の困り事ーがん対策担当部署との連携に向けた ワークショップ参加者の記述ー. *日本健康教育学会誌* 29(2);162-172.2021.
- 2.学会発表
大須賀 穰
- 1) 本邦における POI に対する診療の実態調査 生殖医療を中心に. 丸山哲夫, 内田明花, 岩瀬明, 河村和弘, 榊原秀也, 高橋俊文, 寺田幸弘, 大須賀穰. 第 67 回日本生殖医学会学術講演会, 2022/11/3, 国内, 口頭.
- 2) 反復着床不全 子宮腺筋症合併不妊に対する治療指針の探求. 松尾光徳, 廣田泰, 藍川志津, 石沢千尋, 飯田麗, 平田知之, 賀来哲明, 福井大和, 赤枝俊, 平岡毅大, 大須賀穰. 第 67 回日本生殖医学会学術講演会, 2022/11/3, 国内, 口頭.
- 3) 着床期子宮におけるプロスタグランジンシグナルを介した胚生育巣形成機構. 藍川志津, 廣田泰, 有田誠, 磯部洋輔, 杉浦悠毅, 赤枝俊, 松尾光徳, 大須賀穰. 第 95 回日本生化学会大会, 2022/11/9, 国内, 口頭.
- 春名 めぐみ
- 1) 浅井 百合絵, 春名 めぐみ, 笹川 恵美, 米澤 かおり, 臼井 由利子, 橋本 耕一, 小林 浩一. 経会陰超音波と膣圧計を用いた産後 1 ヶ月までの骨盤底の形態と収縮力の検討. 第 95 回日本超音波医学会. 2022/5/20-22.
- 2) 春名めぐみ. 次世代に健康をつなぐ助産学からのアプローチ. 日本臨床栄養学会・協会第 20 回大連合大会, 岩手県, 2022/10/9
- 3) 春名めぐみ.次世代に健康をつなぐ助産師の役割.第 6 回日本産前産後ケア・子育て支援学会. 東京大学伊藤国際学術研究センター, 東京, 2023/3/25

- 4) Yonezawa K, Kido M, Haruna M, Sasagawa E, Usui Y. A global survey of patterns of complementary foods for infants. The 26th East Asian Forum of Nursing Scholars, The University of Tokyo, Tokyo. March 10-11, 2023.

市橋 香代

- 1) 市橋香代.統合失調症薬物治療ガイドライン 2022 の概説 Part1 総論：当事者や家族との共同作成のプロセス. 第 118 回日本精神神経学会学術総会, 2022/6/18
- 2) 市橋香代. 不確実性と未来：ナラティブセラピーの観点から. 日本ブリーフサイコセラピー学会第 32 回東京オンライン大会, 2022/9/11
- 3) 市橋香代. 診療ガイドラインとは：当事者家族が参加する意義. 第 17 回日本統合失調症学会オンライン大会, 2023/3/25

菊池 昭彦

- 1) Kikuchi A: “Application of new US technologies in OBGY outpatient clinic”. 14th Congress of the Asian Federation for Ultrasound in Medicine and Biology (AFSUMB 2021), Zhuhai, China, September, 2021

鈴木 眞理

- 1) 小原千郷, 西園マーハ文, 関口敦, 森野百合子, 菅原彩子, 鈴木眞理. 日本語版 Zarit 介護負担尺度短縮版の摂食障害への応用可能性の検討. 第 132 回日本心身医学会関東地方会 (Web 開催) 2022/2/5-6.

G. 知的所有権の取得状況

1. 特許取得
なし
2. 実用新案登録
なし
3. その他
なし

研究成果の刊行に関する一覧表レイアウト

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
鈴木（堀田） 眞理	自律訓練法	野島一彦監修	臨床心理学中事典	遠見書房	東京	2022年 12月	220-221
鈴木（堀田） 眞理	摂食障害など栄養障害のある若	竹内靖博編	もう悩まない！ 骨粗鬆	日本医事新報社	東京	2022年 8月12	129-136
鈴木眞理	摂食障害	中井吉英・久保千春編	心療内科学―診断から治療	朝倉書店	東京	2022年 7月1	236-239
鈴木眞理	やせ（過激なダイエット・偏食	金田雅代編	四訂栄養教諭論 第2版―		東京	2022	159-162
鈴木（堀田） 眞理/松下正	行動症または摂食症群の治療	・神庭重信編集主幹・	精神疾患の臨床		東京	2021	380-390
鈴木眞理	神経性やせ症最新ガイドライ	加太脇隆・下村伊一朗	診療指針		東京	2021	240-246
春名めぐみ 他	妊婦への支援	我部山キヨ子 / 武	助産学講座 6 助産診断・技	医学書院	東京	2021	218-292
市橋香代	精神療法のいろいろな学び方	藤山直樹ら	精神療法トレーニングガイド	日本評論社	東京	2020	147-158
市橋香代	ナラティブ・アプローチ	日本ブリーフセラピー学会	ブリーフセラピー入門	遠見書房	東京	2020	63-73
田中裕之	ビタミン欠乏症・過剰症・依存症	水口 雅/市橋 光/崎山弘/伊藤 秀一	今日の小児治療指針 第17版	医学書院	東京	2020年 12月	1010
田中裕之	ビタミンD欠乏性くる病	清水俊明	小児疾患診療のための病態生理 1 改訂第6版	東京医学社	東京	2020年 12月	1171
対馬ルリ子			「閉経」のホントがわかる本	集英社	東京	2020	
若尾文彦	我が国のがん対策とがん統計	一般社団法人 日本消化器外科学	消化器外科専門医の心得	日本消化器外科学会	東京都	2020	101-108

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nose-Ogura S, Yoshino O, Kamoto-Nakamura H, Kanatani M, Harada M, Hiraike O, Saito S, <u>Fujii T, Osuga Y</u>	Age and menstrual cycle may be important in establishing pregnancy in female athletes after retirement from competition.	Phys Sportsmed.		1-6	2023
Nose-Ogura S, Yoshino O, Nakamura-Kamoto H, Kanatani M, Harada M, Hiraike O, Saito S, <u>Fujii T, Osuga Y.</u>	Medical issues for female athletes returning to competition after childbirth.	Phys Sportsmed.		1-7	2023
Yano E, Iriyama T, Hanaoka S, Sayama S, Ichinose M, Toshimitsu M, Seyama T, Sone K, Kumasawa K, Nagamatsu T, Kobayashi K, <u>Fujii T, Osuga Y.</u>	Anatomical identification of ischial spines applicable to intrapartum transperineal ultrasound based on magnetic resonance imaging of pregnant women.	J Matern Fetal Neonatal Med.	35(25)	9736-9741	2022
Fukano M, Aisaka K, Nose-Ogura S, <u>Fujii T, Torii S.</u>	Progressive Changes in Lumbopelvic Alignment during the Three Month-Postpartum Recovery Period.	Int J Environ Res Public Health.	19(10)	5807	2022
Kasuya M, Akiba N, Iriyama T, Sayama S, Kubota K, Toshimitsu M, Seyama T, Sone K, Kumasawa K, Nagamatsu T, <u>Fujii T, Osuga Y.</u>	The impact of fetal growth restriction in diagnosing preeclampsia on the severity of maternal features.	J Obstet Gynaecol Res	48(4)	912-919	2022
Sayama S, Iriyama T, Nakayama T, Seyama T, Sone K, Kumasawa K, Nagamatsu T, Suzuki K, <u>Fujii T, Osuga Y.</u>	Prenatal diagnosis of pyriform sinus fistula using ultrasonography by detecting the communication to the pharynx.	Taiwan J Obstet Gynecol.	J61(2)	385-387	2022
Tamaru S, Jwa SC, Ono Y, Seki H, Matsui H, <u>Fujii T, Iriyama T, Doi K, Sameshima H, Naruse K, Kobayashi H, Yoshida R, Nishi H, Hirata Y, Fukushima K, Hirakawa T, Nakano Y, Asakawa Y, Tsunoda Y, Oda T, Nii S, Fujii T, Kinoshita K, Kamei Y.</u>	Feasibility of a mobile cardiotocogram device for fetal heart rate self-monitoring in low-risk singleton pregnant women.	J Obstet Gynaecol Res	48(2)	385-392	2022

Kanda R, Miyagawa Y, Wada-Hiraike O, Hiraike H, Nagasaka K, Ryo E, <u>Fujii T</u> , <u>Osuga Y</u> , Ayabe T.	Ulipristal acetate simultaneously provokes antiproliferative and proinflammatory responses in endometrial cancer cells.	Heliyon.	8(1)	E08696	2022
Mimura N, Nagamatsu T, Morita K, Taguchi A, Toya T, Kumasawa K, Iriyama T, Kawana K, Inoue N, <u>Fujii T</u> , <u>Osuga Y</u> .	Suppression of human trophoblast syncytialization by human cytomegalovirus infection.	Placenta.	117	200-208	2022
Matsui H, Iriyama T, Sayama S, Inaoka N, Suzuki K, Yoshikawa M, Ichinose M, Sone K, Kumasawa K, Nagamatsu T, Fujisawa T, Naguro I, Ichijo H, <u>Fujii T</u> , <u>Osuga Y</u> .	Elevated placental histone H3K4 methylation via upregulated histone methyltransferases SETD1A and SMYD3 in preeclampsia and its possible involvement in hypoxia-induced pathophysiological process.	Placenta.	115	60-69	2021
Oda H, Nagamatsu T, Cabral H, Miyazaki T, Iriyama T, Kawana K, <u>Fujii T</u> , <u>Osuga Y</u> .	Thrombomodulin promotes placental function by up-regulating placental growth factor via inhibition of high-mobility-group box 1 and hypoxia-inducible factor 1 α .	Placenta.	111	1-9	2021
Yamaguchi K, Matsumoto Y, Suzuki R, Nishida H, Omata D, Inaba H, Kukita A, Tanikawa M, Sone K, Oda K, <u>Osuga Y</u> , Maruyama K, <u>Fujii T</u> .	Enhanced antitumor activity of combined lipid bubble ultrasound and anticancer drugs in gynecological cervical cancers.	Cancer Sci.	112(6)	2493-2503	2021
Oda H, Nagamatsu T, Schust DJ, Cabral H, Miyazaki T, Iriyama T, Kawana K, <u>Osuga Y</u> , <u>Fujii T</u> .	Recombinant Thrombomodulin Attenuates Preeclamptic Symptoms by Inhibiting High-Mobility Group Box 1 in Mice.	Endocrinology	162(4)	bqaa248	2021

Wada M, Kukita A, Sone K, Hamamoto R, Kaneko S, Komatsu M, Takahashi Y, Inoue F, Kojima M, Honjoh H, Taguchi A, Kashiyama T, Miyamoto Y, Tanikawa M, Tsuruga T, Mori-Uchino M, Wada-Hiraike O, Osuga Y, Fujii T.	Epigenetic Modifier SETD8 as a Therapeutic Target for High-Grade Serous Ovarian Cancer.	Biomolecules.	10(12)	1686	2020
Toyohara Y, Sone K, Nishida H, Taguchi A, Miyamoto Y, Tanikawa M, Mori M, Tsuruga T, Matsumoto Y, Oda K, Osuga Y, Fujii T.	Desensitization strategy for hypersensitivity reactions to carboplatin in five patients with gynecological cancer.	J Obstet Gynaecol Res.	46(11)	2298-2304	2020
Kojima M, Sone K, Oda K, Hamamoto R, Kaneko S, Oki S, Kukita A, Kawata A, Honjoh H, Kawata Y, Kashiyama T, Sato M, Taguchi A, Miyamoto Y, Tanikawa M, Tsuruga T, Nagasaka K, Wada-Hiraike O, Osuga Y, Fujii T.	The histone methyltransferase SMYD2 is a novel therapeutic target for the induction of apoptosis in ovarian clear cell carcinoma cells.	Oncol Lett.	20(5)	153	2020
Samejima T, Nagamatsu T, Akiba N, Fujii T, Sayama S, Kawana K, Taguchi A, Kumasawa K, Iriyama T, Osuga Y, Fujii T.	Secretory leukocyte protease inhibitor and progranulin as possible regulators of cervical remodeling in pregnancy.	J Reprod Immunol.	1	143	2020
Tanimura K, Saito S, Nakatsuka M, Nagamatsu T, Fujii T, Fukui A, Deguchi M, Sasagawa Y, Arase N, Arase H, Yamada H.	The β 2 -Glycoprotein I/HLA-DR Complex As a Major Autoantibody Target in Obstetric Antiphospholipid Syndrome.	Arthritis Rheumatol.	72(11)	1882-1891	2020
Taguchi A, Nagasaka K, Plessy C, Nakamura H, Kawata Y, Kato S, Hashimoto K, Nagamatsu T, Oda K, Kukimoto I, Kawana K, Carninci P, Osuga Y, Fujii T.	Use of Cap Analysis Gene Expression to detect human papillomavirus promoter activity patterns at different disease stages.	Sci Rep.	10(1)	17991	2020

Nabeshima T, Fujii T, Nagamatsu T, Hashimoto A, Seyama T, Kubota K, Sayama S, Nakayama T, Kumasawa K, Iriyama T, Osuga Y, Fujii T.	Polyhydramnios is associated with postnatal dysphagia determining short-term prognosis of the newborn with 22q11.2 deletion syndrome - A case series analysis.	Taiwan J Obstet Gynecol.	59(5)	744-747	2020
Kumasawa K, Iriyama T, Nagamatsu T, Osuga Y, Fujii T.	Pravastatin for preeclampsia: From animal to human.	J Obstet Gynaecol Res.	46(8)	1255-1262	2020
Sone K, Eguchi S, Asada K, Inoue F, Miyamoto Y, Tanikawa M, Tsuruga T, Mori-Uchino M, Matsumoto Y, Hiraike-Wada O, Oda K, Osuga Y, Fujii T.	Usefulness of biopsy by office hysteroscopy for endometrial cancer: A case report.	Mol Clin Oncol.	13(2)	141-145	2020
Nose-Ogura S, Yoshino O, Kanatani M, Dohi M, Tabei K, Harada M, Hiraike O, Kawahara T, Osuga Y, Fujii T.	Effect of transdermal estradiol therapy on bone mineral density of amenorrheic female athletes.	Scand J Med Sci Sports.	30(8)	1379-1386	2020
Nose-Ogura S, Yoshino O, Dohi M, Torii S, Kigawa M, Harada M, Hiraike O, Kawahara T, Osuga Y, Fujii T, Saito S.	Relationship between tartrate-resistant acid phosphatase 5b and stress fractures in female athletes.	J Obstet Gynaecol Res.	46(8)	1436-1442	2020
Takahashi Y, Nagamatsu T, Fujii T, Hashimoto A, Sayama S, Seyama T, Iriyama T, Kumasawa K, Osuga Y, Fujii T.	Congenital extracardiac venous system anomaly in two siblings with normal karyotype and increased nuchal translucency thickness: a case report.	Oxf Med Case Reports.	2020(6)		2020
Kumasawa K, Kubota K, Takahashi Y, Nakayama T, Iriyama T, Nagamatsu T, Osuga Y, Fujii T.	Abdominal compartment syndrome complicated by preeclampsia and partial HELLP syndrome in a 45-year-old woman: A case report.	Clin Case Rep.	8(7)	1251-1254	2020
Elsherbini M, Koga K, Hiraoka T, Kumasawa K, Maki E, Satake E, Taguchi A, Makabe T, Takeuchi A, Izumi G, Takamura M, Harada	Establishment of a novel mouse model of adenomyosis suitable for longitudinal and quantitative analysis and perinatal outcome studies.	Sci Rep	12(1)	17515	2022

Elsherbini M, Koga K, Maki E, Kumasawa K, Satake E, Taguchi A, Makabe T, Takeuchi A, Izumi G, Takamura M, Harada M, Hirata T, Hirota Y, Wada-Hiraike O, Osuga Y.	Impact of Chronic Exposure to Endometriosis on Perinatal Outcomes: Establishment of a Mouse Model.	Biomedicines	10(10)	2627	2022
Uehara M, Hiraike O, Hirano M, Harada M, Koga K, Yoshimura N, Tanaka S, Osuga Y.	Evaluation of atherosclerosis-related biomarkers during perimenopause: A prospective cohort study in women with endometriosis.	J Obstet Gynaecol Res.	48(12)	3160-3170	2022
Ishizaka A, Taguchi A, Tsuruga T, Maruyama M, Kawata A, Miyamoto Y, Tanikawa M, Ikemura M, Sone K, Mori M, Koga K, Ushiku T, Oda K, Osuga Y.	Endometrial cancer with concomitant endometriosis is highly associated with ovarian endometrioid carcinoma: a retrospective cohort study.	BMC Womens Health.	61(4)	332	2022
Sun H, Hirata T, Koga K, Arakawa T, Nagashima N, Neriishi K, Elsherbini M, Maki E, Izumi G, Harada M, Hirota Y, Wada-Hiraike O, Osuga Y.	Elevated phosphorylation of estrogen receptor α at serine-118 in ovarian endometrioma.	F S Sci.	3(4)	401-409	2022
Nagashima N, Hirata T, Arakawa T, Neriishi K, Sun H, Harada M, Hirota Y, Koga K, Wada-Hiraike O, Osuga Y.	Long-term conservative management of symptomatic bladder endometriosis: A case series of 17 patients.	Taiwan J Obstet Gynecol.	61(4)	606-611	2022
Uehara M, Wada-Hiraike O, Hirano M, Koga K, Yoshimura N, Tanaka S, Osuga Y.	Relationship between bone mineral density and ovarian function and thyroid function in perimenopausal women with endometriosis: a prospective study.	BMC Womens Health	22(1)	134	2022
Hiraoka T, Hirota Y, Aikawa S, Iida R, Ishizawa C, Kaku T, Hirata T, Fukui Y, Akaeda S, Matsuo M, Shimizu-Hirota R, Takeda N, Osuga Y.	Constant Activation of STAT3 Contributes to the Development of Adenomyosis in Females.	Endocrinology.	163(5)	bqac044	2022

Yamada M, Ishikawa T, Iwasa T, Oishi H, Osuka S, Oka K, Ono S, Ono M, Orisaka M, Kanasaki H, Kawano Y, Kawamura K, Kishi H, Kimura F, Kuroda S, Kuwahara A, Kobayashi H, Komiya A, Saito H, Sato K, Sato S, Shiraishi K, Shirasawa H, Suzuki T, Takai Y, Takae S, Takahashi T, Takiuchi T, Tachibana M, Tamura I, Tamura H, Jwa SC, Baba T, Harada M, Hirata T, Fukui A, Fukuda Y, Fukuhara S, Maruyama T, Yumura Y, Yoshino O, Hirota Y, Tsujimura A, Kuji N, Osuga Y.	Guidelines for Reproductive Medicine in Japan.	Reprod Med Biol.	21(1)	e12483	2022
Harada T, Osuga Y, Suzuki Y, Fujisawa M, Fukui M, Kitawaki J.	Relugolix, an oral gonadotropin-releasing hormone receptor antagonist, reduces endometriosis-associated pain compared with leuprorelin in Japanese women: a phase 3, randomized, double-blind, noninferiority study.	Fertil Steril	117(3)	583-592	2022
Kunitomi C, Harada M, Sanada Y, Kusamoto A, Fujio K, Takai Y, Furui T, Kitagawa Y, Yamada M, Watanabe C, Tsugawa K, Nishiyama H, Hosoi H, Miyachi M, Sugiyama S, Maeda Y, Kawai A, Hamatani T, Fujio K, Suzuki N, Osuga Y.	The possible effects of the Japan Society of Clinical Oncology Clinical Practice Guidelines 2017 on the practice of fertility preservation in female cancer patients in Japan.	Reprod Med Biol	21(1)	e12453	2022
Aikawa S, Hirota Y, Fukui Y, Ishizawa C, Iida R, Kaku T, Hirata T, Akaeda S, Hiraoka T, Matsuo M, Osuga Y.	A gene network of uterine luminal epithelium organizes mouse blastocyst implantation.	Reprod Med Biol	21(1)	e12435.	2022

Satake E, Koga K, Takamura M, Izumi G, Elsherbini M, Taguchi A, Makabe T, Takeuchi A, Harada M, Hirata T, Hirota Y, Wada-Hiraike O.	The roles of polymorphonuclear myeloid-derived suppressor cells in endometriosis.	J Reprod Immunol.	148	103371	2021
Shimamoto K, Hirano M, Wada-Hiraike O, Goto R, Osuga Y.	Examining the association between menstrual symptoms and health-related quality of life among working women in Japan using the EQ-5D.	BMC Womens Health.	21(1)	325	2021
Harada M, Osuga Y.	Does polycystic ovary syndrome independently affect oncologic and reproductive outcomes in patients with endometrial cancerreceiving fertility-sparing treatment?	J Gynecol Oncol.	32(5)	E80	2021
Kunitomi C, Harada M, Kusamoto A, Azhary JM, Nose E, Koike H, Xu Z, Urata Y, Takahashi N, Wada-Hiraike O, Hirota Y, Koga K, Fujii T, Osuga Y.	Induction of aryl hydrocarbon receptor in granulosa cells by endoplasmic reticulum stress contributes to pathology of polycystic ovary syndrome.	Mol Hum Reprod.	27(3)		2021
Akaeda S, Hirota Y, Fukui Y, Aikawa S, Shimizu-Hirota R, Kaku T, Gebril M, Hirata T, Hiraoka T, Matsuo M, Haraguchi H, Saito-Kanatani M, Takeda N, Fujii T, Osuga Y.	Retinoblastoma protein promotes uterine epithelial cell cycle arrest and necroptosis for embryo invasion.	EMBO Rep	22(2)	e50927	2021

Hirata T, Koga K, Taniguchi F, Takazawa N, Honda R, Tanaka T, Kurihara M, Nakajima J, Yoshimura K, Kitade M, Narahara H, Kitawaki J, Harada T, Katabuchi H, Horie S, Osuga Y.	National survey of bladder endometriosis cases in Japan.	J Obstet Gynaecol Res.	47(4)	1451-1461	2021
Makabe T, Koga K, Nagabukuro H, Asada M, Satake E, Taguchi A, Takeuchi A, Miyashita M, Harada M, Hirata T, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y.	Use of selective PGE2 receptor antagonists on human endometriotic stromal cells and peritoneal macrophages.	Mol Hum Reprod.	27(1)	gaaa077	2021
Harada M, Takahashi N, Azhary JM, Kunitomi C, Fujii T, Osuga Y.	Endoplasmic reticulum stress: a key regulator of the follicular microenvironment in the ovary.	Mol Hum Reprod.	27(1)	gaaa088.	2021
Ono Y, Yoshino O, Hiraoka T, Sato E, Furue A, Nawaz A, Hatta H, Fukushi Y, Wada S, Tobe K, Hirota Y, Osuga Y, Unno N, Saito S.	CD206+ macrophage is an accelerator of endometriotic-like lesion via promoting angiogenesis in the endometriosis mouse model.	Sci Rep	11(1)	853	2021
Haraguchi H, Harada M, Kashimada K, Horikawa R, Sakakibara H, Shozu M, Fujii T, Osuga Y, Kugu K.	National survey of primary amenorrhea and relevant conditions in Japan.	J Obstet Gynaecol Res.	47(2)	774-777	2020
Tsuchida Y, Harada M, Shoda H, Goto A, Suzuki N, Murashima A, Osuga Y, Fujio K	Fertility preservation in patients receiving gonadotoxic therapies for systemic autoimmune diseases in Japan.	Mod Rheumatol		1-8	2020

Gebril M, Hirota Y, Aikawa S, Fukui Y, Kaku T, Matsuo M, Hirata T, Akaeda S, Hiraoka T, Shimizu-Hirota R, Takeda N, Taha T, Balah OA, Elnoury MAH, Fujii T, Osuga Y.	Uterine Epithelial Progesterone Receptor Governs Uterine Receptivity Through Epithelial Cell Differentiation	Endocrinology.	161(12)	bqaa195.	
Ishihara O, Jwa SC, Kuwahara A, Katagiri Y, Kuwabara Y, Hamatani T, Harada M, Osuga Y.	Assisted reproductive technology in Japan: A summary report for 2018 by the Ethics Committee of the Japan Society of Obstetrics and Gynecology.	Reprod Med Biol.	20(1)	3-12	2020
Ono Y, Yoshino O, Hiraoka T, Sato E, Fukui Y, Ushijima A, Nawaz A, Hirota Y, Wada S, Tobe K, Nakashima A, Osuga Y, Saito S.	CD206+ M2-Like Macrophages Are Essential for Successful Implantation.	Front Immunol.	11	557184.	2020
Yoshino O, Ono Y, Honda M, Hattori K, Sato E, Hiraoka T, Ito M, Kobayashi M, Arai K, Katayama H, Tsuchida H, Yamada-Nomoto K, Iwahata S, Fukushi Y, Wada S, Iwase H, Koga K, Osuga Y, Iwaoka M, Unno N.	Relaxin-2 May Suppress Endometriosis by Reducing Fibrosis, Scar Formation, and Inflammation.	Biomedicines.	8(11)	467	2020
Takamura M, Koga K, Harada M, Hirota Y, Fujii T, Osuga Y.	A case of hemorrhagic shock occurred during dienogest therapy for uterine adenomyosis.	J Obstet Gynaecol Res.	46(12)	2696-2700	2020
Hirata T, Koga K, Kai K, Katabuchi H, Kitade M, Kitawaki J, Kurihara M, Takazawa N, Tanaka T, Taniguchi F, Nakajima J, Narahara H, Harada T, Horie S, Honda R, Muro K, Yoshimura K, Osuga Y.	Clinical practice guidelines for the treatment of extragenital endometriosis in Japan, 2018.	J Obstet Gynaecol Res.	46(12)	2474-87	2020

Osuga Y, Seki Y, Tanimoto M, Kusumoto T, Kudou K, Terakawa N.	Relugolix, an oral gonadotropin-releasing hormone receptor antagonist, reduces endometriosis-associated pain in a dose-response manner: a randomized, double-blind, placebo-controlled study.	Fertil Steril.	115(2)	397-405	2020
Ishizawa C, Hirota Y, Urata Y, Morishima K, Fujii T, Osuga Y.	Prolapse of a pedunculated uterine leiomyoma through the cervix during GnRH antagonist treatment: Case report and literature review.	J Obstet Gynaecol Res.	46(12)	2679-2683	2020
Sun H, Fukuda S, Hirata T, Arakawa T, Ma S, Neriishi K, Wang Y, Takeuchi A, Saeki A, Harada M, Hirota Y, Matsumoto T, Koga K, Wada-Hiraike O, Kurihara M, Fujii T, Osuga Y.	IFITM1 is a Novel, Highly Sensitive Marker for Endometriotic Stromal Cells in Ovarian and Extragenital Endometriosis.	Reprod Sci.	27(8)	1595-1601	2020
Arakawa T, Fukuda S, Hirata T, Neriishi K, Wang Y, Takeuchi A, Saeki A, Harada M, Hirota Y, Matsumoto T, Koga K, Wada-Hiraike O, Kurihara M, Fujii T, Osuga Y.	PAX8: A Highly Sensitive Marker for the Glands in Extragenital Endometriosis.	Reprod Sci.	27(8)	1580-1586.	2020
Imamura Y, Kubota K, Morisaki N, Suzuki S, Oyamada M, Osuga Y.	Association of Women's Health Literacy and Work Productivity among Japanese Workers: A Web-based, Nationwide Survey.	JMA J	3(3)	232-239.	2020
Hirata T, Koga K, Osuga Y.	Extra-pelvic endometriosis: A review.	Reprod Med Biol.	19(4)	323-333	2020
Inaba K, Wada-Hiraike O, Harada M, Hirota Y, Koga K, Fujii T, Osuga Y.	Dienogest suppresses cellular proliferation status of endometrial polyps and acts differently depending on the morphological type.	Womens Health (Lond)	16	1745506520952003.	2020
Inoue S, Yoshida E, Fukui Y, Ueno T, Kawazu M, Takeyama R, Ikemura M, Osuga Y, Terao Y, Hirota Y, Mano H.	KRAS mutations in uterine endometrium are associated with gravidity and parity.	Cell Death Dis.	11(5)	347	2020

Mandai M, Osuga Y, Hirata T, Enomoto T, Nakai H, Honda R, Taniguchi F, Katabuchi H.	Cancers associated with extraovarian endometriosis at less common/rare sites: A nationwide survey in Japan.	J Obstet Gynaecol Res.	46(6)	917-923	2020
Osuga Y, Hayashi K, Kanda S.	A multicenter, randomized, placebo-controlled, double-blind, comparative study of dienogest at 1 mg/day in patients with primary and secondary dysmenorrhea.	Fertil Steril.	113(3)	627-635	2020
Takeuchi A, Koga K, Tokita Y, Matsumoto T, Satake E, Taguchi A, Makabe T, Miyashita M, Takamura M, Harada M, Hirata T, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y.	The effects of tokishakuyakusan, a traditional Japanese medicine (kampo), ferulic acid and paeoniflorin, on human endometriotic stromal cells and peritoneal macrophages.	J Reprod Immunol.	139	103104	2020
Osuga Y, Hayashi K, Kanda S.	Long-term use of dienogest for the treatment of primary and secondary dysmenorrhea.	J Obstet Gynaecol Res.	46(4)	606-617	2020
大須賀穰.	生殖医学の発展を期待して.	ファルマシア	58 卷 1 号	5	2022
浦田陽子、大須賀穰.	【少子化時代における就労女性の不妊治療】就労女性のための不妊治療と保険適用.	産科と婦人科	88 卷 12 号	1397-1400	2021
大須賀穰.	ホルモン Q&A: 不妊治療の保険適用をめぐる最近の話題を教えてください.	HORMONE FRONTIER IN GYNECOLOGY.	28 卷 3 号	244-245	2021
芦川 すが, 泉 玄太郎, 森嶋 かほる, 浦田 陽子, 能瀬 さやか, 廣田 泰, 甲賀 かをり, 平池 修, 大須賀穰	術中に他科との連携を要した良性疾患に対する腹腔鏡下手術症例の検討.	関東連合産科婦人科学会誌	58	679-684	2021
大須賀穰	治療法の再整理とアップデートのために 専門家による私の治療子宮腺筋症	日本医事新報	(0385-9215)5046号	45	2021

眞田 裕子, 高村 将司, 平野 茉来, 廣田 泰, 原田 美由紀, 甲賀 かをり, 平池 修, 大須賀 穰	腹腔鏡手術後に5mmポ ート孔より生じたポー トサイトヘルニアの一 例	日本産科婦人 科内視鏡学会 雑誌	(1884- 9938)36 卷 2号	272-277	
森嶋 かほる, 原田 美由紀, 大井 なぎさ, 矢神 智美, 眞田 裕子, 松尾 光徳, 眞壁 友子, 矢野 倫子, 宮下 真理子, 原口 広史, 金谷 真由子, 秋山 育美, 浦田 陽子, 能瀬 さやか, 廣田 泰, 甲賀 かをり, 平池 修, 大須賀 穰, 藤井 知行	当院における医学的適 応を目的とした妊孕性 温存療法の現状	臨床婦人科産 科	(0386- 9865)74 卷 10号	1077-1082	
大須賀 穰	ホルモン Q&A 良性腫 瘍と考えられる卵巢囊 胞の鑑別診断と管理に ついて教えてください	ORMONE FRONTIER IN GYNECOLO GY	(1340- 220X)27 卷 3	227-228	
Ichikawa T, Ota I, Kuwabara Y, Tsushima R, Hamatani T, Hiraike O, Takeshita T, Osuga Y, Akira S.	Infertility treatment hinders the careers of working women in Japan.	J Obstet Gynaecol Res	46(10)	1940-1950	2020
Nakazawa A, Hirata T, Arakawa T, Nagashima N, Fukuda S, Neriishi K, Harada M, Hirota Y, Koga K, Wada- Hiraike O, Koizumi Y, Fujii T, Irahara M, Osuga Y.	A survey of public attitudes toward uterus transplantation, surrogacy, and adoption in Japan.	PLoS One.	14(10)	e0223571	2019
Takeuchi M, Nagasaka K, Yoshida M, Kawata Y, Miyagawa Y, Tago S, Hiraike H, Wada- Hiraike O, Oda K, Osuga Y, Fujii T,	On-chip immunofluorescence analysis of single cervical cells using an electroactive microwell array with barrier for cervical screening.	Biomicrofluidi cs.	13(4)	044107	2019

Arakawa T, Hirata T, Koga K, Neriishi K, Fukuda S, Ma S, Sun H, Nagashima N, Harada M, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y.	Clinical aspects and management of inguinal endometriosis: A case series of 20 patients.	J Obstet Gynaecol Res.	45(10)	2029-2036	2019
Terao H, Wada-Hiraike O, Nagumo A, Kunitomi C, Azhary JMK, Harada M, Hirata T, Hirota Y, Koga K, Fujii T, Osuga Y.	Role of oxidative stress in follicular fluid on embryos of patients undergoing assisted reproductive technology treatment.	J Obstet Gynaecol Res.	45(9)	1884-1891	2019
Hidari T, Hirata T, Arakawa T, Koga K, Neriishi K, Fukuda S, Nakazawa A, Nagashima N, Ma S, Sun H, Takamura M, Harada M, Hirota Y, Wada-Hiraike O, Fujii T, Osuga Y.	Contralateral ovarian endometrioma recurrence after unilateral salpingo-oophorectomy.	BMC Womens Health.	19(1)	59	2019
Hirano M, Wada-Hiraike O, Miyamamoto Y, Yamada S, Fujii T, Osuga Y.	A case of functioning gonadotroph adenoma in a reproductive aged woman.	Endocr J	66(7)	653-656	2019
Kondo A, Akada S, Akiyama K, Arakawa M, Ichi S, Inamoto Y, Ishida T, Ishikawa H, Itoh T, Izumi A, Kimura F, Kondo AS, Matsuoka R, Miyauchi A, Mochizuki J, Momohara Y, Morikawa S, Morioka M, Morota N, Nakabe K, Obayashi S, Oku M, Samura O, Sasahara J, Sase M, Shimamoto K, Shimamura K, Sumigama S, Tada K, Takahashi H, Tani A, Wada S, Wada-Hiraike O, Watanabe T, Yamaguchi M, Yasui T, Yokomine M.	Real prevalence of neural tube defects in Japan: How many of such pregnancies have been terminated?	Congenit Anom	59(4)	118-124	2019
平池 修、大須賀 穰	女性のアンチ・エイジングがもたらす効用	アンチエイジング医学—日本抗加齢医学会	16(5)	2-12	2019

平池 修	Dual Ovarian Stimulation 法の概念と実際	日本産科婦人科学会雑誌	72(12)	125-129	2019
平池 修、丸山 正統	子宮筋腫核出術（3）子宮鏡（TCR）	産婦人科手術シリーズ	4	136-145	2019
Kazawa K, Akishita M, Ikeda M, Iwatsubo T, Ishii S	Experts' perception of support for people with dementia and their families during the COVID-19 pandemic.	Geriatr Gerontol Int	22	26-31	2022
Lyu W, Tanaka T, SonBK, Yoshizawa Y, Akishita M, Iijima K.	Associations of Nutrition-Related, Physical, and Social Factors and Their Combinations with Sarcopenia in Community-Dwelling Older Adults: Kashiwa Cohort Study.	Nutrients	14	3544	2022
Akishita M, Suzuki S, Inoue H, Akao M, Atarashi H, Ikeda T, Koretsune Y, Okumura K, Shimizu W, Tsutsui H, Toyoda K, Hirayama A, Yasaka M, Yamaguchi T, Teramukai S, Kimura T, Morishima Y, Takita A, Yamashita T	Frailty screening index and atrial fibrillation outcomes in the All Nippon AF In the Elderly registry	Geriatr Gerontol Int	22	899-902	2022
Yamanaka T, Kidana K, Mizuki M, Hattori Y, Hamada S, Akishita M	Sex differences in places of home care.	Geriatr Gerontol Int	22	813-814	2022
Hattori Y, Hamada S, Yamanaka T, Kidana K, Iwagami M, Sakata N, Tamiya N, Kojima T, Ogawa S, Akishita M	Drug prescribing changes in the last year of life among homebound older adults: national retrospective cohort study	BMJ Support Palliat Care		bmjcare-2022-003639	2022
Akishita M, Suzuki S, Inoue H, Akao M, Atarashi H, Ikeda T, Koretsune Y, Okumura K, Shimizu W, Tsutsui H, Toyoda K, Hirayama A, Yasaka M, Yamaguchi T, Teramukai S, Kimura T, Morishima Y, Takita A, Yamashita T	Frailty and outcomes in older adults with non-valvular atrial fibrillation from the ANAFIE registry	Arch Gerontol Geriatr	101	104661	2022
Handa N, Mitsutake S, Ishizaki T, Nakabayashi T, Akishita M, Tamiya N, Yoshie S, Iijima K.	Associations of coprescribed medications for chronic comorbid conditions in very old adults with clinical dementia: a retrospective cohort study using insurance claims data.	BMJ Open	11	e043768	2021

Kazawa K, Kubo T, Ohge H, <u>Akishita M</u> , Ishii S	Preparedness guide for people with dementia and caregivers in COVID-19 pandemic	Geriatr Gerontol Int	21	593-595	2021
Yamada Y, Kojima T, Umeda-Kameyama Y, Ogawa S, Eto M, <u>Akishita M</u>	Outcomes of anticoagulant prescribing for older patients with atrial fibrillation depends on disability level provided by long-term care insurance.	Arch Gerontol Geriatr.	96	104434	2021
Umeda-Kameyama Y, Kameyama M, Tanaka T, Son BK, Kojima T, Fukasawa M, Iizuka T, Ogawa S, Iijima K, <u>Akishita M</u>	Screening of Alzheimer's disease by facial complexion using artificial intelligence.	<i>Aging (Albany NY)</i> .	13 (2)	1765-1772	2021
Sawada M, Kubota N, Sekine R, Yakabe M, Kojima T, Umeda-Kameyama Y, Usami S, <u>Akishita M</u> , Ogawa S	Sex-related differences in the effects of nutritional status and body composition on functional disability in the elderly.	<i>PLoS One</i>	16 卷	e0246276	2021
Nomura K, Eto M, Ogawa S, Kojima T, Iijima K, Nakamura T, Araki A, Ouchi Y, <u>Akishita M</u>	Association between low muscle mass and metabolic syndrome in elderly Japanese women.	<i>PLoS One</i>	15 卷	e0243242	2020
Umeda-Kameyama Y, Kameyama M, Kojima T, Ishii M, Kidana K, Yakabe M, Ishii S, Urano T, Ogawa S, <u>Akishita M</u>	Cognitive function has a stronger correlation with perceived age than with chronological age.	<i>Geriatr Gerontol Int</i>	20 卷	779-784	2020
Hosoi T, Yamana H, Tamiya H, Matsui H, Fushimi K, <u>Akishita M</u> , Yasunaga H, Ogawa S	Association between comprehensive geriatric assessment and short-term outcomes among older adult patients with stroke: A nationwide retrospective cohort study using propensity score and instrumental variable methods.	<i>EClinicalMedicine</i>	23 卷	100411	2020
Ishizaki T, Mitsutake S, Hamada S, Teramoto C, Shimizu S, <u>Akishita M</u> , Ito H.	Drug prescription patterns and factors associated with polypharmacy in >1 million older adults in Tokyo.	<i>Geriatr Gerontol Int</i> .	20 卷	304-311	2020

Lim WS, Liang CK, Assantachai P, Auyeung TW, Kang L, Lee WJ, Lim JY, Sugimoto K, <u>Akishita M</u> , Chia SL, Chou MY, Ding YY, Iijima K, Jang HC, Kawashima S, Kim M, Kojima T, Kuzuya M, Lee J, Lee SY, Lee Y, Peng LN, Wang NY, Wang YW, Won CW, Woo J, Chen LK, Arai H.	COVID-19 and older people in Asia: Asian Working Group for Sarcopenia calls to actions.	<i>Geriatr Gerontol Int.</i>	20 卷	547-558	2020
Kojima T, Mizokami F, <u>Akishita M</u>	Geriatric management of older patients with multimorbidity.	<i>Geriatr Gerontol Int</i>	20 卷	1105-1111	2020
Yamashita S, Masuda D, <u>Akishita M</u> , Arai H, Asada Y, Dobashi K, Egashira K, Harada-Shiba M, Hirata K, Ishibashi S, Kajinami K, Kinoshita M, Kozaki K, Kuzuya M, Ogura M, Okamura T, Sato K, Shimano H, Tsukamoto K, Yokode M, Yokote K, Yoshida M	Guidelines on the Clinical Evaluation of Medicinal Products for Treatment of Dyslipidemia.	<i>J Atheroscler Thromb</i>	27 卷	1246-1254	2020
<u>Ichihashi K</u> , [他 34 名], Hashimoto R:	Prescription patterns in patients with schizophrenia in Japan: first-quality indicator data from the survey of “Effectiveness of Guidelines for Dissemination and Education in psychiatric treatment (EGUIDE)” project.	Neuropsychopharmacol Rep	40(3)	281-286,	2020
Iida H, [他 10 名], <u>Ichihashi K</u> , [他 44 名], Hashimoto R	Unmet need for major depressive disorders- Findings from the ‘Effectiveness of Guidelines for Dissemination and Education in Psychiatric Treatment (EGUIDE)’ project: A nationwide dissemination, education, and evaluation study	Psychiatry Clin Neurosc	74(12)	667-669	2020

市橋香代	ナラティブのまなざしが医療実践の文化にもたらすもの	N:ナラティブとケア	14	29-34	2023
市橋香代	10代の子どもが経験する精神や行動上の困難について	精神科	40(6)	841-846	2022
市橋香代	頓服薬についての意思決定で考慮すべきこと	臨床精神薬理	25(11)	1249-1254	2022
市橋香代	精神・神経科的 minor emergency せん妄	Medical Practice	39 巻臨増	189-191	2022
市橋 香代, 橋本 亮太	当事者・家族・支援者と作り上げる出口戦略	臨床精神薬理	24(9)	911-918	2021
市橋香代、相沢隆司、山田悠平	クロザピン治療はどのように我が国の統合失調症を持つ当事者・家族に届いているのか	臨床精神薬理	24	287-293	2021
市橋香代、萩原瑞希	循環器疾患とメンタルヘルス	心臓	53(1)	25-29	2021
市橋香代	対人援助領域の研究倫理について (総論)	グリーンサイコセラピー研究	29(1)	30-33	2020
市橋香代	学校での問題行動・不登校—精神科医にできること、すべきこと—	精神科治療学	35(8)	839-844	2020
Ono K et al.	Evaluations of daily teriparatide using finite-element analysis over 12 months in rheumatoid arthritis patients.	J Bone Miner Metab.	39	270-277.	2021
Enomoto H et al.	Relationship Between Pain Reduction and Improvement in Health-Related Quality of Life in Patients with Knee Pain Due to Osteoarthritis Receiving Duloxetine: Exploratory Post Hoc Analysis of a Japanese Phase 3 Randomized Study.	J Pain Res. 2020 Jan	20 (13)	181-191	2020
Yutaka Osuga, Kazuhiro Shirasu, Daisuke Tamahiro, Kenji...	Short-term efficacy and safety of early medical abortion in Japan	Reproductive Medicine and Biology	22(1)		2023

対馬ルリ子	「人生100年時代」生涯健康は健診と相談の習慣から～女性が輝くための特性を生かした健康習慣～	総合診療	Vol.50 No.2	48-57	2023
対馬ルリ子	男女の更年期障害とその予防や対策	人事院月報	第 882 号	2-7	2023
対馬ルリ子	女性のウェルネスからみるフェムテックの活用	産婦人科の実際	第71巻 第13号	15-21	2022
対馬ルリ子	わが国の中絶・避妊の現状と課題	医学のあゆみ	Vol.281 No.7	739-742	2022
対馬ルリ子	経口妊娠中絶薬の治験について 2021年12月、経口妊娠中絶薬が承認申請	東京思春期保健研究会 News Letter	156号	3	2022
対馬ルリ子	妊娠・出産・育児期に特有の健康課題	産業保健と看護	14巻1号	31-35	2022
対馬ルリ子	女性のライフステージとホルモンの変化	Rp.+	vol.21 No.1	38-45	2022
対馬ルリ子	産婦人科医が考える女性の理想体型女性のやせの問題（女子ホルモンと栄養） - -女性のやせの問題（女子ホルモンと栄養）	日本アンチエイジング歯科学会誌	vol.14	18-23	2021
対馬ルリ子	更年期障害	総合診療	Vol.31 No.3	p334-336	2021
対馬ルリ子	人工妊娠中絶の問題点	日本産婦人科医会研修ノート	No.106	33-34	2020
対馬ルリ子	PMS（月経前症候群）、PMDD（月経前気分不快症候群）は当然のことではなく深刻な病気 ためらわずに健診を受けにき	Haalth&Joy	3月号	18-19	2020
齋藤 早苗、嶋 大樹、富田 望、対馬 ルリ子、熊野 宏昭	便秘を自覚する成人男性における体験の回避が腹痛および腹満感の頻度に及ぼす影響	心身医学	60巻第4号	p.339-348	2020
対馬ルリ子	性犯罪・性暴力被害者にはどのように対応すればよいか	臨床婦人科産科	Vol.74 No.7	p682-689	2020

Ohara C, Nishizono-Maher A, Sekiguchi A, Sugawara A, Morino Y, Kawakami J, Hotta Suzuki M	Individualized peer support needs assessment for families with eating disorders	Biopsychosoc Med	14;17(1)	11 (e-journal)	2023 Mar
鈴木眞理	神経性やせ症 学校での適切な支援をめざして	よぼう医学 (公益財団法人東京京都予防医学)	547号	6-9	2023年1月
鈴木眞理	やせ願望と神経性やせ症	体育の科学	72巻9号	608-612	2022年9月
鈴木眞理	一般社団法人日本摂食障害協会の活動	臨床栄養	139巻5号	657-662	2021年10月
鈴木眞理	日本女性のやせと健康問題	健康医学 (一般財団法人健康医学協会)	51号	34-36	2021年4月
鈴木眞理	思春期女性のやせと神経性やせ症	思春期学 (日本思春期学会雑誌)	39(1)	28-34	2021年3月
小原千郷、菅原彩子、西園マーハ文、鈴木(堀田)眞理	オンライン上で行う摂食障害の啓発活動の試みとその課題—当事者の発表動機と発表の影響に着目して—	人間科学研究 文教大学人間科学部	第42号	71-80	2021年3月
鈴木眞理	摂食障害	総合診療	31(3)	299-301	2021年3月
鈴木(堀田)眞理	摂食障害で起こりうる身体状況	精神科	38(3)	249-256	2021年3月
鈴木眞理	摂食障害のケア	公益社団法人日本産婦人科医会研修ノート	No106	83-88	2020年12月
鈴木眞理	邦訳：アスリートとコーチのための	特定非営利活動法人日本トレーニング指導者協会機関紙 (JATI EXPRESS)	78	44-46	2020年8月
鈴木眞理	邦訳：アスリートとコーチ&トレーナーのためのガイドブックの紹介①	特定非営利活動法人日本トレーニング指導者協会機関紙 (JATI EXPRESS)	77	40-42	2020年6月
鈴木(堀田)眞理	内科医のための神経性やせ症診断ポイント	脳神経内科	93(5)	645-650	2020年5月

Saito Y, Shimoi T, Iwata S, Maejima A, Taniguchi C, Sezai I, Yoshimi I, Hirano T, Sezai I, Taniguchi C, Yoshimi I, Hirano T, 若尾文彦	Impact of relative dose intensity of trabectedin Effectiveness of a smoking cessation How Self-Efficacy toward, Perceived がん医療に関する情報の信頼性	Journal of Chemotherapy. Tobacco Induced International Journal of 日本信頼性学 会誌	Jan 12 20 19(4) 44(2)	1-8 19 2304 86-91	2022 2022 2022 2022
早川雅代、渡部乙女、下井辰徳、一家綱邦、高力武諒子、渡邊ともね、山元遥子、市瀬雄一、新齋藤義正、高橋宏和、若尾文彦	科学的根拠が不十分ながん免疫療法の情報収集か がん診療連携拠点病院等の指定要件関連の詳細に がん対策推進基本計画に基づいたがん化学療法チ	日本ヘルスコ ミュニケーシ ン 病院 日本公衆衛生 雑誌	13(1) 5 69(7)	40-51 436-441 527-535	2022 2022 2022
力武諒子、渡邊ともね、山元遥子、市瀬雄一、新谷水正人、青儀健二郎、下井辰徳、加藤雅志、若	がん診療連携拠点病院等の指定要件に関する調査 抗がん剤外来治療は採算 せいが確保されていない	厚生 の指 標 日本医療マ ネ ジ メント学 会	69(6) 22 (4)	15-21 183-188	2022 2022
Toh Y, Inoue Y, Hayakawa M, Yamaki Takayama T, Yamaki C, Hayakawa M, Yamaki C, Takayama T, Hayakawa M, Ln J, Nakamura Y, Mikami H, Kusakabe 若尾文彦	Creation and provision of a question and answer Development of a New Tool for Better Social Users' evaluation of Japan's cancer Matters of data openness and KapWeb, a web tool がん診療連携拠点病院等 と地域との連携について	Esophagus Journal of Public Health BMJ Open Quality Cancer Science 癌と化学療法	18(4) 27(2) 10(4) 112(5) 48(6)	872-879 E87-E99 e001635 2060-2062 749-752	2021 2021 2021 2021 2021
助友裕子、東 尚弘、若尾文彦	外部講師活用型がん教育の推進における 教育委	日本健康教育 学会誌	29(2)	163-172	2021
Hirano T, Shobayashi T, Takei T, Wakao F.	Exposure Assessment of Environmental Tobacco	International Journal of	17(22)	8536	2020
瀬在 泉, 谷口 千枝, 平野 公康, 若尾 文彦	全国 5 ヶ所で実施した看護職に対する禁煙支援研	日本禁煙学 会 誌	15 卷 3 号	70-79	2020