

研究成果の刊行に関する一覧表

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|-----------|----------------|---------------|----------------|------|-----|------|-----------|
| 山田昌和 | ドライアイ | 福井次矢、高木誠、小室一成 | 今日の治療指針2021 | 医学書院 | 東京 | 2021 | 1593-1564 |
| 山田昌和、平塚義宗 | 眼科鑑別診断実力アップQ&A | 山田昌和、平塚義宗 | 眼科鑑別診断実力アップQ&A | 南江堂 | 東京 | 2021 | 編集 |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|-------------------------|--------|--|------|
| Tamiya R, Miyake M, Kido A, Hiragi S, Tamura H, Kuroda T, Tsujikawa A | Validation Study of the Classification-based Definition for Age-related Macular Degeneration at a Single University Hospital in Japan. | Jpn J Ophthalmol. | Mar 18 | doi: 10.1007/s10384-021-00816-w | 2021 |
| Sasaki M, Miyake M, Fujiwara K, Nakamba H, Akiyama M, Yanagi Y, Harada S, Tabara Y, Yasuda M, Yamashita H, Kayama T, Tsubota K, Matsuda F, Hashimoto S, Ueda E, Ninomiya T, Takebayashi T, Tsujikawa A, Sonoda K, Kawasaki R | Cohort Profile: the Ganka-Epidemiology Network of Japanese ophthalmological epidemiology studies. | Ophthalmic Epidemiology | 28(3) | 237-243 doi: 10.1080/09286586.2020.1815803. | 2021 |
| Terauchi R, Ogawa S, Sotozono A, Nishimura T, Tatemichi M, Nakano T. | Seasonal fluctuation in intraocular pressure and its associated factors in primary open-angle glaucoma. | Eye (Lond). | Feb 1 | Online ahead of print. | 2021 |

| | | | | | |
|--|---|------------------------------|-------------|--|------|
| Kishimoto N, Hayaashi T, Mizobuchi K, Kubota M, Nakano T. | Vitamin A deficiency after prolonged intake of an unbalanced diet in a Japanese hemodialysis patient. | Doc Ophthalmol. | Feb 5 | Online ahead of print. | 2021 |
| 田村寛、三宅正裕、木戸愛、平木秀輔、加藤源太、辻川明孝 | 眼内レンズ縫着術実施症例の増加：レセプト情報・特定健診等情報（NDB）オープンデータを用いた全数調査。 | 日本眼科学会誌 | in press | | 2021 |
| 小林 恭, 田村 寛, 平木 秀輔, 西田 幸代, 宮川 美栄子, 黒田 知宏, 小川 修 | 泌尿器科学術領域におけるダイバーシティ推進～泌尿器科紀要掲載論文 65年問・1万編の解析～ | 泌尿器科紀要 | in press | | 2021 |
| Yoshida Y, Hiratsuka Y, Kawachi I, Murakami A, Kondono K, Aida J | Association between visual status and social participation in older Japanese: the JAGES cross-sectional Study. | Social Science and Medicine. | 253 | 112959 doi: 10.1016/j.socscimed. | 2020 |
| Inomata T, Iwagami M, Nakamura M, Shiang T, Fujimoto K, Okumura Y, Iwata N, Fujio K, Hiratsuka Y, Hori S, Tsubota K, Danbara R, Murakami A | Association between dry eye and depressive symptoms: Large-scale crowdsourced research using the DryEyeRhythm iPhone application. | Ocul Surf. | Apr;18(2) | 312-319 doi: 10.1016/j.jtos.2020.02.007 | 2020 |
| Hiratsuka Y, Yokoyama T, Yamada M | Higher participation rate for specific health checkups concerning simultaneous ophthalmic checkups. | J Epidemiol. | May 30 | doi: 10.2188/jea.JE20200052. Online ahead of print | 2020 |
| Kawashima M, Yamada M, Shigeyasu C, Suwaki K, Uchihino M, Hiratsuka Y, Yokoi N, Tsubota K | For The Decs-J FTD. Association of Systemic Comorbidities with Dry Eye Disease. | J Clin Med. | Jun 29;9(7) | 2040 doi: 10.3390/jcm9072040 | 2020 |

| | | | | | |
|--|--|--------------------------------------|------------------|---|------|
| 井上 賢治, 平塚 義宗, 加藤 聡, 小 野 眞史, 久米川 浩一, 齋藤 雄太, 崎元 暢, 篠崎 和 美, 須賀 洗希, 野 田 知子, 野田 実 香, 平形 明人, 堀 裕一, 溝田 淳, 平山 信隆, 福田 敏雅, 福下 公子, 山口 達夫 | 東京版スマートサイト「東 京都ロービジョンケアネッ トワーク」の作成 | 日本ロービジ ョン学会誌 | 19巻 | 88-93 | 2020 |
| Igarashi A, Aida J, Yamamoto T, Hir atsuka Y, Kondo K, Osaka K | Associations Between Visio n, Hearing, and Tooth Loss and Social Interactions: The JAGES Cross-Sectional St udy. | J Epidemiol Community H ealth. | Sep 24 | jech-2020-21 4545 | 2020 |
| Shigeyasu C, Yama da M, Yokoi N, K awashima M, Suwa ki K, Uchino M, Hiratsuka Y, Tsubo ta K | Characteristics and Utility o f Fluorescein Breakup Patte rns among Dry Eyes in Cli nic-Based Settings. | Diagnostics. | Sep 17;10 (9) | 711 doi: 10.339 0/diagnostics 10090711 | 2020 |
| Tamaki Y, Hiratsuk a Y, Kumakawa T | Risk factors for dementia in cidence based on previous r esults of the Specific Health Checkups in Japan. | Healthcare | Nov 17;8 (4) | 491 doi: 10.339 0/healthcare 8040491 | 2020 |
| 平塚義宗 | 資源は常に有限で希少であ る：医療における費用対効 果の視点 | 日本眼科学会 雑誌 | 124 | 305-6 | 2020 |
| 平塚義宗 | ロービジョンケアのアクセ スを改善するには | Nano Ophthal mology | 58 | 5-8 | 2020 |

| | | | | | |
|--|--|---------------------------------|--------|--|------|
| 平塚義宗 | EBMから25年、リアルワールドデータの逆襲とp値の現状 | 日本の眼科 | 91 | 4-5 | 2020 |
| Otsuki R, Sugiyama O, Mori Y, Miyake M, Hiragi S, Yamamoto G, Santosh L, Nakanishi Y, Hosoda Y, Tamura H, Matsumoto S, Tsujikawa A, Kuroda T | Deep Learning Model to Predict Postoperative Visual Acuity from Preoperative Multimedia Ophthalmic Data. | Advanced Biomedical Engineering | 9 | 241-248 | 2020 |
| Yamada M, Hiratsuka Y, Nakano T, Kita Y, Watanabe T, Tamura H, Kawasaka R, Yokoyama T, Takano S | Detection of Glaucoma and Other Vision-threatening Ocular Diseases in the Population Recruited at Specific Health Checkups in Japan. | Clin Epidemiol. | 12 | 1381-1388 https://doi.org/10.2147/CLEP.S273016 | 2020 |
| Takahashi A, Hosoda Y, Miyake M, Miyata M, Oishi A, Tamura H, Ootsubo S, Yamashiro K, Tabara Y, Matsuda F | Tsujikawa A. Clinical and Genetic Characteristics of Pachydrusen in Eyes with Central Serous Chorioretinopathy and General Japanese Individuals. | Ophthalmol Retina | Dec 10 | S2468-6530(20)30484-X doi: 10.1016/j.oret.2020.12.004 | 2020 |
| Nakano E, Miyake M, Hosoda Y, Mori Y, Suda K, Kamada T, Ikeda-Ohashi H, Tabara Y, Yamashiro K, Tamura H, Akagi T, Matsuda F, Tsujikawa A; Nagahama Study Group | Relationship between Intraocular Pressure and Coffee Consumption in a Japanese Population without Glaucoma: The Nagahama Study | Ophthalmology | Nov 5 | S2589-4196(20)30271-4 doi: 10.1016/j.ogla.2020.09.019. | 2020 |
| Sawada A, Hiragi S, Tamura H, Reig G, Matsuyama Y, Sakai K, Miyata H, Yanagita M, Kuroda T, Ogawa O, Kobayashi T | Evaluation of the quality of life and health-related quality of life of patients with end-stage kidney disease resulting from kidney transplantation using the Kidney Disease Quality of Life-Short Form and EuroQOL-5 dimension-5 level questionnaires. | Transplant Proc. | Dec 7 | S0041-1345(20)32851-7 doi: 10.1016/j.transproceed.2020.09.018 | 2020 |

| | | | | | |
|---|---|---|---------------|--|------|
| Tagawa, M., Ooto, S., Yamashiro, K., Tamura, H., Oishi, A., Miyata, M., Tsujikawa, A | Characteristics of pachychoroid neovascularopathy. | Scientific reports | 10(1) | 16248 | 2020 |
| Kido A, Tamura H, Ikeda H, et al. | Nationwide Incidence of Central Retinal Artery Occlusion in Japan: An Exploratory Descriptive Study Using the National Database of Health Insurance Claims (2011–2015). | BMJ | Sep 24; 10(9) | e041104 doi: 10.1136/bmjopen-2020-041104 | 2020 |
| Nakao SY, Miyake M, Hosoda Y, Nakano E, Mori Y, Takahashi A, Ooto S, Tamura H, Tabara Y, Yamashiro K, Matsuda F, Tsujikawa A ; Nagahama Study group | Myopia Prevalence and Ocular Biometry Features in a General Japanese Population: the Nagahama Study. | Ophthalmology | Aug 27 | S0161-6420(20)30841-1. doi: 10.1016/j.optha.2020.08.023 | 2020 |
| Wong IY, Wong RLM, Chan JCH, Kawasaka R, Chong V | Incorporating optical coherence tomography macular scans enhances cost-effectiveness of fundus-photography based screening for diabetic macular edema. | Diabetes Care | 43(12) | 2959-2966 | 2020 |
| Kumamaru H, Fukuma S, Matsui H, Kawasaka R, Tokumitsu H, Takahashi A, Hara S, Aoki K, Fujita T, Miyata H | Principles for the use of large-scale medical databases to generate real-world evidence. | Annals of Clinical Epidemiology | 2(1) | 27-32 | 2020 |
| Hyungtaek Rim T, Kawasaki K, et al. | Prevalence and Pattern of Geographic Atrophy in Asia for the Asian eye epidemiology consortium | Ophthalmology | 127(10) | 1371-1381 | 2020 |
| Nishitsuka K, Kawasaka R, Yamakiri K, Baba T, Koto T, Yamashita H, Sakamoto T, for the Japan Retinal Detachment Registry Group. | Preoperative factors to select vitrectomy or scleral buckling for retinal detachment in microincision vitrectomy era. | Graefe's Archive for Clinical and Experimental Ophthalmology. | 258(9) | 1871-1880 | 2020 |

| | | | | | |
|---|---|-----------------------|--------|------------------------|------|
| Konta T, Ichikawa K, Kawasaki R, Fujimoto S, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Narita I, Kondo M, Shibagaki Y, Kasahara M, Asahi K, Watanabe T. | Association between serum uric acid levels and mortality: a nationwide community-based cohort study | Scientific reports | 10(1) | 6066 | 2020 |
| Baba T, Kawasaki R, Yamakiri K, Koyama T, Nishitsuka K, Yamamoto S, Sakamoto T, for the Japan-Retinal Detachment Registry Group. | Visual outcomes after surgery for primary rhegmatogenous retinal detachment in eyes of microincision vitrectomy: Japan-Retinal Detachment Registry Report IV. | Br J Ophthalmol | 105(2) | 227-232 | 2020 |
| Yamada M, Nakanishi T, Matsuda H, Kojima SW, Takagi Y. | Cost-effectiveness and budget impact analysis of a patient visit support system for blindness reduction in Japanese patients with glaucoma. | J Med Econ. | 23(11) | 1293-301 | 2020 |
| Terauchi R, Ogawa S, Noro T, Ito K, Kato T, Tatemichi M, Nakano T. | Seasonal Fluctuation in Intraocular Pressure and Retinal Nerve Fiber Layer Thinning in Primary Open-Angle Glaucoma. | Ophthalmol Glaucoma. | Nov 4 | Online ahead of print. | 2020 |
| Harada C, Noro T, Kimura A, Guo X, Namekata K, Nakano T, Harada T. | Suppression of Oxidative Stress as Potential Therapeutic Approach for Normal Tension Glaucoma. | Antioxidants (Basel). | 9(9) | 874 | 2020 |