

研究成果の刊行に関する一覧

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Enomoto H, Fujikoshi S, Ogawa K, Tsuji T, <u>Tanaka S</u>	Relationship Between Pain Reduction and Improvement in Health-Related Quality of Life in Patients with Knee Pain Due to Osteoarthritis Receiving Duloxetine: Exploratory Post Hoc Analysis of a Japanese Phase 3 Randomized Study.	J Pain Res	13	181-191	2020
Kono K, Inui H, Tomita T, Yamazaki T, Taketomi S, Yamagami R, Kawaguchi K, Sugamoto K, <u>Tanaka S</u>	Weight-bearing status affects in vivo kinematics following mobile-bearing unicompartmental knee arthroplasty.	Knee Surg Sports Traumatol Arthrosc			in press
Kawabata K, Matsumoto T, Kasai T, Chang SH, Hirose J, <u>Tanaka S</u>	Association between fall history and performance-based physical function and postural sway in patients with rheumatoid arthritis.	Mod Rheumatol			in press
Fukushima M, Oshima Y, Yuzawa Y, <u>Tanaka S</u> , Inanami H	Clinical and radiographic analysis of unilateral versus bilateral instrumented one-level lateral lumbar interbody fusion.	Sci Rep	10(1)	3105	2020
Tani S, Morizaki Y, Uehara K, Sawada R, Kobayashi H, Shinoda Y, Kawano H, <u>Tanaka S</u>	Bone metastasis of limb segments: Is mesometastasis another poor prognostic factor of cancer patients?	Jpn J Clin Oncol	50(6)	688-692	2020
Sugimoto H, Murahashi Y, Chijimatsu R, Miwa S, Yano F, <u>Tanaka S</u> , Saito T	Primary culture of mouse adipose and fibrous synovial fibroblasts under normoxic and hypoxic conditions.	Biomed Res	41(1)	43-51	2020
Matsumoto T, Kasai T, Uchio A, Izawa N, Takuo J, <u>Tanaka S</u>	Excision Arthroplasty With Interpositional Achilles Tendon Autograft: A Novel Approach to Talonavicular Joint Osteoarthritis Associated With Ankle Arthrodesis.	J Foot Ankle Surg	59(2)	440-444	2020
Matsumoto T, Yamamoto K, Takeuchi T, Tanaka Y, <u>Tanaka S</u> , Nakano T, Ito M, Tomomitsu T, Hirakawa A, Soen S	Elcalcitol is superior to alfacalcidol in maintaining bone mineral density in glucocorticoid-induced osteoporosis patients (e-GLORIA).	J Bone Miner Metab	38(4)	522-532	2020

Hirai S, Kato S, Nakajima K, Doi T, Matsubayashi Y, Taniguchi Y, Inanami H, Hayashi N, <u>Tanaka S</u> , O	Anatomical study of cervical intervertebral foramen in patients with cervical spondylotic radiculopathy.	J Orthop Sci				in press
Oshima Y, Doi T, Kato S, Taniguchi Y, Matsubayashi Y, Nakajima K, Oguchi F, Oka H, Hayashi N, <u>Tanaka S</u>	Association between ossification of the longitudinal ligament of the cervical spine and arteriosclerosis in the carotid artery.	Sci Rep	10(1)	3369		2020
Hamamoto S, Chijimatsu R, Shimomura K, Kobayashi M, Jacob G, Yanofsky F, Saito T, Chung UI, <u>Tanaka S</u> , Nakamura N	Enhancement of chondrogenic differentiation supplemented by a novel small molecule compound for chondrocyte-based tissue engineering.	J Exp Orthop	7(1)	10		2020
Ishimoto Y, Jamaludin A, Cooper C, Walker-Bone K, Yamada H, Hashizume H, Oka H, <u>Tanaka S</u> , Yoshida M, Urban J, Kadir T, Fairbank J	Could automated machine-learned MRI grading aid epidemiological studies of lumbar spinal stenosis? Validation within the Wakayama spine study.	BMC Musculoskelet Disor	21(1)	158		2020
Takeuchi T, Tanaka Y, <u>Tanaka S</u> , Kawakami A, Song YW, Chen YH, Rokuda M, Izutsu H, Ushijima S, Kaneko Y, Nakashima Y, Shiomi T, Yamada E	Safety and effectiveness of peficitinib (ASP015K) in patients with rheumatoid arthritis: interim data (22.7 months mean peficitinib treatment) from a long-term, open-label extension study in Japan, Korea, and Taiwan.	Arthritis Res Ther	22(1)	47		2020
Okada K, Mori D, Makii Y, Nakamoto H, Murahashi Y, Yano F, Chang SH, Taniguchi Y, Kobayashi H, Sembu H, Takeda N, Piao W, Hanaka K, Nagano T, <u>Tanaka S</u> , Saito T	Hypoxia-inducible factor-1 $\alpha$ maintains mouse articular cartilage through suppression of NF- $\kappa$ B signaling.	Sci Rep	10(1)	5425		2020
Kawata M, Jo T, Taketomi S, Inui H, Yamagami R, Matsui H, Fushimi K, Yasunaga H, <u>Tanaka S</u>	Type of bone graft and primary diagnosis were associated with nosocomial surgical site infection after high tibial osteotomy: an analysis of a national database.	Knee Surg Sports Traumatol Arthrosc				in press

Omata Y, Frech M, Lucas S, Primbs T, Knipfer L, Wirtz S, Kadono Y, Saito T, <u>Tanaka S</u> , Sarter K, Schett G, Zaiss MM	Type 2 innate lymphoid cells inhibit the differentiation of osteoclasts and protect from ovariectomy-induced bone loss.	Bone	136	115335	2020
Inui H, Taketomi S, Yamagami R, Kono K, Kawaguchi K, Takagi K, Kage T, <u>Tanaka S</u>	Femorotibial rotational mismatch of the Oxford unicompartmental knee in the flexion position is a risk factor for poor outcomes.	Knee	27(3)	1064-1070	2020
Kono K, Inui H, Tomita T, Yamazaki T, Taketomi S, Yamagami R, Kato Y, Sugawachi K, Sugamoto K, <u>Tanaka S</u>	In vivo kinematic comparison before and after mobile-bearing unicompartmental knee arthroplasty during high-flexion activities.	Knee	27(3)	873-883	2020
Taniguchi Y, Matsubayashi Y, Kato S, Ono T, Oshima Y, <u>Tanaka S</u>	Preoperative Assessment of the Feasibility of Pedicle Screw Insertion at the Proximal Thoracic Curve in Lenke Type 2 Idiopathic Scoliosis.	Global Spine	10(3)	261-265	2020
Yamagami R, Inui H, Taketomi S, Kono K, Kawaguchi K, Takagi K, Kage T, Sameshima S, <u>Tanaka S</u>	Implant Alignment and Patient Factors Affecting the Short-Term Patient-Reported Clinical Outcomes after Oxford Unicompartmental Knee Arthroplasty.	J Knee Surg			in press
Doi T, Sakamoto R, Horii C, Okamoto N, Nakajima K, Hirai S, Oguchi F, Kato S, Taniguchi Y, Matsubayashi Y, Hayashi N, <u>Tanaka S</u> , Oshima Y	Risk factors for progression of ossification of the posterior longitudinal ligament in asymptomatic subjects.	J Neurosurg Spine			in press
Ikegami M, Kohsaka S, Ueno T, Momozawa Y, Inoue S, Tamura K, Shimomura A, Hosoya N, Kobayashi H, <u>Tanaka S</u> , Mano H	High-throughput functional evaluation of BRCA2 variants of unknown significance.	Nat Commun	11(1)	2573	2020
Horii C, Asai Y, Iidaka T, Muraki S, Oka H, Tsutsui S, Hashizume H, Yamada H, Yoshida M, Kawaguchi H, Nakamura K, Akune T, Oshima Y, <u>Tanaka S</u> , Yoshimura N	The incidence and risk factors for adjacent vertebral fractures in community-dwelling people with prevalent vertebral fracture: the 3rd and 4th survey of the ROAD study.	Arch Osteoporos	15(1)	74	2020

Higuchi J, Yamagami R, Matsumoto T, Terao T, Inoue K, Tsuji S, Maenohara Y, Matsuzaki T, Chijimatsu R, Omata Y, Yano F, <u>Tanaka S</u> , Saito T	Associations of clinical outcomes and MRI findings in intra-articular administration of autologous adipose-derived stem cells for knee osteoarthritis.	Regen Ther	14	332-340	2020
Takase K, Hata Y, Morisawa Y, Goto M, <u>Tanaka S</u> , Hamada J, Hayashida K, Fujii Y, Morihara T, Yamamoto N, Inui H, Shiozaki H	Methods used to assess the severity of acromioclavicular joint separations in Japan: a survey.	JSES Int	42(2)	242-245	2020
Inui H, Taketomi S, Yamagami R, Kawaguchi K, <u>Tanaka S</u>	Femoral migration of the cementless Oxford which caused the bearing dislocation: a report of two cases.	BMC Musculoskelet Disor	21(1)	356	2020
Hirai T, Kobayashi H, Okuma T, Ishibashi Y, Ikegami M, Ohki T, Shinoda Y, Okajima K, Zhang L, Akiyama T, Goto T, <u>Tanaka S</u>	Skeletal muscle measurements predict surgical wound complications but not overall survival in patients with soft tissue sarcoma.	Jpn J Clin Oncol	50(10)	1168-1174	2020
Nakajima K, Nakamoto H, Kato S, Doi T, Matsubayashi Y, Taniguchi Y, Kawamura N, Higashikawa A, Takakeshita Y, Fukushima M, Ono T, Hara N, Azuma S, <u>Tanaka S</u> , Oshima Y	Influence of unintended dural tears on postoperative outcomes in lumbar surgery patients: a multicenter observational study with propensity scoring.	Spine J	20(12)	1968-1975	2020
Kasai T, Momoyama G, Nagase Y, Yasui T, <u>Tanaka S</u> , Matsumoto T	Disease activity affects the recurrent deformities of the lesser toes after resection on arthroplasty for rheumatoid forefoot deformity.	Mod Rheumatol			in press
Ishibashi Y, Kobayashi H, Sawada R, Okuma T, Okajima K, Zhang L, Hirai T, Ohki T, Ikegami M, Shinoda Y, Akiyama T, Goto T, <u>Tanaka S</u>	Pretreatment serum C-reactive protein is a significant prognostic factor in patients with soft tissue metastases.	J Orthop Sci			in press

Omiya T, Hirose J, Omata Y, Tomimari T, Inada M, Watanabe H, Miyamoto T, <u>Tanaka S</u>	Sustained anti-osteoporotic action of risedronate compared to anti-RANKL antibody following discontinuation in ovariectomized mice.	Bone Rep	13	100289	2020
Kojima T, Ishikawa H, <u>Tanaka S</u> , Haga N, Nishida K, Yukioka M, Hashimoto J, Miyahara H, Niki Y, Kimura T, Oda H, Asai S, Funahashi K, Kojima M, Ishiguro N	Relationship between the physician-based clinical score for foot and ankle surgery and patient-reported outcomes in patients with long-standing rheumatoid arthritis: Results from a multicenter prospective observational cohort study.	Mod Rheumat			in press
Murakami K, Nagata K, Hashizume H, Oka H, Murali S, Ishimoto Y, Yoshida M, <u>Tanaka S</u> , Minamide A, Nakagawa Y, Yoshimura N, Yamada H	Prevalence of cervical anterior and posterior spondylolisthesis and its association with degenerative cervical myelopathy in a general population.	Sci Rep	10(1)	10455	2020
Kato S, Zeller RD, Magana S, Galnau M, Oshima Y, <u>Tanaka S</u> , Lewis SJ	Postoperative Distal Coronal Decompression after Fusion to L3 for Adolescent Idiopathic Scoliosis is affected by Sagittal Pelvic Parameters.	Spine (Phila Pa 1976)	45(21)	E1416-E1420	2020
Oshima Y, Inanami H, Iwai H, Koga H, Takano Y, Oshima M, Oka H, <u>Tanaka S</u>	Is Microendoscopic Discectomy Effective for Patients With Concomitant Lumbar Disc Herniation and Spondylolysis?	Global Spine J	10(6)	700-705	2020
Inui H, Taketomi S, Yamagami R, Kono K, Kawaguchi K, Takagi K, Kage T, <u>Tanaka S</u>	Comparison of intraoperative kinematics and their influence on the clinical outcomes between posterior stabilized total knee arthroplasty and bi-cruciate stabilized total knee arthroplasty.	Knee	27(4)	1263-1270	2020
Tanaka Y, Soenen S, Ishiguro N, Yamanaka H, Yoneda T, <u>Tanaka S</u> , Oshira T, Nitta T, Odenokubo N, Genant H, van der Heijden D, Takeuchi T	Identifying the preferable subgroups for intervention with the anti-RANKL antibody odenosumab to reduce progression of joint destruction.	RMD Open	6(2)	e001249	2020
Kobayashi H, Makise N, Ito N, Koga M, Zhang L, Ishibashi Y, Ikegami M, Shinoda Y, Akiyama T, Ushiku T, <u>Tanaka S</u>	Surgical margin for phosphaturic mesenchymal tumors in soft tissues: An analysis of the radiological histopathological correlation.	J Orthop Sci			in press

Shinoda Y, Sawada R, Ishibashi Y, Akiyama T, Zhang L, Hirai T, Okahashi H, Ohki T, Ikegami M, Okajima K, Okuma T, Kobayashi H, Goto T, Haga N, <u>Tanaka S</u>	Prediction of pathological fracture in patients with lower limb bone metastasis using computed tomography imaging.	Clin Exp Metastasis	37(5)	607-616	2020
Kono K, Konda S, Yamazaki T, <u>Tanaka S</u> , Sugamoto K, Tomita T	In vivo length change of ligaments of normal knees during dynamic high flexion.	BMC Musculoskeletal Disor	21(1)	552	2020
Sawada R, Yamada H, Shinoda Y, Tsuda Y, Matsui H, Fushimi K, Kobayashi H, Matsubayashi Y, Yasunaga H, <u>Tanaka S</u> , Haga N	Predictive factors of the 30-day mortality after surgery for spinal metastasis: A analysis of a nationwide database.	J Orthop Sci			in press
Kushioka J, Kaito T, Chijimatsu R, Okada R, Ishiguro H, Bal Z, Kodama J, Yano F, Sagito T, Chung UI, <u>Tanaka S</u> , Yoshikawa H	The small compound, TD-198946, protects against intervertebral degeneration by enhancing glycosaminoglycan synthesis in nucleus pulposus cells.	Sci Rep	10(1)	14190	2020
Ono K, Ohashi S, Oka H, Kadono Y, Yasui T, Matsumoto T, Omata Y, <u>Tanaka S</u>	Evaluations of daily teriparatide using finite-element analysis over 12 months in rheumatoid arthritis patients.	J Bone Miner Metab			in press
Sato Y, Kashiwabara K, Taniguchi Y, Matsubayashi Y, Kato S, Doi T, Hirai S, Tachibana N, Hasebe H, Nakajima K, Hayashi N, <u>Tanaka S</u> , Oshima Y	Associated factors for and progression rate of sacroiliac joint degeneration in subjects undergoing comprehensive medical checkups.	Eur Spine J	29(3)	579-585	2020
Ogura K, Uehara K, Akiyama T, Shinoda Y, Iwata S, Tsukushi S, Kobayashi E, Hirose T, Yonemoto T, Endo M, Tanzawa Y, Nakatani F, Kawano H, <u>Tanaka S</u> , Kawai A	Minimal clinically important differences in Toronto Extremity Salvage Score for patients with lower extremity sarcoma.	J Orthop Sci	25(2)	315-318	2020

Soen S, Kishimoto H, Hagino H, Sone T, Ohishi H, Fujimoto T, Sasaki E, <u>Tanaka S</u> , Sugimoto T	Phase II/III, randomized, double-blind, parallel-group study of monthly delayed-release versus daily immediate-release risedronate tablets in Japanese patients with involutional osteoporosis.	J Bone Miner Metab	38(1)	86-89	2020
Soen S, Yamamoto K, Takeuchi T, <u>Tanaka Y</u> , <u>Tanaka S</u> , Ito M, Nakamoto T, Hagino H, Hirakawa A, Sugimoto T	Minodronate combined with alfacalcidol versus alfacalcidol alone for glucocorticoid-induced osteoporosis: a multicenter, randomized, comparative study.	J Bone Miner Metab	38(4)	511-521	2020
Inui H, Taketomi S, Yamagami R, Kono K, Kawaguchi K, Nakazato K, Takagi K, Kage T, <u>Tanaka S</u>	Appropriate Timing for Evaluation of the Short-Term Effectiveness of Unicompartmental Knee Arthroplasty.	J Knee Surg			in press
Oshina M, Segawa T, Manabe N, Oshima Y, <u>Tanaka S</u> , Inanami H	Incidence, prognosis, and risk factors for bladder and bowel dysfunction due to incidental dural tears in lumbar microendoscopic surgery.	Spine J	20(5)	688-694	2020
Nagata K, Oshima Y, Nakamoto H, Sakamoto R, Ohtomo N, Izuka M, Nakajima K, Yoshimoto T, Fujii T, Matsudaira K, <u>Tanaka S</u> , Oka H	Validity of the Japanese Core Outcome Measures Index (COMI)-Back for thoracic and lumbar spine surgery: a prospective cohort study.	Eur Spine J	29(6)	1435-1444	2020
Takeuchi T, Soen S, Ishiguro N, Yamashita H, <u>Tanaka S</u> , Kobayashi M, Okubo N, Nitta T, Tanaka Y	Predictors of new bone erosion in rheumatoid arthritis patients receiving conventional synthetic disease-modifying antirheumatic drugs: Analysis of data from the DRIVE and DESIRABLE studies.	Mod Rheumatol			in press
Takei S, Taketomi S, <u>Tanaka S</u> , Torii S	Growth pattern of lumbar bone mineral content and trunk muscles in adolescent male soccer players.	J Bone Miner Metab	38(3)	338-345	2020
Kawaguchi K, Taketomi S, Inui H, Yamagami R, Nakazato K, Takagi K, Kage T, Kawatani M, <u>Tanaka S</u>	Chronological Changes in Anterior Knee Stability after Anterior Cruciate Ligament Reconstruction Using Bone-Patellar Tendon-Bone and Hamstring Grafts.	J Knee Surg			in press

Doi T, Nakamoto H, Nakajima K, Hirai S, Sato Y, Kato S, Taniguchi Y, Matsubayashi Y, Matsudaira K, Takeshita K, <u>Tanaka S</u> , Oshima Y	Effect of depression and anxiety on health-related quality of life outcomes and patient satisfaction after surgery for cervical compressive myelopathy.	J Neurosurg Spine				in press
Kono K, Inui H, Tomita T, Yamazaki T, Taketomi S, <u>Tanaka S</u>	In Vivo Kinematics of Bicruciate-Retaining Total Knee Arthroplasty with Anatomical Articular Surface under High-Flexion Conditions.	J Knee Surg,				in press
Nagata K, Shinozaki T, Yamada K, Nakajima K, Nakamoto H, Yamakawa K, Matsumoto T, Tokimura F, Kanai H, Takeshita Y, Tajiri Y, Abe H, Kato S, Taniguchi Y, Matsubayashi Y, Oshima Y, <u>Tanaka S</u> , Okazaki H	A sliding scale to predict postoperative complications undergoing posterior spine surgery.	J Orthop Sci	25(4)	545-550		2020
Kasai T, Nakamura T, Iwasawa M, Nagase Y, Juji T, <u>Tanaka S</u> , Matsumoto T	Factors affecting bone union after distal shortening oblique osteotomy of the lesser metatarsals.	Mod Rheumatol	30(3)	502-508		2020
Enomoto H, Fujikoshi S, Ogawa K, Tsuji T, <u>Tanaka S</u>	Relationship Between Pain Reduction and Improvement in Health-Related Quality of Life in Patients with Knee Pain Due to Osteoarthritis Receiving Duloxetine: Exploratory Post Hoc Analysis of a Japanese Phase 3 Randomized Study.	J Pain Res	13	181-191		2020
Zujur D, Kanke K, Onodera S, Tani S, Lai J, Azuma T, Xin X, Lichtner AC, Rowe DW, Saito T, <u>Tanaka S</u> , Masaki H, Nakauchi H, Chung UI, Hojo H, Ohba S	Stepwise strategy for generating osteoblasts from human pluripotent stem cells under fully defined xenofree conditions with small-molecule inducers.	Regen Ther	14	19-31		2020



Kobayashi H, Iwata S, Wakamatsu T, Hayakawa K, Yonemoto T, Wada J, Oka H, Ueda T, <u>Tanaka S</u>	Efficacy and safety of trabectedin for patients with unresectable and relapsed soft-tissue sarcoma in Japan: A Japanese Musculoskeletal Oncology Group study.	Cancer	126(6)	1253-1263	2020
Ogihara S, Yamazaki T, Shiibashi M, Maruyama T, Chikuda H, Miyoshi K, Inanami H, Oshima Y, Azuma S, Kawamura N, Yamakawa K, Harara N, Morii J, Okazaki R, Takeshita Y, Sato K, <u>Tanaka S</u> , Saita K	Risk Factor Analysis of Deep Surgical Site Infection After Posterior Instrumented Fusion Surgery for Spinal Trauma: A Multicenter Observational Study.	World Neurosurg	134	e524-e529	2020
Yamada K, Nakajima K, Nakamoto H, Kohata K, Shinozaki T, Oka H, Yamakawa K, Matsumoto T, Tokimura F, Kanai H, Takeshita Y, Karita T, Tajiri Y, Okazaki H, <u>Tanaka S</u>	Association between Normothermia at the End of Surgery and Postoperative Complications following Orthopaedic Surgery.	Clin Infect Dis	70(3)	474-482	2020
Inui H, Taketomi S, Yamagami R, Kawaguchi K, Nakazato K, <u>Tanaka S</u>	Necessary Factors to Achieve Deep Flexion for Asian Populations after Oxford Unicompartmental Knee Arthroplasty.	J Knee Surg	33(3)	294-300	2020
Fujimoto Y, Fujii T, Oshima Y, Oka H, <u>Tanaka S</u> , Matsudaira K	The association between neck and shoulder discomfort-Katakori-and high somatizing tendency.	Mod Rheumatol	30(1)	191-196	2020
Hamasaki T, Okimoto N, Teramoto H, Shirakawa T, Nakagawa T, Mizuno N, Yamasaki T, Sasashige Y, <u>Fujiwara S</u>	Incidence of clinical vertebral fractures and hip fractures of the elderly (65 years or over)population-large-scale data analysis using claim database in Kure city, Hiroshima, Japan.	Arch Osteoporos	15	124-126	2020

Okimoto N, Sakai A, Yoshioka T, Kobayashi T, Asano K, Akahoshi S, Ishikura T, Fukushima S, Fuse Y, Mizuno T, Katae Y, Matsumoto H, Ogawa T, Nishida S, Ikeda S, Meneki K, Saito J, Okazaki Y, Mizuno N, <u>Fujiwara S</u>	Efficacy of non-steroidal anti-inflammatory drugs on zoledronic acid-induced acute-phase reactions: randomized, open-label, Japanese OZ study.	J Bone Miner Metab	38	230-239	2020
<u>藤原佐枝子</u>	骨粗鬆症検診を知って骨折を防ごう	OPJリエゾン	冬	16-27	2020
<u>藤原佐枝子</u>	Point Advice, Imminent fracture risk One	Medical Practice	37	1320	2020
<u>藤原佐枝子</u>	FRAXによる骨折リスク評価	糖尿病・内分泌代謝 特別増刊号	51	97-101	2020
<u>藤原佐枝子</u>	薬物治療における骨代謝マーカーを使用したアドヒアランス向上に向けての提案	日本骨粗鬆症学会雑誌	6	241-245	2020
<u>藤原佐枝子</u>	男性骨粗鬆症の疫学と診断	The Bone	33	277-282	2020
<u>藤原佐枝子</u>	骨代謝マーカーによる骨折リスク評価	The Bone	33	219-222	2020
Kitsuda Y, Wada T, Noma H, Osaki M, <u>Hagino H</u>	Impact of high-load resistance training on bone mineral density in osteoporosis and osteopenia: a meta-analysis.	J Bone Miner Metab			in press
<u>萩野浩</u>	リハビリテーション治療で骨を変えるー骨卒中予防をめざしてー	Jpn J Rehabil Med	58(1)	59-65	2021
<u>萩野浩</u>	わが国の脆弱性骨折の現状ー骨卒中予防の課題ー	Geriatr.Med.	59(3)	243-248	2021
Shibasaki K, Asahi T, Kuribayashi M, Tajima Y, Marubayashi M, Iwahara R, Akishita M, <u>Ogawa S</u>	Potential prescribing omissions of anti-osteoporosis drugs is associated with rehabilitation outcomes after fragility fracture: retrospective cohort study.	geriatr. Gerontol. Int.			in press

Mori T, Wakabayashi H, Ogawa N, Fujishima I, Oshima F, Itoda M, Kunieda K, Shigematsu T, Nishioka S, Tohara H, Yamada M, <u>Ogawa S</u>	The Mass of Geniohyoid Muscle Is Associated with Maximum Tongue Pressure and Tongue Area in Patients with Sarcopenic Dysphagia.	Int Health Aging	25(3)	356-360	2021
Sawada M, Kubota N, Sekine R, Yabakabe M, Kojima K, Umeda-Kameyama Y, Akishita M, <u>Ogawa S</u>	Sex-related differences in the effects of nutritional status and body composition on functional disability in the elderly.	PLOS ONE	16(2)	e0246276	2021
Kunieda K, Fujishima I, Wakabayashi H, Ohno T, Shigematsu T, Itoda M, Mori T, Machida N, <u>Ogawa S</u>	Relationship between tongue pressure and pharyngeal function using high resolution manometry in older dysphagia patients with sarcopenia.	Dysphagia	36(1)	33-40	2021
Nakatoh S, Fujimori K, Tamaki J, Okimoto N, <u>Ogawa S</u> , Iki M	Insufficient persistence of adherence to osteoporosis pharmacotherapy in Japan.	J Bone Miner Metab.			in press
Ogawa N, Wakabayashi H, Mori T, Fujishima I, Oshima F, Itoda M, Kunieda K, Shigematsu T, Nishioka S, Tohara H, Ohno T, Nomoto A, Shimizu A, Yamada M, <u>Ogawa S</u>	Digastric muscle mass and intensity in older patients with sarcopenic dysphagia by ultrasonography.	Geriatr Gerontol Int	21(1)	14-19	2021
Wakabayashi H, Kishima M, Itoda M, Fujishima I, Kunieda K, Ohno T, Shigematsu T, Oshima F, Mori T, Ogawa N, Nishioka S, Yamada M, <u>Ogawa S</u>	The Japanese Working Group on Sarcopenic Dysphagia. Diagnosis and Treatment of Sarcopenic Dysphagia:	A Scoping Review. Dysphagia			in press
Nakatoh S, Fujimori K, Tamaki J, Okimoto N, <u>Ogawa S</u> , Iki M	Insufficient increase in bone mineral density testing rates and pharmacotherapy after hip fracture in Japan.	J Bone Miner Metab	385	589-596	2020
Nomura K, Eto M, <u>Ogawa S</u> , Kojima T, Iijima K, Nakamura T, Arakaki A, Ouchi Y, Akishita M	The association between low muscle mass and cardiovascular risk factors in elderly women.	PLOS ONE	15(12)	e0243242	2020

Hosoi T, Yamana H, Tamiya H, Matsui H, Fushimi K, Akishita M, Yasunaga H, <u>Ogawa S</u>	Association between comprehensive geriatric assessment and short-term outcomes among older adult patients with stroke: A nationwide retrospective cohort study using propensity score and instrumental variable methods.	EclinicalMedicine	23	100411	2020
Kameyama M, Ishibashi K, Toyohara J, Wagatsuma K, Umeda-Kameyama Y, Shimoji K, Kamemaru K, Murayama S, <u>Ogawa S</u> , Tokumaru A, Ishii K	Voxel-Based morphometry focusing on medial temporal lobe structures has limited capability to detect amyloid $\beta$ .	Aging	12(19)	19701-19710	2020
Hattori Y, Abe T, Kojima T, Hamada S, <u>Ogawa S</u> , Ura N, Akishita M	Potential prescribing omissions (PPO) may have no influence on cause of death in care-dependent older adults with percutaneous endoscopic gastrostomy (PEG) tube.	Geriatr Gerontol Int	20(10)	961-966	2020
Umeda-Kameyama Y, Kameyama M, Kojima T, Ishiura M, Kidana K, Yonakabe M, Ishii S, Urano T, <u>Ogawa S</u> , Akishita M	Cognitive function has a stronger correlation with perceived age than chronological age.	Geriatr Gerontol Int	20(8)	779-784	2020
Yakabe M, Hosoi T, Akishita M, <u>Ogawa S</u>	Updated concept of sarcopenia based on muscle-bone relationship.	J Bone Miner Metab	38	7-13	2020
Kitago M, Kase Y, Iwata Y, Suwayama Y, Tsuchiya H, Hanata N, Kojima T, <u>Ogawa S</u> , Fujio K, Akishita M	Deteriorating anemia in an 86-year-old man was improved by prednisolone.	Geriatr Gerontol Int	20(11)	1091-1092	2020
Hosoi T, Kojima T, <u>Ogawa S</u> , Akishita M	Effect of testosterone replacement therapy on sarcopenia: case report of old man with late-onset hypogonadism syndrome.	Geriatr Gerontol Int	20	85-86	2020

Horii C, Asai Y, Iidaka T, Muraki S, Oka H, Tsutsui S, Hashizume H, Yamada H, Yoshida M, Kawaguchi H, Nakamura K, Akune T, Oshimura Y, Tanaka S, Yoshimura N	The incidence and risk factors for adjacent vertebral fractures in community-dwelling people with prevalent vertebral fracture: the 3rd and 4th survey of the ROAD study.	Arch Osteoporos	15(1)	74	2020
Iidaka T, Muraki S, Oka H, Horii C, Kawaguchi H, Nakamura K, Akune T, Tanaka S, Yoshimura N	Incidence rate and risk factors for radiographic osteoarthritis in Japanese men and women. A 10-year follow-up of the ROAD study.	Osteoarthritis Cartilage	28(2)	182-188	2020
Matsui T, Hara K, Kayama T, Iwata M, Shitara N, Hotojo S, Endo Y, Fujiuoka H, Yoshimura N, Kawaguchi H	Cervical muscle diseases are associated with indefinite and various symptoms in the whole body.	Eur Spine J	29(5)	1013-1021	2020
Ishimoto Y, Jamaludin A, Cooper C, Walker-Bone K, Yamada H, Hashizume H, Oka H, Tanaka S, Yoshimura N, Yoshida M, Urban J, Kadir T, Fairbank J	Could automated machine-learned MRI grading and epidemiological studies of lumbar spinal stenosis? Validation within the Wakayama Spine Study.	BMC Musculoskelet Disor	21(1)	158	2020
Suzuki T, Nishita Y, Jeong S, Shimada H, Otsuka R, Kondo K, Kim H, Fujiwara Y, Awata S, Kitamura A, Obuchi S, Iijima K, Yoshimura N, Watanabe S, Yamada M, Toba K, Makizako H	Are Japanese older adults rejuvenating? Changes in health-related measures among older community dwellers in the last decade.	Rejuvenation Res			in press
Murakami K, Nagata K, Hashizume H, Oka H, Muraki S, Ishimoto Y, Yoshida M, Tanaka S, Minamide A, Nakagawa Y, Yoshimura N, Yamada H	Prevalence of cervical anterior and posterior spondylolisthesis and its association with degenerative cervical myelopathy in a general population	Sci Rep	26(1)	10455	2020

Makizako H, Nishita Y, Seungwon J, Otsuka R, Shimada H, Iijima K, Obuchi S, Kim H, Kitamura A, Ohara Y, Awata S, Yoshimura N, Yamada M, Toba K, Suzuki T	Trends in the prevalence of frailty in Japan: A meta-analysis from the ILSA-J.	The Journal of Open Access Frailty & Aging,			2020
Taniguchi T, Harada T, Iidaka T, Hashizume H, Taniguchi W, Okamoto H, Asai Y, Muraki S, Akune T, Nakamura K, Kawaguchi H, Yoshida M, Tanaka S, Yamada H, Yoshimura N	Prevalence and associated factors of pistol grip deformity in a Japanese population: The ROAD Study.			Scientific Reports	in press
Miyamoto K, Hirayama A, Sato Y, Ikeda S, Maruyama M, Soga T, Tomita M, Yoshimura N, Miyamoto T	Metabolomic profile predictive of new osteoporosis or sarcopenia development.	Metabolites			in press
橋爪洋、浅井宣樹、 筒井俊二、岡敬之、 吉村典子、 山田宏	【腰痛とロコモ】PI-LL(PIマイナスLL)と腰痛	Loco Cure	6(2)	127-131	2020
吉村典子	フレイル、サルコペニアとロコモティブシンドローム 住民コホートROADスタディより	糖尿病・内分泌代謝	50(6)	469-475	2020
吉村典子	【骨粗鬆症のすべて】(第12章)関節疾患と骨粗鬆症 変形性関節症と骨粗鬆症	糖尿病・内分泌代謝科	51(Suppl.5)	255-259	2020
吉村典子	【ロコモティブシンドロームと痛み】運動器の痛みの疫学	ペインクリニック	41(7)	862-866	2020
吉村典子	【運動器の健康「ロコモ新判断基準」】ロコモ度3策定 ロコモとフレイル、サルコペニア	クリニシアン	67(8-9)	822-830	2020

吉村典子	ロコモティブシンドローム、フレイル、サルコペニアの性差	Geriatric Medicine			in press
吉村典子	ロコモアップデート2. フレイル、サルコペニアとの関連性:住民コホートROADスタディより	臨床雑誌「整形外科」増刊号「ロコモティブシンドロームの現況」			in press
吉村典子	住民コホートによる評価: 26. ROAD Study	臨床雑誌「整形外科」増刊号「ロコモティブシンドロームの現況」			in press