

研究成果の刊行に関する一覧表

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Umemoto K, Kubo S, Nishida Y, Higashiyama A, Kawamura K, Kubota Y, Hirata T, Hirata A, Sata M, Kuwabara K, Miyazaki J, Kadota A, Iida M, Sugiyama D, Miyamatsu N, Miyamoto Y, Okamura T.	Physique at Birth and Cardiovascular Disease Risk Factors in Japanese Urban Residents: the KOBE Study.	J Atheroscler Thromb.	28	1-12	2021
2	Hattori H, Hirata A, Kubo S, Nishida Y, Nozawa M, Kawamura K, Hirata T, Kubota Yoshimi, Sata M, Kuwabara K, Higashiyama A, Kadota A, Sugiyama D, Miyamatsu N, Miyamoto Y and Okamura T,	Estimated 24 h Urinary Sodium-to-Potassium Ratio Is Related to Renal Function Decline: A 6-Year Cohort Study of Japanese Urban Residents.	Int. J. Environ. Res. Public Health	17(16)	1-12	2020
3	田谷 元, 桑原 和代, 東山 綾, 杉山 大典, 平田 あや, 佐田 みづき, 平田 匠, 西田 陽子, 久保 佐智美, 久保田 芳美, 門田 文, 宮松 直美, 西村 邦宏, 宮本 恵宏, 岡村 智教	都市住民における非特異的ストレス指標 K6 の悪化予測因子の探索：神戸研究	日本公衆衛生雑誌	67(8)	509-17	2020
4	野澤 美樹, 桑原 和代, 久保田 芳美, 西田 陽子, 久保 佐智美, 平田 匠, 東山 綾, 平田 あや, 服部 浩子, 佐田 みづき, 門田 文, 杉山 大典, 宮松 直美, 宮本 恵	横断研究による推定 24 時間尿中ナトリウム・カリウム比および BMI と血圧との関連：神戸研究	日本公衆衛生雑誌	67(10)	722-33.	2020

	宏, 岡村 智教					
5	Takeuchi A, Nishiwaki Y, Okamura T, Milojevic A, Ueda K, Asakura K, Takebayashi T, Hasegawa S, Sairenchi T, Irie F, Ota H, Nitta H.	Long-Term Exposure to Particulate Matter and Mortality from Cardiovascular Diseases in Japan: The Ibaraki Prefectural Health Study (IPHS).	J Atheroscler Thromb.	28(3)	230-240	2021
6	Sairenchi T, Yamagishi K, Iso H, Irie F, Koba A, Nagao M, Umesawa M, Haruyama Y, Takaoka N, Watanabe H, Kobashi G, Ota H.	Atrial Fibrillation With and Without Cardiovascular Risk Factors and Stroke Mortality.	J Atheroscler Thromb.	28(3)	241-248	2021
7	Kosaka T, Ono T, Kida M, Fushida S, Nokubi T, Kokubo Y, Watanabe M, Higashiyama A, <u>Miyamoto Y</u> , Ikebe K.	A prediction model of masticatory performance change in 50- to 70-year-old Japanese: The Suita study.	J Dent.	104:10 3535. doi: 10.1016/j.jdent.2020.01.035 35. Online ahead of print.		2020
8	Fushida S, Kosaka T, Kida M, Kokubo Y, Watanabe M, Higashiyama A, <u>Miyamoto Y</u> , Ono T, Ikebe K.	Decrease in posterior occlusal support area can accelerate tooth loss: The Suita study.	J Prosthodont Res.	doi: 10.2186/jpr.J_PR_D_20_00005. Online ahead of print.		2020

9	Sekikawa A, Higashiyama A, Lopresti BJ, Ihara M, Aizenstein H, Watanabe M, Chang Y, Kakuta C, Yu Z, Mathis C, Kokubo Y, Klunk W, Lopez OL, Kuller LH, <u>Miyamoto Y</u> , Cui C.	Associations of equol-producing status with white matter lesion and amyloid- β deposition in cognitively normal elderly Japanese.	Alzheimers Dement (N Y).	6(1)		2020
10	Fujii K, Kosaka T, Hasegawa Y, Kida M, Hashimoto S, Fushida S, Nokubi T, Kokubo Y, Watanabe M, Higashiyama A, <u>Miyamoto Y</u> , Ikebe K, Ono T.	Periodical utilization of dental services is an effective breakthrough for declining masticatory performance: the Suita study.	Odontology	108(4)	715-722	2020
11	Nakai M, Watanabe M, Kokubo Y, Nishimura K, Higashiyama A, Takegami M, Nakao YM, Okamura T, <u>Miyamoto Y</u> .	Development of a Cardiovascular Disease Risk Prediction Model Using the Suita Study, a Population-Based Prospective Cohort Study in Japan.	J Atheroscler Thromb.	27(11)	1160-1175	2020
12	Ishida Y, et al.	Influence of the accumulation of unhealthy eating habits on obesity in a general Japanese population: the Hisayama Study.	Nutrients	12	3160	2020
13	Mihara A, et al.	Association between serum glycated albumin and risk of cardiovascular disease in a Japanese community: the Hisayama Study.	Atherosclerosis	311	52—59	2020
14	Hirakawa Y, et al.	30-minute postload plasma glucose levels during an oral glucose tolerance test predict the risk of future type 2 diabetes: the Hisayama Study.	BMJ Open Diabetes Res Care	8	e00115 6	2020
15	Yoshida D, et al.	Lifetime cumulative incidence of dementia in a community-dwelling elderly population in Japan.	Neurology	95	e508-e518	2020

16	Nagata T, et al.	Serum N-terminal pro-B-type natriuretic peptide as a predictor for future development of atrial fibrillation in a general population: the Hisayama Study.	Int J Cardiol	320	90–96	2020
17	Yamasaki K, et al.	Association of albuminuria with white matter hyperintensities volume on brain magnetic resonance imaging in elderly Japanese - the Hisayama Study.	Circ J	84	935—942	2020
18	Chen S, et al.	Serum homocysteine and risk of dementia in Japan.	J Neurol Neurosurg Psychiatry	91	540—546	2020
19	Hachiya T, et al.	Genome-wide polygenic score and the risk of ischemic stroke in a prospective cohort: the Hisayama Study.	Stroke	51	759—765	2020
20	Ohara T, et al.	Elevated serum glycated albumin and glycated albumin: hemoglobin A(1c) ratio were associated with hippocampal atrophy in a general elderly population of Japanese: the Hisayama Study.	J Diabetes Investig.	11	971—979	2020
21	Sakata S, et al.	Serum uric acid levels and cardiovascular mortality in a general Japanese population: the Hisayama Study.	Hypertens Res	43	560—568	2020
22	Higashioka M, et al.	Small dense low-density lipoprotein cholesterol and the risk of coronary heart disease in a Japanese community.	J Atheroscler Thromb	27	669—682	2020
23	Yamada M, Kato N, Kitamura H, Ishihara K, Hida A.	Cognitive function among elderly survivors prenatally exposed to atomic bombings.	Am J Med	134(4)	e264-e267	2021
24	Furuhashi M, Koyama M, Higashiura Y, Murase T, Nakamura T, Matsumoto M, Sakai A, Ohnishi H, Tanaka T, Saitoh S, Moniwa N, Shimamoto K, Miura T.	Differential regulation of hypoxanthine and xanthine by obesity in a general population.	J Diabetes Investig	11	878-887	2020

25	Saito N, Furuhashi M, Koyama M, Higashiura Y, Akasaka H, Tanaka M, Moniwa N, Ohnishi H, Saitoh S, Ura N, Shimamoto K, Miura T.	Elevated circulating FABP4 concentration predicts cardiovascular death in a general population: a 12 prospective study.	Scientific Reports	11	4008	2021
26	Yamada H, Suzuki K, Fujii R, Kawado M, Hashimoto S, Watanabe Y, Iso H, Fujino Y, Wakai K, Tamakoshi A.	Circulating miR-21, miR-29a, and miR-126 are associated with premature death risk due to cancer and cardiovascular disease: the JACC Study.	Sci Rep.	11(1)	5298	2021
27	Wada H, Ikeda A, Maruyama K, Yamagishi K, Barnes PJ, Tanigawa T, Tamakoshi A, Iso H.	Low BMI and weight loss aggravate COPD mortality in men, findings from a large prospective cohort: the JACC study.	Sci Rep.	11(1)	1531	2021
28	Li Y, Eshak ES, Cui R, Shirai K, Liu K, Iso H, Ikehara S, Tamakoshi A, Ukawa S; JACC Study Group.	Television Viewing Time and the Risk of Colorectal Cancer Mortality among Japanese Population: The JACC Study.	Cancer Res Treat.	53(2)	497-505	2021
29	Sheerah H, Keyang L, Eshak ES, Cui R, Shirai K, Muraki I, Iso H,	Tamakoshi A. Association of tea consumption and the risk of gastric cancer in Japanese adults: the Japan Collaborative Cohort Study.	BMJ Open.	10(10)	e03824 3.	2020
30	Wang C, Yatsuya H, Lin Y, Sasakabe T, Kawai S, Kikuchi S, Iso H, Tamakoshi A.	Milk Intake and Stroke Mortality in the Japan Collaborative Cohort Study-A Bayesian Survival Analysis.	Nutrients.	12(9)	2743	2020
31	Arafa A, Eshak ES, Iso H, Muraki I, Tamakoshi A.	Night Work, Rotating Shift Work and the Risk of Cancer in Japanese Men and Women: the JACC Study.	J Epidemiol.	doi: 10.2188/jea.JE20200208.		2020
32	Tanabe N, Seki N, Horikawa C, Yatsuya H, Yamagishi K, Iso H, Ukawa S, Tamakoshi A; JACC Study group.	Depressive Tendency and the Risk of Death from Pneumonia: The JACC Study.	Intern Med.	59(24)	3123-3130	2020
33	Takada M, Yamagishi K, Tamakoshi A, Iso H;	Body Mass Index and Mortality From Aortic Aneurysm and	J Atheroscler Thromb.	doi: 10.555		2020

	JACC Study Group.	Dissection.		1/jat.5 7232.		
34	Sari GN, Eshak ES, Shirai K, Fujino Y, Tamakoshi A, Iso H.	Association of job category and occupational activity with breast cancer incidence in Japanese female workers: the JACC study.	BMC Public Health.	20(1)	1106	2020
35	Suzuki K, Shivappa N, Kawado M, Yamada H, Hashimoto S, Wakai K, Iso H, Okada E, Fujii R, Hébert JR, Tamakoshi A.	Association between dietary inflammatory index and serum C-reactive protein concentrations in the Japan Collaborative Cohort Study.	Nagoya J Med Sci.	82(2)	237-249	2020
36	Okada C, Kubota Y, Eshak ES, Cui R, Tamakoshi A, Iso H; and the JACC Study Group.	Weight Change and Mortality from Cardiovascular Diseases: The Japan Collaborative Cohort Study.	J Atheroscler Thromb.	28(1)	25-33	2021
37	Kishida R, Yamagishi K, Muraki I, Sata M, Tamakoshi A, Iso H; JACC Study Group.	Frequency of Seaweed Intake and Its Association with Cardiovascular Disease Mortality: The JACC Study.	J Atheroscler Thromb.	27(12)	1340-1347	2020
38	Adachi Y, Nojima M, Mori M, Himori R, Kubo T, Yamano HO, Lin Y, Wakai K, Tamakoshi A; for JACC study.	Insulin-like Growth Factor-1, Insulin-like Growth Factor Binding Protein-3 and the Incidence of Malignant Neoplasms in a Nested Case-Control Study.	Cancer Prev Res (Phila).	13(4)	385-394	2020
39	Li Y, Eshak ES, Shirai K, Liu K, Dong JY, Iso H, Tamakoshi A; JACC Study Group.	Alcohol Consumption and Risk of Gastric Cancer: The Japan Collaborative Cohort Study.	J Epidemiol.	31(1)	30-36	2021
40	Tanigawa K, Ikebara S, Kimura T, Imano H, Muraki I, Shirai K, Tamakoshi A, Iso H; JACC study group.	Relationships Between Reproductive History and Mortality From Cardiovascular Diseases Among Japanese Women: The Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC) Study.	J Epidemiol.	30(11)	509-515	2020
41	Nurrika D, Zhang S, Discacciati A, Tomata	Education Level, Monthly Per-Capita Expenditure, and Healthy	Tohoku Journal of Experimental	250(2)	95-108	2020

	Y, Liu Y, Sugawara Y, Tsuji I.	Aging in the Older Indonesian Population: The Indonesia Family Life Survey 2007 and 2014.	Medicine			
42	Liu Y, Zhang S, Tomata Y, Nurrika D, Sugawara Y, Tsuji I.	The impact of risk factors for dementia in China.	Age Ageing	49(5)	850-855	2020
43	Mugikura M, Sugawara Y, Tomata Y, Kanemura S, Fukao A, Tsuji I.	Association between Adult Height and Risk of Lung Cancer Incidence among Japanese Men: The Miyagi Cohort Study.	Tohoku Journal of Experimental Medicine	251(1)	51-59	2020
44	Sugawara Y, Tomata Y, Sekiguchi T, Yabe Y, Hagiwara Y, Tsuji I.	Social trust predicts sleep disorder at 6 years after the Great East Japan earthquake: data from a prospective cohort study.	BMC Psychology	8(1)	69	2020
45	Matsuyama S, Sawada N, Tomata Y, Zhang S, Goto A, Yamaji T, Iwasaki M, Inoue M, Tsuji I, Tsugane S; Japan Public Health Center-based Prospective Study Group.	Association between adherence to the Japanese diet and all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study.	European Journal of Nutrition	60	1327–1336	2021
46	Tanji F, Tomata Y, Abe S, Matsuyama S, Kotaki Y, Nurrika D, Matsumoto K, Liu Y, Zhang S, Lu Y, Sugawara Y, Bando S, Yamazaki T, Otsuka T, Sone T, Tsuji I.	Effect of a financial incentive (shopping point) on increasing the number of daily walking steps among community-dwelling adults in Japan: A randomized controlled trial.	BMJ Open	10(11)	e03730 3.	2020
47	Tanji F, Komiyama T, Ohi T, Hattori Y, Watanabe M, Lu Y, Tsuji I.	The Association between Number of Remaining Teeth and Maintenance of Successful Aging in Japanese Older People: A 9-Year Longitudinal Study.	Tohoku Journal of Experimental Medicine	252(3)	245-252	2020
48	Lu Y, Matsuyama S, Sugawara Y, Sone T, Tsuji I.	○Changes in a specific dietary pattern and incident dementia: A prospective cohort study.	Clinical Nutrition	doi: 10.1016/j.clnu.2020.		2020

				11.036		
49	Lu Y, Sugawara Y, Matsuyama S, Tsuji I.	○Association between Long-term Weight Change since Midlife and Risk of Incident Disabling Dementia among Elderly Japanese: the Ohsaki Cohort 2006 Study.	Journal of Epidemiology	doi.org /10.2188/jea.JE20200260		2020
50	Hosohata K, et al.	Comparison of nocturnal blood pressure based on home versus ambulatory blood pressure measurement: the Ohasama Study.	Clinical and Experimental Hypertension.	42	685-691	2020
51	Bursztyn M, et al.	Do estimated 24-h pulse pressure components affect outcome? : the Ohasama study.	Journal of Hypertension.	38	1286-1292	2020
52	Fujita A, et al.	Blood pressure phenotypes defined by ambulatory blood pressure monitoring and carotid artery changes in community-dwelling older Japanese adults: the Ohasama study.	Tohoku Journal of Experimental Medicine.	252	269-279	2020
53	Sakurai M, Ishizaki M, Miura K, Nakashima M, Morikawa Y, Kido T, Naruse Y, Nogawa K, Suwazono Y, Nogawa K, Nakagawa H.	○Health status of workers approximately 60 years of age and the risk of early death after compulsory retirement: a cohort study.	J Occup Health	61 (1)	e12088	2020
54	Sakurai M, Ishizaki M, Morikawa Y, Kido T, Naruse Y, Nakashima Y, Okamoto C, Nogawa K, Watanabe Y, Suwazono Y, Hozawa A, Yoshita K, Nakagawa H.	○Frequency of consumption of balanced meals, body weight gain, and incident risk of glucose intolerance in Japanese men and women: a cohort study.	J Diabetes Invest	doi/10.1111/jdi.13392		2020
55	Yamasaki N, Sakurai M, Kobayashi J, Morikawa Y, Kido T, Naruse Y, Nogawa K, Suwazono Y, Ishizaki	○The association between anthropometric indices of obesity and chronic kidney disease in middle-aged Japanese men and women: A cohort	Intern Med	doi.org /10.2169/internalmedicine.		2021

	M, Nakagawa H.	study.		6235-20		
56	Takahashi S, Tanno K, Yonekura Y, Ohsawa M, Kuribayashi T, Ishibashi Y, Omama S, Tanaka F, Sasaki R, Tsubota-Utsugi M, Takusari E, Koshiyama M, Onoda T, Sakata K, Itai K, Okayama A; Iwate KENCO study group.	○ Poor self-rated health predicts the incidence of functional disability in elderly community dwellers in Japan: a prospective cohort study.	BMC Geriatr.	20	328	2020
57	Tanaka F, Komi R, Nakamura M, Tanno K, Onoda T, Ohsawa M, Sakata K, Omama S, Ogasawara K, Ishibashi Y, Yonekura Y, Itai K, Kuribayashi T, Kikuchi Y, Ishigaki Y, Okayama A, Asahi K; Iwate-Kenco Study Group.	Additional prognostic value of electrocardiographic left ventricular hypertrophy in traditional cardiovascular risk assessments in chronic kidney disease.	J Hypertens	38	1149-1157	2020
58	Matsuura Y, Tanaka F, Segawa T, Tanno K, Sakata K, Ohsawa M, Omama S, Ogasawara K, Asahi K, Nakamura M.	Sex differences in the influence of elevated serum uric acid levels for cardiovascular risk in the general population with normal renal function.	Journal of Iwate Medical Association	72	145-155	2020
59	Shimoda S, Kitamura A, Imano H, Cui R, Muraki I, Yamagishi K, Umesawa M, Sankai T, Hayama-Terada M, Kubota Y, Shimizu Y, Okada T, <u>Kiyama M</u> , Iso H.	Associations of Carotid Intima-Media Thickness and Plaque Heterogeneity With the Risks of Stroke Subtypes and Coronary Artery Disease in the Japanese General Population: The Circulatory Risk in Communities Study.	J Am Heart Assoc	9(19)	e01702 0. doi: 10.1161/JAHRA.120.017020 .	2020
60	Kudo A, Kitamura A, Imano H, Cui R, Umesawa M, Yamagishi K, Ohira T,	Salt taste perception and blood pressure levels in population-based samples: the Circulatory Risk in Communities Study	Br J Nutr	20	1-9	2020

	Muraki I, Hayama-Terada M, <u>Kiyama M</u> , Iso H; for CIRCS Investigators.	(CIRCS).				
61	Kakihana H, Jinnouchi H, Kitamura A, Matsudaira K, <u>Kiyama M</u> , Hayama-Terada M, Muraki I, Kubota Y, Yamagishi K, Okada T, Imano H, Iso H.	Overweight and Hypertension in Relation to Chronic Musculoskeletal Pain Among Community-Dwelling Adults: The Circulatory Risk in Communities Study (CIRCS).	J Epidemiol	doi: 10.2188/jea.JE20200135.		2020
62	Tanaka M, Imano H, Kubota Y, Yamagishi K, Umesawa M, Muraki I, Cui R, Hayama-Terada M, Shimizu Y, Okada T, Ohira T, Sankai T, Tanigawa T, Sato S, Kitamura A, <u>Kiyama M</u> , Iso H; and the CIRCS Investigators.	Serum High-Sensitivity C-Reactive Protein Levels and the Risk of Atrial Fibrillation in Japanese Population: the Circulatory Risk in Communities Study.	J Atheroscler Thromb	doi: 10.5551/jat.54064.		2020
63	Yasuoka M, Muraki I, Imano H, Jinnouchi H, Kubota Y, Hayama-Terada M, Umesawa M, Yamagishi K, Ohira T, Kitamura A, Okada T, <u>Kiyama M</u> , Iso H; CIRCS Investigators.	Joint impact of muscle mass and waist circumference on type 2 diabetes in Japanese middle-aged adults: The Circulatory Risk in Communities Study (CIRCS).	J Diabetes	12(9)	677-685	2020
64	Li J, Muraki I, Imano H, Cui R, Yamagishi K, Umesawa M, Hayama-Terada M, Ohira T, <u>Kiyama M</u> , Okada T, Sankai T, Tanigawa T, Kitamura A, Iso H; CIRCS investigators.	Serum uric acid and risk of stroke and its types: the Circulatory Risk in Communities Study (CIRCS).	Hypertens Res	43(4)	313-321	2020
65	Ebihara K, Yamagishi K, Umesawa M, Muraki I, Cui R, Imano H, Kubota Y, Hayama-Terada M, Shimizu Y,	Moderate Levels of N-Terminal Pro-B-Type Natriuretic Peptide is Associated with Increased Risks of Total and Ischemic Strokes among Japanese: The	J Atheroscler Thromb	27(8)	751-760	2020

	Ohira T, Sankai T, Okada T, Kitamura A, <u>Kiyama M</u> , Iso H; CIRCS Investigators.	Circulatory Risk in Communities Study.				
66	Tezuka K, Kubota Y, Ohira T, Shimizu Y, Yamagishi K, Umesawa M, Sankai T, Imano H, Okada T, <u>Kiyama M</u> , Iso H; CIRCS Investigators.	Anger Expression and the Risk of Cardiovascular Disease Among Urban and Rural Japanese Residents: The Circulatory Risk in Communities Study.	Psychosom Med	82(2)	215- 223	2020
67	Masanori Nagao, Gen Kobashi, Mitsumasa Umesawa, Renzhe Cui, Kazumasa Yamagishi, Hironori Imano, Takeo Okada, <u>Masahiko</u> <u>Kiyama</u> , Akihiko Kitamura, Toshimi Sairenchi, Yasuo Haruyama, Tetsuya Ohira, Hiroyasu Iso, for the CIRCS Investigators.	Urinary 8-Hydroxy-2'- Deoxyguanosine Levels and Cardiovascular Disease Incidence in Japan.	J Atheroscler Thromb.	27(10)	1086- 1096	2020
68	Yuting Li, Renzhe Cui, Keyang Liu, Ehab S. Eshak, Meishan Cui, Jiayi Dong, Hironori Imano, Isao Muraki, <u>Masahiko Kiyama</u> , Akihiko Kitamura, Takeo Okada, Kazumasa Yamagishi, Mitsumasa Umesawa, Tetsuya Ohira, Hiroyasu Iso, the CIRCS investigators.	Relationship between Endothelial Dysfunction and Prevalence of Chronic Kidney Disease: The Circulatory Risk in Communities Study (CIRCS).	J Atheroscler Thromb.	https://doi.org /10.5551/jat. 56424		2020
69	Sakamaki T, Kayaba K, Kotani K, Namekawa M, Hamaguchi T, Nakaya N, Ishikawa S.	Coffee consumption and mortality in Japan with 18 years of follow-up: the Jichi Medical School Cohort Study.	Public Health	191	23-30	2021
70	Kabutoya T, Imai Y,	The association between P-wave	BMJ Open	10	e03355	2020

	Ishikawa S, Kario K.	polarity in atrial premature complexes and cardiovascular events in a community-dwelling population.			3	
71	Watanabe J, Kakehi E, Kotani K, Kayaba K, Nakamura Y, Ishikawa S.	High-Density Lipoprotein Cholesterol and Risk of Stroke Subtypes: Jichi Medical Cohort Study.	Asia Pac J Public Health.	32	27-34.	2020
72	Watanabe J, Kakehi E, Kotani K, Kayaba K, Nakamura Y, Ishikawa S.	Isolated low levels of high-density lipoprotein cholesterol and stroke incidence: JMS Cohort Study.	J Clin Lab Anal	34	e23087	2020
73	Izumida T, Nakamura Y, Nino Y, Ishikawa S.	Combined Effect of Small Dense Low-Density Lipoprotein Cholesterol (sdLDL-C) and Remnant-Like Particle Cholesterol (RLP-C) on Low-Grade Inflammation.	J Atheroscler Thromb.	27	319-330	2020
74	Sato F, Nakamura Y, Kayaba K, Ishikawa S.	Hemoglobin concentration and the incidence of stroke in the general Japanese population: the Jichi Medical School Cohort Study.	J Epidemiol	DOI ^{htt} ps://doi.org/10.2188/jea.JE20200346		2020
75	Izumida T, Nakamura Y, Sato Y, Ishikawa S.	The Association between Sleeping Pill Use and Metabolic Syndrome in an Apparently Healthy Population in Japan: JMS-II Cohort Study.	J Epidemiol.	DOI ^{htt} ps://doi.org/10.2188/jea.JE20200361		2020
76	Yuanying Li, Hiroshi Yatsuya, Sachiko Tanaka, Hiroyasu Iso, Akira Okayama, Ichiro Tsuji, Kiyomi Sakata, Yoshihiro Miyamoto, Hirotugu Ueshima, Katsuyuki Miura, Yoshitaka	○Estimation of 10-Year Risk of Death from Coronary Heart Disease, Stroke, and Cardiovascular Disease in a Pooled Analysis of Japanese Cohorts: EPOCH-JAPAN	J Atheroscler Thromb	doi.org/10.5551/jat.58958		2020

	Murakami, Tomonori Okamura, EPOCH-JAPAN Research Group.					
77	Yuanying Li, Hiroshi Yatsuya, Tomoya Hanibuchi, Atsuhiko Ota, Hisao Naito, Rei Otsuka, Chiyo Murata, Yoshihisa Hirakawa, Chifa Chiang, Mayu Uemura, Koji Tamakoshi, Atsuko Aoyama.	Positive Association of Physical Activity with Both Objective and Perceived Measures of the Neighborhood Environment among Older Adults: The Aichi Workers' Cohort Study	Int J Environ Res Public Health	17(21)	7971	2020
78	Nakaoku Y, Takahashi Y, Tominari S, Nakayama T.	Predictors of New Dementia Diagnoses in Elderly Individuals: A Retrospective Cohort Study Based on Prefecture-Wide Claims Data in Japan.	Int J Environ Res Public Health.	18(2)	629	2021