

III. 研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表

雑 誌

Masahata K, Usui N, Nagata K, Terui K, Hayakawa M, Amari S, Masumoto K, Okazaki T, Inamura N, Urushihara N, Toyoshima K, Uchida K, Furukawa T, Okawada M, Yokoi A, Okuyama H, Taguchi T.	Risk factors for pneumothorax associated with isolated congenital diaphragmatic hernia: results of a Japanese multicenter study	Pediatr Surg Int.	36(6)	669-677	2020
Terui K, Tazuke Y, Nagata K, Ito M, Okuyama H, Hayakawa M, Taguchi T, Sato Y, Usui N.	Weight gain velocity and adequate amount of nutrition for infants with congenital diaphragmatic hernia.	Pediatr Surg Int.	37(2)	205-212	2021
Fuyuki M, Usui N, Taguchi T, Hayakawa M, Masumoto K, Kanamori Y, Amari S, Yamoto M, Urushihara N, Inamura N, Yokoi A, Okawada M, Okazaki T, Toyoshima K, Furukawa T, Terui K, Ohfuji S, Tazuke Y, Uchida K, Okuyama H.	Fuyuki M, Usui N, Taguchi T, et al. Prognosis of conventional vs. high-frequency ventilation for congenital diaphragmatic hernia: a retrospective cohort study.	J Perinatol.	Online ahead of print.	doi: 10.1038/s41372-020-00833-6.	2020
Yamoto M, Ohfuji S, Urushihara N, Terui K, Nagata K, Taguchi T, Hayakawa M, Amari S, Okazaki T, Inamura N, Toyoshima K, Uchida K, Furukawa T, Okawada M, Yokoi A, Kanamori Y, Usui N, Tazuke Y, Saka R, Okuyama H.	Optimal timing of surgery in infants with prenatally diagnosed isolated left-sided congenital diaphragmatic hernia: a multicenter, cohort study in Japan.	Surg Today.	Online ahead of print.	doi: 10.1007/s00595-020-02156-7.	2020
臼井規朗.	【最新のリスク・重症度分類に応じた治療】 先天性横隔膜ヘルニア	小児外科	52(6)	573-578	2020
永田公二.	小児外科臨床研究の基礎と展望】 先天性横隔膜ヘルニア	小児外科	52(7)	718-722	2020
Morimoto N, Maekawa T, Kubota M, Kitamura M, Takahashi N, Kubota M.	Challenge for management without tracheostomy tube after laryngo-tracheal separation in children with neurological disorders.	Laryngoscope investigative otolaryngology	1-8	https://doi.org/10.1002/lto2.534	2020

Matsushima S, Matsuhisa H, Morita K, Yokoi A, Maeda K, Oshima Y.	Switch to Extracorporeal Membrane Oxygenation During Cardiac and Tracheal Repair.	Ann Thorac Surg	110	e181-183	2020
Fujieda Y, Morita K, Fukuzawa H, Maeda K.	Histological features of complete tracheal rings in congenital tracheal stenosis.	Pediatr Surg Int	37	257-260	2021
Yokoyama M, Ozeki M, Nozawa A, Usui N, Fukao T	Low-dose sirolimus for a patient with blue rubber bleb nevus syndrome.	Pediatr Int.	62(1)	112-113	2020
Ozeki M, Fukao T.	Reply to: Comment on: Potential biomarkers of kaposiform lymphangiomatosis.	Pediatr Blood Cancer.	67(4)	e28156.	2020
Tanahashi Y, Ozeki M, Kawada H, Goshima S, Fukao T, Matsuo M.	Direct-Puncture Lymphatic Embolization in the Prone Position for Chylothorax Caused by Lymphatic Anomaly.	J Vascu Inter Radiol.	31(5)	849-852	2020
Mimura H, Akita S, Fujino A, Jinnin M, Ozaki M, Osuga K, Nakaoka H, Morii E, Kuramochi A, Aoki Y, Arai Y, Aramaki N, Inoue M, Iwashina Y, Iwanaka T, Ueno S, Umezawa A, Ozeki M, Ochi J, Kinoshita Y, Kurita M, Seike S, Takakura N, Takahashi M, Tachibana T, Chuman K, Nagata S, Narushima M, Niimi Y, Nosaka S, Nozaki T, Hashimoto K, Hayashi A, Hirakawa S, Fujikawa A, Hori Y, Matsuoka K, Mori H, Yamamoto Y, Yuzuriha S, Rikihisa N, Watanabe S, Watanabe S, Kuroda T, Sugawara S, Ishikawa K, Sasaki S.	Japanese Clinical Practice Guidelines for Vascular Anomalies 2017.	J Dermatol.	47(5)	e138-e183. doi:10.1111/1346-8138.15189. Epub 2020 Mar 22.	2020
Hori Y, Ozeki M, Hirose K, Matsuoka K, Matsui T, Kohara M, Tahara S, Toyosawa S, Fukao T, Morii E.	Analysis of mTOR pathway expression in lymphatic malformation and related diseases.	Pathol Int.	70(6)	323-329	2020
Goto K, Ozeki M, Yasue S, Endo S, Fukao T.	A retrospective study of 2 or 3 mg/kg/day propranolol for infantile hemangioma.	Pediatr Int.	62(6)	751-753	2020

Inoue N, Shimizu M, Mizuta M, Yachi A.	Successful treatment of tumor necrosis factor inhibitor-resistant cutaneous polyarteritis nodosa with tocilizumab.	Pediatr Int	ahead of print	doi: 10.1111/ped.14184	2020
Nozawa A, Ozeki M, Yasue S, Endo S, Kawamoto N, Ohnishi H, Fumino S, Furukawa T, Tajiri T, Maekawa T, Fujino A, Souzaki R, Fukao T.	Immunological effects of siprolimus in patients with vascular anomalies.	J Pediatr Hematol Oncol	42(5)	e355-e360	2020
Nozawa A, Ozeki M, Niihori T, Suzui N, Miyazaki T, Aoki Y.	A somatic activating KRAS variant identified in an affected lesion of a patient with Gorham-Stout disease.	J Hum Gene	65(11)	995-1001	2020
Watanabe K, Yamaguchi T, Suzuki S, Suzuki T, Nakayama K, Demura S, Taniguchi Y, Yamamoto T, Sugawara R, Sato T, Fujiwara K, Murakami H, Akazawa T, Kakutani K, Hirano T, Yanagida H, Watanabe K, Matsumoto M, Uno K, Kotani T, Takeshita K, Ohara T, Kawakami N; Japan Spinal Deformity Institute Study Group.	Surgical Site Infection following Primary Definitive Fusion for Pediatric Spinal Deformity: A Multicenter Study of Rates, Risk Factors, and Pathogens.	Spine (Phila Pa 1976)	Epub ahead of print.	doi: 10.1097/BRS.00000000000003960.	2021
Taniguchi Y, Ohara T, Suzuki S, Watanabe K, Suzuki T, Uno K, Yamaguchi T, Yanagida H, Nakayama K, Kotani T, Watanabe K, Hirano T, Yamamoto T, Kawamura I, Sugawara R, Takeshita K, Demura S, Oku N, Sato T, Fujiwara K, Akazawa T, Murakami H, Kakutani K, Matsubayashi Y, Kawakami N.	Incidence and Risk Factors for Unplanned Return to the Operating Room Following Primary Definitive Fusion for Pediatric Spinal Deformity: A Multicenter Study with Minimum Two-Year Follow-Up.	Spine (Phila Pa 1976)	Epub ahead of print.	doi: 10.1097/BRS.00000000000003822.	2020