

## 別添5

## 書籍

| 著者氏名      | 論文タイトル名                                | 書籍全体の編集者名   | 書籍名                                  | 出版社名       | 出版地 | 出版年  | ページ       |
|-----------|--|-------------|--------------------------------------|------------|-----|------|-----------|
| 末木博彦      | 手足症候群                                  | 宮地良樹        | 内科医が知っておくべき疾患102                     | 中山書店       | 東京  | 2020 | 44-45     |
| 末木博彦      | 薬疹                                     | 永井良三        | 今日の診断指針第8版                           | 医学書院       | 東京  | 2020 | 1563-1566 |
| 末木博彦      | Stevens-Johnson 症候群(SJS) 中毒性表皮壊死症(TEN) | 出光俊郎 / 神部芳則 | 口腔粘膜・皮膚症状から「見抜く」全身疾患—オラドローム・デルマドローム— | 南江堂        | 東京  | 2020 | 199-200   |
| 末木博彦      | 分子標的薬による皮膚障害                           | 西部支部企画研修講習会 | 2020年度日本皮膚科学会研修講習会テキスト               | 日本皮膚科学会    | 東京  | 2020 | 1-13      |
| 末木博彦      | 薬疹                                     | 泉 孝英        | ガイドライン 外来診療2020                      | 日経メディカル    | 東京  | 2020 | 337-342   |
| 山口由衣      | 3章 乾癬の特殊型 4 薬剤性乾癬                      | 山本俊幸        | 皮膚科ベストセレクション 乾癬・症性膿疱症 病態の理解と治療最前線    | 中山書店       | 東京  | 2020 | 225-229   |
| 山口由衣、相原道子 | 日常診療で接する薬剤性皮膚障害                        | 山口由衣・相原道子   | Visual Dermatology                   | 学研メディカル秀潤社 | 東京  | 2020 | Vol. 19   |
|           |  |             |                                      |            |     |      |           |

## 雑誌

| 発表者氏名   | 論文タイトル名  | 発表誌名           | 巻号  | ページ     | 出版年  |
|---|--|----------------|-----|---------|------|
| Sunaga Y, Kurosawa M, Ochiai H, Watanabe H, Sueki H, Azukizawa H, Asada H, Watanabe Y, Yamaguchi Y, Aihara M, Mizukawa Y, Ohyama M, Hama N, Abe R, Hashizume H, Nakajima S, Nomura T, Kabashima K, Tohyama M, Takahashi H, Mieno H, Ueta M, Sotozono C, Niihara H, Morita E, Kokaze A | The nationwide epidemiological survey of Stevens-Johnson syndrome and toxic epidermal necrolysis in Japan, 2016-2018 | J Dermatol Sci | 100 | 175-182 | 2020 |

|   |   |                    |     |           |      |
|---|---|--------------------|-----|-----------|------|
| Miyagawa F, Asada H   | Current perspective regarding the immunopathogenesis of drug-induced hypersensitivity syndrome /drug reaction with eosinophilia and systemic symptoms (DIHS/DRESS)  | Int J Mol Sci      | 22  | 2147      | 2021 |
| Kanatani Y, Miyagawa F, Ogawa K, Arima A, Asada H   | Parallel changes in serum thymus and activation-regulated chemokine levels in response to flare-ups in drug-induced hypersensitivity syndrome   | J Dermatol         | 47  | e417-e419 | 2020 |
| Ommori R, Nakamura Y, Miyagawa F, Shobatake C, Ogawa K, Koyama F, Sho M, Ota I, Kitahara T, Hontsu S, Muro S, Asada H   | Reduced induction of human $\beta$ -defensins is involved in the pathological mechanism of cutaneous adverse effects caused by epidermal growth factor receptor monoclonal antibodies   | Clin Exp Dermatol  | 45  | 1055-1058 | 2020 |
| Miyagawa F, Nakamura-Nishimura Y, Kanatani Y, Asada H   | Correlation Between Expression of CD134, a Human Herpesvirus 6 Cellular Receptor, on CD4+ T cells and Th2-type Immune Responses in Drug-induced Hypersensitivity Syndrome/Drug Reaction with Eosinophilia and Systemic Symptoms | Acta Derm Venereol | 100 | in press  | 2020 |
| Nakamura R, Ozeki T, Hirayama N, Sekine A, Yamashita T, Mashimo Y, Mizukawa Y, Shiohara T, Watanabe H, Sueki H, Ogawa K, Asada H, Kaniwa N, Tsukagoshi E, Matsunaga K, Niihara H, Yamaguchi Y, Aihara M, Mushiroda T, Saito Y, Morita E | Association of HLA-A*11:01 with Sulfonamide-Related Severe Cutaneous Adverse Reactions in Japanese Patients   | J Invest Dermatol  | 140 | 1659-1662 | 2020 |
| Mitsui Y, Ogawa K, Miyagawa F, Azukizawa H, Yoshikawa T, Asada H  | Drug-induced hypersensitivity syndrome/drug reaction with eosinophilia and systemic symptoms or non-drug-related erythroderma with a persistent human herpesvirus 6 infection   | J Dermatol         | 47  | e44-e46   | 2020 |
| 中島杏奈、小川浩平、宮川史、小豆澤宏明、浅田秀夫、濱田健吾、高淑子   | BCGワクチン接種後の乳児に生じた乾癬様皮疹の1例   | 臨床皮膚科              | 74  | 157-163   | 2020 |
| 宮川史、浅田秀夫  | 薬剤性過敏症候群のバイオマーカーの探索   | アレルギーの臨床           | 40  | 901-905   | 2020 |

|   |   |                              |        |           |      |
|---|---|------------------------------|--------|-----------|------|
| 光井康博、浅田秀夫   | 薬剤性過敏症症候群におけるHHV-6の再活性化   | 臨床免疫・アレルギー科                  | 74     | 50-53     | 2020 |
| 浅田秀夫  | HHV-6と薬剤性過敏症症候群   | IASR                         | 41     | 218-219   | 2020 |
| 宮川史、浅田秀夫  | 薬剤性過敏症症候群のバイオマーカーとしての血清TARCの有用性   | アレルギーの臨床                     | 41(1)  | 74-78     | 2021 |
| 宮川史、浅田秀夫  | 薬剤性過敏症症候群のバイオマーカーの探索  | アレルギーの臨床                     | 40(11) | 901-905   | 2020 |
| 末木博彦  | EGFR阻害薬・マルチキナーゼ阻害薬による皮膚障害とその対策  | 臨床皮膚科                        | 74(5)  | 165-167   | 2020 |
| 末木博彦  | 薬疹と免疫再構築症候群 (immune reconstitution inflammatory syndrome: IRIS)   | 日皮会誌                         | 130(7) | 1633-1638 | 2020 |
| 末木博彦  | 非HIV 免疫再構築症候群とは — その概念と診断基準—  | MB Derma                     | 305    | 1-8       | 2021 |
| 末木博彦  | 専門医のためのアレルギー学講座、重症薬疹の診断・治療  | アレルギー                        | 70(2)  | 86-93     | 2021 |
| 須長由真、小林香映、新屋光一朗、末木博彦他   | サラゾスルファピリジンによる薬剤性過敏症症候群(DIHS)の1例  | アレルギーの臨床                     | 40(11) | 906-910   | 2020 |
| Hasegawa, A. Shinkuma, S. Hayashi, R. Hama, N. Watanabe, H. Kinoshita, M. Ogawa, Y. Abe, R                | RIP3 as a diagnostic and severity marker for Stevens-Johnson syndrome and toxic epidermal necrolysis  | J Allergy Clin Immunol Pract | 8(5)   | 1768-1771 | 2020 |
| Kimura, H. Hasegawa, A. Takei, I. Kawai, T. Tsuchida, Y. Abe, Y. Hayashi, R. Hama, N. Abe, R              | Characteristic pathological features of keratinocyte death in a case of Stevens-Johnson syndrome manifested by an immune checkpoint inhibitor | J Eur Acad Dermatol Venereol | 35(2)  | e142-e145 | 2021 |
| Ajima S, Sano Y, Hashizume H  | Quinolone immediate hypersensitivity due to topical ophthalmic preparations: a case report and review of literature                           | J Dermatol                   | 48     | 389-391   | 2021 |
| Fujiyama T, Umayahara T, Kurihara K, Shimachi T, Ito T, Aoshima M, Otobe E, Hashizume H, Yagi H, Tokura Y | Skin Infiltration of Pathogenic Migratory and Resident T Cells Is Decreased by Secukinumab Treatment in Psoriasis                             | J Invest Dermatol            | 140    | 2073-2076 | 2020 |

|   |  |                              |             |           |      |
|---|--|------------------------------|-------------|-----------|------|
| Hashizume H, Abe R, Azukizawa H, Fujiyama T, Hama N, Mizukawa Y, Morita E, Nakagawa Y, Nakajima S, Niihara H, Teraki Y, Tohyama M, Watanabe H, Tokura Y   | Confusion in determination of two types of cutaneous adverse reactions to drugs, maculopapular eruption and erythema multiforme, among the experts: A proposal of standardized terminology | J Dermatol                   | 47          | 169-73    | 2020 |
| Hashizume H, Sano Y, Furukawa S, Imokawa S  | Eosinophilic granulomatosis with polyangiitis mimicking coronavirus disease 2019: a case report  | J Eur Acad Dermatol Venereol | 34          | e557-e559 | 2020 |
| Tsutsumi Y, Odani K, Kaneko Y, Hashizume H, Tachibana M   | Cutaneous co-infection of cytomegalovirus and Mycobacterium chelonae accelerated by immunosuppression  | Case Rep Pathol              |             | in press  | 2021 |
| 橋爪秀夫  | 薬剤師のための特別講義! 専門医が教える薬疹、薬剤性皮膚障害(第12回) 近未来の薬疹診療(最終回)   | 調剤と情報                        | 26(3)       | 2310-2314 | 2020 |
| 橋爪秀夫、宮川史  | 薬剤師のための特別講義! 専門医が教える薬疹、薬剤性皮膚障害(第11回) 薬剤性過敏症候群  | 調剤と情報                        | 26(12)      | 2150-2154 | 2020 |
| 橋爪秀夫  | 発症機構の基礎知識 -重症薬疹のT細胞は薬剤抗原を認識していない-  | アレルギー                        | 70(1)       | 1-8       | 2021 |
| Sotozono C, Inatomi T, Nakamura T, Ueta M, Imai K, Fukuoka H, Komai S, Ishida G, Kitazawa K, Yokoi N, Koizumi N, Kimura Y, Go M, Fukushima M, Kinoshita S | Oral Mucosal Epithelial Transplantation and Limbal-Rigid Contact Lens: A Therapeutic Modality for the Treatment of Severe Ocular Surface Disorders   | Cornea                       | 39(Suppl 1) | 19-27     | 2020 |
| Yoshikawa Y, Ueta M, Fukuoka H, Inatomi T, Yokota I, Teramukai S, Yokoi N, Kinoshita S, Tajiri K, Ikeda T   | Sotozono C. Long-term Progression of Ocular Surface Disease in Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis   | Cornea                       | 39(6)       | 745-753   | 2020 |
| Kaneko Y, Seko Y, Sotozono C, Ueta M, Sato S, Shimamoto T, Iwasaku M, Yamada T, Uchino J, Hizawa N, Takayama K  | Respiratory complications of Stevens-Johnson syndrome (SJS): 3 cases of SJS-induced obstructive bronchiolitis  | Allergol Int                 | 69(3)       | 465-467   | 2020 |
| Itoi M, Ueta M, Ogino K, Sumi E, Imai K, Teramukai S, Kinoshita S, Sotozono C   | Clinical trial to evaluate the therapeutic benefits of limbal-supported contact lens wear for ocular sequelae due to Stevens-Johnson syndrome/toxic epidermal necrolysis                   | Cont Lens Anterior Eye       | 43(6)       | 535-542   | 2020 |

|  |   |                           |        |           |      |
|--|---|---------------------------|--------|-----------|------|
| Hikino K, Abe Y, Sakashita K, Ozeki T, Mushiroda T         | Characteristics of adverse drug reactions associated with anti-epileptics at a tertiary children's hospital in Japan: A retrospective observational cohort study  | Epilepsy Res.             | 173    | in press  | 2021 |
| 齊藤真衣, 下田由莉江, 福山雅大, 嵩幸恵, 佐藤洋平, 川原敬祐, 齊藤康一郎, 大山学, 水川良子       | 薬剤性過敏症症候群の経過中に喉頭浮腫を生じた1例  | 臨皮                        | 75(1)  | 27-31     | 2021 |
| Mizukawa Y, Kimishima M, Aoyama Y, Shiohara T              | Predictive biomarkers for cytomegalovirus reactivation before and after immunosuppressive therapy: A single-institution retrospective long-term analysis of patients with drug-induced hypersensitivity syndrome (DiHS)/drug reaction with eosinophilia and systemic symptoms (DRESS) | Int J Infect Dis          | 100    | 239-246   | 2020 |
| Takahashi R, Sato Y, Kimishima M, Shiohara T, Ohyama M     | Intracellular accumulation of PD-1 molecules in circulating T lymphocytes in advanced malignant melanoma: an implication for immune evasion mechanism   | Int J Clin Oncol          | 25(10) | 1861-1869 | 2020 |
| 水川良子, 塩原哲夫   | 【最近のトピックス2020 Clinical Dermatology 2020】皮膚疾患治療のポイント 薬剤性過敏症症候群の治療と予後   | 臨皮                        | 74 (5) | 98-102    | 2020 |
| Fukasawa T, Takahashi H, Takahashi K, Tanemura N, Amagai M | Urushihara H. Risk of Stevens-Johnson syndrome and toxic epidermal necrolysis associated with anticonvulsants in a Japanese population: matched case-control and cohort studies   | Allergology International |        | in press  | 2021 |
| Shiia C, Ouchi T, Funakoshi T, Amagai M, Takahashi H       | Autoimmune and inflammatory diseases occur in cases of drug-induced hypersensitivity syndrome but not in suspected cases  | J Dermatol                | 48(1)  | e45-e46   | 2021 |
| Ohyama M, Hashimoto K, Oda F, Namba C, Sayama K            | Influence of corticosteroid therapy on viral reactivation in drug-induced hypersensitivity syndrome/drug reaction with eosinophilia and systemic symptoms   | J Dermatol                | 47     | 476-482   | 2020 |
| Tohyama M, Asagi A, Nakasya A, Iuchi S, Hashine K          | Characteristic distribution of maculopapular rash caused by gemcitabine-based chemotherapy  | J Dermatol                | 48     | 215-218   | 2021 |

|   |  |                         |         |           |      |
|---|--|-------------------------|---------|-----------|------|
| 藤山幹子  | アパルタミドによる苔癬型薬疹の2例  | 日皮会誌                    | 130     | 1653-1657 | 2020 |
| 宮崎生子、平木舞、小山樹里、藤山幹子  | 入院治療を要した多形紅斑型薬疹、播種状紅斑丘疹型薬疹の原因薬剤の傾向分析   | 日本皮膚免疫アレルギー学会雑誌         | 3       | 403-412   | 2020 |
| Yamaguchi Y, Takatsu N, Ootaki K, Nakagawa H  | Long-term safety of brodalumab in Japanese patients with plaque psoriasis: An open-label extension study   | J Dermatol              | 47(6)   | 569-577   | 2020 |
| Nakamura R, Ozeki T, Hirayama N, Sekine A, Yamashita T, Yoichi Masahimo, Mizukawa Y, Shiohara T, Watanabe H, Sueki H, Ogawa K, Asada H, Kaniwa N, Tsukagoshi E, Matsunaga K, Niihara H, Yamaguchi Y, Aihara M, Mushiroda T, Saito Y, Morita E | Association of HLA-A*11:01 with sulfonamide-related severe cutaneous adverse reactions in Japanese patients  | J Invest Dermatol       | 140(8)  | 1659-1662 | 2020 |
| Watanabe Y, Yamaguchi Y, Takamura N, Takahashi Y, Aihara M  | Toxic epidermal necrolysis accompanied by several immune-related adverse events developed after discontinuation of nivolumab                         | Eur Cancer              | 131     | 1-4       | 2020 |
| Hikino K, Ozeki T, Koide M, Terao C, Kamatani Y, Mizukawa Y, Shiohara T, Tohyama M, Azukizawa H, Aihara M, Niihara H, Morita E, Murakami Y, Kubo M, Mushiroda T   | HLA-B*51:01 and CYP2C9*3 are risk factors for phenytoin-induced eruption in the Japanese population: analysis of data from the Biobank Japan Project | Clin Pharmacol Ther     | 107(5): | 1170-1178 | 2020 |
| Ishikawa H, Watanabe Y, Takamura N, Watanabe T, Yamaguchi Y, Aihara M   | A case of toxic epidermal necrolysis with refractory acute respiratory distress syndrome   | J Cutan Immunol Allergy | 3(2)    | 43-44     | 2020 |
| Watanabe T, Go H, Saigusa Y, Takamura N, Watanabe Y, Yamane Y, Totokura M, Ishikawa H, Nakamura K, Matsukura S, Kambara T, Takaki S, Yamaguchi Y, Aihara M  | Mortality and risk factors on admission in toxic epidermal necrolysis: A cohort study of 59 patients   | Allergol Int            | 70      | 229-234   | 2021 |
| Sagawa N, Watanabe Y, Mizuno Y, Takahashi S, Watanabe T, Ikeda N, Yamaguchi Y, Aihara M   | A case of toxic epidermal necrolysis associated with apalutamide administration  | J Cutan Immunol Allergy |         | in press  | 2021 |

|   |   |                        |         |           |      |
|---|---|------------------------|---------|-----------|------|
| Watanabe Y, Yamaguchi Y, Watanabe Y, Asami M, Takamura N, Watanabe T, Kato H, Aihara M  | HIV-associated psoriasis with folliculitis and arthritis successfully treated using antiretroviral therapy  | J Dermatol             |         | in press  | 2021 |
| 渡邊友也、高村直子、渡邊裕子、山根裕美子、戸塚みちる、石川秀幸、中村和子、松倉節子、蒲原毅、山口由衣、相原道子   | 横浜市立大学附属2病院におけるStevens-Johnson症候群および中毒性表皮壊死症132例の検討   | 日皮会誌                   | 130 (9) | 2059-2067 | 2020 |
| 松村康子、渡邊友也、金岡美和、戸塚みちる、山川浩平、高奈緒、蒲原毅、相原道子  | 著しい咽頭症状を認めたカルバマゼピンによるStevens-Johnson症候群の1例  | 皮膚臨床                   | 62(9)   | 1322-1326 | 2020 |
| 高奈緒、渡邊裕子、向所純子、浅井知佳、東平麻維、池宮城秀崇、渡邊恵介、相原道子   | リファンピシンとエタンブトールが原因薬剤と考えられたStevens-Johnson症候群の1例   | 皮膚臨床                   | 62(9)   | 1317-1321 | 2020 |
| 山口由衣  | 薬疹をどのように診るか   | Clinical Derma         | 22(1)   | 7-8       | 2020 |
| 山口由衣  | 新・皮膚科セミナリウム 免疫チェックポイント阻害薬による皮膚障害  | 日皮会誌                   | 130(7)  | 1627-1631 | 2020 |
| 渡邊友也、相原道子   | 薬剤による粘膜病変   | MB Derma               | 304     | 59-67     | 2021 |
| 渡邊友也、山口由衣   | 疾患からみる臨床検査の進め方 薬物アレルギー、薬剤性過敏症候群が疑われるとき  | 小児科診療                  | 83(増)   | 196-203   | 2020 |
| Otake-Irie H, Nakajima S, Okamoto N, Toichi E, Nomura T, Kabashima K  | Prolonged acute generalized exanthematous pustulosis and atypical target-like lesions induced by hydroxychloroquine   | J Dermatol             | 47(11)  | e387-e388 | 2020 |
| Komatsu-Fujii T, Nakajima S, Iwata M, Kataoka T, Hirata M, Nomura T, Kabashima K  | Upregulated programmed death ligand 1 expression in nivolumab-induced lichen nitidus: A follow-up report with an immunohistochemical analysis               | J Dermatol             | 47(9)   | e319-e320 | 2020 |
| Seto Y, Kaneko Y*, Moriuri T, Fujii H, Tanaka S, Shiotsu S, Hiranuma O, Morimoto Y, Iwasaku M, Yamada T, Uchino J, Takayama K | Prognostic factors in older patients with wild-type epidermal growth factor receptor advanced non-small cell lung cancer: a multicenter retrospective study | Transl Lung Cancer Res | 10(1)   | 193-201   | 2021 |
| Kaneko Y, Seko Y, Sotozono C, Ueta M, Sato S, Shimamoto T, Iwasaku M, Yamada T, Uchino J, Hizawa N, Takayama K                | The Quality of Life of Patients with Suspected Lung Cancer before and after Bronchoscopy and the Effect of Mirtazapine on the Depressive Status             | Intern Med             | 59      | 1605-1610 | 2020 |

|  |   |                           |    |         |      |
|--|---|---------------------------|----|---------|------|
| Kaneko Y, Seko Y, Sotozono C, Ueta M, Sato S, Shimamoto T, Iwasaku M, Yamada T, Uchino J, Hizawa N, Takayama K | Respiratory complications of Stevens-Johnson syndrome (SJS): 3 cases of SJS-induced obstructive bronchiolitis | Allergology International | 69 | 465-467 | 2020 |
|  |   |                           |    |         |      |