

雑誌 (英文)

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------|----------|------|
| Ezaki S, Kadone H, Kubota S, Abe T, Shimizu Y, Tanaka CK, Miura K, Hada Y, Sankai Y, Koda M, Suzuki K, Yamazaki M. | Analysis of Gait Motion Changes by Intervention Using Robot Suit Hybrid Assistive Limb (HAL) in Myelopathy Patients After Decompression Surgery for Ossification of Posterior Longitudinal Ligament. | Front Neurobot | | In press | 2020 |
| Funayama T, Fujii K, Abe T, Kumagai H, Nagashima K, Miura K, Noguchi H, Mataka K, Shibao Y, Koda M, Yamazaki M. | Spontaneous symptomatic lumbar intervertebral pseudoarthrosis associated with diffuse idiopathic skeletal hyperostosis treated with a combined posteroanterior fusion: a case report and review of literature. | J Spine Surg | 6(3) | 626-630 | 2020 |
| Furuya T, Maki S, Miyamoto T, Okimatsu S, Shigeta Y, Inage K, Orita S, Eguchi Y, Koda M, Yamazaki M, Ohtori S. | Mid-term Surgical Outcome of Posterior Decompression With Instrumented Fusion in Patients With K-line (-) Type Cervical Ossification of the Posterior Longitudinal Ligament With a 5-Year Minimum Follow-up. | Clin Spine Surg | 33(9) | 333-338 | 2020 |
| Kadone H, Miura K, Kubota S, Abe T, Shimizu Y, Hada Y, Suzuki K, Sankai Y, Koda M, Yamazaki M. | Dropped Head Syndrome Attenuation by Hybrid Assistive Limb: A Preliminary Study of Three Cases on Cervical Alignment during Walking. | Medicina (Kaunas) | 56(6) | 291 | 2020 |
| Kadone H, Kubota S, Abe T, Noguchi H, Miura K, Koda M, Shimizu Y, Hada Y, Sankai Y, Suzuki K, Yamazaki M. | Muscular Activity Modulation During Post-operative Walking With Hybrid Assistive Limb (HAL) in a Patient With Thoracic Myelopathy Due to Ossification of Posterior Longitudinal Ligament: A Case Report. | Front Neurol | 11 | 102 | 2020 |

| | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|---------|------|
| Miura K, Kadone H, Koda M, Abe T, Funayama T, Noguchi H, Matsumoto K, Nagashima K, Kumagai H, Shibao Y, Suzuki K, Yamazaki M. | Thoracic kyphosis and pelvic anteversion in patients with adult spinal deformity increase while walking: analyses of dynamic alignment change using a three-dimensional gait motion analysis system. | Eur Spine J | 29(4) | 840-848 | 2020 |
| Mataki K, Koda M, Shibao Y, Kumagai H, Nagashima K, Miura K, Noguchi H, Funayama T, Abe T, Yamazaki M. | New methods for diagnosing lumbar foraminal stenosis using dynamic digital tomosynthesis radiiculography. | J Clin Neurosci | 77 | 106-109 | 2020 |
| Miura K, Koda M, Abe T, Kono M, Eto F, Kumagai H, Nagashima K, Fujii K, Noguchi H, Funayama T, Yamazaki M. | Comparison of clinical results of decompression/fusion surgery for paralytic spinal tumors of unknown versus known origin. | J Rural Med | 15(4) | 189-193 | 2020 |
| Miura K, Koda M, Abe T, Funayama T, Noguchi H, Kumagai H, Nagashima K, Mataki K, Shibao Y, Yamazaki M. | Thoracic myelopathy caused by calcification of the ligamentum flavum. | J Rural Med | 15(2) | 65-67 | 2020 |
| Miura K, Koda M, Funayama T, Takahashi H, Yamazaki M. | Sarcopenic dysphagia after occipito-cervical fusion surgery in an elderly patient with high-cervical myelopathy caused by retro-odontoid pseudotumor: a case report. | Cureus | 12(12) | E11881 | 2020 |

| | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-------|---------|------|
| Saito J, Koda M, Furuya T, Maki S, Ijima Y, Kitamura M, Miyamoto T, Orita S, Inage K, Hasue F, Fujiyoshi T, Kamiya K, Ikeda Y, Nakajima F, Hashimoto M, Noguchi H, Takahashi H, Yamazaki M, Ohtori S. | Segmental motion at the peak of the ossification foci is independent risk factor except for mal-alignment and thick ossification foci for poor outcome after laminoplasty for cervical ossification of the posterior longitudinal ligament: analyses in patients with positive K-line, lordotic alignment and lower canal occupying ratio. | J Orthop Surg Res | 15(1) | 407 | 2020 |
| Sakamoto T, Takahashi H, Saito J, Matsuzawa Y, Aoki Y, Nakajima A, Sonobe M, Akatsu Y, Yamada M, Akiyama Y, Iwai T, Yanagisawa K, Shiga Y, Inage K, Orita S, Eguchi Y, Maki S, Furuya T, Akazawa T, Koda M, Yamazaki M, Ohtori S, Nakagawa K. | Surgical treatment for spinal tuberculosis without elevation of inflammatory biomarkers at the initial visit mimicking spinal metastasis. | Case Rep Orthop | | 8873170 | 2020 |
| Sato K, Kumagai H, Funayama T, Yoshioka T, Shibatao Y, Mataka K, Nagashima K, Minoura K, Noguchi H, Abe T, Koda M, Yamazaki M. | Posterolateral lumbar spine fusion with unidirectional porous beta-tricalcium phosphate in a canine model. | J Artif Organs | 23(4) | 365-370 | 2020 |
| Takahashi H, Aoki Y, Saito J, Nakajima A, Sonobe M, Akatsu Y, Taniguchi S, Yamada M, Koyama K, Akiyama Y, Shiga Y, Inage K, Orita S, Eguchi Y, Maki S, Furuya T, Akazawa T, Koda M, Yamazaki M, Ohtori S, Nakagawa K. | Time course of changes in serum oxidative stress markers to predict outcomes for surgical treatment of lumbar degenerative disorders. | Oxid Med Cell Longev | | 5649767 | 2020 |

| | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|-----------|------|
| Takahashi H, Aoki Y, Taniguchi S, Nakajima A, Sonobe M, Akatsu Y, Saito J, Yamada M, Shiga Y, Inagawa K, Orita S, Eguchi Y, Maki S, Furuya T, Akazawa T, Koda M, Yamazaki M, Ohtori S, Nakagawa K. | Delayed surgical site infection after posterior cervical instrumented surgery in a patient with atopic dermatitis: a case report. | J Rural Med | 15(3) | 124-129 | 2020 |
| Yamamoto K, Takahashi H, Saito J, Aoki Y, Nakajima A, Sonobe M, Akatsu Y, Yamada M, Koyama K, Shiga Y, Inagawa K, Orita S, Eguchi Y, Maki S, Furuya T, Akazawa T, Koda M, Yamazaki M, Ohtori S, Nakagawa K. | Surgical treatment for central sleep apnea due to occipitocervical compression myelopathy in a patient with Klippel-Feil syndrome: a case report. | World Neurosurg | 141 | 232-235 | 2020 |
| Yoshii T, Tomizawa S, Hirai T, Inose H, Yamada T, Sakai K, Ushio S, Egawa S, Yuasa M, Kato T, Kawabata S, Arai Y, Okawa A. | Surgical Outcomes in Selective Laminectomy and Conventional Double-Door Laminoplasty for Cervical Spondylotic Myelopathy. | Orthopedics | 43(4) | e311-e315 | 2020 |
| Hirai T, Yoshii T, Ushio S, Mori K, Maki S, Katsumi K, Nagoshi N, Takeuchi K, | Clinical characteristics in patients with ossification of the posterior longitudinal ligament: A prospective multi-institutional cross-sectional study. | Sci Rep | 10(1) | 5532 | 2020 |

| | | | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|---------------|-------------------|-------------|
| <p>Kawabata A, Hirai T, Tohara R, Yuasa M, Inose H, Koyanagi H, Sato S, Utagawa K, Hashimoto J, Okawa A, Yoshii T.</p> | <p>Surgical stabilization of spinal metastasis in diffuse idiopathic skeletal hyperostosis ("Mets-on-DISH"): Two case reports.</p> | <p>Medicine (Baltimore).</p> | <p>99(22)</p> | <p>E20397</p> | <p>2020</p> |
| <p>Yoshii T, Morishita S, Inose H, Yuasa M, Hirai T, Okawa A, Fushimi K, Fujiwara T.</p> | <p>Comparison of Perioperative Complications in Anterior Decompression With Fusion and Posterior Decompression With Fusion for Cervical Ossification of the Posterior Longitudinal Ligament: Propensity Score Matching Analysis Using a Nation-Wide Inpatient Database.</p> | <p>Spine</p> | <p>45(16)</p> | <p>E1006-1012</p> | <p>2020</p> |
| <p>Sakai K, Hirai T, Arai Y, Maehara H, Torigoe I, Inose H, Tomori M, Sakaki K, Yuasa M, Matsukura Y, Oyaizu T, Morishita S, Yoshii T, Okawa A.</p> | <p>Laminar Closurein Double-Door Laminoplasty for Cervical Spondylotic Myelopathy with Non-Kyphotic Alignment.</p> | <p>Spine (Phila Pa 1976).</p> | | | <p>2021</p> |

| | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--|--|-------------|
| <p>Hirai T, Yoshii T, Egawa S, Sakai K, Kusano K, Nakagawa Y, Wada K, Katsumi K, Fujii K, Kimura A, Furuya T, Nagoshi N, Kanchiku T, Nagamoto Y, Oshima Y, Ando K, Takahata M, Mori K, Nakajima H, Murata K, Matsunaga S, Kaito T, Yamada K, Kobayashi S, Kato S, Ohba T, Inami S, Fujibayashi S, Kato H, Kanno H, Imagama S, Koda M, Kawaguchi Y, Takeshita K, Matsumoto M, Yamazaki M, Okawa A.</p> | <p>Severity of Myelopathy is Closely Associated With Advanced Age and Signal Intensity Change in Cervical Ossification of the Posterior Longitudinal Ligament: A Prospective Nationwide Investigation.</p> | <p>Clin Spine Surg.</p> | | | <p>2021</p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--|--|-------------|

| | | | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|----------|---------|------|
| Katoh H , Okada E, Yoshii T, Yamada T, Watanabe K, Katsumi K, Hiyama A, Nakagawa Y, Okada M , Endo T, Shirai shi Y, Takeuchi K, Matsunaga S, Maruo K, Sakai K, Kobayashi S, Ohba T, Wada K , Ohya J, Mori K, Tsushima M, Nishimura H, Tsuji T, Watanabe K, Matsumoto M, Okawa A, Watanabe M | A Comparison of Cervical and Thoracolumbar Fractures Associated with Diffuse Idiopathic Skeletal Hyperostosis—A Nationwide Multicenter Study. | Journal of Clinical Medicine | 9 | 208 | 2020 |
| Kushioka J, Takenaka S, Makino T, Sakai Y, Kashi i M, Iwasaki M, Yoshikawa H, Kamito T | Risk factors for in-hospital mortality after spine surgery: a matched case-control study using a multicenter database | Spine J | 20 (3) | 321-328 | 2020 |
| Yoshii T, Egawa S, Hirai T, Kaito T, Mori K, Kodama M, Chikuda H, Hasegawa T, Imagama S, Yoshida M, Iwasaki M, Okawa A, Kawaguchi Y | A systematic review and meta-analysis comparing anterior decompression with fusion and posterior laminoplasty for cervical ossification of the posterior longitudinal ligament | J Orthop Sci | 25 | 58-65 | 2020 |
| Matsumoto T, Yamashita T, Okuda S, Maeno T, Nagasamoto Y, Iwasaki M. | A detailed clinical course leading to hypoxic ischemic encephalopathy after anterior cervical spine surgery. A case report. | JBJS Case Connect | 10 (3) | e20 | 2020 |
| Kawaguchi Y, Imagama S, Iwasaki M, Kaito T, Kodama M, Chikuda H, Hasegawa T, Mori i K, Yoshii T, 2019 Clinical Practice Guideline for Ossification of Spinal Ligaments working group | Japanese Orthopaedic Association (JOA) clinical practice guidelines on the management of ossification of the spinal ligament, 2019 | J Orthop Sci | in press | | 2020 |

| | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|----------|-----------|------|
| Nagamoto Y, Iwasaki M, Okuda S, Matsumoto T, Sugiura T, Takahashi Y, Furuya M | Anterior selective stabilization combined with laminoplasty for cervical myelopathy due to massive ossification of the posterior longitudinal ligament: report of early outcomes in 14 patients | J Neurosurg: Spine | 13 | 1-7 | 2020 |
| Kimura A et al. | Effectiveness of Surgical Treatment for Degenerative Cervical Myelopathy in Preventing Falls and Fall-related Neurological Deterioration: A Prospective Multi-institutional Study | Spine | 45 (11) | E631-E638 | 2020 |
| Kobayashi K, Imagama S, Yoshida G, Ando M, Kawabata S, Yamada K, Kanchiku T, Fujiwara Y, Taniguchi S, Iwasaki H, Tadokoro N, Takahashi M, Wada | Efficacy of Intraoperative Intervention Following Transcranial Motor-evoked Potentials Alert During Posterior Decompression and Fusion Surgery for Thoracic Ossification of the Posterior Longitudinal Ligament: A Prospective Study | SPINE | 15;46(4) | 268-276 | 2021 |
| Shigematsu H, Yoshida G, Kobayashi K, Imagama S, Ando M, Kawabata S, Yamada K, Kanchiku T, Fujiwara Y, Taniguchi S, Iwasaki H, Tadokoro N, Takahashi M, Wada K, Yamamoto N, Funaba M, Yasuda A, Ushirozako H, Tani T, Matsuyama Y | Understanding the effect of non-surgical factors in a transcranial motor-evoked potential alert: A retrospective cohort study | J Orthop Sci | Aug 17 | 30197-4 | 2020 |
| Murata K, et al. | Relationship between cervical and global sagittal balance in patients with dropped | European Spine Journal | 29 | 413-419 | 2020 |

| | | | | | |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|----|---------|------|
| Aihara T, et al. | Five-year Reoperation Rates and Causes for Reoperations Following Lumbar Microendoscopic Discectomy and Decompression | Spine | 45 | 71-77 | 2020 |
| Murata K, et al. | Artificial intelligence for the detection of vertebral fractures on plain spinal radiography | Scientific Reports | 10 | 20031 | 2020 |
| Konishi T, et al. | Global sagittal spinal alignment at cervical flexion in patients with dropped head syndrome | Journal of Orthopaedic Surgery | 28 | epub | 2020 |
| Kimura A, et al. | Effectiveness of Surgical Treatment for Degenerative Cervical Myelopathy in Preventing Falls and Fall-related Neurological Deterioration | Spine | 45 | 631-638 | 2020 |
| Aihara T, et al. | Long-term Outcomes Following Lumbar Microendoscopic Discectomy and Microendoscopic Decompression: Minimum 10-year Follow-up Evaluation Performed Using a Patient-based Outcome Measure | Journal of Neurological Surgery Part A | 81 | 163-169 | 2020 |

| | | | | | |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------|-----------|------|
| Inose H, et al. | Comparison of Clinical and Radiographic Outcomes of Laminoplasty, Anterior Decompression With Fusion, and Posterior Decompression With Fusion for Degenerative Cervical Myelopathy | Spine | 45 | 1342-1346 | 2020 |
| Inose H, et al. | Predictors associated with neurological recovery after anterior decompression with fusion for degenerative cervical myelopathy | BMC surgery | 21 | 14 | 2021 |
| Quian W, et al. | Cervical sagittal alignment in patients with dropped head syndrome | J Orthop Sci | 29 | epub | 2021 |
| Kimura A, et al. | The 5-question Geriatric Locomotive Function Scale predicts postoperative fall risk in patients undergoing surgery for degenerative cervical myelopathy | J Orthop Sci | epub | epub | 2020 |
| Nishimura H, et al. | Risk factors of dysphagia in patients with ossification of the anterior longitudinal ligament | J Orthop Sci | 28 | epub | 2020 |
| Kusakabe T, et al. | Mode of onset of dropped head syndrome and efficacy of conservative treatment | J Orthop Sci | 28 | epub | 2020 |

| | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|--------|-----------|------|
| Tateiwa T, et al. | Pelvic tilt after total hip arthroplasty in patients with osteoarthritis of the hip | J Orthop Sci | 28 | epub | 2020 |
| Chikasawa Y, et al. | Safety and blood loss in spinal surgery for haemophiliacs: Case series of Japanese haemophiliacs | Haemophilia | 27 | e143-e146 | 2021 |
| Kudo Y, et al. | Impact of Spinopelvic sagittal alignment on the surgical outcomes of dropped head syndrome: a multi-center study | BMC Musculoskeletal Disorders | 21 | 382 | 2020 |
| Kurosawa D, Murakami E, Aizawa T, Watanabe T, Yabe Y | Criteria for Identifying Technically Difficult Cases when Performing Sacroiliac Intraarticular Injections Based on the Grade of Sacroiliac | Pain Med | 21(10) | 2105-2110 | 2020 |
| Koakutsu T, Aizawa T, Sasaki M, Sekiguchi A, Morozumi N, Ishii Y, Kokubun S, Hashimoto K, Kasama F, Tanaka Y, Sato T, Itoi E, Yamazaki S | Anterior Decompression and Fusion Versus Laminoplasty for Cervical Myelopathy Caused by Soft Disk Herniation: A Long-term Prospective Multicenter Study | Clin Spine Surg | 33(10) | E478-485 | 2020 |
| Koakutsu T, Aizawa T, Itoi E | Accurate and Minimally Invasive Cervical Pedicle Screw Insertion Procedure Using the Bone Biopsy Needle as Drill Guide | Spine Surg Relat Res | 4(4) | 358-364 | 2020 |

| | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------------|-----------|------|
| Aizawa T, Kokubun S, Kusakabe T, Ozawa H, Tanaka Y, Hoshikawa T, Hashimoto K, Kanno H, Morozumi N, Koizumi Y, Kawahara C, Sato T, Hyodo H, Ogawa S, Murakami E, Itoi E | Rate of spinal surgery in a rapidly aging society: the 27-year changes in Miyagi prefecture, Japan | J Neurosurg Sci | 64(6) | 525-530 | 2020 |
| Aizawa T, Eto T, Hashimoto K, Kanno H, Itoi E, Ozawa H | Surgical results of nonambulatory patients caused by ossification of the posterior longitudinal ligaments in the thoracic spine: retrospective comparative study between posterior decompression and instrumented spinal fusion versus anterior decompression through a posterior approach | J Neurosurg Spine | Online ahead of print | | 2020 |
| Toyohara R, Kurisawa D, Hammecker N, Werner M, Honda K, Sekiguchi Y, Izumi SI, Murakami E, Ozawa H, Ohashi T | Finite element analysis of load transition on sacroiliac joint during bipedal walking. | Sci Rep | 13 | 13683 | 2020 |
| Handa K, Kanno H, Matsuda M, Sugaya T, Murakami T, Prudnikova M, Ozawa H, Itoi E | Chaperone-mediated autophagy after spinal cord injury | J Neurotrauma | 37(15) | 1687-1695 | 2020 |

| | | | | | |
|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----------------------|-------------------------------------------------------------------------------------|------|
| Kanno H, Ozawa H, Handa H, Murakami T, Itoi E | Changes in expression of receptor-interacting Protein Kinase 1 in secondary neural tissue damage following spinal cord injury | Neurosci Insights | | doi: 10.1177/2633105520906402. | 2020 |
| Matsuda M, Kanno H, Sugaya T, Yamaya S, Yahata K, Handa K, Shindo T, Shimokawa H, Ozawa H, | Low-energy extracorporeal shock wave therapy promotes BDNF expression and improves functional recovery after spinal cord | Exp Neurol | Epub | doi: 10.1016/j.expneurol.2020.113251. | 2020 |
| Fujimori J, Kikuchi H, Kameyama M, Haryu S, Sato K, Sasaki T, Ozawa H, Murata T, Nakashima I | A case of overshunting-associated myelopathy that developed 27 years after placement of a ventriculoperitoneal shunt | Neurol Clin Neurosci | Epub | https://doi.org/10.1111/ncn3.12491 | 2021 |
| Kanno H, Aizawa T, Hashimoto K, Itoi E | Novel augmentation technique of percutaneous pedicle screw fixation using hydroxyapatite granules in the osteoporotic lumbar | Eur Spine J | 30(1) | 71-78 | 2021 |
| Aizawa T, Hashimoto K, Kanno H, Handa K, Takahashi K, Onoki T, Itoi E, Ozawa H | Retrospective comparison of the surgical results for patients with thoracic myelopathy caused by ossification of the posterior longitudinal | J Orthop Sci | Online ahead of print | | 2021 |
| Tsuji H, Misawa H, Takigawa T, Tetsunaga T, Yamane K, Oda Y, Ozaki T. | Quantification of patellar tendon reflex using portable mechanomyography and electromyography devices. | Sci Rep | 11(1) | 2284 | 2021 |

| | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|--------------------------------|-------|-------|------|
| Tetsunaga T, Tetsunaga T, Nishida K, Misawa H, Takigawa T, Yamane K, Tsuji H, Takai Y, Ozaki T. | Short-term outcomes of tramadol in patients with peripheral neuropathic pain: a retrospective study | J Orthop Surg Res. | 15(1) | 191 | 2020 |
| Tsuji H, Tetsunaga T, Tetsunaga T, Misawa H, Nishida K, Ozaki T. | Cognitive factors associated with locomotive syndrome in chronic pain patients: A retrospective study. | J Orthop Sci. | | | 2020 |
| Miyagi M, Saito W, Imura T, Nakazawa T, Shirasawa E, Kawakubo A, Uchida K, Akazawa T, Inoue K, Ohtori S, Inoue G, Takaso M. | Body Composition in Japanese Girls with Adolescent Idiopathic Scoliosis. | Spine Surg Relat Res. | 5(2) | 68-74 | 2020 |
| Inoue G, Uchida K, Miyagi M, Saito W, Nakazawa T, Imura T, Shirasawa E, Akazawa T, Orita S, Inoue K, Takaso M, Ohtori S. | Occupational Characteristics of Low Back Pain Among Standing Workers in a Japanese Manufacturing Company. | Workplace Health Saf. | 68(1) | 13-23 | 2020 |
| Namba T, Ueno M, Inoue G, Imura T, Saito W, Nakazawa T, Miyagi M, Shirasawa E, Takahashi O, Takaso M. | Prediction tool for high risk of surgical site infection in spinal surgery. | Infect Control Hosp Epidemiol. | | 1-6 | 2020 |

| | | | | | |
|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------|-------------------------|------|
| Saito W, Inoue G, Shirasawa E, Imura T, Nakazawa T, Miyagi M, Uchida K, Matsuda H, Akazawa T, Takaso M. | Risk factors associated with prolonged intensive care unit stay after posterior spinal fusion for Duchenne muscular dystrophy. | J Orthop Sci. | | S0949-2658 (20)30085-3. | 2020 |
| Inoue G, Uchida K, Fukushima K, Uchiyama K, Nakazawa T, Aikawa J, Matsuura T, Miyagi M, Takahira N, Takaso M. | Experience of an Orthopaedic Surgery Department Early During the COVID-19 Outbreak in Japan Including Real-Time Polymerase Chain Reaction Assay Results for SARS-CoV-2. | Cureus. | 12(10) | E11140 | 2020 |
| Yokozeki Y, Uchida K, Miyagi M, Murata K, Koyama T, Kuroda A, Kawakubo A, Nanri Y, Inoue G, Takaso M. | Short-Term Impact of Staying Home on Bone Health in Patients With Osteoporosis During a State of Emergency Declaration Due to COVID-19 in Kanagawa, Japan. | Cureus. | 12(9) | E10278 | 2020 |
| Ishiwata S, Iizuka H, Sonoda H, Tsunoda D, Tajika Y, Chikuda H, Koiuchi N, Shimokawa N. | Upregulated miR-224-5p suppresses osteoblast differentiation by increasing the expression of Pail in the lumbar spine of a rat model of congenital kyphoscoliosis. | Mol Cell Biochem | 475(1-2) | 53-62 | 2020 |

| | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|------------------|------|
| Ishiwata S, Iizuka Y, Shitara H, Mieda T, Takasawa E, Tsunoda D, Kakuta Y, Honda A, Ito S, Inomata K, Sasaki T, Hamano N, Tajika T, Chikuda H. | The Association Between the Rotator Cuff Status and the Severity and Recovery of Weakness in the Shoulder Abductor Strength in a Case of Proximal Type Cervical Spondylotic Amyotrophy. | Global Spine J | | 2192568220980441 | 2020 |
| Honda A, Iizuka Y, Mieda T, Sonoda H, Ishiwata S, Kakuta Y, Tsunoda D, Takasawa E, Tajika T, Koshi H, Chikuda H. | Paraplegia due to Thoracic Mobile Schwannoma after Myelography. | Case Rep Orthop | | 6709819 | 2020 |
| Yoshii T, Egawa S, Chikuda H, Wakao N, Furuya T, Kanchiku T, Nagoshi N, Fujiwara Y, Yoshida M, Taguchi T, Watanabe M. | Comparison of anterior decompression with fusion and posterior decompression with fusion for cervical spondylotic myelopathy-A systematic review and meta-analysis. | J Orthop Sci | 25 (6) | 938-945 | 2020 |
| Yoshii T, Egawa S, Chikuda H, Wakao N, Furuya T, Kanchiku T, Nagoshi N, Fujiwara Y, Yoshida M, Taguchi T, Watanabe M. | A systematic review and meta-analysis comparing anterior decompression with fusion and posterior laminoplasty for cervical spondylotic myelopathy. | J Orthop Sci | 26 (1) | 116-122 | 2020 |
| Takenaka S, Kaneko S, Seymour B, Morikawa T, Sakai Y, Kushioka J, Tanaka H, Watanabe Y, Shibata M, Yoshikawa H, Kaito T | Resting-state Amplitude of Low-frequency Fluctuation is a Potentially Useful Prognostic Functional Biomarker in Cervical Myelopathy | Clin Orthop Relat Res | 478(7) | 1667-1680 | 2020 |

| | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|---------|-------------|-------------------------------------|
| Endo T, Imagama S, Kato S, Kaito T, Sakai H, Ikegawa S, Kawaguchi Y, Kanayama M, Hisada Y, Koike Y, Ando K, Kobayashi K, Oda I, Okada K, Takagi R, Iwasaki N, Takahata M. | Association Between Vitamin A Intake and Disease Severity in Early-Onset Heterotopic Ossification of the Posterior Longitudinal Ligament of the Spine. | Global Spine J. | | | 2021 |
| Tsujimoto T, Endo T, Menjo Y, Kanayama M, Oda I, Suda K, Fujita R, Koike Y, Hisada Y, Iwasaki N, Takahata M. | Exceptional Conditions for Favorable Neurological Recovery After Laminoplasty in Cases With Cervical Myelopathy Caused by K-line (-) Ossification of Posterior Longitudinal Ligament. | Spine | | | 2021 |
| Doi T, Ohtomo N, Oguchi F, Tozawa K, Nakarai H, Nakajima K, Sakamoto R, Okamoto N, Nakamoto H, Kato S, Taniguchi Y, Matsubayashi Y, Oka H, Matsudaira K, Tanaka S, Oshima Y. | Risk factors for progression of ossification of the posterior longitudinal ligament in asymptomatic subjects. | Global Spine J. | | | Online ahead of print |
| Ichikawa N, Kumagai G, Wada K, et al. | Coagulation, vascular morphology, and vasculogenesis in spinal ligament ossification model mice. | Spine | | | 2020 Dec 17; Publish ahead of print |
| Nakajima H, Watanabe S, Honjoh K, Okawa A, Matsumoto M, Matsumine A. | Expression analysis of susceptibility genes for ossification of the posterior longitudinal ligament of the cervical spine in human OPLL-related tissues and a spinal hyperostotic mouse (ttw/ttw). | Spine (Phila Pa 1976) | 45 (22) | E1460-E1468 | 2020 |

| | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------|---------|------|
| Sugita D, Nakajima H, Kokubo Y, Takeura N, Yayama T, Matsumine A. | Cyclic tensile strain facilitates ossification of the cervical posterior longitudinal ligament via increased Indian hedgehog signaling. | Scientific Reports | 10 (1) | 7231 | 2020 |
| Nakajima H, Honjoh K, Watanabe S, Kubota A, Matsumine A. | Distribution and polarization of microglia and macrophages at injured sites and the lumbar enlargement after spinal cord injury. | Neuroscience Letters | 737 | 135152 | 2020 |
| Pignolo RJ, Cheung K, Kile S, Fitzpatrick MA, DeCunto C, Al Mukaddam M, Hsiao EC, Baujat G, Dealai P, Eekhoff E MW, Di Rocco M, Grunwald Z, Haga N, Keen R, Levi B, Morhart R, Scott C, Sherman A, Zhang K, Kaplan FS | Self-reported baseline phenotypes from the International Fibrodysplasia Ossificans Progressiva (FOP) Association Global Registry | Bone | 134 | 115274 | 2020 |
| Haga N, Nakashima Y, Kitoh H, Kamizono J, Katagiri T, Saijo H, Tsukamoto S, Shinoda Y, Sawada R, Nakahara Y. | Fibrodysplasia ossificans progressiva: Review and research activities in Japan. | Pediatr Int | 62 | 3-13 | 2020 |
| Mishima K, Kitoh H, Matsushita M, Nagata T, Nishida Y, Takahashi Y, Ishiguro N | Lower limb pain following allogeneic hematological stem cell transplantation in Japanese children | J Orthop Sci | 25 | 682-687 | 2020 |
| Matsushita M, Mishima K, Yamashita S, Haga N, Fujiwara S, Ozono K, Kubota T, Kitaoaka T, Ishiguro N, Kitoh H | Impact of fracture characteristics and disease-specific complications on health-related quality of life in osteogenesis imperfecta | J Bone Miner Metab | 38 | 109-116 | 2020 |

| | | | | | |
|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----|----------|------|
| Kaneko H, Kitoh H, Mishima K, Matsushita M, Hattori T, Noritake K, Ishiguro N, Yoshihashi Y | Comparison of surgical and nonsurgical containment methods for patients with Legg-Calvé-Perthes disease of the onset ages between 6.0 and 8.0 years: Salter osteotomy versus non-weight-bearing hip flexion-abduction brace | J Pediatr Orthop B | 29 | 542-549 | 2020 |
| Nagata T, Matsushita M, Mishima K, Kamiya Y, Kaneto K, Toyama M, Ogi T, Ishiguro N, Kitoh H | Severe achondroplasia due to <i>de novo</i> variants in the transmembrane domain of FGFR3 on the same allele: A case report | Mol Genet Genomic Med | 8 | Ee148 | 2020 |
| Kitoh H, Matsushita M, Mishima K, Nagata T, Kamiya Y, Ueda K, Kuwatsuka Y, Morikawa H, Nakai Y, Ishiguro N | Pharmacokinetics and safety after once and twice a day doses of meclizine hydrochloride administered to children with achondroplasia | PLoS One | 15 | e0229639 | 2020 |
| Kaneko H, Kitoh H | Response to ‘Surgical and nonsurgical containment methods for patients with Legg-Calvé-Perthes disease of the onset ages between 6.0 and 8.0 years provided similar congruency of the hip’ submitted to Letter to the Editor | J Pediatr Orthop | 29 | 618-619 | 2020 |
| Amano N, Kitoh H, Narumi S, Nishimura G, Hasegawa T | A novel NPR2 mutation (p.Arg388Gln) in a patient with Acromesomelic Dysplasia, type Maroteaux | Clin Pediatr Endocrinol | 29 | 99-103 | 2020 |
| Matsushita M, Kitoh H, Mishima K, Nagata T, Kamiya Y, Kaneko H, Hattori T, Ishiguro N | A retrospective comparative study of corrective osteotomy for tibial deformities with the multiaxial correction fixator and the circular fixator | J Clin Orthop Trauma | 11 | 621-625 | 2020 |

| | | | | | |
|----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----|--------|------|
| Mano H, Fujiwara S, Takamura K, Kitoh H, Takayama S, Ogata T, Haga N | Treatment approaches for congenital transverse limb deficiency: Data analysis from an epidemiological national survey in Japan | J Orthop Sci | | | |
| Kaneko S, Matsushita M, Mishima K, Takegami Y, Imagama S, Kitoh H | Effect of periosteal reaction on longitudinal bone growth in a mouse model of achondroplasia | Bone Reports | 13 | 100708 | 2020 |
| Kitoh H | Clinical aspects and current therapeutic approaches for FOP | Biomedicines | 8 | 325 | 2020 |
| Mishima K, Mizuno S, Matsushita M, Nagata T, Kamiya Y, Kitoh H | Legg-Calve-Perthes disease in a patient with Bardet-Biedl syndrome -A case report of a novel <i>MKKS/BBS6</i> mutation | Clin Case Report | 100 | 1-6 | 2020 |
| Kaneko H, Kitoh H, Iwata K, Mishima K, Matsushita M, Hattori T | Gradual reduction using overhead traction for developmental dysplasia of the hip after walking age: 30-year retrospective study | Int J Pediatr Orthop | 62 | 12-17 | 2020 |
| Sawamura K, Mishima K, Matsushita M, Kamiya Y, Kitoh H | Neglected unstable slipped capital femoral epiphysis: A case report | Acta Scientifica Orthopaedics | 33 | 87-90 | 2020 |
| Matsushita M, Mishima K, Nagata T, Kamiya Y, Imagama S, Kitoh H | Asfotase alfa has a limited effect in improving the bowed limbs in perinatal benign hypophosphatasia: A case report | Clin Pediatr Endocrinol | 30 | 53-56 | 2021 |