

III. 研究成果の刊行に関する一覧表

書籍

1. 北原糸 (2020) *原因不明のめまいはもうこわくない*. 金原出版, 東京.

雑誌

1. 阿部秀晴, 伊東伸祐, 石田正幸ほか (2020) 気管腕頭動脈瘻リスク症例に対する気道確保経験. *日本気管食道科学会会報*, 71:33-38.
2. 阿部秀晴, 館野宏彦, 中西亮人ほか (2020) 金属製スプーンによる中咽頭外傷で生じた縦隔気腫例. *耳鼻咽喉科臨床*, 113:37-40
3. 阿部聰子, 西尾信哉, 茂木英明ほか (2020) *GJB2* 遺伝性難聴に対する遺伝カウンセリング. *耳鼻臨床*, 113:223-233.
4. Akazawa, Y., Ganaha, A., Higa, T. et al. (2020). Measurement of stapes footplate thickness in otosclerosis by ultra-high-resolution computed tomography. *Acta Oto-Laryngologica*, 140:899-903.
5. Aoki, Y., Hamasaki, Y., Satoh, H. et al. (2020) Long - term outcomes of pediatric kidney transplantation: A single - center experience over the past 34 years in Japan. *International Journal of Urology*, 27:172-178.
6. Chan, E. Y. H., Webb, H., Yu, E., Ghiggeri, G. M. et al. (2020). Both the rituximab dose and maintenance immunosuppression in steroid-dependent/frequently-relapsing nephrotic syndrome have important effects on outcomes. *Kidney international*, 97:393-401.
7. Endo, S., Mizuta, K., Takahashi, G. et al. (2020) Postoperative Course of Pars Flaccida Cholesteatoma Patients With Habitual Sniffing. *Otolaryngology & Neurotology*, 41:e1214-e1218.
8. Gotoh, Y., Shishido, S., Hamasaki, Y. et al. (2020) Kidney function of Japanese children undergoing kidney transplant with preemptive therapy for cytomegalovirus infection. *Transplant Infectious Disease*, 22:e13271.
9. Hamasaki, Y., Hamada, R., Muramatsu, M. et al. (2020) A cross-sectional nationwide survey of congenital and infantile nephrotic syndrome in Japan. *BMC nephrology*, 21:363.
10. 乾洋史, 伊藤妙子, 北原糸 (2020) 研究: 内耳リンパ水腫評価MRIからみた内耳疾患.

耳鼻臨床, 113:667-678.

11. Inui, H., Sakamoto, T., Ito, T. et al. (2020). Magnetic resonance imaging of endolymphatic space in patients with sensorineural hearing loss: comparison between fluctuating and idiopathic sudden sensorineural hearing loss. *Acta Oto-laryngologica*, 140:345-350.
12. Isaka, Y., Nishio, S. Y., Hishinuma, E. et al. (2021). Improvement of a Rapid and Highly Sensitive Method for the Diagnosis of the Mitochondrial m. 1555A>G Mutation Based on a Single-Stranded Tag Hybridization Chromatographic Printed-Array Strip. *Genetic testing and molecular biomarkers*, 25:79-83.
13. 石田正幸, 阿部秀晴, 前田千尋ほか (2020) IgG4関連咽頭潰瘍例. 耳鼻咽喉科臨床, 113:167-173.
14. 石川浩太郎 (2020) 指定難病としてのアッシャー症候群. 日耳鼻, 123:389-391.
15. 石川浩太郎 (2020) 難聴遺伝学的検査の現状と遺伝子治療の展望. 小耳鼻, 41:249-253.
16. 石川浩太郎, 西尾信哉, 宇佐美真一 (2020) MYO15A 遺伝子バリアントを有する小児難聴症例の聽力経過. *Otol Jpn*, 30:301-306.
17. 石倉健司 (2020) 末期腎不全. In 今日の小児治療指針第17版, 医学書院, 東京.
18. 石倉健司 (2020) 標準治療をまるごと解説! 小児疾患の薬物治療ガイドライン総まとめ, 第5章 腎疾患 先天性腎尿路異常. 月間薬事, 62:1388-1392.
19. Ishimori, S., Kamei, K., Ando, T. et al. (2020). Influenza virus vaccination in children with nephrotic syndrome: insignificant risk of relapse. *Clinical and Experimental Nephrology*, 24:1069-1076.
20. Ishiwa, S., Kamei, K., Tanase-Nakao, K. et al. (2020) A girl with MIRAGE syndrome who developed steroid-resistant nephrotic syndrome: a case report. *BMC nephrology*, 21:340.
21. Iwasaki, S., Shojaku, H., Murofushi, T. et al. (2021) Diagnostic and therapeutic strategies for Meniere's disease of the Japan Society for Equilibrium Research. *Auris Nasus Larynx*, 48:15-22.
22. Jia, X., Yamamura, T., Gbadegesin, R. et al. (2020). Common risk variants in NPHS1 and TNFSF15 are associated with childhood steroid-sensitive nephrotic syndrome. *Kidney international*, 98:1308-1322.
23. Kaga, K., Minami, S., Enomoto, C (2020) Electrically evoked ABR during cochlear implantation and postoperative development of speech and hearing abilities in

- infants with common cavity deformity as a type of inner ear malformation. *Acta Oto-laryngologica*, 140, 14–21.
24. Kamei, K., Ishikura, K., Sako, M. *et al.* (2020) Rituximab therapy for refractory steroid-resistant nephrotic syndrome in children. *Pediatric Nephrology*, 35:17–24.
 25. Kamei, K., Miyairi, I., Ishikura, K. *et al.* (2020) Prospective study of live attenuated vaccines for patients receiving immunosuppressive agents. *PLoS one*, 15:e0240217.
 26. Kamei, K., Miyairi, I., Shoji, K. *et al.* (2021) Live attenuated vaccines under immunosuppressive agents or biological agents: survey and clinical data from Japan. *European Journal of Pediatrics*, 180:1847–1854.
 27. 亀井昌代, 桑島秀, 片桐克則ほか (2020) 補聴器と集音器(助聴器)の特性及び評価に関する検討. *日耳鼻* 123:580–585.
 28. Kaneshiro, S., Hiraumi, H., Sato, H. (2020) Central processing of speech and non-speech sounds with similar spectral distributions.: An auditory evoked potential study. *Auris Nasus Larynx*, 47:727–733.
 29. 北原糸 (2020) メニエール病の手術：内リンパ囊開放術. *頭頸部外科*, 30:17–19.
 30. Kitahara, T., Horinaka, A., Shiozaki, T. *et al.* (2020) Combination of head-up sleep and vertical recognition training may cure intractable motion-evoked dizziness with unknown origin. *Acta Oto-laryngologica*, 140:467–472.
 31. 喜多淳哉, 中西啓, 峯田周幸 (2020) 小児耳鼻咽喉科診療のpitfallと私の工夫—頸部の腫瘍. *JOHNS*, 361:425–1429.
 32. 喜多淳哉, 中西啓, 峯田周幸 (2021) 軟骨伝導補聴器の使用経験. *耳鼻臨床*, 156:56–60.
 33. Kitano, K., Kitahara, T., Ito, T. *et al.* (2020) Results in caloric test, video head impulse test and inner ear MRI in patients with Ménière's disease. *Auris Nasus Larynx*, 47:71–78.
 34. Kitoh, R., Nishio, S. Y., Usami, S. I. (2020) Treatment algorithm for idiopathic sudden sensorineural hearing loss based on epidemiologic surveys of a large Japanese cohort. *Acta Oto-laryngologica*, 140:32–39.
 35. Kobayashi, M., Yoshida, T., Sugimoto, S. *et al.* (2020) Effects of endolymphatic hydrops on acoustic energy absorbance. *Acta Oto-laryngologica*, 140:618–623.
 36. 小林由貴, 菅原一真, 竹本洋介ほか (2020) アスタキサンチンナノ製剤による有毛細

胞保護効果について検討. *耳鼻咽喉科ニューロサイエンス*, 34:53–55.

37. Maeda, Y., Sasaki, A., Kasai *et al.* (2020) Prevalence of the mitochondrial 1555 A> G and 1494 C> T mutations in a community-dwelling population in Japan. *Human genome variation*, 7:1–6.
38. Maekawa, K., Nishio, S. Y., Abe *et al.* (2019) Mutational spectrum and clinical features of patients with *LOXHD1* variants identified in an 8074 hearing loss patient cohort. *Genes*, 10:735.
39. 増田守, 中西啓, 大和谷崇ほか (2021) PROPELLER拡散強調画像による側頭部MRIが診断に有効であったOpen型先天性真珠腫例. *耳鼻臨床*, 156:16–20.
40. Matsuda, H., Tanzawa, Y., Sekine *et al.* (2020) Congenital Membranous Stapes Footplate Producing Episodic Pressure-Induced Perilymphatic Fistula Symptoms. *Frontiers in neurology*, 11, 585747.
41. Miyajima, H., Moteki, H., Day *et al.* (2020) Novel *ACTG1* mutations in patients identified by massively parallel DNA sequencing cause progressive hearing loss. *Scientific reports*, 10:7056.
42. 森健太郎, 塚田景大, 福岡久邦ほか (2020) メニエール病非定型例における内リンパ水腫の検討. *Equilibrium Research*, 79:535–540.
43. Morimoto, K., Yoshida, T., Kobayashi, M. *et al.* (2020) Significance of high signal intensity in the endolymphatic duct on magnetic resonance imaging in ears with otological disorders. *Acta Oto-Laryngologica*, 140:818–822.
44. Morioka, M., Sugimoto, S., Yoshida, T. *et al.* (2021) Dilatation of the Endolymphatic Space in the Ampulla of the Posterior Semicircular Canal: A New Clinical Finding Detected on Magnetic Resonance Imaging. *Otolaryngology & Neurotology*. doi:10.1097/MAO.0000000000003073
45. 諸頭三郎, 内藤泰 (2020) 人工内耳小児のハビリテーション. *Audiology Japan*, 63: 494–508.
46. 諸頭三郎, 山崎朋子, 玉谷輪子ほか (2020) 内耳奇形小児例の人工内耳マップの特徴. *Audiology Japan*, 63:509–517.
47. 諸頭三郎, 山崎朋子, 玉谷輪子ほか (2020) 内耳奇形小児例の人工内耳: 長期成績と両耳装用の適応について. *Audiology Japan*, 63:539–547.
48. Naganawa, S., Nakamichi, R., Ichikawa, K. *et al.* (2020). MR imaging of endolymphatic hydrops: Utility of iHYDROPS-Mi2 combined with deep learning reconstruction denoising. *Magnetic Resonance in Medical Sciences*, mp. 2020–0082.

49. 中西啓, 峯田周幸 (2021) *TECTA* 遺伝子変異により発症した非症候群性難聴家系における聴力像の検討. *耳鼻臨床*, 156:47-50.
50. Nakanishi, H., Prakash, P., Ito, T. et al. (2020) Genetic hearing loss associated with autoinflammation. *Frontiers in neurology*, 11:141.
51. 難治性疾患政策研究事業 (2020) 小児特発性ネフローゼ症候群診療ガイドライン2020. 診断と治療社, 東京.
52. Nguyen, N. T., Takakura, H., Nishijo, H. et al. (2020) Cerebral Hemodynamic Responses to the Sensory Conflict Between Visual and Rotary Vestibular Stimuli: An Analysis With a Multichannel Near-Infrared Spectroscopy (NIRS) System. *Frontiers in human neuroscience*, 14:125.
53. Nishi, K., Kamei, K., Ogura, M. et al. (2020) Refractory Hypertension in Infantile-Onset Denys-Drash Syndrome. *The Tohoku Journal of Experimental Medicine*, 252:45-51.
54. Nishi, K., Sato, M., Ogura, M. et al. (2020) Two cases of idiopathic steroid-resistant nephrotic syndrome complicated with thrombotic microangiopathy. *BMC nephrology*, 21:323.
55. Nishio, S. Y., Tono, T., Iwaki, T. et al. (2020) Development and validation of an iPad-based Japanese language monosyllable speech perception test (iCI2004 monosyllable). *Acta Oto-Laryngologica*, 141:267-272.
56. Nozu, K., Yamamura, T., Horinouchi, T. et al. (2020) Inherited salt - losing tubulopathy: An old condition but a new category of tubulopathy. *Pediatrics International*, 62:428-437.
57. 大井祐太朗, 滝井康司, 將積日出夫ほか (2020) フレンツェル眼鏡用小型赤外線眼振撮影システムの使用経験. *耳鼻咽喉科ニューロサイエンス*, 34:10-12.
58. 大井祐太朗, 館野宏彦, 高倉大匡ほか (2020) 歯科インプラントによる篩骨洞異物の1例. *頭頸部外科*, 29:333-336.
59. Oka, S. I., Day, T. F., Nishio, S. Y. et al. (2020) Clinical Characteristics and In Vitro Analysis of *MYO6* Variants Causing Late-onset Progressive Hearing Loss. *Genes*, 11: 273.
60. 奥田雄介, 石倉健司 (2020) 臨床医が手がける疫学研究(総説). *北里医学*, 50:93-103.

61. 奥田雄介, 石倉健司, 飯島一誠 (2020) ライフステージ・ライフイベントからみた高血圧の治療と管理. 小児から思春期の高血圧の診断・治療・予後. *高血圧学*, 78:244-251.
62. Okuda, Y., Soohoo, M., Ishikura, K. et al. (2020) Primary causes of kidney disease and mortality in dialysis-dependent children. *Pediatric Nephrology*, 35:851-860.
63. Okutsu, M., Kamei, K., Sato, M. et al. (2021) Prophylactic rituximab administration in children with complicated nephrotic syndrome. *Pediatric Nephrology*, 36:611-619.
64. 大西晶子, 諸頭三郎, 前川圭子ほか (2020) ログデータを用いた人工内耳装用小児の装用状況と音環境の定量的評価. *Audiology Japan*, 63:531-538.
65. 大和谷崇, 中西啓, 遠藤志織ほか (2021) 手術的加療にて改善した側頭骨PMT例. *耳鼻臨床*, 156:21-25.
66. Saida, K., Kamei, K., Hamada, R. et al. (2020) A simple, refined approach to diagnosing renovascular hypertension in children: A 10 - year study. *Pediatrics International*, 62:937-943.
67. Sato, M., Ishikura, K., Ando, T. et al. (2021). Prognosis and acute complications at the first onset of idiopathic nephrotic syndrome in children: a nationwide survey in Japan (JP-SHINE study). *Nephrology Dialysis Transplantation*, 36:475-481.
68. Shinagawa, J., Moteki, H., Nishio, S. et al. (2020) Prevalence and clinical features of hearing loss caused by EYA4 variants. *Scientific reports*, 10:3662.
69. Shiozaki, T., Sakagami, M., Ito, T. et al. (2020) What diagnosis should we make for long-lasting vertiginous sensation after acute peripheral vertigo?. *Acta Oto-Laryngologica*, 140:1001-1006.
70. 將積日出夫 (2020) 高齢めまい患者への急性期治療. *耳鼻咽喉科・頭頸部外科*, 92:42-426.
71. 將積日出夫 (2020) 中耳加圧装置の代わりに鼓膜マッサージ器を使用してメニエール病の治療を行ってもいいですか?. *JOHNS*, 36:1131-1133.
72. 將積日出夫 (2020) メニエール病の病態・診断・治療. *Medical Practice*, 34:565-568.
73. Shugyo, M., Ito, T., Shiozaki, T. et al. (2020) Comparison of the video head impulse test results with caloric test in patients with Meniere's disease and other vestibular disorders. *Acta Oto-Laryngologica*, 140:728-735.

74. Smieja, D. A., Dunkley, B. T., Papsin, B. C. *et al.* (2020) Interhemispheric auditory connectivity requires normal access to sound in both ears during development. *NeuroImage*, 208:116455.
75. 菅原一真, 山下裕司 (2020) 耳閉感 耳管狭窄症, 滲出性中耳炎, 急性低音障害型感音難聴. *耳鼻咽喉科・頭頸部外科*, 92:60-63.
76. 菅原一真, 山下裕司 (2020) 加齢性難聴のリスク因子と予防. In 「聞こえにくい」をほっとかない (小川郁編), 日本看護協会出版会, 東京. pp. 17-22.
77. Tachino, H., Takakura, H., Shojaku, H. *et al.* (2020) Lacrimal drainage system obstruction following inferior turbinate surgery. *Frontiers in Surgery*, 7:590988.
78. Tachino, H., Takakura, H., Shojaku, H. *et al.* (2020) Case Report: Response to Intra-arterial Cisplatin and Concurrent Radiotherapy Followed by Salvage Surgery in a Patient With Advanced Primary Sinonasal Low-Grade Non-intestinal Adenocarcinoma. *Frontiers in Surgery*, 7, 127:599392.
79. 高橋晴雄, 城間将江, 内藤泰ほか (2020) ロサンゼルス難聴小児療育施設の観察報告. *耳鼻臨床*, 113:605-613.
80. 高橋優宏, 岩崎聰 (2020) 補聴器と人工中耳の聞こえ方の特徴の差 特集・補聴器、人工中耳、人工内耳、軟骨伝導補聴器-聞こえを取り戻す方法の比較. *MB ENT* 248:40-43.
81. Takakura, H., Hamashima, T., Tachino, H. *et al.* (2020) Clinicopathological features of thyroid-like low-grade nasopharyngeal papillary adenocarcinoma: A case report and review of the literature. *Frontiers in Surgery*, 7:596796.
82. 滝井康司, 高倉大匡, 藤坂実千郎ほか (2020) 慢性めまいに対するめまいリハビリテーションの有用性の検討 AMED「難治性めまいの診断法確立とめまい指導の有用性に関する研究班」多施設共同研究に参加して. *耳鼻咽喉科ニューロサイエンス*, 34:21-23.
83. Tanabe, K., Nishimura, S., Sugahara, K. *et al.* (2021) A patient with sudden hearing loss induced by propylthiouracil. *Heliyon*, 7:e06196.
84. Tarumoto, S., Sugahara, K., Hashimoto, M. *et al.* (2020) Effect of preservation on the physical and chemical properties of the temporal fascia. *Auris Nasus Larynx*, 47:377-382.
85. 東野哲也 (2021) 手術前に視聴できる骨固定型補聴器という選択肢. In 『よく聞こえない』ときの耳の本 (小川郁編), 朝日新聞出版, 東京. pp:61~63.

86. Tsuda, J., Sugahara, K., Yamashita, H. (2020) Glycative stress and the inner ear disorder. *Glycative Stress Research*, 7:240–247.
87. Tsukada, K., Usami, S. I. (2020) Detailed MR imaging assessment of endolymphatic hydrops in patients with SLC26A4 mutations. *Auris Nasus Larynx*, 47:958–964.
88. Uemura, O., Ishikura, K., Kaneko, T. et al. (2021) Perinatal factors contributing to chronic kidney disease in a cohort of Japanese children with very low birth weight. *Pediatric Nephrology*, 36:953–960.
89. 宇佐美真一 (2021) 難聴の個別化医療を目指して. *日本耳鼻咽喉科学会会報*, 124:13 5–147.
90. Usami, S. I., Nishio, S. Y., Moteki, H. et al. (2020) Cochlear implantation from the perspective of genetic background. *The Anatomical Record*, 303:563–593.
91. Wada, Y., Yamanaka, T., Kitahara, T. et al. (2020). Effect of head roll - tilt on the subjective visualvertical in healthy participants: Towards better clinical measurement of gravity perception. *Laryngoscope Investigative Otolaryngology*, 5:941–949.
92. Walls, W. D., Moteki, H., Thomas, T. R. et al. (2020). A comparative analysis of genetic hearing loss phenotypes in European/American and Japanese populations. *Human genetics*, 139:1315–1323.
93. Ya山崎博司 (2020) 他覚的検査を用いた人工内耳装用児の包括的な評価. *耳鼻臨床*, 113: 692–693.
94. Yamazaki, H., Kanazawa, Y., Omori, K. (2020) Advantages of double density alignment of fNIRS optodes to evaluate cortical activities related to phonological short-term memory using NIRS-SPM. *Hearing Research*, 395:108024.
95. Yang, C. J., Yoshida, T., Sugimoto, S. et al. (2021) Lesion-specific prognosis by magnetic resonance imaging in sudden sensorineural hearing loss. *Acta Oto-Laryngologica*, 141:5–9.
96. 吉村豪兼, 宇佐美真一 (2020) 蝸牛瘻孔を伴う中耳真珠腫に対する水中内視鏡下瘻孔閉鎖術. *耳鼻臨床*, 113:346–347.
97. Yoshimura, H., Moteki, H., Nishio, S. Y. et al. (2020) Genetic testing has the potential to impact hearing preservation following cochlear implantation. *Acta Oto-Laryngologica*, 140:438–444.