

## 研究成果の刊行に関する一覧表

## 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書 籍 名	出版社名	出版地	出版年	ページ

## 雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ban H, Miura K, Kaneko N, Shirai Y, Yabuuchi T, Ishizuka K, Chikamoto H, Akioka Y, Shimizu S, Ishida A H, Tanabe K, <u>Hattori M</u>	Amount and selectivity of proteinuria markers predict the treatment response in post-transplant recurrence of focal segmental glomerulosclerosis: a single-center retrospective study.	Pediatr Nephrol.		Online ahead of print.	2021
Iida T, Miura K, Ban H, Ando T, Shirai Y, Iishiwa S, Shiratori T, Kaneko N, Yabuuchi T, Ishiduka K, Takaiwa M, Suyama K, Hisano M, <u>Hattori M</u>	Valganciclovir prophylaxis for cytomegalovirus infection in pediatric kidney transplant recipients: a single-center experience.	Clin Exp Nephrol.	25(5)	531-536 (2021)	2021
Sawada A, Okumi M, Horita S, Tomomi T, Taneda S, Ishida H, <u>Hattori M</u> , Tanabe K, Nitta K, Honda K, Koike J, Nagashima Y, Shimizu A	Monoclonal and polyclonal immunoglobulin G deposits on tubular basement membranes of native and pretransplant kidney: A retrospective study.	Pathol Int.		Online ahead of print.	2021
Sirai Y, Miura K, Yokoyama T, Horita S, Nakayamai, Seino H, Ando T, Shiratori A, Yabuuchi T, Kaneko N, Ishiwa S, Ishiduka K, Hara M, <u>Hattori M</u>	Morphologic analysis of urinary podocytes in focal segmental glomerulosclerosis.	Kidney360.	2 (3)	477-486	2021

Kikkawa Y, Hashimoto T, Takizawa K, Urae S, Masuda H, Matsunuma M, Yamada Y, Hamada K, Nomizu M, Liapis H, Hisano M, Akioaka Y, Miura K, <u>Hattori M</u> , Miner J H, Harita Y	Laminin $\beta 2$ variants associated with isolated nephropathy that impact matrix regulation.	JCI Insight.	6(6)	e145908	2021
Takagi Y, Miura K, Yabuuchi T, Kaneko N, Ishizuka K, Takaei M, Yajima C, Ikeuchi Y, Kobayashi Y, Takizawa T, Hisano M, Tsurusaki Y, Matsumoto N, <u>Hattori M</u>	Any modality of renal replacement therapy can be a treatment option for Joubert syndrome.	Sci Rep.	11(1)	462	2021
Kunitomo R, Matsubara H, <u>Kaname S</u> .	Half-and-half nail.	Clin Exp Nephrol.	in press		2021
Kunitomo R, Matsubara H, <u>Kaname S</u> .	Half-and-half nail.	Clin Exp Nephrol.	in press		2021
Kishimoto M, Dreshpande GA, Fukuoka K, Kawakami T, Ikegaya N, Kawashima S, Komagata Y, <u>Kaname S</u>	Clinical features of psoriatic arthritis.	Best Pract Res Clin Rheumatol.	Online ahead of print.	101670	2021
Miyamoto A, Kawakami T, Kanakura M, Satoh R, Fukuoka K, Karube M, Koyama Y, <u>Kaname S</u>	Extensive bilateral renal metastases of non-small cell lung carcinoma caused acute kidney injury resulting in end-stage renal disease.	CEN Case Reports.	10(2)	194-198	2021
Nagahama K, Imamura A, Shimoyamada H, Masuko S, Shimoda S, Karube M, Komagata Y, <u>Kaname S</u> , Shibahara J	Membranous nephropathy with masked polyclonal IgG deposits associated with primary Sjögren's syndrome.	CEN Case Reports.	10(1)	53-58	2021

Hachiya A, Karasawa M, Imaizumi T, Kato N, Katsuno T, Ishimoto T, Kosugi T, Tsuboi N, <u>Maruyama S.</u>	The ISN/RPS 2016 classification predicts renal prognosis in patients with first-onset class III/IV lupus nephritis.	Sci Rep.	11(1):	1525	2021
Koshi E, Saito S, Okazaki M, Toyama Y, Ishimoto T, Kosugi T, Hiraiwa H, Jingushi N, Yamamoto T, Ozaki M, Goto Y, Numaguchi A, Miyagawa Y, Kato I, Tetsuka N, Yagi T, <u>Maruyama S.</u>	Efficacy of favipiravir for an end stage renal disease patient on maintenance hemodialysis infected with novel coronavirus disease 2019.	CEN Case Report	10(1)	126-131	2021
Hachiya A, Karasawa M, Imaizumi T, Kato N, Katsuno T, Ishimoto T, Kosugi T, Tsuboi N, <u>Maruyama S.</u>	The ISN/RPS 2016 classification predicts renal prognosis in patients with first-onset class III/IV lupus nephritis.	Sci Rep.	11(1):	1525	2021
Hasegawa T, Zhao J, Bieber B, Zee J, Pisoni RL, Robinson BM, <u>Hanafusa N, Nangaku M</u>	Association between Dipeptidyl Peptidase-4 Inhibitor Prescription and Erythropoiesis-Stimulating Agent Hyporesponsiveness in Hemodialysis Patients with Diabetes Mellitus.	Kidney Blood Press Res.	Online ahead of print.	1-10	2021
Usui T, Zhao J, Fuller DS, <u>Hanafusa N, et al.</u>	Association of erythropoietin resistance and fibroblast growth factor 23 in dialysis patients: Results from the Japanese Dialysis Outcomes and Practice Patterns Study.	Nephrology (Carlton).	26(1)	46-53	2021

Yamamoto S, Bieber BA, Komaba H, Hanafusa N, et al.	Medical Director Practice of Advising Increased Dietary Protein Intake in Hemodialysis Patients With Hyperphosphatemia: Associations With Mortality in the Dialysis Outcomes and Practice Patterns Study.	J Ren Nutr.	Online ahead of print		2021
Hatano Y, Yano Y, Fujimoto S, Sato Y, Iseki K, Konta T, Morioka T, Yamagata K, Tsuruya K, Narita I, Kondo M, Kasahara M, Shibagaki Y, Asahi K, Watanabe T.	The population-attributable fraction for premature mortality due to cardiovascular disease associated with stage 1 and 2 hypertension among Japanese.	Am J Hypertens.	34(1)	56-63	2021
Nishi K, Kamei K, Ogura M, Sato M, Ishiwa S, Shioda Y, Kiyotani C, Matsumoto K, Nozuka K, Ishikura K, Ito S.	Risk factors for post-nephrectomy hypotension in pediatric patients.	Pediatr Nephrol.	Online ahead of print		2021
Lee K, Iguchi A, Uda K, Matsumura S, Miyairi I, Ishikura K, Ohnishi M, Seto J, Ishikawa K, Konishi N, Obata H, Furukawa I, Nagaoka H, Morinushi H, Hama N, Nomoto R, Nakajima H, Kariya H, Hamasaki M, Iyoda S.	Whole-Genome Sequencing of Shiga Toxin-Producing Escherichia coli OX18 from a Fatal Hemolytic Uremic Syndrome Case.	Emerg Infect Dis.	27(5)	1509-1512	2021
Kamei K, Miyairi I, Shoji K, Arai K, Kawai T, Ogura M, Ishikura K, Sako M, Nakamura H, Ise in Children.	Prognosis and acute complications at the first onset of idiopathic nephrotic syndrome in children: a nationwide survey in Japan (JP-SHINE study).	Nephrol Dial Transplant.	36(3)	475-481	2021

Sato M, <u>Ishikura K</u> , Ando T, et al; Japanese Pediatric Survey of Idiopathic Nephrotic Syndrome in Children (JP-SHINE) study.	Prognosis and acute complications at the first onset of idiopathic nephrotic syndrome in children: a nationwide survey in Japan (JP-SHINE study).	Nephrol Dial Transplant.	36(3)	475-481	2021
Uemura O, <u>Ishikura K</u> , Kaneko T, Hirano D, Hamasaki Y, Ogura M, Mikami N, Gotoh Y, Sawahashi T, Fujitani N, Yamamoto M, Hibino S, Nakano M, Wakano Y, Honda M.	Perinatal factors contributing to chronic kidney disease in a cohort of Japanese children with very low birth weight.	Pediatr Nephrol.	36(4)	953-960	2021
Yoshida Y, Kosaki K, Sugawara T, Matsui M, Yoshioka M, Atho K, Kuji T, Mizuno R, Kuroki-O M, <u>Yamagata K</u> , Maeda S, Takekoshi K.	High Salt Diet Impacts the Risk of Sarcopenia Associated with Reduction of Skeletal Muscle Performance in the Japanese Population.	Nutrients.	12(11)	E3474	2020
Iseki K, Konta T, <u>Asahi K</u> , <u>Yamagata K</u> , Fujimoto S, Tsuruya K, Narita I, Kasahara M, Shibagaki Y, <u>Moriyama T</u> , Kondo M, Watanabe T.	Higher cardiovascular mortality in men with persistent dipstick hematuria.	Clin Exp Nephrol.	25	150-156	2020
Otaki Y, Watanabe T, Konta M, <u>Asahi K</u> , <u>Yamagata K</u> , Fujimoto S, Tsuruya K, Narita I, Kasahara M, Shibagaki Y, Iseki K, <u>Moriyama T</u> , Kondo M, Watanabe T.	Impact of hyperuricemia on mortality related to aortic diseases: a 3.8-year nationwide community-based cohort study.	Sci Rep.	10(1)	14281	2020

Horiuchi K, Kogiso T, Sagawa T, Ito T, Taniuchi M, Miura K, Hattori M, Morisada N, Hashimoto E, Tokushige K	Bardet-Biedl Syndrome Caused by Skipping of SCLT1 Complicated by Microvesicular Steatohepatitis.	Intern Med.	59(21)	2719-2724	2020
Miura K, Shirai Y, Kaneko N, Yabuuchi T, Ishioduka K, Horita S, Furusawa M, Unagami K, Okumi M, Ishida H, Tanabe K, Koike A, Yamaguchi U, Honda K, Hattori M	Chronic Active Antibody-Mediated Rejection with Linear IgG Deposition on Glomerular Capillaries in a Kidney Transplant Recipient.	Nephron	144 Suppl 1	97-101	2020
Sawada A, Okumi M, Horita S, Unagami K, Taneda S, Fuchinoue S, Ishida H, Hattori M, Tanabe K, Nitta K, Koike J, Nagashima Y, Shimizu A	Glomerular Neovascularization in Nondiabetic Renal Allografts Associated with Calcineurin Inhibitor Toxicity.	Nephron	144 Suppl 1	37-42	2020
Iida T, Miura K, Hattori M	Pathological findings of initial-phase post-renal acute kidney injury.	Clin Exp Nephrol	24(10)	974-975	2020
Shirai Y, Miura K, Yabuuchi T, Nagasawa T, Ishiduka K, Takahashi K, Tanabe S, Honda K, Yamaguchi Y, Suzuki H, Suzuki Y, Hattori M	Rapid progression to end-stage renal disease in a child with IgA-dominant infection-related glomerulonephritis associated with parvovirus B19.	CEN Case Reports	9(4)	423-430	2020
Otaki Y, Watanabe T, Konta T, Watanabe M, Asahi K, Yamagata K, Fujimoto S, Tsuruya K, Narita I, Kasahara M, Shibagaki Y, Iseki K, Moriyama T, Kondo M, Watanabe T.	Impact of calculated plasma volume status on all-cause and cardiovascular mortality: 4-year nationwide community-based prospective cohort study.	PLoS One.	15(8)	e0237601	2020

Harita Y, Urae S, Akashio R, Isojima T, Miura K, Yamada T, Yamamoto K, Miyasaka Y, Furuyama M, Takemura T, Gotoh Y, Takizawa H, Tamagaki K, Ozawa A, Ashida A, <u>Hattori M</u> , Oka A, Kitanaka S	Clinical and genetic characterization of nephropathy in patients with nail-patella syndrome.	Eur J Hum Genet.	28(10)	1414-1421	2020
Morisada N, Harimada R, Miura K, Ye Mingjun, Nozu K, <u>Hattori M</u> , Iijima K	Bardet–Biedl syndrome in two unrelated patients with identical compound heterozygous SCLT1 mutations.	CEN Case Reports	9 (3)	260-265	2020
Takizawa K, Miura K, Kaneko N, Yabuuchi T, Ishizuka K, Kanda S, Harita Y, Akioka Y, Horita S, Taneda S, Honda Harita Yutaka, K, <u>Hattori M</u>	Renal hypoplasia can be the cause of membranous nephropathy-like lesions.	Clin Exp Nephrol	24 (9)	813-820	2020
Miura K, Harita Y, Takahashi N, Tsurumi H, Yasudo H, Isojima T, Hirata Y, Inuzuka R, Takizawa K, Toyofuku E, Nishimoto H, Takamizawa M, Ando T, Sugawa M, Yanagisawa A, Inatomi J, Nogimori Y, Kinumaki A, Namai Y, <u>Hattori M</u> , Oka A	Nonosmotic secretion of ADH and salt loss in hyponatremia in Kawasaki disease.	Pediatr Int	62 (3)	363-370	2020

Gotoh Y, Shishiido S, Hamasaki Y, Watarai Y, <u>Hattori M</u> , Miura K, Ishizuka K, Fujita N, Sachimoto K, Nakagawa Y, Hotta K, Hataya H, Hamada R, Sato H, Kitayama H, Ishikura K, Honda M, Uemura O	On Behalf of the Pediatric Kidney Transplantation Society for Research: Kidney function of Japanese children undergoing kidney transplant with preemptive therapy for cytomegalovirus infection.	Transpl Infect Dis	22 (3)	e13271	2020
Miura K, Sato Y, Yabuuchi T, Kaneko N, Ishizuka K, Chikamoto H, Akioka Y, Nawashiro Y, Hisano M, Imamura H, Miyai T, Sakamoto S, Kasahara M, Fuchinoue S, Okumi M, Ishida H, Tanabe K, <u>Hattori M</u>	Individualized concept for the treatment of autosomal recessive polycystic kidney disease with end-stage renal disease.	Pediatr Transplant	24(3)	e13690	2020
Nagasawa T, Miura K, Kaneko N, Yabuuchi T, Ishizuka K, Chikamoto H, Akioka Y, Hisano M, <u>Hattori M</u>	Long-term outcome of renal transplantation in childhood-onset anti-neutrophil cytoplasmic antibody-associated vasculitis.	Pediatr Transplant	24(2)	e13656	2020
Miura k, <u>Hattori M</u>	A case to use “salt-losing tubulopathy” instead of “Bartter/Gitelman syndrome”.	Pediatr Int	62(4)	427	2020
Kohno M, Ogawa T, Kojima Y, Sakoda A, Johnin K, Sugita Y, Nakane A, Noguchi M, Moriyama K, <u>Hattori M</u> , Hayashi Y, Kubota M	Pediatric congenital hydronephrosis (ureteropelvic junction obstruction): Medical management guide	Int J Urol	27(5)	369-376	2020



Sato Y, Fujimoto S, Iseki K, Konta T, <u>Moriyama T</u> , <u>Yamagata K</u> , Tsuruya K, Narita I, Kondo M, Kasahara M, Shibagaki Y, <u>Asahi K</u> , Watanabe T.	Higher baseline uric acid concentration is associated with non-attainment of optimal blood pressure.	PLoS One	15(7)	e0236602	2020
Iseki K, Konta T, <u>Asahi K</u> , <u>Yamagata K</u> , Fujimoto S, Tsuruya K, Narita I, Kasahara M, Shibagaki Y, <u>Moriyama T</u> , Kondo M, Iseki C, Watanabe T.	Impact of Metabolic Syndrome on the Mortality Rate among Participants in a Specific Health Check and Guidance Program in Japan.	Intern Med.	59(21)	2671-2678.	2020
Usui J, Yaguchi M, Yamazaki S, Takahashi-Kobayashi M, Kawamura T, Kaneko S, Seshan SV, Ronco P, <u>Yamagata K</u> .	Transcription factor 21 expression in injured podocytes of glomerular diseases.	Sci Rep.	10(1)	11516	2020
Ikeda T, Inoue S, Konta T, Murakami M, Fujimoto S, Iseki K, <u>Moriyama T</u> , <u>Yamagata K</u> , Tsuruya K, Narita I, Kondo M, Shibagaki Y, Kasahara M, <u>Asahi K</u> , Watanabe T.	Can Daily Walking Alone Reduce Pneumonia-Related Mortality among Older People?	Sci Rep.	10(1)	8556	2020
Imai E, Usui J, Kaneko S, Kawamura T, Sukawa M, <u>Yamagata K</u> .	The precise long-term outcomes of adult IgA nephropathy by mail questionnaires: Better renal survival compared to earlier cohort studies.	PLoS One.	15(5)	e0233186	2020

Konta T, Ichikawa K, Kawasaka R, Fujimoto S, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Narita I, Kondo M, Shibagaki Y, Kasahara M, Asahi K, Watanabe T.	Association between serum uric acid levels and mortality: a nationwide community-based cohort study.	Sci Rep.	10(1)	6066	2020
Iwata Y, Okushima H, Takatsuki T, Yoshimura D, Kawamura T, Iio R, Ueda Y, Shoji T, Hayashi T, Isaka Y.	Duration of predialysis nephrological care and mortality after dialysis initiation.	Clin Exp Nephrol.	24(8)	705-714	2020
Sofue T, Nakagawa N, Kanda E, Nagasu H, Matsushita K, Nangaku M, Maruyama S, Wada T, Terada Y, Yamagata K, Narita I, Yanagita M, Sugiyama H, Shigematsu T, Ito T, Tamura K, Isaka Y, Okada H, Tsuruya K, Yokoyama H, Nakashima N, Kataoka H, Ohe K, Okada M, Kashiwara N.	Prevalence of anemia in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB).	PLoS One.	15(7)	e0236132.	2020
Sofue T, Nakagawa N, Kanda E, Nagasu H, Matsushita K, Nangaku M, Maruyama S, Wada T, Terada Y, Yamagata K, Narita I, Yanagita M, Sugiyama H, Shigematsu T, Ito T, Tamura K, Isaka Y, Okada H, Tsuruya K, Yokoyama H, Nakashima N, Kataoka H, Ohe K, Okada M, Kashiwara N.	Prevalences of hyperuricemia and electrolyte abnormalities in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB).	PLoS One.	15(10)	e0240402.	2020

<u>Kanda E, Kashihara N, Kohsaka S, Okami S, Yajima T.</u>	Clinical and Economic Burden of Hyperkalemia: A Nationwide Hospital-Based Cohort Study in Japan.	Kidney Med.	2(6)	742-752	2020
<u>Kanda E, Epuruanu BI, Adachi T, Tsuruta Y, Kikuchi K, Kashihara N, Abe M, Masakane I, Nitta K.</u>	Application of explainable ensemble artificial intelligence model to categorization of end-stage hemodialysis-patients and treatment using nationwide-real-world data in Japan.	PLoS One.	15(5)	e0233491.	2020
<u>Yokoe Y, Tsuboi N, Imaizumi T, Kitagawa A, Karasawa M, Ozeki T, Endo N, Sawa Y, Katano S, Katsuno T, Maruyama S, Yamagata K, Utsui J, Nagata M, Sada KE, Sugiyama H, Amano K, Arimura Y, Atsumi T, Yuzawa Y, Dobashi H, Takasaki Y, Harigai M, Hasegawa H, Makino H, Matsuo S.</u>	Clinical impact of urinary CD11b and CD163 on the renal outcomes of anti-neutrophil cytoplasmic antibody-associated glomerulonephritis.	Nephrol Dial Transplant.	Online ahead of print		2020
<u>Morooka H, Kasugai D, Tanaka A, Ozaki M, Numaguchi A, Maruyama S.</u>	Prognostic Impact of Metabolic Parameters of Metabolic Acidosis in Critically Ill Children with Acute Kidney Injury: A Retrospective Observational Analysis Using the PIC Database.	Diagnostics (Basel).	10(11)	E937	2020
<u>Higashihara E, Fukuhara H, Ouyang J, Lee J, Nutahara K, Tanbo M, Yamaguchi T, Taguchi S, Muto S, Kaname S, Miyazaki I, Horie S</u>	Estimation of Changes in Kidney Volume Growth Rate in ADPKD.	Kidney Int Rep.	5(9)	1459-1471.	2020

Ono K, Kishimoto M, Shimasaki T, Uchida H, Kurai D, Deshpande GA, Komagata Y, <u>Kaname S</u> .	Reactive arthritis after COVID-19 infection.	RMD Open	6(2)	e001350	2020
Shibata Y, Fukuoka K, Yokota R, Lee H, Sayo H, Ikegaya N, Mori K, Yamamoto J, Isomura A, Nagahama K, Shimoyamada H, Kawakami T, Komagata Y, <u>Kaname S</u> .	Nephrotic syndrome due to minimal-change disease superimposed on anti-glomerular basement membrane antibody positive glomerulonephritis; a case report.	BMC Nephrol	21(1)	283	2020
Abe Y, Saeki K, Dobashi H, Kawakami T, Hayashi T, Kobayashi M, <u>Kaname S</u> , Harigai M, Tamura N	Clinical characteristics and social productivity levels of patients with malignant rheumatoid arthritis based on a nationwide clinical database in Japan: annual survey from 2003 to 2013.	Mod Rheumatol	Online ahead of print		2020
Higashihara E, Fukuhara H, Ouyang J, Lee J, Nutahara N, Tomano M, Yamaguchi T, Taguchi S, Muto S, <u>Kaname S</u> , Miyazaki I, Horie S	Estimation of changes in kidney volume growth rate in autosomal dominant polycystic kidney disease.	Kidney Int Rep.	5(9)	1459-1471	2020
Hayashida M, Miyoshi J, Mitsui T, Miura M, Saito D, Sakuraba A, Kawashima S, Ikegaya N, Fukuoka K, Karube M, Komagata Y, <u>Kaname S</u> , et al.	Elevated fecal calprotectin and lactoferrin, associated with small intestinal lesions in patients with Behçet disease.	J Gastroenterol Hepatol.	35(8)	1340-1346	2020
Hole BD, Evans KM, Pyart R, Davids MR, Bellat CG, <u>Hanafusa N</u> , et al.	International collaborative efforts to establish kidney health surveillance systems.	Kidney Int	98(4)	812-816	2020

Jassal SV, Larkin M, Jager KJ, Murtagh FE, O'Hare AM, Hanafusa N, et al.	International variation in dialysis discontinuation in patients with advanced kidney disease.	CMAJ.	192(35)	E995-E1002	2020
Okutsu M, Kamei K, Sato M, Kanamori T,	Prophylactic rituximab administration in children with complic	Pediatr Nephrol.	36(3)	611-619	2020
Ishimori S, Kamei K, Ando T, Yoshikawa T,	Influenza virus vaccination in children with nephrotic syndrome	Clin Exp Nephrol.	24(11)	1069-1076	2020
Kamei K, Miyairi I, <b>Ishikura K</b> , Ogura M, Shoji	Prospective study of live attenuated vaccines for patients recei	PLoS One.	15(10)	e0240217	2020
Nishi K, Kamei K, Ogura M, Sato M, Murakos	Refractory Hypertension in Infantile-Onset Denys-Drash Syndrome	Tohoku J Exp Med.	252(1)	45-51	2020
Hamasaki Y, Hamada R, Muramatsu M, Mats	A cross-sectional nationwide survey of congenital and infantile	BMC Nephrol.	21(1)	363	2020
Saida K, Kamei K, Hamada R, Yoshikawa T, Kano Y, Nagata H, Sato M, Ogura M, Harada R, Hataya H, Miyazaki O, Nozaka S, Ito S, <b>Ishikura K</b> .	A simple, refined approach to diagnosing renovascular hypertension in children: A 10-year study.	Pediatr Int.	62(8)	937-943	2020
Gotoh Y, Shishido S, Hamasaki Y, Watarai Y,	Kidney function of Japanese children undergoing kidney trans	Transpl Infect Dis.	22(3)	e13271	2020
Nozu K, Yamamura T, Horinouchi T, Nagano	Inherited salt-losing tubulopathy: An old condition but a new	Pediatr Int.	62(4)	428-437	2020
服部元史	小児腎臓病領域の難病対策	腎臓内科	13	86-89	2021
服部元史	小児腎臓病領域の難病対策 慢性腎臓病患者の移行期医療：日本の動向	腎と透析	89	778-781	2020
服部元史	思春期・青年期の慢性腎臓病	小児科	61 (臨時増刊)	750-756	2020
服部元史	腎疾患の移行期医療	腎臓	42	13-17	2020
守山敏樹	高齢者における conservative kidney management (CKM)	腎臓内科	12 (2)	227	2020

柏原直樹	日本における腎臓病領域の診療ガイドラインの現況と展望	腎と透析	88巻増刊号	10-15	2020
------	----------------------------	------	--------	-------	------