

## 研究成果の刊行に関する一覧表

## 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書 籍 名	出版社名	出版地	出版年	ページ
針谷正祥 他	関節リウマチ診療 ガイドライン 2020	一般社団法人 日本リウマチ学会	関節リウマチ診 療ガイドライン 2020	株式会 社 診断と治療 社	東京	2020	全編
森 雅亮	小児疾患－若年性 特発性関節炎.		今日の診断指 針(第8版)	医学書院	東京	2020	1942- 1944
森 雅亮	膠原病・リウマチ 性疾患, 原発性免 疫不全症－若年性 特発性関節炎.		新臨床内科学 (第10版)	医学書院	東京	2020	1760- 1762
伊藤秀 一・森 雅 亮 監修.	小児リウマチ学	日本小児リ ウマチ学会 編集	小児リウマチ学	朝倉書店	東京	2020	全編
森 雅亮、 他	若年性特発性関節 炎における生物学 的製剤使用の手引 き 2020年度版.	厚労省移行 期班 若年 性特発性関 節炎分担班 編集,	若年性特発性関 節炎における生 物学的製剤使用 の手引き 2020 年度版.	羊土社	東京	2020	全編
森 雅亮、 他	成人診療科のため の小児リウマチ性 疾患移行支援ガイ ド.	厚労省移行 期班 編集	成人診療科医の ための小児リウ マチ性疾患移行 支援ガイド	羊土社	東京	2020	全編
森 雅亮、 他	脊椎関節炎診療の 手引き 2020.	日本脊椎関 節 炎 学 会 編集	脊椎関節炎診療 の手引き 2020.	診断と治療 社	東京	2020	118-125

森 雅亮、 他	小児感染免疫学.	日本小感染症学会 編集	小児感染免疫学.	朝倉書店	東京	2020	全編
森 雅亮	川崎病（冠動脈病変を除く）、非結核性抗酸菌症.		今日の小児治療指針(第17版)	医学書院	東京	2020	277-280 362-363
森 雅亮、 他	小児非感染性ぶどう膜炎 初期診療の手引き 2020年版.	一般社団法人 日本リウマチ学会 小児リウマチ調査検討小委員会 ぶどう膜炎ワーキンググループ 編集,	小児非感染性ぶどう膜炎 初期診療の手引き 2020年版.	羊土社	東京	2020	全編
岸本暢将, 岡田正人	関節リウマチの診かた, 考え方 ver4	岸本暢将, 岡田正人	関節リウマチの診かた, 考え方 ver3	中外医学社	東京	2020	単行本
西田圭一郎	TEA の合併症対策. 3. 脱臼	山本謙吾	スペシャリストがすすめる人工関節手術合併症対策	南江堂	東京	2021	213-216
西田圭一郎	TEA の合併症対策. 4. 摩耗、ゆるみ、破損	山本謙吾	スペシャリストがすすめる人工関節手術合併症対策	南江堂	東京	2021	217-220

西田圭一郎、鉄永智紀、尾崎敏文	関節外科技術の疼痛への応用. 第 IV 編 痛みの評価と治療. 2. 治療, 6. 手術療法または外科的治療	田口敏彦、飯田宏樹、牛田享宏	疼痛医学	医学書院	東京	2020	347-352
渡辺雅仁、西田圭一郎	第2章 疾患別の薬剤 III 関節疾患 A. 関節リウマチ	萩野 浩	とことん使いこなす整形外科薬剤	南江堂	東京	2020	64-80
西田圭一郎	関節リウマチの疼痛発生機序と治療戦略. 第3章 症状・原因疾患に応じた治療戦略	池内昌彦	長引く膝の痛みに対する治療戦略	日本醫事新報社	東京	2020	88-94
西田圭一郎	変形性関節症（骨関節炎）. 第13章 膠原病. リウマチ性疾患、原発性免疫不全症	矢崎義雄	新臨床内科学 第10版	医学書院	東京	2020	1795-1797

中島亜矢子	第4章 多様な患者背景に対応するために我が国における関節リウマチ診療の現状	針谷正祥	RA診療ガイドライン	診断と治療社	東京	2021	
川人 豊	非ステロイド性抗炎症薬 (NSAIDs)	日本医師会生涯教育課編集企画室	日本医師会雑誌第149巻特別号	診断と治療社	東京	2020	128-131

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Murakami I, Murakami K, Hashimoto M, Tanaka M, Ito H, <u>Fujii T</u> , Torii M, Ikeda K, Kuwabara A, Tanaka K, Yoshida A, Akizuki S, Nakashima R, Yoshifuji H, Ohmura K, Usui T, Morita S, and Mimori T	Intake frequency of vegetables or seafoods negatively correlates with disease activity of rheumatoid arthritis	PLoS One	15(2)		2020

Kojima T, Ishikawa H, Tanaka S, Haga N, Nishida K, Yukioka M, Hashimoto J, Miyahara H, Niki Y, Kimura T et al.	Relationship between the physician-based clinical scale for foot and ankle surgery and patient-reported outcomes in patients with long-standing rheumatoid arthritis: Results from a multicenter prospective observational cohort study.	Modern rheumatology	Online ahead of print.	1-7	2020
Kida D, Takahashi N, Kaneko A, Hirano Y, Fujibayashi T, Kanayama Y, Hanabayashi M, Yabe Y, Takagi H, Oguchi T et al.	retrospective analysis of the relationship between anti-cyclic citrullinated peptide antibody and the effectiveness of abatacept in rheumatoid arthritis patients.	Scientific reports	10(1)	19717	2020
Honda S, Harigai M.	The safety of baricitinib in patients with rheumatoid arthritis.	Expert Opin Drug Saf.	19(5)	545-551	2020
山崎 晋、森 雅亮.	IgA 血管炎の病態、診断と治療.	リウマチ科	64	736-743	2020

<p>Tanaka Y, Kuwana M, <u>Fujii T</u>, Kameda H , Muro Y, Fujio K, Itoh Y, Yasuoka H, Fukaya S, Ashihara K, Hirano D, Ohmura K, Tabuchi Y, Hasegawa H, Matsumiya R, Shirai Y, Ogura T, Tsuchida Y, Ogawa-Momohara M, Narazaki H, Inoue Y, Miyagawa I, Nakano K, Hirata S, <u>Mori M</u>.</p>	<p>2019 Diagnostic criteria for mixed connective tissue disease (MCTD): From the Japan research committee of the ministry of health, labor, and welfare for systemic autoimmune diseases.</p>	<p>Mod Rheumatol.</p>	<p>31(1)</p>	<p>29-33</p>	<p>2020</p>
<p>Yamaguchi A, Hirata S, Kubo S, Fukuyo S, Hanami K, Nakano K, Nakayamada S, Saito K, Tanaka Y.</p>	<p>5-year remission rate after the discontinuation of adalimumab in patients with rheumatoid arthritis: Long-term follow-up results of the HONOR study</p>	<p>Mod Rheumatol</p>	<p>30(5)</p>	<p>799-806.</p>	<p>2020</p>
<p>Oh K, Furuya T, Inoue E, Tanaka E, Ikari K, Taniguchi A, Yamanaka H, Okazaki K, Harigai M.</p>	<p>A simple screening test to assess risk of falls in Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study.</p>	<p>Mod Rheumatol.</p>	<p>31(2)</p>	<p>506-509</p>	<p>2021</p>

<p>Nakabo S, Ohmura K, Akizuki S, Murakami K, Nakashima R, Hashimoto M, Yoshifuji H, <u>Tanaka M</u>, Mimori T.</p>	<p>Activated neutrophil carbamylates albumin via the release of myeloperoxidase and reactive oxygen species regardless of NETosis.</p>	<p>Modern rheumatology</p>	<p>30(2)</p>	<p>345-9</p>	<p>2020</p>
<p>Nakayama M, Furuya T, Inoue E, Tanaka E, Ikari K, Taniguchi A, Yamanaka H, Harigai M.</p>	<p>Adherence to denosumab for the treatment of osteoporosis in Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study.</p>	<p>Mod Rheumatol.</p>	<p>31(2)</p>	<p>510-513</p>	<p>2021</p>
<p>Utsunomiya M, Dobashi H, Odani T, Saito K, Yokogawa N, Nagasaka K, Takenaka K, Soejima M, Sugihara T, Hagiwara H, Hirata S, Matsui K, Nonomura Y, Kondo M, Suzuki F, Nawata Y, Tomita M, Kihara M, Yokoyama-Kokuryo W, Hirano F, Yamazaki H, Sakai R, Nanki T, Koike R, Miyasaka N, Harigai M.</p>	<p>An open-label, randomized controlled trial of sulfamethoxazole-trimethoprim for <i>Pneumocystis</i> prophylaxis: results of 52-week follow-up.</p>	<p>Rheumatol Adv Pract.</p>	<p>4(2)</p>	<p>rkaa029</p>	<p>2020</p>

<p>Kaneko Y, Sato M, Cai Z, Sato M.</p>	<p>Assessment of discordance of treatment satisfaction between patients with rheumatoid arthritis in low disease activity or in remission and their treating physicians: A cross-sectional survey.</p>	<p>Mod Rheumatol</p>	<p>31(2)</p>	<p>326-333</p>	
<p>Kondo-Ishikawa S, Fujii T, Ishigooka N, Murakami K, Nakashima R, Hashimoto M, Yoshifuji H, Tanaka M, Ohmura K, Mimori T.</p>	<p>Association of anti-NR2 and U1RNP antibodies with neurotoxic inflammatory mediators in cerebrospinal fluid from patients with neuropsychiatric systemic lupus erythematosus.</p>	<p>Lupus</p>	<p>29(13)</p>	<p>1673-82</p>	<p>2020</p>
<p>Honda S, Sakai R, Inoue E, Majima M, Konda N, Takada H, Kihara M, Yajima N, Nanki T, Yamamoto K, Takeuchi T, Harigai M.</p>	<p>Association of methotrexate use and lymphoproliferative disorder in patients with rheumatoid arthritis: Results from a Japanese multi-institutional retrospective study.</p>	<p>Mod Rheumatol.</p>	<p>Online ahead of print.</p>		<p>2021</p>

Shirai Y, Honda S, Ikari K, Kanai M, Takeda Y, Kamatani Y, Morisaki T, Tanaka E, Kumanogoh A, Harigai M, Okada Y.	Association of the <i>RPA3-UMAD1</i> locus with interstitial lung diseases complicated with rheumatoid arthritis in Japanese.	Ann Rheum Dis.	79(10)	1305-1309	2020
Yamada H, Kaneko Y, Tamai H, Takeuchi T.	Biomarkers for disease flare in patients with adult-onset Still's disease undergoing treatment with tocilizumab.	Rheumatology (Oxford).	59(2)	440-442	2020
Inai R, Nakahara R, Morimitsu Y, Akagi N, Marukawa Y, Matsushita T, Tanaka T, Tada A, Hiraki T, Nasu Y, <b>Nishida K</b> , Ozaki T, Kanazawa S.	Bone microarchitectural analysis using ultra-high-resolution CT in tiger vertebra and human tibia	Eur Radiol Exp	4		2020
Ito Y, Matsuzaki T, Ayabe F, Mokuda S, Kurimoto R, Matsushima T, Tabata Y, Inotsume M, Tsutsumi H, Liu L, Shinohara M, Tanaka Y, Nakamichi R, <b>Nishida K</b> , Lotz MK, Asahara H	Both microRNA-455-5p and -3p repress hypoxia-inducible factor-2 $\alpha$ expression and coordinately regulate cartilage homeostasis	Nature Communications	in press		

Takanashi S, Kaneko Y, Takeuchi T.	CDAI and DAS28 in the management of rheumatoid arthritis in clinical practice.	Ann Rheum Dis	79(5)	671-674	2020
Nishisho R, Kusuhara S, Sotani N, Kim KW, Katsuyama-Yoshikawa A, Matsumiya W, Akashi K, <u>Morinobu A</u> , Nakamura M.	Changes in choroidal imaging parameters following adalimumab therapy for refractory noninfectious uveitis.	Graefes Arch Clin Exp Ophthalmol.	Online ahead of print.		2021
Kay J, Harigai M, Rancourt J, Dickson C, Melby T, Issa M, de la Torre I, Isaka Y, Cardoso A, Saifan C, Keystone EC, van Vollenhoven RF, Giles JT, Huizinga TW, Kremer JM.	Changes in selected haematological parameters associated with JAK1/JAK2 inhibition observed in patients with rheumatoid arthritis treated with baricitinib.	RMD Open.	6(3)	e001370	2020
Asai S, Takahashi N, Asai N, Yamashita S, Terabe K, Matsumoto T, Sobue Y, Nishiume T, Suzuki M, Ishiguro N et al.	Characteristics of patients with rheumatoid arthritis undergoing primary total joint replacement: A 14-year trend analysis (2004-2017).	Modern rheumatology	30(4)	657-663	2020

<p>Kuramoto N, Saito S, <u>Fujii T</u>, Kaneko Y, Saito R, Tanaka M, Takada H, Nakano K, Saito K, Sugimoto N, Sasaki S, Harigai M, and Suzuki Y</p>	<p>Characteristics of rheumatoid arthritis with immunodeficiency-associated lymphoproliferative disorders to regress spontaneously by the withdrawal of methotrexate and their clinical course: A retrospective, multicenter, case control study</p>	<p>Mod Rheumatol</p>	<p>[Epub ahead of print]</p>		<p>2021</p>
<p>Kuramoto K, Saito S, Fuji T, Kaneko Y, Saito R, <u>Tanaka M</u>, Takada H, <u>Nakano K</u>, <u>Saito K</u>, Sugimoto M, Sasaki S, <u>Harigai M</u>, <u>Suzuki Y</u>.</p>	<p>Characteristics of rheumatoid arthritis with immunodeficiency-associated lymphoproliferative disorders to regress spontaneously by the withdrawal of methotrexate and their clinical course: A retrospective, multicenter, case-control study</p>	<p>Mod Rheumatol</p>	<p>Online ahead of print</p>	<p>1-16.</p>	<p>2021</p>
<p>Kobayashi I, Akioka S, Kobayashi N, Iwata N, Takezaki S, Nakaseko H, Sato S, Nishida Y, Nozawa T, Yamasaki Y, Yamazaki K, Arai S, Nishino I, <u>Mori M</u>.</p>	<p>Clinical practice guidance for juvenile dermatomyositis (JDM) 2018-Update.</p>	<p>Mod Rheumatol.</p>	<p>30(3)</p>	<p>411-423</p>	<p>2020</p>

Tomiita M, Kobayashi I, <u>Mori M.</u>	Clinical practice guidance for Sjögren's syndrome in pediatric patients (2018) – summarized and updated.	Mod Rheumatol.	Online ahead of print.	1-11	2020
Takada H, Kaneko Y, Nakano K, <u>Tanaka M,</u> <u>Fuji T, Saito K,</u> Sugimoto N, Sasaki S, Saito S, Saito R, Kuramoto N, <u>Harigai M, Suzuki Y</u>	Clinicopathological Characteristics of Lymphoproliferative Disorders in 232 Patients with Rheumatoid Arthritis in Japan: A Retrospective, Multicenter, Descriptive Study	Mod Rheumatol	Online ahead of print		2021
Kadoba K, Watanabe R, Hashimoto M, Morinobu A, Terao C, Yoshifuji H.	Comment on: Different treatment options for Takayasu arteritis patients with moderate-to-severe aortic regurgitation: long-term outcomes.	Rheumatology (Oxford)	Online ahead of print.		2021
Jinno S, Onishi A, Dubreuil M, Akashi K, Hashimoto M, Yamamoto W, Murata K, Takeuchi T, Kotani T, Maeda Y, Ebina K, Son Y, Amuro H, Hara R, Katayama M, Saegusa J, <u>Morinobu A.</u>	Comparison of the efficacy and safety of biologic agents between elderly-onset and young-onset RA patients: the ANSWER cohort study.	Rheumatol Int.	40 (12)	1987-1995	2020

<p>Ito H, Murata K, Sobue Y, Kojima T, Nishida K, Matsushita I, Kawahito Y, Kojima M, Hirata S, Kaneko Y, Kishimoto M, Kohno M, Mori M, Morinobu A, Murashima A, Seto Y, Sugihara T, Tanaka E, Nakayama T, Harigai M.</p>	<p>Comprehensive risk analysis of postoperative complications in patients with rheumatoid arthritis for the 2020 update of the Japan college of rheumatology clinical practice guidelines for the management of rheumatoid arthritis.</p>	<p>Mod Rheumatol.</p>	<p>Online ahead of print.</p>		<p>2021</p>
<p>Watanabe R, Hashimoto M, Morinobu A.</p>	<p>Correspondence on 'The use of tocilizumab and tofacitinib in patients with resolved hepatitis B infection: a case series'.</p>	<p>Ann Rheum Dis.</p>	<p>Online ahead of print.</p>		<p>2020</p>
<p>森 雅亮.</p>	<p>COVID-19 第2波に備えて出来ること. 新型コロナウイルス感染症と川崎病.</p>	<p>臨床とウイルス</p>	<p>48</p>	<p>269-274</p>	<p>2020</p>

Okazaki Y, Furumatsu T, Kamatsuki Y, <b>Nishida K</b> , Nasu Y, Nakahara R, Saito T, Ozaki T	Differences between the root and horn cells of the human medial meniscus from the osteoarthritic knee in cellular characteristics and responses to mechanical stress	J Orthop Sci.	26(2)	230-236	2020
Asai S, Hayashi M, Hanabayashi M, Kanayama Y, Takemoto T, Yabe Y, Shioura T, Ishikawa H, Yoshioka Y, Kato T et al.	Discontinuation of concomitant methotrexate in Japanese patients with rheumatoid arthritis treated with tocilizumab: An interventional study.	Modern rheumatology	30(3)	434-441	2020
Matsumoto T, Matsui T, Hirano F, Tohma S, <b>Mori M</b> .	Disease activity, treatment and long-term prognosis of adult juvenile idiopathic arthritis patients compared with rheumatoid arthritis patients.	Mod Rheumatol.	30(1)	78-84	2020

Asai S, Takahashi N, Asai N, Yamashita S, Terabe K, Matsumoto T, Sobue Y, Nishiura T, Suzuki M, Ishiguro N et al.	Does Abatacept Increase Postoperative Adverse Events in Rheumatoid Arthritis Compared with Conventional Synthetic Disease-modifying Drugs?	J Rheumatol	47	502-9	2020
Sobue Y, <u>Kojima T</u> , Ito H, <u>Nishida K</u> , Matsushita I, Kaneko Y, <u>Kishimoto M</u> , Kohno M, <u>Sugihara T</u> , Seto Y, <u>Tanaka E</u> , Nakayama T, <u>Hirata S</u> , <u>Murashima A</u> , <u>Morinobu A</u> , Mori M, <u>Kojima M</u> , Kawahito Y, <u>Harigai M</u> .	Does exercise therapy improve patient-reported outcomes in rheumatoid arthritis? A systematic review and meta-analysis for the update of the 2020 JCR guidelines for the management of rheumatoid arthritis	Mod Rheumatol	Online ahead of print.		2021
Kida T, Umemura A, Kaneshita S, Sagawa R, Inoue T, Toyama S, Wada M, Kohno M, Oda R, Inaba T, Itoh Y, Kawahito Y.	Effectiveness and safety of chronic hepatitis C treatment with direct-acting antivirals in patients with rheumatic diseases: A case-series.	Mod Rheumatol.	30(6)	1009-1015	2020

<p>Takahiko Sugihara, Tatsuro Ishizaki, Wataru Onoguchi, Hiroyuki Baba, Takumi Matsumoto, Shoko Iga, Kanae Kubo, Mari Kamiya, Fumio Hirano, Tadashi Hosoya, Nobuyuki Miyasaka, Masayoshi Harigai.</p>	<p>Effectiveness and safety of treat-to-target strategy in elderly-onset rheumatoid arthritis: a 3-year prospective observational study.</p>	<p>Rheumatology (Oxford, England)</p>	<p>Online ahead of print.</p>		<p>2021</p>
<p>Kaneko Y, Kawahito Y, Kojima M, Nakayama T, Hirata S, Kishimoto M, Endo H, Seto Y, Ito H, Nishida K, Matsushita I, Kojima T, Kamatani N, Tsutani K, Igarashi A, Hasegawa M, Miyasaka N, Yamanaka H.</p>	<p>Efficacy and safety of tacrolimus in patients with rheumatoid arthritis - A systematic review and meta-analysis.</p>	<p>Mod Rheumatol.</p>	<p>31(1)</p>	<p>61-69</p>	<p>2021</p>
<p>Hattori K, Hirano Y, Kanayama Y, Hattori Y, Kato T, Takahashi N, Ishiguro N, Kojima T.</p>	<p>Efficacy of add-on iguratimod in patients with rheumatoid arthritis who inadequately respond to either tocilizumab or tumor necrosis factor alpha inhibitors.</p>	<p>Modern rheumatology</p>	<p>31(1)</p>	<p>80-87</p>	<p>2021</p>

Pile K, Norager R, Skillecorn M, Gibson KA, Elderton S, Favorito W, Li Z, Mu R, Nakahara H, Kishimoto M, Hirata S, Kaneko Y, Lau CS, Tam LS, Chen YH, Chen P, Wahking B, Furtner D.	Elevating the role of carers in rheumatoid arthritis management in the Asia-Pacific region.	Int J Rheum Dis.	23(7)	898-910	2020
Yamazaki K, Akioka S, Mori M.	External validation of the EULAR/ACR idiopathic inflammatory myopathies classification criteria with Japanese paediatric cohort.	Rheumatology (Oxford).	Online ahead of print.		2020
Nakayama M, Furuya T, Inoue E, Tanaka E, Ikari K, Taniguchi A, Yamanaka H, Harigai M.	Factors associated with osteoporosis medication use in Japanese patients with rheumatoid arthritis: Results from the Institute of Rheumatology Rheumatoid Arthritis cohort study.	Osteoporos Sarcopenia	6(2)	82-87	2020
Ichise Y, Saegusa J, Tanaka-Natsui S, Naka I, Hayashi S, Kuroda R, Morinobu A.	Fibroblast-Like Synovial Cells via Toll-Like Receptor 4.	Cells.	9 (7)	1689	2020

Asai S, Takemoto T, Takahashi N, Oguchi T, Ishiguro N, Kojima T.	Fifteen-year trends in the number and age of patients with rheumatoid arthritis undergoing total knee and hip arthroplasty: A comparison study with osteoarthritis.	Modern rheumatology	Online ahead of print.	1-4	2020
Murata K, Ito H, Hashimoto M, Murakami K, Watanabe R, <u>Tanaka M</u> , Yamamoto W, Matsuda S.	Fluctuation in anti-cyclic citrullinated protein antibody level predicts relapse from remission in rheumatoid arthritis: KURAMA cohort.	Arthritis research & therapy	22(1)	268	2020
<u>Ayako Nakajima</u> , <u>Ryoko Sakai</u> , Eisuke Inoue, <u>Masayoshi Harigai</u>	Geographic variations in rheumatoid arthritis treatment in Japan: A nationwide retrospective study using the national database of health insurance claims and specific health checkups of Japan	Modern Rheumatology	Online ahead of print		2021

Suzuki M, Kojima T, Takahashi N, Asai S, Terabe K, Kaneko A, Hirano Y, Hanabayashi M, Oguchi T, Takagi H et al.	Higher doses of methotrexate associated with discontinuation of oral glucocorticoids after initiation of biological DMARDs: A retrospective observational study based on data from a Japanese multicenter registry study.	Modern rheumatology	Online ahead of print.	1-12	2021
Tokunaga T, Hashimoto H, Yoshida Y, Sugimoto T, Mokuda S, Kosaka Y, Shimizu R, Hirata S, Kumagai T, Komoto K, Wada H, Sugiyama E.	Immunoglobulin D-kappa multiple myeloma in a patient with rheumatoid arthritis: a case report and review of the literature	Mod Rheumatol Case Rep	5(1)	22-28	2021
Yamazaki S, Shimbo A, Akutsu A, Takase H, Morio T, <u>Mori M.</u>	Importance of pediatric rheumatologists and transitional care for juvenile idiopathic arthritis-associated uveitis: a retrospective series of 9 cases.	Pediatr Rheumatol Online J.	18(1)	26	2020
Minamino H, Katsushima M, Yoshida T, Hashimoto M, Fujita Y, Shirakashi M, Yamamoto W, Murakami K, Murata K, Nishitani K, <u>Tanaka M,</u> Ito H, Inagaki N, Matsuda S.	Increased circulating adiponectin is an independent disease activity marker in patients with rheumatoid arthritis: A cross-sectional study using the KURAMA database.	PLoS one	15(3)	e0229998	2020

Ohtsuki T, Hatipoglu OF, Asano K, Inagaki J, Nishida K, Hirohata S	Induction of CEMIP in chondrocytes by inflammatory cytokines: underlying mechanisms and potential involvement in osteoarthritis	Int J Mol Sci	21(9)	3140	2020
Winthrop KL, Harigai M, Genovese MC, Lindsey S, Takeuchi T, Fleischmann R, Bradley JD, Byers NL, Hyslop DL, Issa M, Nishikawa A, Rooney TP, Witt S, Dickson CL, Smolen JS, Dougados M.	Infections in baricitinib clinical trials for patients with active rheumatoid arthritis.	Ann Rheum Dis.	79(10)	1290-1297	2020
Murakami I, Murakami K, Hashimoto M, Tanaka M, Ito H, Fujii T, Torii M, Ikeda K, Kuwabara A, Tanaka K, Yoshida A, Akizuki S, Nakashima R, Yoshifuji H, Ohmura K, Usui T, Morita S, Mimori T.	Intake frequency of vegetables or seafoods negatively correlates with disease activity of rheumatoid arthritis.	PLoS one	15(2)	e0228852	2020

Igarashi T, Takei S, Tanaka E, Kaneko U, Kubota T, Okamoto K, Ohshima S, <u>Mori M.</u>	Investigation of dual-energy X-ray absorptiometry units necessary for pediatric rheumatologists in Japan and a proposal for shared access to equipment among hospitals.	J Nippon Med Sch.	Online ahead of print.		2020
Kobayashi S, Inui A, Tsunoda T, Umetsu S, Sogo T, Mori M, Shinkai M, Fujisawa T.	Liver cirrhosis in a child associated with Castleman's disease: A case report.	World J Clin Cases.	8(9)	1656-1665	2020
Mori T, Saburi M, Hagihara M, <u>Mori M</u> , Yamazaki R, kato J.	Long-term remission of cryopyrin-associated periodic syndrome after allogeneic hematopoietic stem cell transplantation.	Ann Rheum Dis.	Online ahead of print.		2020

<p>Tsuji H, Nakashima R, Hosono Y, Imura Y, Yagita M, Yoshifuji H, Hirata S, Nojima T, Sugiyama E, Hatta K, Taguchi Y, Katayama M, Tanizawa K, Handa T, Uozumi R, Akizuki S, Murakami K, Hashimoto M, Tanaka M, Ohmura K, Mimori T.</p>	<p>Multicenter Prospective Study of the Efficacy and Safety of Combined Immunosuppressive Therapy With High-Dose Glucocorticoid, Tacrolimus, and Cyclophosphamide in Interstitial Lung Diseases Accompanied by Anti-Melanoma Differentiation-Associated Gene 5-Positive Dermatomyositis.</p>	<p>Arthritis &amp; rheumatology (Hoboken, NJ)</p>	<p>72(3)</p>	<p>488-98</p>	<p>2020</p>
<p>Saito R, Tanaka M, Ito H, Kuraoto N, Fuji T, Saito S, Kaneko Y, Nakano K, Saito K, Takada H, Sugimoto N, Sasaki S, Harigai M, Suzuki Y</p>	<p>Overall survival and post-spontaneous regression relapse-free survival of patients with lymphoproliferative disorders associated with rheumatoid arthritis: a multi-center retrospective cohort study</p>	<p>Mod Rheumatol</p>	<p>Online ahead of print</p>	<p>1-16.</p>	<p>2021</p>
<p>Sobue Y, Kojima M, Kojima T, Ito H, Nishida K, Matsushita I, Hirata S, Kaneko Y, Kishimoto M, Kohno M, Murashima A, Morinobu A, Mori M, Nakayama T, Sugihara T, Seto Y, Tanaka E, Hasegawa M, Kawahito Y.</p>	<p>Patient satisfaction with total joint replacement surgery for rheumatoid arthritis: a questionnaire survey for the 2020 update of the Japan college of rheumatology clinical practice guidelines</p>	<p>Mod Rheumatol</p>	<p>Online ahead of print.</p>		<p>2021</p>

<p>Masayo Kojima , Mieko Hasegawa , Shintaro Hirata , Hiromu Ito , Yuko Kaneko , Mitsumasa Kishimoto , Masataka Kohno , Toshihisa Kojima , Isao Matsushita , Masaaki Mori, Akio Morinobu, Atsuko Murashima, Keiichiro Nishida, Yohei Seto, Yasumori Sobue, Takahiko Sugihara, Eiichi Tanaka, Takeo Nakayama, Yutaka Kawahito, Masayoshi Harigai.</p>	<p>Patients' perspectives of rheumatoid arthritis treatment: a questionnaire survey for the 2020 update of the Japan College of Rheumatology clinical practice guidelines.</p>	<p>Mod Rheumatol.</p>	<p>Online ahead of print.</p>	<p>2021</p>	
<p>Asai S, Takahashi N, Terabe K, Sobue Y, Nishiume T, Suzuki M, Yokota Y, Ishiguro N, Kojima T.</p>	<p>Periarticular osteophyte formation protects against total knee arthroplasty in rheumatoid arthritis patients with advanced joint damage.</p>	<p>Clinical rheumatology</p>	<p>39(11)</p>	<p>3331-3339</p>	<p>2020</p>
<p>Tsuji H, Hashimoto M, Harada T, Tanaka M, Ito H, Murakami K, Ohmura K, Fujii T, Mimori T.</p>	<p>Persistent anemia and hypoalbuminemia in rheumatoid arthritis patients with low serum triiodothyronine level.</p>	<p>Modern rheumatology</p>	<p>30(4)</p>	<p>640-7</p>	<p>2020</p>

<p>Suzuki Y, Hirose T, Sugiyama N, Nomura K, Campos-Alberto E</p>	<p>Post-marketing surveillance of high-dose methotrexate (&gt;8mg/week) in Japanese patients with rheumatoid arthritis: A post hoc subanalysis of patients according to duration of prior methotrexate use</p>	<p>Mod Rheumatol</p>	<p>Online ahead of print</p>		<p>2020</p>
<p>Ishigooka N, Fujii T, Abe H, Murakami K, Nakashima R, Hashimoto M, Yoshifuji H, Tanaka M, Ito H, Ohmura K, Morita S, Mimori T.</p>	<p>Predicting factors for disappearance of anti-mutated citrullinated vimentin antibodies in sera of patients with rheumatoid arthritis. Modern rheumatology.</p>	<p>Modern rheumatology</p>	<p>30(3)</p>	<p>450-7</p>	<p>2020</p>
<p>Kato M, Kaneko Y, Tanaka Y, Inoo M, Kobayashi-Haraoka H, Amano K, Miyata M, Murakawa Y, Yasuoka H, Hirata S, Nagasawa H, Tanaka E, Miyasaka N, Yamanaka H, Yamamoto K, Yokota I, Atsumi T, Takeuchi T.</p>	<p>Predictive value of serum amyloid a levels for requirement of concomitant methotrexate in tocilizumab initiation: A post hoc analysis of the SURPRISE study.</p>	<p>Mod Rheumatol</p>	<p>30(3)</p>	<p>442-449</p>	<p>2020</p>

<p>Takahashi N, Asai S, Kobayakawa T, Kaneko A, Watanabe T, Kato T, Nishiume T, Ishikawa H, Yoshioka Y, Kanayama Y et al.</p>	<p>Predictors for clinical effectiveness of baricitinib in rheumatoid arthritis patients in routine clinical practice: data from a Japanese multicenter registry.</p>	<p>Scientific reports</p>	<p>10(1)</p>	<p>21907</p>	<p>2020</p>
<p>Asai S, Takahashi N, Hayashi M, Hanabayashi M, Kanayama Y, Takemoto T, Yabe Y, Shioura T, Ishikawa H, Yoshioka Y et al.</p>	<p>Predictors of disease flare after discontinuation of concomitant methotrexate in Japanese patients with rheumatoid arthritis treated with tocilizumab.</p>	<p>Joint bone spine</p>	<p>87(6)</p>	<p>596-602</p>	<p>2020</p>
<p>Hayashi N, Uto K, Imanishi A, Sugiyama D, Morinobu A, Saegusa J.</p>	<p>Prevalence of anti-dense fine speckled 70 antibodies in healthy individuals and patients with antinuclear antibody-associated autoimmune rheumatic diseases in Japan.</p>	<p>Medicine (Baltimore)</p>	<p>100</p>	<p>e24556</p>	<p>2021</p>

Itaya T, Torii M, Hashimoto M, Tanigawa K, Urai Y, Kinoshita A, Nin K, Jindai K, Watanabe R, Murata K, Murakami K, <u>Tanaka M</u> , Ito H, Matsuda S, <u>Morinobu A</u> .	Prevalence of anxiety and depression in patients with rheumatoid arthritis before and during the COVID-19 pandemic.	Rheumatology (Oxford, England)	60(4)	2023-2024	2021
Nakajima A, Sakai R, Inoue E, Harigai M.	Prevalence of patients with rheumatoid arthritis and age-stratified trends in clinical characteristics and treatment, based on the National Database of Health Insurance Claims and Specific Health Checkups of Japan.	Int J Rheum Dis.	23(12)	1676-1684	2020
Tsuji H, Yoshifuji H, Shindo T, Hishizawa M, Ishida A, Fujimoto M, Kitagori K, Akizuki S, Murakami K, Nakashima R, Hashimoto M, <u>Tanaka M</u> , Ohmura K.	Primary hepatic lymphoma as other iatrogenic immunodeficiency-related lymphoproliferative disorders: a case report and review of the literature.	Modern rheumatology case reports	5(1)	172-7	2021
Matsumoto T, <u>Mori M</u> .	Questionnaire survey on transitional care for patients with juvenile idiopathic arthritis (JIA) and families.	Mod Rheumatol.	Online ahead of print.	1-6	2020

Tanaka E, <u>Mori M.</u>	Refractory secondary thrombotic microangiopathy with kidney injury associated with systemic lupus erythematosus in a pediatric patient: a case report.	CEN Case Rep	9(4)	301-307	2020
Sobue Y, Kojima T, Funahashi K, Okui N, Takahashi N, Asai S, Terabe K, Nishiume T, Suzuki M, Yokota Y et al	Relationship between disease activity of rheumatoid arthritis and development of locomotive syndrome: A five-year longitudinal cohort study.	Modern rheumatology	31(1)	101-107	2021
Tanaka Y, Kameda H, Saito K, Kaneko Y, Tanaka E, Yasuda S, Tamura N, Fujio K, <u>Fujii T, Kojima T,</u> Anzai T, Hamada C, Fujino Y, Matsuda S, and Kohsaka H	Response to tocilizumab and work productivity in patients with rheumatoid arthritis: 2-year followup of FIRST ACT-SC study	Mod Rheumatol	31(1)	42-52	2020
Kaneshita S, Kida T, Yokota I, Nagahara H, Takahiro Seno T, Wada M, Kohno M, Kawahito Y	Risk Factors for cytomegalo-virus disease with cytomegalovirus reactivation in patients with rheumatic disease.	Mod Rheumatol.	30(1)	109-115	2020

Okita S, Ishikawa H, Abe A, Ito S, Nakazono K, Murasawa A, <b>Nishida K</b> , Ozaki T.	Risk factors of postoperative delayed wound healing in patients with rheumatoid arthritis treated with a biological agent	Modern Rheumatol	31(3)	587-592	2020
Harigai M, Honda S.	Selectivity of Janus Kinase Inhibitors in Rheumatoid Arthritis and Other Immune-Mediated Inflammatory Diseases: Is Expectation the Root of All Headache?	Drugs.	80(12)	1183-1201	2020
Yukawa K, Mokuda S, Kohno H, Oi K, Kuranobu T, Tokunaga T, Yoshida Y, Yamana J, Iwahashi M, Hirata S, Yamana S, Sugiyama E.	Serum CXCL10 levels are associated with better responses to abatacept treatment of rheumatoid arthritis	Clin Exp Rheumatol	38(5)	956-963.	2020
Tetsunaga T, Tetsunaga T, <b>Nishida K</b> , Misawa H, Takigawa T, Yamane K, Tsuji H, Takei Y, Ozaki T	Short-term outcomes of mirogabalin in patients with peripheral neuropathic pain: a retrospective study	J Orthop Surg Res	15(1)	191	2020

Okahata A, Ito H, Furu M, Ishikawa M, Fujii T, Hashimoto M, Tanaka M, Morita Y, Azukizawa M, Tomizawa T, Doi K, Nishitani K, Murata K, Yoshitomi H, Mimori T, Matsuda S.	Soluble Lectin-like Oxidized Low-Density Lipoprotein Receptor 1 Predicts the Changes of Rheumatoid Factor Titers in Rheumatoid Arthritis.	Journal of clinical rheumatology	26(7)	295-300	2020
Ochiai M, Tanaka E, Sato E, Inoue E, Abe M, Saka K, Sugano E, Sugitani N, Higuchi Y, Yamaguchi R, Sugimoto N, Ikari K, Nakajima A, Yamanaka H, Harigai M.	Successful discontinuation of biological disease-modifying antirheumatic drugs in patients with rheumatoid arthritis in real-world settings.	Mod Rheumatol.	Online ahead of print.		2021
Tanaka Y, Oba K, Koike T, Miyasaka N, Mimori T, Takeuchi T, Hirata S, Tanaka E, Yasuoka H, Kaneko Y, Murakami K, Koga T, Nakano K, Amano K, Ushio K, Atsumi T, Inoo M, Hatta K, Mizuki S, Nagaoka S, Tsunoda S, Dobashi H, Horie N, Sato N.	Sustained discontinuation of infliximab with a raising-dose strategy after obtaining remission in patients with rheumatoid arthritis: the RRRR study, a randomised controlled trial.	Ann Rheum Dis	79(1)	94-102	2020

<p><u>Tanaka E, Kawahito Y, Kohno M, Hirata S, Kishimoto M, Kaneko Y, Tamai H, Seto Y, Morinobu A, Sugihara T, Murashima A, Kojima M, Mori M, Ito H, Kojima T, Sobue Y, Nishida K, Matsushita I, Nakayama T, Yamanaka H, Harigai M.</u></p>	<p>Systematic review and meta-analysis of biosimilar for the treatment of rheumatoid arthritis informing the 2020 update of the Japan College of Rheumatology clinical practice guidelines for the management of rheumatoid arthritis.</p>	<p>Modern Rheumatology</p>	<p>2021 Mar 12</p>	<p>1-27</p>	<p>2021</p>
<p><u>Takahiko Sugihara, Yutaka Kawahito, Akio Morinobu, Yuko Kaneko, Yohei Seto, Toshihisa Kojima, Hiromu Ito, Masataka Kohno, Takeo Nakayama, Yasumori Sobue, Keiichiro Nishida, Isao Matsushita, Atsuko Murashima, Masaaki Mori, Eiichi Tanaka, Shintaro Hirata, Mitsumasa Kishimoto, Hisashi Yamanaka, Masayo Kojima, Masayoshi Harigai</u></p>	<p>Systematic review for the treatment of older rheumatoid arthritis patients informing the 2020 update of the Japan College of Rheumatology clinical practice guidelines for the management of rheumatoid arthritis</p>	<p>Mod Rheumatol.</p>	<p>Online ahead of print</p>		<p>2021</p>

<p>Hirata S, Kohno H, Watanabe H, Tokunaga T, Yoshida Y, Sugimoto T, Mokuda S, Oda K, Nojima T, Sugiyama E.</p>	<p>Tapering and discontinuation of oral glucocorticoids without deterioration of disease status in patients with rheumatoid arthritis under a stable treatment</p>	<p>Mod Rheumatol</p>	<p>Online ahead of print.</p>		<p>2021</p>
<p>Murata K, Hashimoto M, Yamamoto W, Sonoyama Y, Amuro H, Nagai K, Takeuchi T, Katayama M, Maeda Y, Ebina K, Hara R, Jinno S, Onishi A, Murakami K, Tanaka M, Ito H, Mimori T, Matsuda S.</p>	<p>The family history of rheumatoid arthritis in anti-M, Yamamoto W, Sonoyama Y, Amuro H, Nagai K, Takeuchi T, Katayama M, Maeda Y, Ebina K, Hara R, Jinno S, Onishi A, Murakami K, Tanaka M, Ito H, Mimori T, Matsuda S. The family history of rheumatoid arthritis in anti-cyclic citrullinated peptide antibody-positive patient is not a predictor of poor clinical presentation and treatment response with modern classification criteria and treatment strategy: the ANSWER cohort study.</p>	<p>Rheumatology international</p>	<p>40(2)</p>	<p>217-25</p>	<p>2020</p>
<p>Shimizu M, Mizuta M, Okamoto N, Yasumi T, Iwata N, Umebayashi H, Okura Y, Kinjo N, Kubota T, Nakagishi Y, Nishimura K, Mohri M, Yashiro M, Yasumura J, Wakiguchi H and Mori M.</p>	<p>Tocilizumab modifies clinical and laboratory features of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis.</p>	<p>Pediatr Rheumatol Online J.</p>	<p>18(1)</p>	<p>2</p>	<p>2020</p>

Nakano K, Tanaka Y, Saito K, Kaneko Y, Saito S, Tanaka M, Saito R, Fuji T, Kuramoto N, Sugimoto N, Takada H, Harigai M, Sasaki S, Suzuki Y	Treatment of rheumatoid arthritis after regression of lymphoproliferative disorders in patients treated with methotrexate: a retrospective, multi- center descriptive study	Mod Rheumatol	Online ahead of print			2020
Lau CS, Chia F, Dans L, Harrison A, Hsieh TY, Jain R, Jung SM, <b>Kishimoto M</b> , et al	Update of the APLAR recommendations for treatment of rheumatoid arthritis.	Int J Rheum Dis	22(3)	357-375		2019
Iwata N, Tomiita M, Kobayash I, Inoue Y, Nonaka Y, Okamoto N, Umebayashi H, Hara R, Ito Y, Sato Y, Mori M.	Utility of the EULAR Sjögren syndrome disease activity index in Japanese children: A retrospective multicenter cohort study.	Pediatr Rheumatol Online J.	18(1)	73		2020
<u>Mori M.</u>	What are the main revised points in the 6th diagnostic guidelines for Kawasaki disease?	Pediatr Int.	62(10)	1133-1134.		2020
藤井隆夫	ウイルス媒介関節炎	日本医師会雑誌	149	S321-S323		2020

西田圭一郎、宮澤慎一	炎症と運動器疼痛	Bone Nerve Joint	10(4)	529-534	2021
川人 豊	ゲノム医療と分子標的治療の最新情報 -関節リウマチ-	臨床と研究	97(4)	425-430	2020
鉄永倫子、鉄永智紀、西田圭一郎	疼痛の集学的治療	Bone Nerve Joint	10(4)	643-650	2021
西田圭一郎	リウマチ整形外科手術のいま	リウマチ看護サポートマガジン RA ナーシング		1-6	2020
西田圭一郎	リウマチ整形外科手術のこれから～患者さんの満足度向上をめざして～	リウマチ看護サポートマガジン RA ナーシング		7-9	2020
藤井隆夫	関節リウマチにおけるウパダシチニブの有効性と安全性	リウマチ科	63	449-455	2020

松下 功	関節リウマチの疫学・診断・診療ガイドライン	Jap Journal Rehab Med	57	1005-10	2020
西田圭一郎	関節リウマチ診療における見逃し・誤診. 誤診と見逃しを防ぐ	関節外科	39	132-140	2020
藤井隆夫	関節リウマチ診療における自己抗体の臨床的意義	Pharma Medica	39	13-17	2021
<u>森 雅亮.</u>	公的支援制度. 免疫・炎症疾患のすべて.	日本医師会雑誌	149	S357-361	2020
<u>森 雅亮.</u>	治療法の再整理とアップデートのために 専門家による私の治療 - 若年性特発性関節炎 -.	日本医事新報	5047	42-43.	2021
小橋靖子、西田圭一郎	周術期の看護のポイント	リウマチ看護サポートマガジン RA ナーシング		10-13	2020
植田真司、井上真一郎、西田圭一郎	処方エキスパートへの道. 高齢者の睡眠薬の使い方	Loco cure	6	258-260	2020

<u>森 雅亮.</u>	小児リウマチ性疾患の最近のトピック 2020.	小児科臨床	73	1253-1262	2020
<u>森 雅亮.</u>	小児重症病態治療におけるアフェレシス治療の位置づけ. 難治性川崎病.	日本アフェレシス学会雑誌	39	154-159	2020
横田俊平、名古希実、金田宜子、土田博和、 <u>森 雅亮.</u>	新型コロナウイルス感染 (SARS-CoV-2) と小児：新生児から思春期まで～抗リウマチ薬治療下にある小児リウマチ性疾患児は治療変更が必要か～.	臨床リウマチ	32(2)	98-107	2020
松下 功	診療ガイドライン作成における GRADE システム	Clin Rheumatol Rel Res	32	177-80	2020
西田圭一郎	整形外科からみた treat to target 一何を重視するかー	整形・災害外科	64	131-140	2020
<u>森 雅亮.</u>	特集 “顔の赤み“鑑別・治療アトラス. 小児・顔の赤み ① -小児発症全身性エリテマトーデス-.	Derma	294	213-218	2020
<u>森 雅亮.</u>	特集 “顔の赤み“鑑別・治療アトラス. 小児・顔の赤み ② -若年性皮膚筋炎-.	Derma.	294	219-224	2020

毛利万里子、森 雅亮.	特集 思い込みにご用心！小児科診療ピットフォール. 発熱が持続する小児に対する診療のピットフォール.	Modern Physician	40	24-37	2020
森 雅亮.	特集 難病を取り巻く様々な環境. 指定難病制度の現状について.	難病と在宅ケア	26	5-9	2020
森 雅亮.	特集 免疫難病における小児から成人への transition の課題と対策. 若年性特発性関節炎 vs. 関節リウマチ.	炎症と免疫	28	32-37	2020
川人 豊	病態に基づいた治療戦略 - 関節リウマチ -	-Current Therapy	38 (5)	8月13日	2020
宮澤慎一, 西田圭一郎	変形性関節症. 骨・関節・カルシウム代謝疾患. 2.免疫・炎症・アレルギーおよび骨・関節の病気とくすり	病気とくすり 2020 基礎と実践 Expert ' s Guide	71	328-338	2020